

Serious School Injuries by Health District, County and Educational Institution

ATHENS AREA

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 2 | 1.45 % | After School: | 2 | 1.45 % | Athletic Field/Play Field: | 2 | 1.45 % |
| Concussion (Possible): | 23 | 16.67 % | Before School: | 5 | 3.62 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 6 | 4.35 % | Class Change: | 6 | 4.35 % | Bus Loading Area: | 2 | 1.45 % |
| Cut/Laceration/Puncture: | 12 | 8.70 % | Class Time: | 11 | 7.97 % | Cafeteria: | 6 | 4.35 % |
| Dental Injury: | 3 | 2.17 % | Lunch Period: | 11 | 7.97 % | Classroom: | 8 | 5.80 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 23 | 16.67 % | Corridor/Hall: | 7 | 5.07 % |
| Eye Injury: | 2 | 1.45 % | Recess: | 9 | 6.52 % | Gymnasium/Pool: | 21 | 15.22 % |
| Fracture (Possible): | 10 | 7.25 % | Sci Lab/Fam & Consumer | | | Playground: | 13 | 9.42 % |
| Sprain/Strain/Tear (Possible): | 9 | 6.52 % | Sci & Tech ED Class: | 2 | 1.45 % | Restroom: | 2 | 1.45 % |
| Other: | 2 | 1.45 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 69 | | Grand Total Occurrences: | 69 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | 1.45 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 2.17 % |
| | | | | | | Street/Driveway/Parking: | 2 | 1.45 % |
| | | | | | | Other: | 1 | 0.72 % |
| | | | | | | Grand Total Occurrences: | 69 | |

Total Average Daily Enrollment: 2,185

Injury Occurrence Rate*: 6.31 %

CANTON AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 7 | 10.29 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 2 | 2.94 % | Class Change: | 1 | 1.47 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 8 | 11.76 % | Class Time: | 5 | 7.35 % | Cafeteria: | 0 | - % |
| Dental Injury: | 2 | 2.94 % | Lunch Period: | 0 | - % | Classroom: | 5 | 7.35 % |
| Dislocation (Possible): | 1 | 1.47 % | P.E. Class: | 10 | 14.71 % | Corridor/Hall: | 1 | 1.47 % |
| Eye Injury: | 6 | 8.82 % | Recess: | 13 | 19.12 % | Gymnasium/Pool: | 10 | 14.71 % |
| Fracture (Possible): | 5 | 7.35 % | Sci Lab/Fam & Consumer | | | Playground: | 13 | 19.12 % |
| Sprain/Strain/Tear (Possible): | 3 | 4.41 % | Sci & Tech ED Class: | 3 | 4.41 % | Restroom: | 1 | 1.47 % |
| Other: | 0 | - % | Other: | 2 | 2.94 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 34 | | Grand Total Occurrences: | 34 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 3 | 4.41 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 1.47 % |
| | | | | | | Grand Total Occurrences: | 34 | |

Total Average Daily Enrollment: 982

Injury Occurrence Rate*: 6.92 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

NORTHEAST BRADFORD SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 2.63 % | After School: | 1 | 2.63 % | Athletic Field/Play Field: | 2 | 5.26 % |
| Concussion (Possible): | 5 | 13.16 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 2.63 % | Class Change: | 2 | 5.26 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 5 | 13.16 % | Class Time: | 1 | 2.63 % | Cafeteria: | 1 | 2.63 % |
| Dental Injury: | 0 | - % | Lunch Period: | 1 | 2.63 % | Classroom: | 3 | 7.89 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 4 | 10.53 % | Corridor/Hall: | 1 | 2.63 % |
| Eye Injury: | 0 | - % | Recess: | 5 | 13.16 % | Gymnasium/Pool: | 2 | 5.26 % |
| Fracture (Possible): | 3 | 7.89 % | Sci Lab/Fam & Consumer | | | Playground: | 5 | 13.16 % |
| Sprain/Strain/Tear (Possible): | 3 | 7.89 % | Sci & Tech ED Class: | 3 | 7.89 % | Restroom: | 0 | - % |
| Other: | 1 | 2.63 % | Other: | 2 | 5.26 % | School Bus/Public Bus: | 1 | 2.63 % |
| Grand Total Occurrences: | 19 | | Grand Total Occurrences: | 19 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 3 | 7.89 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 2.63 % |
| | | | | | | Grand Total Occurrences: | 19 | |

Total Average Daily Enrollment: 854
Injury Occurrence Rate*: 4.45 %

SAYRE AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 6 | 15.79 % | Before School: | 1 | 2.63 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 1 | 2.63 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 4 | 10.53 % | Class Time: | 4 | 10.53 % | Cafeteria: | 1 | 2.63 % |
| Dental Injury: | 4 | 10.53 % | Lunch Period: | 1 | 2.63 % | Classroom: | 3 | 7.89 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 6 | 15.79 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 5 | 13.16 % | Gymnasium/Pool: | 7 | 18.42 % |
| Fracture (Possible): | 5 | 13.16 % | Sci Lab/Fam & Consumer | | | Playground: | 5 | 13.16 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 1 | 2.63 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 19 | | Grand Total Occurrences: | 19 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 2.63 % |
| | | | | | | Street/Driveway/Parking: | 1 | 2.63 % |
| | | | | | | Other: | 1 | 2.63 % |
| | | | | | | Grand Total Occurrences: | 19 | |

Total Average Daily Enrollment: 1,219
Injury Occurrence Rate*: 3.12 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

TOWANDA AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 2 | 0.48 % | After School: | 1 | 0.24 % | Athletic Field/Play Field: | 15 | 3.57 % |
| Concussion (Possible): | 50 | 11.90 % | Before School: | 2 | 0.48 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 35 | 8.33 % | Class Change: | 11 | 2.62 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 4 | 0.95 % | Class Time: | 33 | 7.86 % | Cafeteria: | 9 | 2.14 % |
| Dental Injury: | 3 | 0.71 % | Lunch Period: | 9 | 2.14 % | Classroom: | 37 | 8.81 % |
| Dislocation (Possible): | 3 | 0.71 % | P.E. Class: | 31 | 7.38 % | Corridor/Hall: | 11 | 2.62 % |
| Eye Injury: | 7 | 1.67 % | Recess: | 73 | 17.38 % | Gymnasium/Pool: | 31 | 7.38 % |
| Fracture (Possible): | 13 | 3.10 % | Sci Lab/Fam & Consumer | | | Playground: | 73 | 17.38 % |
| Sprain/Strain/Tear (Possible): | 13 | 3.10 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 80 | 19.05 % | Other: | 50 | 11.90 % | School Bus/Public Bus: | 2 | 0.48 % |
| Grand Total Occurrences: | 210 | | Grand Total Occurrences: | 210 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 2 | 0.48 % |
| | | | | | | Other: | 30 | 7.14 % |
| | | | | | | Grand Total Occurrences: | 210 | |

Total Average Daily Enrollment: 1,631

Injury Occurrence Rate*: 25.75 %

TROY AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 1.11 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 3 | 3.33 % | Before School: | 1 | 1.11 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 5 | 5.56 % | Class Change: | 0 | - % | Bus Loading Area: | 1 | 1.11 % |
| Cut/Laceration/Puncture: | 12 | 13.33 % | Class Time: | 8 | 8.89 % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 1.11 % | Lunch Period: | 0 | - % | Classroom: | 2 | 2.22 % |
| Dislocation (Possible): | 1 | 1.11 % | P.E. Class: | 9 | 10.00 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 2 | 2.22 % | Recess: | 25 | 27.78 % | Gymnasium/Pool: | 10 | 11.11 % |
| Fracture (Possible): | 6 | 6.67 % | Sci Lab/Fam & Consumer | | | Playground: | 23 | 25.56 % |
| Sprain/Strain/Tear (Possible): | 13 | 14.44 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 1.11 % |
| Other: | 2 | 2.22 % | Other: | 1 | 1.11 % | School Bus/Public Bus: | 1 | 1.11 % |
| Grand Total Occurrences: | 45 | | Grand Total Occurrences: | 45 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 1 | 1.11 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 6 | 6.67 % |
| | | | | | | Grand Total Occurrences: | 45 | |

Total Average Daily Enrollment: 1,501

Injury Occurrence Rate*: 6.00 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

WYALUSING AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 3 | 4.17 % | Athletic Field/Play Field: | 2 | 2.78 % |
| Concussion (Possible): | 8 | 11.11 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 6 | 8.33 % | Class Change: | 3 | 4.17 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 4 | 5.56 % | Class Time: | 2 | 2.78 % | Cafeteria: | 2 | 2.78 % |
| Dental Injury: | 1 | 1.39 % | Lunch Period: | 2 | 2.78 % | Classroom: | 2 | 2.78 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 6 | 8.33 % | Corridor/Hall: | 5 | 6.94 % |
| Eye Injury: | 2 | 2.78 % | Recess: | 12 | 16.67 % | Gymnasium/Pool: | 5 | 6.94 % |
| Fracture (Possible): | 10 | 13.89 % | Sci Lab/Fam & Consumer | | | Playground: | 11 | 15.28 % |
| Sprain/Strain/Tear (Possible): | 3 | 4.17 % | Sci & Tech ED Class: | 6 | 8.33 % | Restroom: | 0 | - % |
| Other: | 2 | 2.78 % | Other: | 2 | 2.78 % | School Bus/Public Bus: | 3 | 4.17 % |
| Grand Total Occurrences: | 36 | | Grand Total Occurrences: | 36 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 6 | 8.33 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 36 | |

Total Average Daily Enrollment: 1,355
Injury Occurrence Rate*: 5.31 %

BRADFORD COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 5 | 0.58 % | After School: | 8 | 0.93 % | Athletic Field/Play Field: | 21 | 2.43 % |
| Concussion (Possible): | 102 | 11.81 % | Before School: | 9 | 1.04 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 55 | 6.37 % | Class Change: | 24 | 2.78 % | Bus Loading Area: | 3 | 0.35 % |
| Cut/Laceration/Puncture: | 49 | 5.67 % | Class Time: | 64 | 7.41 % | Cafeteria: | 19 | 2.20 % |
| Dental Injury: | 14 | 1.62 % | Lunch Period: | 24 | 2.78 % | Classroom: | 60 | 6.94 % |
| Dislocation (Possible): | 5 | 0.58 % | P.E. Class: | 89 | 10.30 % | Corridor/Hall: | 25 | 2.89 % |
| Eye Injury: | 19 | 2.20 % | Recess: | 142 | 16.44 % | Gymnasium/Pool: | 86 | 9.95 % |
| Fracture (Possible): | 52 | 6.02 % | Sci Lab/Fam & Consumer | | | Playground: | 143 | 16.55 % |
| Sprain/Strain/Tear (Possible): | 44 | 5.09 % | Sci & Tech ED Class: | 14 | 1.62 % | Restroom: | 4 | 0.46 % |
| Other: | 87 | 10.07 % | Other: | 58 | 6.71 % | School Bus/Public Bus: | 7 | 0.81 % |
| Grand Total Occurrences: | 432 | | Grand Total Occurrences: | 432 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 14 | 1.62 % |
| | | | | | | Sidewalk: | 1 | 0.12 % |
| | | | | | | Stairs/Ramp/Elevator: | 4 | 0.46 % |
| | | | | | | Street/Driveway/Parking: | 5 | 0.58 % |
| | | | | | | Other: | 40 | 4.63 % |
| | | | | | | Grand Total Occurrences: | 432 | |

Total Average Daily Enrollment: 9,728
Injury Occurrence Rate*: 8.88 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

BALD EAGLE AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 2 | 14.29 % | Class Time: | 1 | 7.14 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 1 | 7.14 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 5 | 35.71 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 4 | 28.57 % |
| Fracture (Possible): | 1 | 7.14 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 3 | 21.43 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 1 | 7.14 % | Other: | 1 | 7.14 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 7 | | Grand Total Occurrences: | 7 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 1 | 7.14 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 7.14 % |
| | | | | | | Grand Total Occurrences: | 7 | |

Total Average Daily Enrollment: 1,800
Injury Occurrence Rate*: 0.78 %

BELLEFONTE AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 0.52 % | After School: | 3 | 1.56 % | Athletic Field/Play Field: | 3 | 1.56 % |
| Concussion (Possible): | 15 | 7.81 % | Before School: | 5 | 2.60 % | Auditorium/Multipurpose: | 1 | 0.52 % |
| Contusion: | 2 | 1.04 % | Class Change: | 9 | 4.69 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 10 | 5.21 % | Class Time: | 15 | 7.81 % | Cafeteria: | 2 | 1.04 % |
| Dental Injury: | 2 | 1.04 % | Lunch Period: | 2 | 1.04 % | Classroom: | 11 | 5.73 % |
| Dislocation (Possible): | 3 | 1.56 % | P.E. Class: | 45 | 23.44 % | Corridor/Hall: | 7 | 3.65 % |
| Eye Injury: | 5 | 2.60 % | Recess: | 14 | 7.29 % | Gymnasium/Pool: | 36 | 18.75 % |
| Fracture (Possible): | 22 | 11.46 % | Sci Lab/Fam & Consumer | | | Playground: | 19 | 9.90 % |
| Sprain/Strain/Tear (Possible): | 22 | 11.46 % | Sci & Tech ED Class: | 1 | 0.52 % | Restroom: | 1 | 0.52 % |
| Other: | 14 | 7.29 % | Other: | 2 | 1.04 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 96 | | Grand Total Occurrences: | 96 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 0.52 % |
| | | | | | | Sidewalk: | 1 | 0.52 % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 1.56 % |
| | | | | | | Street/Driveway/Parking: | 2 | 1.04 % |
| | | | | | | Other: | 9 | 4.69 % |
| | | | | | | Grand Total Occurrences: | 96 | |

Total Average Daily Enrollment: 2,727
Injury Occurrence Rate*: 7.04 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

CENTRE LEARNING COMMUNITY CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 0 | | Grand Total Occurrences: | 0 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 0 | |

Total Average Daily Enrollment: 102
Injury Occurrence Rate*: - %

NITTANY VALLEY CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 1 | 33.33 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 1 | 33.33 % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 2 | 66.67 % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 2 | 66.67 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 1 | 33.33 % | Other: | 1 | 33.33 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 3 | | Grand Total Occurrences: | 3 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 33.33 % |
| | | | | | | Grand Total Occurrences: | 3 | |

Total Average Daily Enrollment: 58
Injury Occurrence Rate*: 5.17 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

PENNS VALLEY AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 2 | 2.70 % |
| Concussion (Possible): | 4 | 5.41 % | Before School: | 1 | 1.35 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 8 | 10.81 % | Class Change: | 4 | 5.41 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 4 | 5.41 % | Class Time: | 9 | 12.16 % | Cafeteria: | 2 | 2.70 % |
| Dental Injury: | 2 | 2.70 % | Lunch Period: | 2 | 2.70 % | Classroom: | 9 | 12.16 % |
| Dislocation (Possible): | 2 | 2.70 % | P.E. Class: | 11 | 14.86 % | Corridor/Hall: | 4 | 5.41 % |
| Eye Injury: | 2 | 2.70 % | Recess: | 7 | 9.46 % | Gymnasium/Pool: | 10 | 13.51 % |
| Fracture (Possible): | 9 | 12.16 % | Sci Lab/Fam & Consumer | | | Playground: | 7 | 9.46 % |
| Sprain/Strain/Tear (Possible): | 3 | 4.05 % | Sci & Tech ED Class: | 2 | 2.70 % | Restroom: | 0 | - % |
| Other: | 3 | 4.05 % | Other: | 1 | 1.35 % | School Bus/Public Bus: | 1 | 1.35 % |
| Grand Total Occurrences: | 37 | | Grand Total Occurrences: | 37 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 2.70 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 1.35 % |
| | | | | | | Grand Total Occurrences: | 37 | |

Total Average Daily Enrollment: 1,441
Injury Occurrence Rate*: 5.13 %

STATE COLLEGE AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 0 | - % | After School: | 5 | 1.79 % | Athletic Field/Play Field: | 17 | 6.07 % |
| Concussion (Possible): | 21 | 7.50 % | Before School: | 12 | 4.29 % | Auditorium/Multipurpose: | 9 | 3.21 % |
| Cotusion: | 12 | 4.29 % | Class Change: | 10 | 3.57 % | Bus Loading Area: | 1 | 0.36 % |
| Cut/Laceration/Puncture: | 34 | 12.14 % | Class Time: | 30 | 10.71 % | Cafeteria: | 3 | 1.07 % |
| Dental Injury: | 3 | 1.07 % | Lunch Period: | 5 | 1.79 % | Classroom: | 18 | 6.43 % |
| Dislocation (Possible): | 1 | 0.36 % | P.E. Class: | 36 | 12.86 % | Corridor/Hall: | 6 | 2.14 % |
| Eye Injury: | 4 | 1.43 % | Recess: | 33 | 11.79 % | Gymnasium/Pool: | 19 | 6.79 % |
| Fracture (Possible): | 29 | 10.36 % | Sci Lab/Fam & Consumer | | | Playground: | 35 | 12.50 % |
| Sprain/Strain/Tear (Possible): | 22 | 7.86 % | Sci & Tech ED Class: | 3 | 1.07 % | Restroom: | 0 | - % |
| Other: | 14 | 5.00 % | Other: | 6 | 2.14 % | School Bus/Public Bus: | 3 | 1.07 % |
| Grand Total Occurrences: | 140 | | Grand Total Occurrences: | 140 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 3 | 1.07 % |
| | | | | | | Sidewalk: | 3 | 1.07 % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 1.07 % |
| | | | | | | Street/Driveway/Parking: | 5 | 1.79 % |
| | | | | | | Other: | 15 | 5.36 % |
| | | | | | | Grand Total Occurrences: | 140 | |

Total Average Daily Enrollment: 7,410
Injury Occurrence Rate*: 3.78 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

WONDERLAND CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 0 | | Grand Total Occurrences: | 0 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 0 | |

Total Average Daily Enrollment: 67
Injury Occurrence Rate*: - %

YOUNG SCHOLARS OF CENTRAL PA CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|----------|--|----------|----------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 4 | 66.67 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 1 | 16.67 % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 6 | 100.00 % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 1 | 16.67 % | Sci Lab/Fam & Consumer | | | Playground: | 6 | 100.00 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 6 | | Grand Total Occurrences: | 6 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 6 | |

Total Average Daily Enrollment: 250
Injury Occurrence Rate*: 2.40 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

CENTRE COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 1 | 0.18 % | After School: | 8 | 1.41 % | Athletic Field/Play Field: | 22 | 3.87 % |
| Concussion (Possible): | 45 | 7.91 % | Before School: | 18 | 3.16 % | Auditorium/Multipurpose: | 10 | 1.76 % |
| Contusion: | 22 | 3.87 % | Class Change: | 23 | 4.04 % | Bus Loading Area: | 1 | 0.18 % |
| Cut/Laceration/Puncture: | 52 | 9.14 % | Class Time: | 55 | 9.67 % | Cafeteria: | 7 | 1.23 % |
| Dental Injury: | 7 | 1.23 % | Lunch Period: | 9 | 1.58 % | Classroom: | 39 | 6.85 % |
| Dislocation (Possible): | 6 | 1.05 % | P.E. Class: | 97 | 17.05 % | Corridor/Hall: | 17 | 2.99 % |
| Eye Injury: | 11 | 1.93 % | Recess: | 62 | 10.90 % | Gymnasium/Pool: | 69 | 12.13 % |
| Fracture (Possible): | 62 | 10.90 % | Sci Lab/Fam & Consumer | | | Playground: | 69 | 12.13 % |
| Sprain/Strain/Tear (Possible): | 50 | 8.79 % | Sci & Tech ED Class: | 6 | 1.05 % | Restroom: | 1 | 0.18 % |
| Other: | 33 | 5.80 % | Other: | 11 | 1.93 % | School Bus/Public Bus: | 4 | 0.70 % |
| Grand Total Occurrences: | 289 | | Grand Total Occurrences: | 289 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 5 | 0.88 % |
| | | | | | | Sidewalk: | 5 | 0.88 % |
| | | | | | | Stairs/Ramp/Elevator: | 6 | 1.05 % |
| | | | | | | Street/Driveway/Parking: | 7 | 1.23 % |
| | | | | | | Other: | 27 | 4.75 % |
| | | | | | | Grand Total Occurrences: | 289 | |

Total Average Daily Enrollment: 13,855

Injury Occurrence Rate*: 4.11 %

KEYSTONE CENTRAL SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 2 | 0.68 % | After School: | 2 | 0.68 % | Athletic Field/Play Field: | 15 | 5.14 % |
| Concussion (Possible): | 42 | 14.38 % | Before School: | 11 | 3.77 % | Auditorium/Multipurpose: | 1 | 0.34 % |
| Contusion: | 6 | 2.05 % | Class Change: | 13 | 4.45 % | Bus Loading Area: | 2 | 0.68 % |
| Cut/Laceration/Puncture: | 15 | 5.14 % | Class Time: | 22 | 7.53 % | Cafeteria: | 10 | 3.42 % |
| Dental Injury: | 4 | 1.37 % | Lunch Period: | 6 | 2.05 % | Classroom: | 19 | 6.51 % |
| Dislocation (Possible): | 2 | 0.68 % | P.E. Class: | 59 | 20.21 % | Corridor/Hall: | 12 | 4.11 % |
| Eye Injury: | 7 | 2.40 % | Recess: | 27 | 9.25 % | Gymnasium/Pool: | 49 | 16.78 % |
| Fracture (Possible): | 36 | 12.33 % | Sci Lab/Fam & Consumer | | | Playground: | 24 | 8.22 % |
| Sprain/Strain/Tear (Possible): | 25 | 8.56 % | Sci & Tech ED Class: | 5 | 1.71 % | Restroom: | 2 | 0.68 % |
| Other: | 7 | 2.40 % | Other: | 1 | 0.34 % | School Bus/Public Bus: | 2 | 0.68 % |
| Grand Total Occurrences: | 146 | | Grand Total Occurrences: | 146 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 5 | 1.71 % |
| | | | | | | Sidewalk: | 1 | 0.34 % |
| | | | | | | Stairs/Ramp/Elevator: | 4 | 1.37 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 146 | |

Total Average Daily Enrollment: 4,157

Injury Occurrence Rate*: 7.02 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

SUGAR VALLEY RURAL CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 1 | 16.67 % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 2 | 33.33 % | Class Change: | 2 | 33.33 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 1 | 16.67 % | Class Time: | 3 | 50.00 % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 16.67 % | Lunch Period: | 0 | - % | Classroom: | 3 | 50.00 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 1 | 16.67 % |
| Eye Injury: | 0 | - % | Recess: | 1 | 16.67 % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 1 | 16.67 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 1 | 16.67 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 6 | | Grand Total Occurrences: | 6 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 1 | 16.67 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 6 | |

Total Average Daily Enrollment: 325
Injury Occurrence Rate*: 1.85 %

CLINTON COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 3 | 1.01 % | After School: | 2 | 0.67 % | Athletic Field/Play Field: | 15 | 5.03 % |
| Concussion (Possible): | 42 | 14.09 % | Before School: | 11 | 3.69 % | Auditorium/Multipurpose: | 1 | 0.34 % |
| Contusion: | 8 | 2.68 % | Class Change: | 15 | 5.03 % | Bus Loading Area: | 2 | 0.67 % |
| Cut/Laceration/Puncture: | 16 | 5.37 % | Class Time: | 25 | 8.39 % | Cafeteria: | 10 | 3.36 % |
| Dental Injury: | 5 | 1.68 % | Lunch Period: | 6 | 2.01 % | Classroom: | 22 | 7.38 % |
| Dislocation (Possible): | 2 | 0.67 % | P.E. Class: | 59 | 19.80 % | Corridor/Hall: | 13 | 4.36 % |
| Eye Injury: | 7 | 2.35 % | Recess: | 28 | 9.40 % | Gymnasium/Pool: | 49 | 16.44 % |
| Fracture (Possible): | 36 | 12.08 % | Sci Lab/Fam & Consumer | | | Playground: | 25 | 8.39 % |
| Sprain/Strain/Tear (Possible): | 25 | 8.39 % | Sci & Tech ED Class: | 5 | 1.68 % | Restroom: | 2 | 0.67 % |
| Other: | 8 | 2.68 % | Other: | 1 | 0.34 % | School Bus/Public Bus: | 2 | 0.67 % |
| Grand Total Occurrences: | 152 | | Grand Total Occurrences: | 152 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 5 | 1.68 % |
| | | | | | | Sidewalk: | 2 | 0.67 % |
| | | | | | | Stairs/Ramp/Elevator: | 4 | 1.34 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 152 | |

Total Average Daily Enrollment: 4,482
Injury Occurrence Rate*: 6.65 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

BENTON AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 2 | 7.14 % |
| Concussion (Possible): | 2 | 7.14 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 3.57 % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 5 | 17.86 % | Class Time: | 5 | 17.86 % | Cafeteria: | 1 | 3.57 % |
| Dental Injury: | 0 | - % | Lunch Period: | 1 | 3.57 % | Classroom: | 4 | 14.29 % |
| Dislocation (Possible): | 1 | 3.57 % | P.E. Class: | 5 | 17.86 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 3 | 10.71 % | Gymnasium/Pool: | 2 | 7.14 % |
| Fracture (Possible): | 1 | 3.57 % | Sci Lab/Fam & Consumer | | | Playground: | 4 | 14.29 % |
| Sprain/Strain/Tear (Possible): | 2 | 7.14 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 2 | 7.14 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 14 | | Grand Total Occurrences: | 14 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 3.57 % |
| | | | | | | Grand Total Occurrences: | 14 | |

Total Average Daily Enrollment: 701
Injury Occurrence Rate*: 3.99 %

BERWICK AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 1 | 0.43 % | After School: | 1 | 0.43 % | Athletic Field/Play Field: | 5 | 2.14 % |
| Concussion (Possible): | 13 | 5.56 % | Before School: | 5 | 2.14 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 14 | 5.98 % | Class Change: | 12 | 5.13 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 16 | 6.84 % | Class Time: | 15 | 6.41 % | Cafeteria: | 6 | 2.56 % |
| Dental Injury: | 6 | 2.56 % | Lunch Period: | 7 | 2.99 % | Classroom: | 12 | 5.13 % |
| Dislocation (Possible): | 1 | 0.43 % | P.E. Class: | 39 | 16.67 % | Corridor/Hall: | 12 | 5.13 % |
| Eye Injury: | 4 | 1.71 % | Recess: | 31 | 13.25 % | Gymnasium/Pool: | 31 | 13.25 % |
| Fracture (Possible): | 19 | 8.12 % | Sci Lab/Fam & Consumer | | | Playground: | 32 | 13.68 % |
| Sprain/Strain/Tear (Possible): | 21 | 8.97 % | Sci & Tech ED Class: | 2 | 0.85 % | Restroom: | 3 | 1.28 % |
| Other: | 22 | 9.40 % | Other: | 5 | 2.14 % | School Bus/Public Bus: | 1 | 0.43 % |
| Grand Total Occurrences: | 117 | | Grand Total Occurrences: | 117 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | 0.85 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 1.28 % |
| | | | | | | Street/Driveway/Parking: | 2 | 0.85 % |
| | | | | | | Other: | 8 | 3.42 % |
| | | | | | | Grand Total Occurrences: | 117 | |

Total Average Daily Enrollment: 3,031
Injury Occurrence Rate*: 7.72 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

BLOOMSBURG AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 1.35 % | Athletic Field/Play Field: | 1 | 1.35 % |
| Concussion (Possible): | 16 | 21.62 % | Before School: | 5 | 6.76 % | Auditorium/Multipurpose: | 4 | 5.41 % |
| Cotusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 4 | 5.41 % | Class Time: | 3 | 4.05 % | Cafeteria: | 5 | 6.76 % |
| Dental Injury: | 2 | 2.70 % | Lunch Period: | 7 | 9.46 % | Classroom: | 5 | 6.76 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 10 | 13.51 % | Corridor/Hall: | 3 | 4.05 % |
| Eye Injury: | 0 | - % | Recess: | 11 | 14.86 % | Gymnasium/Pool: | 5 | 6.76 % |
| Fracture (Possible): | 7 | 9.46 % | Sci Lab/Fam & Consumer | | | Playground: | 9 | 12.16 % |
| Sprain/Strain/Tear (Possible): | 8 | 10.81 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 2 | 2.70 % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 37 | | Grand Total Occurrences: | 37 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 1 | 1.35 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 2 | 2.70 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 37 | |

Total Average Daily Enrollment: 1,739

Injury Occurrence Rate*: 4.26 %

CENTRAL COLUMBIA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 5 | 8.93 % | Athletic Field/Play Field: | 8 | 14.29 % |
| Concussion (Possible): | 2 | 3.57 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 1 | 1.79 % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 4 | 7.14 % | Class Time: | 3 | 5.36 % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 1.79 % | Lunch Period: | 1 | 1.79 % | Classroom: | 1 | 1.79 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 10 | 17.86 % | Corridor/Hall: | 4 | 7.14 % |
| Eye Injury: | 0 | - % | Recess: | 7 | 12.50 % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 13 | 23.21 % | Sci Lab/Fam & Consumer | | | Playground: | 7 | 12.50 % |
| Sprain/Strain/Tear (Possible): | 6 | 10.71 % | Sci & Tech ED Class: | 1 | 1.79 % | Restroom: | 6 | 10.71 % |
| Other: | 1 | 1.79 % | Other: | 1 | 1.79 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 28 | | Grand Total Occurrences: | 28 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | 1.79 % |
| | | | | | | Sidewalk: | 1 | 1.79 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 1.79 % |
| | | | | | | Grand Total Occurrences: | 28 | |

Total Average Daily Enrollment: 1,846

Injury Occurrence Rate*: 3.03 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

COLUMBIA-MONTOUR AVTS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 20.00 % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 2 | 40.00 % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 1 | 20.00 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 1 | 20.00 % | Recess: | 0 | - % | Gymnasium/Pool: | 1 | 20.00 % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 1 | 20.00 % | Sci & Tech ED Class: | 4 | 80.00 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 5 | | Grand Total Occurrences: | 5 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 4 | 80.00 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 5 | |

Total Average Daily Enrollment: 618
Injury Occurrence Rate*: 0.81 %

MILLVILLE AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 1 | 5.56 % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 1 | 5.56 % | Class Time: | 1 | 5.56 % | Cafeteria: | 1 | 5.56 % |
| Dental Injury: | 2 | 11.11 % | Lunch Period: | 1 | 5.56 % | Classroom: | 1 | 5.56 % |
| Dislocation (Possible): | 1 | 5.56 % | P.E. Class: | 4 | 22.22 % | Corridor/Hall: | 1 | 5.56 % |
| Eye Injury: | 0 | - % | Recess: | 2 | 11.11 % | Gymnasium/Pool: | 4 | 22.22 % |
| Fracture (Possible): | 3 | 16.67 % | Sci Lab/Fam & Consumer | | | Playground: | 1 | 5.56 % |
| Sprain/Strain/Tear (Possible): | 1 | 5.56 % | Sci & Tech ED Class: | 1 | 5.56 % | Restroom: | 0 | - % |
| Other: | 1 | 5.56 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 9 | | Grand Total Occurrences: | 9 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | 5.56 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 9 | |

Total Average Daily Enrollment: 721
Injury Occurrence Rate*: 2.50 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

SOUTHERN COLUMBIA AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 3 | 2.50 % | After School: | 4 | 3.33 % | Athletic Field/Play Field: | 1 | 0.83 % |
| Concussion (Possible): | 8 | 6.67 % | Before School: | 3 | 2.50 % | Auditorium/Multipurpose: | 1 | 0.83 % |
| Cotusion: | 4 | 3.33 % | Class Change: | 7 | 5.83 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 12 | 10.00 % | Class Time: | 12 | 10.00 % | Cafeteria: | 2 | 1.67 % |
| Dental Injury: | 3 | 2.50 % | Lunch Period: | 3 | 2.50 % | Classroom: | 6 | 5.00 % |
| Dislocation (Possible): | 1 | 0.83 % | P.E. Class: | 13 | 10.83 % | Corridor/Hall: | 8 | 6.67 % |
| Eye Injury: | 2 | 1.67 % | Recess: | 12 | 10.00 % | Gymnasium/Pool: | 13 | 10.83 % |
| Fracture (Possible): | 17 | 14.17 % | Sci Lab/Fam & Consumer | | | Playground: | 12 | 10.00 % |
| Sprain/Strain/Tear (Possible): | 8 | 6.67 % | Sci & Tech ED Class: | 6 | 5.00 % | Restroom: | 1 | 0.83 % |
| Other: | 2 | 1.67 % | Other: | 0 | - % | School Bus/Public Bus: | 5 | 4.17 % |
| Grand Total Occurrences: | 60 | | Grand Total Occurrences: | 60 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 8 | 5.00 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 2 | 1.67 % |
| | | | | | | Other: | 1 | 0.83 % |
| | | | | | | Grand Total Occurrences: | 60 | |

Total Average Daily Enrollment: 1,446

Injury Occurrence Rate*: 8.30 %

SUSQ-CYBER CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 0 | | Grand Total Occurrences: | 0 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 0 | |

Total Average Daily Enrollment: 163

Injury Occurrence Rate*: - %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

COLUMBIA COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 4 | 0.75 % | After School: | 11 | 2.06 % | Athletic Field/Play Field: | 18 | 3.36 % |
| Concussion (Possible): | 41 | 7.66 % | Before School: | 13 | 2.43 % | Auditorium/Multipurpose: | 5 | 0.93 % |
| Contusion: | 21 | 3.93 % | Class Change: | 19 | 3.55 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 44 | 8.22 % | Class Time: | 39 | 7.29 % | Cafeteria: | 15 | 2.80 % |
| Dental Injury: | 14 | 2.62 % | Lunch Period: | 20 | 3.74 % | Classroom: | 29 | 5.42 % |
| Dislocation (Possible): | 4 | 0.75 % | P.E. Class: | 82 | 15.33 % | Corridor/Hall: | 28 | 5.23 % |
| Eye Injury: | 7 | 1.31 % | Recess: | 66 | 12.34 % | Gymnasium/Pool: | 56 | 10.47 % |
| Fracture (Possible): | 60 | 11.21 % | Sci Lab/Fam & Consumer | | | Playground: | 65 | 12.15 % |
| Sprain/Strain/Tear (Possible): | 47 | 8.79 % | Sci & Tech ED Class: | 14 | 2.62 % | Restroom: | 12 | 2.24 % |
| Other: | 28 | 5.23 % | Other: | 6 | 1.12 % | School Bus/Public Bus: | 6 | 1.12 % |
| Grand Total Occurrences: | 270 | | Grand Total Occurrences: | 270 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 14 | 2.62 % |
| | | | | | | Sidewalk: | 2 | 0.37 % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 0.56 % |
| | | | | | | Street/Driveway/Parking: | 6 | 1.12 % |
| | | | | | | Other: | 11 | 2.06 % |
| | | | | | | Grand Total Occurrences: | 270 | |

Total Average Daily Enrollment: 10,265

Injury Occurrence Rate*: 5.21 %

EAST LYCOMING SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 2 | 1.35 % | After School: | 1 | 0.68 % | Athletic Field/Play Field: | 6 | 4.05 % |
| Concussion (Possible): | 14 | 9.46 % | Before School: | 3 | 2.03 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 10 | 6.76 % | Class Change: | 4 | 2.70 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 14 | 9.46 % | Class Time: | 17 | 11.49 % | Cafeteria: | 10 | 6.76 % |
| Dental Injury: | 1 | 0.68 % | Lunch Period: | 3 | 2.03 % | Classroom: | 12 | 8.11 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 27 | 18.24 % | Corridor/Hall: | 7 | 4.73 % |
| Eye Injury: | 5 | 3.38 % | Recess: | 11 | 7.43 % | Gymnasium/Pool: | 19 | 12.84 % |
| Fracture (Possible): | 9 | 6.08 % | Sci Lab/Fam & Consumer | | | Playground: | 11 | 7.43 % |
| Sprain/Strain/Tear (Possible): | 12 | 8.11 % | Sci & Tech ED Class: | 6 | 4.05 % | Restroom: | 0 | - % |
| Other: | 7 | 4.73 % | Other: | 2 | 1.35 % | School Bus/Public Bus: | 1 | 0.68 % |
| Grand Total Occurrences: | 74 | | Grand Total Occurrences: | 74 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 6 | 4.05 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.68 % |
| | | | | | | Other: | 1 | 0.68 % |
| | | | | | | Grand Total Occurrences: | 74 | |

Total Average Daily Enrollment: 1,604

Injury Occurrence Rate*: 9.22 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

JERSEY SHORE AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 5 | 2.31 % | After School: | 0 | - % | Athletic Field/Play Field: | 4 | 1.85 % |
| Concussion (Possible): | 37 | 17.13 % | Before School: | 4 | 1.85 % | Auditorium/Multipurpose: | 5 | 2.31 % |
| Cotusion: | 14 | 6.48 % | Class Change: | 9 | 4.17 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 14 | 6.48 % | Class Time: | 38 | 17.59 % | Cafeteria: | 3 | 1.39 % |
| Dental Injury: | 1 | 0.46 % | Lunch Period: | 3 | 1.39 % | Classroom: | 28 | 12.96 % |
| Dislocation (Possible): | 2 | 0.93 % | P.E. Class: | 27 | 12.50 % | Corridor/Hall: | 7 | 3.24 % |
| Eye Injury: | 1 | 0.46 % | Recess: | 19 | 8.80 % | Gymnasium/Pool: | 35 | 16.20 % |
| Fracture (Possible): | 9 | 4.17 % | Sci Lab/Fam & Consumer | | | Playground: | 15 | 6.94 % |
| Sprain/Strain/Tear (Possible): | 21 | 9.72 % | Sci & Tech ED Class: | 7 | 3.24 % | Restroom: | 2 | 0.93 % |
| Other: | 4 | 1.85 % | Other: | 1 | 0.46 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 108 | | Grand Total Occurrences: | 108 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 5 | 3.24 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 2 | 0.93 % |
| | | | | | | Other: | 2 | 0.93 % |
| | | | | | | Grand Total Occurrences: | 108 | |

Total Average Daily Enrollment: 2,608

Injury Occurrence Rate*: 8.28 %

LOYALSOCK TOWNSHIP SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 2 | 4.76 % |
| Concussion (Possible): | 4 | 9.52 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 1 | 2.38 % | Class Change: | 2 | 4.76 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 2 | 4.76 % | Class Time: | 3 | 7.14 % | Cafeteria: | 0 | - % |
| Dental Injury: | 2 | 4.76 % | Lunch Period: | 0 | - % | Classroom: | 1 | 2.38 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 8 | 19.05 % | Corridor/Hall: | 2 | 4.76 % |
| Eye Injury: | 1 | 2.38 % | Recess: | 5 | 11.90 % | Gymnasium/Pool: | 6 | 14.29 % |
| Fracture (Possible): | 7 | 16.67 % | Sci Lab/Fam & Consumer | | | Playground: | 6 | 14.29 % |
| Sprain/Strain/Tear (Possible): | 3 | 7.14 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 1 | 2.38 % | Other: | 3 | 7.14 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 21 | | Grand Total Occurrences: | 21 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 4 | 9.52 % |
| | | | | | | Grand Total Occurrences: | 21 | |

Total Average Daily Enrollment: 1,443

Injury Occurrence Rate*: 2.91 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

MONTGOMERY AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 2 | 5.00 % | After School: | 1 | 2.50 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 5 | 12.50 % | Before School: | 1 | 2.50 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 1 | 2.50 % | Bus Loading Area: | 1 | 2.50 % |
| Cut/Laceration/Puncture: | 5 | 12.50 % | Class Time: | 5 | 12.50 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 1 | 2.50 % | Classroom: | 2 | 5.00 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 3 | 7.50 % | Corridor/Hall: | 4 | 10.00 % |
| Eye Injury: | 1 | 2.50 % | Recess: | 5 | 12.50 % | Gymnasium/Pool: | 3 | 7.50 % |
| Fracture (Possible): | 3 | 7.50 % | Sci Lab/Fam & Consumer | | | Playground: | 5 | 12.50 % |
| Sprain/Strain/Tear (Possible): | 3 | 7.50 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 1 | 2.50 % | Other: | 3 | 7.50 % | School Bus/Public Bus: | 1 | 2.50 % |
| Grand Total Occurrences: | 20 | | Grand Total Occurrences: | 20 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 3 | - % |
| | | | | | | Sidewalk: | 1 | 2.50 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 20 | |

Total Average Daily Enrollment: 878
Injury Occurrence Rate*: 4.55 %

MONTOURSVILLE AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 1.25 % | After School: | 1 | 1.25 % | Athletic Field/Play Field: | 5 | 6.25 % |
| Concussion (Possible): | 11 | 13.75 % | Before School: | 1 | 1.25 % | Auditorium/Multipurpose: | 1 | 1.25 % |
| Contusion: | 3 | 3.75 % | Class Change: | 1 | 1.25 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 7 | 8.75 % | Class Time: | 12 | 15.00 % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 1.25 % | Lunch Period: | 2 | 2.50 % | Classroom: | 9 | 11.25 % |
| Dislocation (Possible): | 3 | 3.75 % | P.E. Class: | 0 | - % | Corridor/Hall: | 1 | 1.25 % |
| Eye Injury: | 3 | 3.75 % | Recess: | 15 | 18.75 % | Gymnasium/Pool: | 13 | 16.25 % |
| Fracture (Possible): | 5 | 6.25 % | Sci Lab/Fam & Consumer | | | Playground: | 1 | 1.25 % |
| Sprain/Strain/Tear (Possible): | 5 | 6.25 % | Sci & Tech ED Class: | 3 | 3.75 % | Restroom: | 4 | 5.00 % |
| Other: | 1 | 1.25 % | Other: | 5 | 6.25 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 40 | | Grand Total Occurrences: | 40 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 4 | 3.75 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 2.50 % |
| | | | | | | Grand Total Occurrences: | 40 | |

Total Average Daily Enrollment: 1,905
Injury Occurrence Rate*: 4.20 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

MUNCY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 3 | 2.38 % | Athletic Field/Play Field: | 15 | 11.90 % |
| Concussion (Possible): | 8 | 6.35 % | Before School: | 4 | 3.17 % | Auditorium/Multipurpose: | 2 | 1.59 % |
| Contusion: | 6 | 4.76 % | Class Change: | 4 | 3.17 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 5 | 3.97 % | Class Time: | 7 | 5.56 % | Cafeteria: | 3 | 2.38 % |
| Dental Injury: | 3 | 2.38 % | Lunch Period: | 6 | 4.76 % | Classroom: | 7 | 5.56 % |
| Dislocation (Possible): | 5 | 3.97 % | P.E. Class: | 13 | 10.32 % | Corridor/Hall: | 1 | 0.79 % |
| Eye Injury: | 2 | 1.59 % | Recess: | 24 | 19.05 % | Gymnasium/Pool: | 12 | 9.52 % |
| Fracture (Possible): | 12 | 9.52 % | Sci Lab/Fam & Consumer | | | Playground: | 11 | 8.73 % |
| Sprain/Strain/Tear (Possible): | 18 | 14.29 % | Sci & Tech ED Class: | 2 | 1.59 % | Restroom: | 3 | 2.38 % |
| Other: | 4 | 3.17 % | Other: | 0 | - % | School Bus/Public Bus: | 2 | 1.59 % |
| Grand Total Occurrences: | 63 | | Grand Total Occurrences: | 63 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | 1.59 % |
| | | | | | | Sidewalk: | 2 | 1.59 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 3 | 2.38 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 63 | |

Total Average Daily Enrollment: 984
Injury Occurrence Rate*: 12.81 %

SOUTH WILLIAMSPORT AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 0.56 % | After School: | 0 | - % | Athletic Field/Play Field: | 2 | 1.12 % |
| Concussion (Possible): | 21 | 11.80 % | Before School: | 1 | 0.56 % | Auditorium/Multipurpose: | 2 | 1.12 % |
| Contusion: | 8 | 4.49 % | Class Change: | 8 | 4.49 % | Bus Loading Area: | 1 | 0.56 % |
| Cut/Laceration/Puncture: | 23 | 12.92 % | Class Time: | 7 | 3.93 % | Cafeteria: | 7 | 3.93 % |
| Dental Injury: | 4 | 2.25 % | Lunch Period: | 9 | 5.06 % | Classroom: | 6 | 3.37 % |
| Dislocation (Possible): | 3 | 1.69 % | P.E. Class: | 21 | 11.80 % | Corridor/Hall: | 3 | 1.69 % |
| Eye Injury: | 6 | 3.37 % | Recess: | 38 | 21.35 % | Gymnasium/Pool: | 17 | 9.55 % |
| Fracture (Possible): | 16 | 8.99 % | Sci Lab/Fam & Consumer | | | Playground: | 37 | 20.79 % |
| Sprain/Strain/Tear (Possible): | 7 | 3.93 % | Sci & Tech ED Class: | 4 | 2.25 % | Restroom: | 4 | 2.25 % |
| Other: | 0 | - % | Other: | 1 | 0.56 % | School Bus/Public Bus: | 1 | 0.56 % |
| Grand Total Occurrences: | 89 | | Grand Total Occurrences: | 89 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 4 | 2.25 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 1.69 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 1.12 % |
| | | | | | | Grand Total Occurrences: | 89 | |

Total Average Daily Enrollment: 1,299
Injury Occurrence Rate*: 13.70 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

WILLIAMSPORT AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 3 | 1.18 % | After School: | 3 | 1.18 % | Athletic Field/Play Field: | 5 | 1.97 % |
| Concussion (Possible): | 32 | 12.60 % | Before School: | 9 | 3.54 % | Auditorium/Multipurpose: | 1 | 0.39 % |
| Contusion: | 6 | 2.36 % | Class Change: | 8 | 3.15 % | Bus Loading Area: | 1 | 0.39 % |
| Cut/Laceration/Puncture: | 27 | 10.63 % | Class Time: | 34 | 13.39 % | Cafeteria: | 4 | 1.57 % |
| Dental Injury: | 5 | 1.97 % | Lunch Period: | 7 | 2.76 % | Classroom: | 18 | 7.09 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 17 | 6.69 % | Corridor/Hall: | 9 | 3.54 % |
| Eye Injury: | 4 | 1.57 % | Recess: | 41 | 16.14 % | Gymnasium/Pool: | 22 | 8.66 % |
| Fracture (Possible): | 34 | 13.39 % | Sci Lab/Fam & Consumer | | | Playground: | 38 | 14.96 % |
| Sprain/Strain/Tear (Possible): | 14 | 5.51 % | Sci & Tech ED Class: | 3 | 1.18 % | Restroom: | 1 | 0.39 % |
| Other: | 2 | 0.79 % | Other: | 5 | 1.97 % | School Bus/Public Bus: | 2 | 0.79 % |
| Grand Total Occurrences: | 127 | | Grand Total Occurrences: | 127 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 6 | 1.18 % |
| | | | | | | Sidewalk: | 4 | 1.57 % |
| | | | | | | Stairs/Ramp/Elevator: | 5 | 1.97 % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.39 % |
| | | | | | | Other: | 10 | 3.94 % |
| | | | | | | Grand Total Occurrences: | 127 | |

Total Average Daily Enrollment: 5,433
Injury Occurrence Rate*: 4.67 %

LYCOMING COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 14 | 1.29 % | After School: | 9 | 0.83 % | Athletic Field/Play Field: | 39 | 3.60 % |
| Concussion (Possible): | 132 | 12.18 % | Before School: | 23 | 2.12 % | Auditorium/Multipurpose: | 11 | 1.01 % |
| Contusion: | 48 | 4.43 % | Class Change: | 37 | 3.41 % | Bus Loading Area: | 3 | 0.28 % |
| Cut/Laceration/Puncture: | 97 | 8.95 % | Class Time: | 123 | 11.35 % | Cafeteria: | 27 | 2.49 % |
| Dental Injury: | 17 | 1.57 % | Lunch Period: | 31 | 2.86 % | Classroom: | 83 | 7.66 % |
| Dislocation (Possible): | 13 | 1.20 % | P.E. Class: | 116 | 10.70 % | Corridor/Hall: | 34 | 3.14 % |
| Eye Injury: | 23 | 2.12 % | Recess: | 158 | 14.58 % | Gymnasium/Pool: | 127 | 11.72 % |
| Fracture (Possible): | 95 | 8.76 % | Sci Lab/Fam & Consumer | | | Playground: | 124 | 11.44 % |
| Sprain/Strain/Tear (Possible): | 83 | 7.66 % | Sci & Tech ED Class: | 25 | 2.31 % | Restroom: | 14 | 1.29 % |
| Other: | 20 | 1.85 % | Other: | 20 | 1.85 % | School Bus/Public Bus: | 7 | 0.65 % |
| Grand Total Occurrences: | 542 | | Grand Total Occurrences: | 542 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 30 | 2.77 % |
| | | | | | | Sidewalk: | 7 | 0.65 % |
| | | | | | | Stairs/Ramp/Elevator: | 8 | 0.74 % |
| | | | | | | Street/Driveway/Parking: | 7 | 0.65 % |
| | | | | | | Other: | 21 | 1.94 % |
| | | | | | | Grand Total Occurrences: | 542 | |

Total Average Daily Enrollment: 16,155
Injury Occurrence Rate*: 6.71 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

DANVILLE AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 1 | 0.78 % |
| Concussion (Possible): | 8 | 6.25 % | Before School: | 2 | 1.56 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 8 | 6.25 % | Class Change: | 4 | 3.13 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 6 | 4.69 % | Class Time: | 12 | 9.38 % | Cafeteria: | 5 | 3.91 % |
| Dental Injury: | 2 | 1.56 % | Lunch Period: | 4 | 3.13 % | Classroom: | 9 | 7.03 % |
| Dislocation (Possible): | 1 | 0.78 % | P.E. Class: | 10 | 7.81 % | Corridor/Hall: | 4 | 3.13 % |
| Eye Injury: | 4 | 3.13 % | Recess: | 26 | 20.31 % | Gymnasium/Pool: | 8 | 6.25 % |
| Fracture (Possible): | 17 | 13.28 % | Sci Lab/Fam & Consumer | | | Playground: | 31 | 24.22 % |
| Sprain/Strain/Tear (Possible): | 10 | 7.81 % | Sci & Tech ED Class: | 3 | 2.34 % | Restroom: | 1 | 0.78 % |
| Other: | 8 | 6.25 % | Other: | 3 | 2.34 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 64 | | Grand Total Occurrences: | 64 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | 2.34 % |
| | | | | | | Sidewalk: | 1 | 0.78 % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 0.78 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 3 | 2.34 % |
| | | | | | | Grand Total Occurrences: | 64 | |

Total Average Daily Enrollment: 2,347
Injury Occurrence Rate*: 5.45 %

MONTOUR COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 1 | 0.78 % |
| Concussion (Possible): | 8 | 6.25 % | Before School: | 2 | 1.56 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 8 | 6.25 % | Class Change: | 4 | 3.13 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 6 | 4.69 % | Class Time: | 12 | 9.38 % | Cafeteria: | 5 | 3.91 % |
| Dental Injury: | 2 | 1.56 % | Lunch Period: | 4 | 3.13 % | Classroom: | 9 | 7.03 % |
| Dislocation (Possible): | 1 | 0.78 % | P.E. Class: | 10 | 7.81 % | Corridor/Hall: | 4 | 3.13 % |
| Eye Injury: | 4 | 3.13 % | Recess: | 26 | 20.31 % | Gymnasium/Pool: | 8 | 6.25 % |
| Fracture (Possible): | 17 | 13.28 % | Sci Lab/Fam & Consumer | | | Playground: | 31 | 24.22 % |
| Sprain/Strain/Tear (Possible): | 10 | 7.81 % | Sci & Tech ED Class: | 3 | 2.34 % | Restroom: | 1 | 0.78 % |
| Other: | 8 | 6.25 % | Other: | 3 | 2.34 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 64 | | Grand Total Occurrences: | 64 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 1 | 0.78 % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 0.78 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 3 | 2.34 % |
| | | | | | | Grand Total Occurrences: | 64 | |

Total Average Daily Enrollment: 2,347
Injury Occurrence Rate*: 5.45 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

LINE MOUNTAIN SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 2 | 1.64 % | After School: | 17 | 13.93 % | Athletic Field/Play Field: | 15 | 12.30 % |
| Concussion (Possible): | 10 | 8.20 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 10 | 8.20 % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 10 | 8.20 % | Class Time: | 15 | 12.30 % | Cafeteria: | 1 | 0.82 % |
| Dental Injury: | 0 | - % | Lunch Period: | 1 | 0.82 % | Classroom: | 8 | 6.56 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 13 | 10.66 % | Corridor/Hall: | 3 | 2.46 % |
| Eye Injury: | 5 | 4.10 % | Recess: | 6 | 4.92 % | Gymnasium/Pool: | 16 | 13.11 % |
| Fracture (Possible): | 14 | 11.48 % | Sci Lab/Fam & Consumer | | | Playground: | 6 | 4.92 % |
| Sprain/Strain/Tear (Possible): | 4 | 3.28 % | Sci & Tech ED Class: | 7 | 5.74 % | Restroom: | 1 | 0.82 % |
| Other: | 6 | 4.92 % | Other: | 2 | 1.64 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 61 | | Grand Total Occurrences: | 61 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 9 | 5.74 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 1.64 % |
| | | | | | | Grand Total Occurrences: | 61 | |

Total Average Daily Enrollment: 1,247
Injury Occurrence Rate*: 9.78 %

MILTON AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 1.32 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 6 | 7.89 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 1 | 1.32 % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 14 | 18.42 % | Class Time: | 2 | 2.63 % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 1.32 % | Lunch Period: | 0 | - % | Classroom: | 2 | 2.63 % |
| Dislocation (Possible): | 3 | 3.95 % | P.E. Class: | 16 | 21.05 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 8 | 10.53 % | Gymnasium/Pool: | 16 | 21.05 % |
| Fracture (Possible): | 7 | 9.21 % | Sci Lab/Fam & Consumer | | | Playground: | 8 | 10.53 % |
| Sprain/Strain/Tear (Possible): | 6 | 7.89 % | Sci & Tech ED Class: | 10 | 13.16 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 1 | 1.32 % | School Bus/Public Bus: | 1 | 1.32 % |
| Grand Total Occurrences: | 38 | | Grand Total Occurrences: | 38 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 10 | 13.16 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 1.32 % |
| | | | | | | Grand Total Occurrences: | 38 | |

Total Average Daily Enrollment: 2,209
Injury Occurrence Rate*: 3.44 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

MOUNT CARMEL AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 1 | 2.38 % | Before School: | 1 | 2.38 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 2 | 4.76 % | Class Change: | 2 | 4.76 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 4 | 9.52 % | Class Time: | 5 | 11.90 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 1 | 2.38 % | Classroom: | 1 | 2.38 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 3 | 7.14 % | Corridor/Hall: | 3 | 7.14 % |
| Eye Injury: | 2 | 4.76 % | Recess: | 8 | 19.05 % | Gymnasium/Pool: | 6 | 14.29 % |
| Fracture (Possible): | 10 | 23.81 % | Sci Lab/Fam & Consumer | | | Playground: | 8 | 19.05 % |
| Sprain/Strain/Tear (Possible): | 1 | 2.38 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 2.38 % |
| Other: | 1 | 2.38 % | Other: | 1 | 2.38 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 21 | | Grand Total Occurrences: | 21 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 2.38 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 2.38 % |
| | | | | | | Grand Total Occurrences: | 21 | |

Total Average Daily Enrollment: 1,569
Injury Occurrence Rate*: 2.68 %

SHAMOKIN AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 1.14 % | Athletic Field/Play Field: | 1 | 1.14 % |
| Concussion (Possible): | 4 | 4.55 % | Before School: | 1 | 1.14 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 1.14 % | Class Change: | 1 | 1.14 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 9 | 10.23 % | Class Time: | 6 | 6.82 % | Cafeteria: | 2 | 2.27 % |
| Dental Injury: | 2 | 2.27 % | Lunch Period: | 1 | 1.14 % | Classroom: | 6 | 6.82 % |
| Dislocation (Possible): | 1 | 1.14 % | P.E. Class: | 11 | 12.50 % | Corridor/Hall: | 1 | 1.14 % |
| Eye Injury: | 0 | - % | Recess: | 18 | 20.45 % | Gymnasium/Pool: | 17 | 19.32 % |
| Fracture (Possible): | 19 | 21.59 % | Sci Lab/Fam & Consumer | | | Playground: | 14 | 15.91 % |
| Sprain/Strain/Tear (Possible): | 5 | 5.68 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 3 | 3.41 % | Other: | 5 | 5.68 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 44 | | Grand Total Occurrences: | 44 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 1.14 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 2.27 % |
| | | | | | | Grand Total Occurrences: | 44 | |

Total Average Daily Enrollment: 2,745
Injury Occurrence Rate*: 3.21 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

SHIKELLAMY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 1.32 % | Athletic Field/Play Field: | 1 | 1.32 % |
| Concussion (Possible): | 10 | 13.16 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 4 | 5.26 % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 10 | 13.16 % | Class Time: | 9 | 11.84 % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 1.32 % | Lunch Period: | 0 | - % | Classroom: | 4 | 5.26 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 16 | 21.05 % | Corridor/Hall: | 1 | 1.32 % |
| Eye Injury: | 0 | - % | Recess: | 12 | 15.79 % | Gymnasium/Pool: | 19 | 25.00 % |
| Fracture (Possible): | 2 | 2.63 % | Sci Lab/Fam & Consumer | | | Playground: | 12 | 15.79 % |
| Sprain/Strain/Tear (Possible): | 11 | 14.47 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 38 | | Grand Total Occurrences: | 38 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 1.32 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 38 | |

Total Average Daily Enrollment: 2,990
Injury Occurrence Rate*: 2.54 %

WARRIOR RUN SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 0.70 % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 28 | 19.72 % | Before School: | 1 | 0.70 % | Auditorium/Multipurpose: | 1 | 0.70 % |
| Cotusion: | 2 | 1.41 % | Class Change: | 3 | 2.11 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 7 | 4.93 % | Class Time: | 9 | 6.34 % | Cafeteria: | 2 | 1.41 % |
| Dental Injury: | 0 | - % | Lunch Period: | 7 | 4.93 % | Classroom: | 8 | 5.63 % |
| Dislocation (Possible): | 5 | 3.52 % | P.E. Class: | 43 | 30.28 % | Corridor/Hall: | 3 | 2.11 % |
| Eye Injury: | 4 | 2.82 % | Recess: | 3 | 2.11 % | Gymnasium/Pool: | 43 | 30.28 % |
| Fracture (Possible): | 10 | 7.04 % | Sci Lab/Fam & Consumer | | | Playground: | 7 | 4.93 % |
| Sprain/Strain/Tear (Possible): | 14 | 9.86 % | Sci & Tech ED Class: | 5 | 3.52 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 71 | | Grand Total Occurrences: | 71 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 5 | 3.52 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 0.70 % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.70 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 71 | |

Total Average Daily Enrollment: 1,686
Injury Occurrence Rate*: 8.42 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

NORTHUMBERLAND COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 3 | 0.55 % | After School: | 20 | 3.66 % | Athletic Field/Play Field: | 17 | 3.11 % |
| Concussion (Possible): | 59 | 10.81 % | Before School: | 3 | 0.55 % | Auditorium/Multipurpose: | 1 | 0.18 % |
| Contusion: | 20 | 3.66 % | Class Change: | 6 | 1.10 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 54 | 9.89 % | Class Time: | 46 | 8.42 % | Cafeteria: | 5 | 0.92 % |
| Dental Injury: | 4 | 0.73 % | Lunch Period: | 10 | 1.83 % | Classroom: | 29 | 5.31 % |
| Dislocation (Possible): | 9 | 1.65 % | P.E. Class: | 102 | 18.68 % | Corridor/Hall: | 11 | 2.01 % |
| Eye Injury: | 11 | 2.01 % | Recess: | 55 | 10.07 % | Gymnasium/Pool: | 117 | 21.43 % |
| Fracture (Possible): | 62 | 11.36 % | Sci Lab/Fam & Consumer | | | Playground: | 55 | 10.07 % |
| Sprain/Strain/Tear (Possible): | 41 | 7.51 % | Sci & Tech ED Class: | 22 | 4.03 % | Restroom: | 2 | 0.37 % |
| Other: | 10 | 1.83 % | Other: | 9 | 1.65 % | School Bus/Public Bus: | 1 | 0.18 % |
| Grand Total Occurrences: | 273 | | Grand Total Occurrences: | 273 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 24 | 4.40 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 4 | 0.73 % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.18 % |
| | | | | | | Other: | 6 | 1.10 % |
| | | | | | | Grand Total Occurrences: | 273 | |

Total Average Daily Enrollment: 12,447

Injury Occurrence Rate*: 4.39 %

AUSTIN AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 1 | 25.00 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 1 | 25.00 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 1 | 25.00 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 1 | 25.00 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 1 | 25.00 % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 1 | 25.00 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 2 | | Grand Total Occurrences: | 2 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 2 | |

Total Average Daily Enrollment: 177

Injury Occurrence Rate*: 2.26 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

COUDERSPORT AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 3 | 10.71 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 3.57 % | Class Change: | 2 | 7.14 % | Bus Loading Area: | 2 | 7.14 % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 1 | 3.57 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 1 | 3.57 % |
| Dislocation (Possible): | 1 | 3.57 % | P.E. Class: | 3 | 10.71 % | Corridor/Hall: | 1 | 3.57 % |
| Eye Injury: | 0 | - % | Recess: | 6 | 21.43 % | Gymnasium/Pool: | 3 | 10.71 % |
| Fracture (Possible): | 4 | 14.29 % | Sci Lab/Fam & Consumer | | | Playground: | 5 | 17.86 % |
| Sprain/Strain/Tear (Possible): | 5 | 17.86 % | Sci & Tech ED Class: | 1 | 3.57 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 1 | 3.57 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 14 | | Grand Total Occurrences: | 14 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | 3.57 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 3.57 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 3.57 % |
| | | | | | | Grand Total Occurrences: | 14 | |

Total Average Daily Enrollment: 809
Injury Occurrence Rate*: 3.46 %

GALETON AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 4.17 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 2 | 8.33 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 1 | 4.17 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 6 | 25.00 % | Class Time: | 1 | 4.17 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 1 | 4.17 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 2 | 8.33 % | Recess: | 4 | 16.67 % | Gymnasium/Pool: | 4 | 16.67 % |
| Fracture (Possible): | 2 | 8.33 % | Sci Lab/Fam & Consumer | | | Playground: | 4 | 16.67 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 5 | 20.83 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 12 | | Grand Total Occurrences: | 12 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | 20.83 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 3 | 12.50 % |
| | | | | | | Grand Total Occurrences: | 12 | |

Total Average Daily Enrollment: 425
Injury Occurrence Rate*: 5.65 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

NORTHERN POTTER SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 2 | 11.11 % |
| Concussion (Possible): | 1 | 5.56 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 0 | - % | Class Change: | 1 | 5.56 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 1 | 5.56 % | Class Time: | 1 | 5.56 % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 5.56 % | Lunch Period: | 0 | - % | Classroom: | 1 | 5.56 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 4 | 22.22 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 3 | 16.67 % | Gymnasium/Pool: | 4 | 22.22 % |
| Fracture (Possible): | 3 | 16.67 % | Sci Lab/Fam & Consumer | | | Playground: | 1 | 5.56 % |
| Sprain/Strain/Tear (Possible): | 2 | 11.11 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 1 | 5.56 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 9 | | Grand Total Occurrences: | 9 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 5.56 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 9 | |

Total Average Daily Enrollment: 510

Injury Occurrence Rate*: 3.53 %

OSWAYO VALLEY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 0.74 % | After School: | 0 | - % | Athletic Field/Play Field: | 5 | 3.68 % |
| Concussion (Possible): | 15 | 11.03 % | Before School: | 1 | 0.74 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 21 | 15.44 % | Class Change: | 8 | 5.88 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 8 | 5.88 % | Class Time: | 5 | 3.68 % | Cafeteria: | 1 | 0.74 % |
| Dental Injury: | 0 | - % | Lunch Period: | 1 | 0.74 % | Classroom: | 5 | 3.68 % |
| Dislocation (Possible): | 1 | 0.74 % | P.E. Class: | 50 | 36.76 % | Corridor/Hall: | 8 | 5.88 % |
| Eye Injury: | 7 | 5.15 % | Recess: | 2 | 1.47 % | Gymnasium/Pool: | 45 | 33.09 % |
| Fracture (Possible): | 1 | 0.74 % | Sci Lab/Fam & Consumer | | | Playground: | 2 | 1.47 % |
| Sprain/Strain/Tear (Possible): | 14 | 10.29 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 0.74 % |
| Other: | 0 | - % | Other: | 1 | 0.74 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 68 | | Grand Total Occurrences: | 68 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 0.74 % |
| | | | | | | Grand Total Occurrences: | 68 | |

Total Average Daily Enrollment: 461

Injury Occurrence Rate*: 29.52 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

POTTER COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 1 | 0.48 % | After School: | 1 | 0.48 % | Athletic Field/Play Field: | 7 | 3.33 % |
| Concussion (Possible): | 22 | 10.48 % | Before School: | 1 | 0.48 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 22 | 10.48 % | Class Change: | 12 | 5.71 % | Bus Loading Area: | 2 | 0.95 % |
| Cut/Laceration/Puncture: | 15 | 7.14 % | Class Time: | 9 | 4.29 % | Cafeteria: | 1 | 0.48 % |
| Dental Injury: | 1 | 0.48 % | Lunch Period: | 1 | 0.48 % | Classroom: | 9 | 4.29 % |
| Dislocation (Possible): | 2 | 0.95 % | P.E. Class: | 58 | 27.62 % | Corridor/Hall: | 9 | 4.29 % |
| Eye Injury: | 9 | 4.29 % | Recess: | 15 | 7.14 % | Gymnasium/Pool: | 57 | 27.14 % |
| Fracture (Possible): | 10 | 4.76 % | Sci Lab/Fam & Consumer | | | Playground: | 12 | 5.71 % |
| Sprain/Strain/Tear (Possible): | 21 | 10.00 % | Sci & Tech ED Class: | 6 | 2.86 % | Restroom: | 1 | 0.48 % |
| Other: | 2 | 0.95 % | Other: | 2 | 0.95 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 105 | | Grand Total Occurrences: | 105 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 0.95 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 5 | 2.38 % |
| | | | | | | Grand Total Occurrences: | 105 | |

Total Average Daily Enrollment: 2,382
 Injury Occurrence Rate*: 8.82 %

MIDD-WEST SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 3 | 21.43 % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 1 | 7.14 % | Class Time: | 2 | 14.29 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 1 | 7.14 % | P.E. Class: | 2 | 14.29 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 3 | 21.43 % | Gymnasium/Pool: | 2 | 14.29 % |
| Fracture (Possible): | 3 | 21.43 % | Sci Lab/Fam & Consumer | | | Playground: | 2 | 14.29 % |
| Sprain/Strain/Tear (Possible): | 1 | 7.14 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 1 | 7.14 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 7 | | Grand Total Occurrences: | 7 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 7 | |

Total Average Daily Enrollment: 2,346
 Injury Occurrence Rate*: 0.60 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
 Division of School Health

SELINGSGROVE AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 2 | 1.79 % | Athletic Field/Play Field: | 6 | 5.36 % |
| Concussion (Possible): | 6 | 5.36 % | Before School: | 1 | 0.89 % | Auditorium/Multipurpose: | 2 | 1.79 % |
| Contusion: | 0 | - % | Class Change: | 4 | 3.57 % | Bus Loading Area: | 1 | 0.89 % |
| Cut/Laceration/Puncture: | 11 | 9.82 % | Class Time: | 11 | 9.82 % | Cafeteria: | 0 | - % |
| Dental Injury: | 2 | 1.79 % | Lunch Period: | 0 | - % | Classroom: | 9 | 8.04 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 24 | 21.43 % | Corridor/Hall: | 5 | 4.46 % |
| Eye Injury: | 1 | 0.89 % | Recess: | 10 | 8.93 % | Gymnasium/Pool: | 19 | 16.96 % |
| Fracture (Possible): | 26 | 23.21 % | Sci Lab/Fam & Consumer | | | Playground: | 9 | 8.04 % |
| Sprain/Strain/Tear (Possible): | 5 | 4.46 % | Sci & Tech ED Class: | 2 | 1.79 % | Restroom: | 0 | - % |
| Other: | 5 | 4.46 % | Other: | 2 | 1.79 % | School Bus/Public Bus: | 1 | 0.89 % |
| Grand Total Occurrences: | 56 | | Grand Total Occurrences: | 56 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | 1.79 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 1.79 % |
| | | | | | | Grand Total Occurrences: | 56 | |

Total Average Daily Enrollment: 2,725
Injury Occurrence Rate*: 4.11 %

SNYDER COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 2 | 1.59 % | Athletic Field/Play Field: | 9 | 7.14 % |
| Concussion (Possible): | 6 | 4.76 % | Before School: | 1 | 0.79 % | Auditorium/Multipurpose: | 2 | 1.59 % |
| Contusion: | 0 | - % | Class Change: | 4 | 3.17 % | Bus Loading Area: | 1 | 0.79 % |
| Cut/Laceration/Puncture: | 12 | 9.52 % | Class Time: | 13 | 10.32 % | Cafeteria: | 0 | - % |
| Dental Injury: | 2 | 1.59 % | Lunch Period: | 0 | - % | Classroom: | 9 | 7.14 % |
| Dislocation (Possible): | 1 | 0.79 % | P.E. Class: | 26 | 20.63 % | Corridor/Hall: | 5 | 3.97 % |
| Eye Injury: | 1 | 0.79 % | Recess: | 13 | 10.32 % | Gymnasium/Pool: | 21 | 16.67 % |
| Fracture (Possible): | 29 | 23.02 % | Sci Lab/Fam & Consumer | | | Playground: | 11 | 8.73 % |
| Sprain/Strain/Tear (Possible): | 6 | 4.76 % | Sci & Tech ED Class: | 2 | 1.59 % | Restroom: | 0 | - % |
| Other: | 6 | 4.76 % | Other: | 2 | 1.59 % | School Bus/Public Bus: | 1 | 0.79 % |
| Grand Total Occurrences: | 63 | | Grand Total Occurrences: | 63 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | 1.59 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 1.59 % |
| | | | | | | Grand Total Occurrences: | 63 | |

Total Average Daily Enrollment: 5,071
Injury Occurrence Rate*: 2.48 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

SULLIVAN COUNTY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 4 | 13.33 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 5 | 16.67 % | Class Time: | 3 | 10.00 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 3 | 10.00 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 4 | 13.33 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 3 | 10.00 % | Gymnasium/Pool: | 4 | 13.33 % |
| Fracture (Possible): | 3 | 10.00 % | Sci Lab/Fam & Consumer | | | Playground: | 3 | 10.00 % |
| Sprain/Strain/Tear (Possible): | 2 | 6.67 % | Sci & Tech ED Class: | 2 | 6.67 % | Restroom: | 0 | - % |
| Other: | 1 | 3.33 % | Other: | 3 | 10.00 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 15 | | Grand Total Occurrences: | 15 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | 6.67 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 3 | 10.00 % |
| | | | | | | Grand Total Occurrences: | 15 | |

Total Average Daily Enrollment: 652
Injury Occurrence Rate*: 4.60 %

SULLIVAN COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 4 | 13.33 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 5 | 16.67 % | Class Time: | 3 | 10.00 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 3 | 10.00 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 4 | 13.33 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 3 | 10.00 % | Gymnasium/Pool: | 4 | 13.33 % |
| Fracture (Possible): | 3 | 10.00 % | Sci Lab/Fam & Consumer | | | Playground: | 3 | 10.00 % |
| Sprain/Strain/Tear (Possible): | 2 | 6.67 % | Sci & Tech ED Class: | 2 | 6.67 % | Restroom: | 0 | - % |
| Other: | 1 | 3.33 % | Other: | 3 | 10.00 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 15 | | Grand Total Occurrences: | 15 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | 6.67 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 3 | 10.00 % |
| | | | | | | Grand Total Occurrences: | 15 | |

Total Average Daily Enrollment: 652
Injury Occurrence Rate*: 4.60 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

NORTHERN TIOGA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 2.08 % | After School: | 2 | 4.17 % | Athletic Field/Play Field: | 4 | 8.33 % |
| Concussion (Possible): | 5 | 10.42 % | Before School: | 2 | 4.17 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 2 | 4.17 % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 4 | 8.33 % | Class Time: | 5 | 10.42 % | Cafeteria: | 0 | - % |
| Dental Injury: | 4 | 8.33 % | Lunch Period: | 0 | - % | Classroom: | 4 | 8.33 % |
| Dislocation (Possible): | 1 | 2.08 % | P.E. Class: | 10 | 20.83 % | Corridor/Hall: | 1 | 2.08 % |
| Eye Injury: | 0 | - % | Recess: | 5 | 10.42 % | Gymnasium/Pool: | 6 | 12.50 % |
| Fracture (Possible): | 4 | 8.33 % | Sci Lab/Fam & Consumer | | | Playground: | 5 | 10.42 % |
| Sprain/Strain/Tear (Possible): | 3 | 6.25 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 24 | | Grand Total Occurrences: | 24 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 2 | 4.17 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 2 | 4.17 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 24 | |

Total Average Daily Enrollment: 2,060
Injury Occurrence Rate*: 2.33 %

SOUTHERN TIOGA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 2 | 4.00 % | After School: | 0 | - % | Athletic Field/Play Field: | 2 | 4.00 % |
| Concussion (Possible): | 3 | 6.00 % | Before School: | 2 | 4.00 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 5 | 10.00 % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 4 | 8.00 % | Class Time: | 11 | 22.00 % | Cafeteria: | 0 | - % |
| Dental Injury: | 2 | 4.00 % | Lunch Period: | 0 | - % | Classroom: | 5 | 10.00 % |
| Dislocation (Possible): | 2 | 4.00 % | P.E. Class: | 1 | 2.00 % | Corridor/Hall: | 1 | 2.00 % |
| Eye Injury: | 0 | - % | Recess: | 8 | 16.00 % | Gymnasium/Pool: | 5 | 10.00 % |
| Fracture (Possible): | 5 | 10.00 % | Sci Lab/Fam & Consumer | | | Playground: | 8 | 16.00 % |
| Sprain/Strain/Tear (Possible): | 1 | 2.00 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 1 | 2.00 % | Other: | 3 | 6.00 % | School Bus/Public Bus: | 1 | 2.00 % |
| Grand Total Occurrences: | 25 | | Grand Total Occurrences: | 25 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 1 | 2.00 % |
| | | | | | | Other: | 1 | 2.00 % |
| | | | | | | Grand Total Occurrences: | 25 | |

Total Average Daily Enrollment: 1,899
Injury Occurrence Rate*: 2.63 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

WELLSBORO AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 1 | 1.52 % |
| Concussion (Possible): | 10 | 15.15 % | Before School: | 1 | 1.52 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 3 | 4.55 % | Class Change: | 8 | 12.12 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 5 | 7.58 % | Class Time: | 20 | 30.30 % | Cafeteria: | 2 | 3.03 % |
| Dental Injury: | 0 | - % | Lunch Period: | 2 | 3.03 % | Classroom: | 1 | 1.52 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 1 | 1.52 % | Corridor/Hall: | 3 | 4.55 % |
| Eye Injury: | 3 | 4.55 % | Recess: | 1 | 1.52 % | Gymnasium/Pool: | 10 | 15.15 % |
| Fracture (Possible): | 7 | 10.61 % | Sci Lab/Fam & Consumer | | | Playground: | 1 | 1.52 % |
| Sprain/Strain/Tear (Possible): | 3 | 4.55 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 2 | 3.03 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 33 | | Grand Total Occurrences: | 33 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 3 | - % |
| | | | | | | Sidewalk: | 1 | 1.52 % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 4.55 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 8 | 12.12 % |
| | | | | | | Grand Total Occurrences: | 33 | |

Total Average Daily Enrollment: 1,512
Injury Occurrence Rate*: 4.37 %

TIOGA COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 3 | 1.83 % | After School: | 2 | 1.22 % | Athletic Field/Play Field: | 7 | 4.27 % |
| Concussion (Possible): | 18 | 10.98 % | Before School: | 5 | 3.05 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 10 | 6.10 % | Class Change: | 8 | 4.88 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 13 | 7.93 % | Class Time: | 36 | 21.95 % | Cafeteria: | 2 | 1.22 % |
| Dental Injury: | 6 | 3.66 % | Lunch Period: | 2 | 1.22 % | Classroom: | 10 | 6.10 % |
| Dislocation (Possible): | 3 | 1.83 % | P.E. Class: | 12 | 7.32 % | Corridor/Hall: | 5 | 3.05 % |
| Eye Injury: | 3 | 1.83 % | Recess: | 14 | 8.54 % | Gymnasium/Pool: | 21 | 12.80 % |
| Fracture (Possible): | 16 | 9.76 % | Sci Lab/Fam & Consumer | | | Playground: | 14 | 8.54 % |
| Sprain/Strain/Tear (Possible): | 7 | 4.27 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 3 | 1.83 % | Other: | 3 | 1.83 % | School Bus/Public Bus: | 1 | 0.61 % |
| Grand Total Occurrences: | 82 | | Grand Total Occurrences: | 82 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 4 | 2.44 % |
| | | | | | | Sidewalk: | 3 | 1.83 % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 1.83 % |
| | | | | | | Street/Driveway/Parking: | 3 | 1.83 % |
| | | | | | | Other: | 9 | 5.49 % |
| | | | | | | Grand Total Occurrences: | 82 | |

Total Average Daily Enrollment: 5,471
Injury Occurrence Rate*: 3.00 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

LEWISBURG AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 4 | 6.25 % |
| Concussion (Possible): | 5 | 7.81 % | Before School: | 1 | 1.56 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 6 | 9.38 % | Class Change: | 1 | 1.56 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 6 | 9.38 % | Class Time: | 3 | 4.69 % | Cafeteria: | 1 | 1.56 % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 3 | 4.69 % |
| Dislocation (Possible): | 2 | 3.13 % | P.E. Class: | 12 | 18.75 % | Corridor/Hall: | 2 | 3.13 % |
| Eye Injury: | 2 | 3.13 % | Recess: | 4 | 6.25 % | Gymnasium/Pool: | 11 | 17.19 % |
| Fracture (Possible): | 4 | 6.25 % | Sci Lab/Fam & Consumer | | | Playground: | 4 | 6.25 % |
| Sprain/Strain/Tear (Possible): | 7 | 10.94 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 11 | 17.19 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 32 | | Grand Total Occurrences: | 32 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 7 | 10.94 % |
| | | | | | | Grand Total Occurrences: | 32 | |

Total Average Daily Enrollment: 1,840

Injury Occurrence Rate*: 3.48 %

MIFFLINBURG AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 0.69 % | After School: | 1 | 0.69 % | Athletic Field/Play Field: | 10 | 6.94 % |
| Concussion (Possible): | 16 | 11.11 % | Before School: | 5 | 3.47 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 4 | 2.78 % | Bus Loading Area: | 1 | 0.69 % |
| Cut/Laceration/Puncture: | 12 | 8.33 % | Class Time: | 22 | 15.28 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 11 | 7.64 % |
| Dislocation (Possible): | 1 | 0.69 % | P.E. Class: | 11 | 7.64 % | Corridor/Hall: | 8 | 5.56 % |
| Eye Injury: | 6 | 4.17 % | Recess: | 28 | 19.44 % | Gymnasium/Pool: | 16 | 11.11 % |
| Fracture (Possible): | 8 | 5.56 % | Sci Lab/Fam & Consumer | | | Playground: | 19 | 13.19 % |
| Sprain/Strain/Tear (Possible): | 12 | 8.33 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 0.69 % |
| Other: | 16 | 11.11 % | Other: | 1 | 0.69 % | School Bus/Public Bus: | 1 | 0.69 % |
| Grand Total Occurrences: | 72 | | Grand Total Occurrences: | 72 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 2.08 % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.69 % |
| | | | | | | Other: | 1 | 0.69 % |
| | | | | | | Grand Total Occurrences: | 72 | |

Total Average Daily Enrollment: 2,147

Injury Occurrence Rate*: 6.71 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

UNION COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 1 | 0.48 % | After School: | 1 | 0.48 % | Athletic Field/Play Field: | 14 | 6.73 % |
| Concussion (Possible): | 21 | 10.10 % | Before School: | 6 | 2.88 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 6 | 2.88 % | Class Change: | 5 | 2.40 % | Bus Loading Area: | 1 | 0.48 % |
| Cut/Laceration/Puncture: | 18 | 8.65 % | Class Time: | 25 | 12.02 % | Cafeteria: | 1 | 0.48 % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 14 | 6.73 % |
| Dislocation (Possible): | 3 | 1.44 % | P.E. Class: | 23 | 11.06 % | Corridor/Hall: | 10 | 4.81 % |
| Eye Injury: | 8 | 3.85 % | Recess: | 32 | 15.38 % | Gymnasium/Pool: | 27 | 12.98 % |
| Fracture (Possible): | 12 | 5.77 % | Sci Lab/Fam & Consumer | | | Playground: | 23 | 11.06 % |
| Sprain/Strain/Tear (Possible): | 19 | 9.13 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 0.48 % |
| Other: | 16 | 7.69 % | Other: | 12 | 5.77 % | School Bus/Public Bus: | 1 | 0.48 % |
| Grand Total Occurrences: | 104 | | Grand Total Occurrences: | 104 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 1.44 % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.48 % |
| | | | | | | Other: | 8 | 3.85 % |
| | | | | | | Grand Total Occurrences: | 104 | |

Total Average Daily Enrollment: 3,986
 Injury Occurrence Rate*: 5.22 %

Northcentral District

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|--------------|---------|--|--------------|---------|--|--------------|---------|
| Burn: | 35 | 0.73 % | After School: | 64 | 1.34 % | Athletic Field/Play Field: | 170 | 3.57 % |
| Concussion (Possible): | 500 | 10.50 % | Before School: | 92 | 1.93 % | Auditorium/Multipurpose: | 30 | 0.63 % |
| Contusion: | 220 | 4.62 % | Class Change: | 157 | 3.30 % | Bus Loading Area: | 13 | 0.27 % |
| Cut/Laceration/Puncture: | 381 | 8.00 % | Class Time: | 450 | 9.45 % | Cafeteria: | 92 | 1.93 % |
| Dental Injury: | 72 | 1.51 % | Lunch Period: | 107 | 2.25 % | Classroom: | 316 | 6.64 % |
| Dislocation (Possible): | 49 | 1.03 % | P.E. Class: | 678 | 14.24 % | Corridor/Hall: | 161 | 3.38 % |
| Eye Injury: | 103 | 2.16 % | Recess: | 614 | 12.89 % | Gymnasium/Pool: | 642 | 13.48 % |
| Fracture (Possible): | 454 | 9.53 % | Sci Lab/Fam & Consumer | | | Playground: | 575 | 12.07 % |
| Sprain/Strain/Tear (Possible): | 355 | 7.45 % | Sci & Tech ED Class: | 99 | 2.08 % | Restroom: | 38 | 0.80 % |
| Other: | 222 | 4.66 % | Other: | 130 | 2.73 % | School Bus/Public Bus: | 30 | 0.63 % |
| Grand Total Occurrences: | 2,391 | | Grand Total Occurrences: | 2,391 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 100 | 2.10 % |
| | | | | | | Sidewalk: | 21 | 0.44 % |
| | | | | | | Stairs/Ramp/Elevator: | 38 | 0.80 % |
| | | | | | | Street/Driveway/Parking: | 30 | 0.63 % |
| | | | | | | Other: | 135 | 2.83 % |
| | | | | | | Grand Total Occurrences: | 2,391 | |

Total Average Daily Enrollment: 86,838
 Injury Occurrence Rate*: 5.48 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
 Division of School Health

CARBON CAREER & TECHNICAL INSTITUTE

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|----------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 1 | 11.11 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 3 | 33.33 % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 2 | 22.22 % | Class Time: | 9 | 100.00 % | Cafeteria: | 2 | 22.22 % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 6 | 66.67 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 1 | 11.11 % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 1 | 11.11 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 1 | 11.11 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 9 | | Grand Total Occurrences: | 9 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 11.11 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 9 | |

Total Average Daily Enrollment: 327
Injury Occurrence Rate*: 2.75 %

JIM THORPE AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 3 | 4.05 % | Athletic Field/Play Field: | 3 | 4.05 % |
| Concussion (Possible): | 5 | 6.76 % | Before School: | 1 | 1.35 % | Auditorium/Multipurpose: | 1 | 1.35 % |
| Contusion: | 6 | 8.11 % | Class Change: | 1 | 1.35 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 5 | 6.76 % | Class Time: | 4 | 5.41 % | Cafeteria: | 0 | - % |
| Dental Injury: | 2 | 2.70 % | Lunch Period: | 0 | - % | Classroom: | 4 | 5.41 % |
| Dislocation (Possible): | 1 | 1.35 % | P.E. Class: | 16 | 21.62 % | Corridor/Hall: | 1 | 1.35 % |
| Eye Injury: | 1 | 1.35 % | Recess: | 9 | 12.16 % | Gymnasium/Pool: | 13 | 17.57 % |
| Fracture (Possible): | 12 | 16.22 % | Sci Lab/Fam & Consumer | | | Playground: | 9 | 12.16 % |
| Sprain/Strain/Tear (Possible): | 5 | 6.76 % | Sci & Tech ED Class: | 1 | 1.35 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 2 | 2.70 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 37 | | Grand Total Occurrences: | 37 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 1.35 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 1.35 % |
| | | | | | | Street/Driveway/Parking: | 2 | 2.70 % |
| | | | | | | Other: | 2 | 2.70 % |
| | | | | | | Grand Total Occurrences: | 37 | |

Total Average Daily Enrollment: 2,270
Injury Occurrence Rate*: 3.26 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

LEHIGHTON AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 2.08 % | Athletic Field/Play Field: | 2 | 4.17 % |
| Concussion (Possible): | 3 | 6.25 % | Before School: | 2 | 4.17 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 0 | - % | Class Change: | 3 | 6.25 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 3 | 6.25 % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 1 | 2.08 % | Classroom: | 0 | - % |
| Dislocation (Possible): | 1 | 2.08 % | P.E. Class: | 10 | 20.83 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 2 | 4.17 % | Recess: | 4 | 8.33 % | Gymnasium/Pool: | 9 | 18.75 % |
| Fracture (Possible): | 7 | 14.58 % | Sci Lab/Fam & Consumer | | | Playground: | 4 | 8.33 % |
| Sprain/Strain/Tear (Possible): | 7 | 14.58 % | Sci & Tech ED Class: | 1 | 2.08 % | Restroom: | 0 | - % |
| Other: | 1 | 2.08 % | Other: | 2 | 4.17 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 24 | | Grand Total Occurrences: | 24 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 2.08 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 4 | 8.33 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 4 | 8.33 % |
| | | | | | | Grand Total Occurrences: | 24 | |

Total Average Daily Enrollment: 2,408
Injury Occurrence Rate*: 1.99 %

PALMERTON AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 2 | 2.56 % | After School: | 1 | 1.28 % | Athletic Field/Play Field: | 1 | 1.28 % |
| Concussion (Possible): | 10 | 12.82 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 1 | 1.28 % | Class Change: | 2 | 2.56 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 5 | 6.41 % | Class Time: | 5 | 6.41 % | Cafeteria: | 0 | - % |
| Dental Injury: | 3 | 3.85 % | Lunch Period: | 0 | - % | Classroom: | 5 | 6.41 % |
| Dislocation (Possible): | 2 | 2.56 % | P.E. Class: | 11 | 14.10 % | Corridor/Hall: | 1 | 1.28 % |
| Eye Injury: | 1 | 1.28 % | Recess: | 15 | 19.23 % | Gymnasium/Pool: | 12 | 15.38 % |
| Fracture (Possible): | 8 | 10.26 % | Sci Lab/Fam & Consumer | | | Playground: | 15 | 19.23 % |
| Sprain/Strain/Tear (Possible): | 6 | 7.69 % | Sci & Tech ED Class: | 1 | 1.28 % | Restroom: | 0 | - % |
| Other: | 1 | 1.28 % | Other: | 4 | 5.13 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 39 | | Grand Total Occurrences: | 39 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 1.28 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 4 | 5.13 % |
| | | | | | | Grand Total Occurrences: | 39 | |

Total Average Daily Enrollment: 1,854
Injury Occurrence Rate*: 4.21 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

PANTHER VALLEY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 3 | 1.53 % | Athletic Field/Play Field: | 2 | 1.02 % |
| Concussion (Possible): | 18 | 9.18 % | Before School: | 9 | 4.59 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 29 | 14.80 % | Class Change: | 17 | 8.67 % | Bus Loading Area: | 9 | 4.59 % |
| Cut/Laceration/Puncture: | 6 | 3.06 % | Class Time: | 13 | 6.63 % | Cafeteria: | 2 | 1.02 % |
| Dental Injury: | 3 | 1.53 % | Lunch Period: | 2 | 1.02 % | Classroom: | 9 | 4.59 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 47 | 23.98 % | Corridor/Hall: | 14 | 7.14 % |
| Eye Injury: | 1 | 0.51 % | Recess: | 0 | - % | Gymnasium/Pool: | 49 | 25.00 % |
| Fracture (Possible): | 7 | 3.57 % | Sci Lab/Fam & Consumer | | | Playground: | 2 | 1.02 % |
| Sprain/Strain/Tear (Possible): | 33 | 16.84 % | Sci & Tech ED Class: | 2 | 1.02 % | Restroom: | 4 | 2.04 % |
| Other: | 1 | 0.51 % | Other: | 5 | 2.55 % | School Bus/Public Bus: | 1 | 0.51 % |
| Grand Total Occurrences: | 98 | | Grand Total Occurrences: | 98 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 1.02 % |
| | | | | | | Sidewalk: | 1 | 0.51 % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 1.53 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 0.51 % |
| | | | | | | Grand Total Occurrences: | 98 | |

Total Average Daily Enrollment: 1,887
Injury Occurrence Rate*: 10.39 %

WEATHERLY AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 2 | 25.00 % | Class Time: | 1 | 12.50 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 1 | 12.50 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 3 | 37.50 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 3 | 37.50 % |
| Fracture (Possible): | 2 | 25.00 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 4 | | Grand Total Occurrences: | 4 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 4 | |

Total Average Daily Enrollment: 668
Injury Occurrence Rate*: 1.20 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

CARBON COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 2 | 0.48 % | After School: | 8 | 1.94 % | Athletic Field/Play Field: | 8 | 1.94 % |
| Concussion (Possible): | 37 | 8.96 % | Before School: | 12 | 2.91 % | Auditorium/Multipurpose: | 1 | 0.24 % |
| Contusion: | 39 | 9.44 % | Class Change: | 23 | 5.57 % | Bus Loading Area: | 9 | 2.18 % |
| Cut/Laceration/Puncture: | 23 | 5.57 % | Class Time: | 32 | 7.75 % | Cafeteria: | 4 | 0.97 % |
| Dental Injury: | 8 | 1.94 % | Lunch Period: | 3 | 0.73 % | Classroom: | 25 | 6.05 % |
| Dislocation (Possible): | 4 | 0.97 % | P.E. Class: | 87 | 21.07 % | Corridor/Hall: | 16 | 3.87 % |
| Eye Injury: | 6 | 1.45 % | Recess: | 28 | 6.78 % | Gymnasium/Pool: | 86 | 20.82 % |
| Fracture (Possible): | 37 | 8.96 % | Sci Lab/Fam & Consumer | | | Playground: | 30 | 7.26 % |
| Sprain/Strain/Tear (Possible): | 51 | 12.35 % | Sci & Tech ED Class: | 5 | 1.21 % | Restroom: | 4 | 0.97 % |
| Other: | 4 | 0.97 % | Other: | 13 | 3.15 % | School Bus/Public Bus: | 1 | 0.24 % |
| Grand Total Occurrences: | 211 | | Grand Total Occurrences: | 211 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 4 | 0.97 % |
| | | | | | | Sidewalk: | 1 | 0.24 % |
| | | | | | | Stairs/Ramp/Elevator: | 9 | 2.18 % |
| | | | | | | Street/Driveway/Parking: | 2 | 0.48 % |
| | | | | | | Other: | 11 | 2.66 % |
| | | | | | | Grand Total Occurrences: | 211 | |

Total Average Daily Enrollment: 9,414

Injury Occurrence Rate*: 4.39 %

ABINGTON HEIGHTS SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 4 | 2.86 % | Athletic Field/Play Field: | 16 | 11.43 % |
| Concussion (Possible): | 8 | 5.71 % | Before School: | 5 | 3.57 % | Auditorium/Multipurpose: | 10 | 7.14 % |
| Contusion: | 5 | 3.57 % | Class Change: | 3 | 2.14 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 12 | 8.57 % | Class Time: | 12 | 8.57 % | Cafeteria: | 1 | 0.71 % |
| Dental Injury: | 3 | 2.14 % | Lunch Period: | 0 | - % | Classroom: | 7 | 5.00 % |
| Dislocation (Possible): | 1 | 0.71 % | P.E. Class: | 29 | 20.71 % | Corridor/Hall: | 6 | 4.29 % |
| Eye Injury: | 4 | 2.86 % | Recess: | 10 | 7.14 % | Gymnasium/Pool: | 21 | 15.00 % |
| Fracture (Possible): | 9 | 6.43 % | Sci Lab/Fam & Consumer | | | Playground: | 8 | 5.71 % |
| Sprain/Strain/Tear (Possible): | 24 | 17.14 % | Sci & Tech ED Class: | 4 | 2.86 % | Restroom: | 0 | - % |
| Other: | 4 | 2.86 % | Other: | 3 | 2.14 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 70 | | Grand Total Occurrences: | 70 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | 2.86 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 0.71 % |
| | | | | | | Grand Total Occurrences: | 70 | |

Total Average Daily Enrollment: 3,827

Injury Occurrence Rate*: 3.66 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

CARBONDALE AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 1.35 % | After School: | 0 | - % | Athletic Field/Play Field: | 1 | 1.35 % |
| Concussion (Possible): | 0 | - % | Before School: | 1 | 1.35 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 1.35 % | Class Change: | 3 | 4.05 % | Bus Loading Area: | 1 | 1.35 % |
| Cut/Laceration/Puncture: | 8 | 10.81 % | Class Time: | 3 | 4.05 % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 1.35 % | Lunch Period: | 0 | - % | Classroom: | 2 | 2.70 % |
| Dislocation (Possible): | 3 | 4.05 % | P.E. Class: | 27 | 36.49 % | Corridor/Hall: | 3 | 4.05 % |
| Eye Injury: | 3 | 4.05 % | Recess: | 3 | 4.05 % | Gymnasium/Pool: | 26 | 35.14 % |
| Fracture (Possible): | 1 | 1.35 % | Sci Lab/Fam & Consumer | | | Playground: | 3 | 4.05 % |
| Sprain/Strain/Tear (Possible): | 12 | 16.22 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 7 | 9.46 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 37 | | Grand Total Occurrences: | 37 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 1.35 % |
| | | | | | | Grand Total Occurrences: | 37 | |

Total Average Daily Enrollment: 1,617

Injury Occurrence Rate*: 4.58 %

DUNMORE SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 1 | 1.16 % |
| Concussion (Possible): | 4 | 4.65 % | Before School: | 1 | 1.16 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 1.16 % | Class Change: | 7 | 8.14 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 5 | 5.81 % | Class Time: | 19 | 22.09 % | Cafeteria: | 3 | 3.49 % |
| Dental Injury: | 0 | - % | Lunch Period: | 5 | 5.81 % | Classroom: | 13 | 15.12 % |
| Dislocation (Possible): | 2 | 2.33 % | P.E. Class: | 9 | 10.47 % | Corridor/Hall: | 2 | 2.33 % |
| Eye Injury: | 2 | 2.33 % | Recess: | 1 | 1.16 % | Gymnasium/Pool: | 15 | 17.44 % |
| Fracture (Possible): | 8 | 9.30 % | Sci Lab/Fam & Consumer | | | Playground: | 1 | 1.16 % |
| Sprain/Strain/Tear (Possible): | 11 | 12.79 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 10 | 11.63 % | Other: | 1 | 1.16 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 43 | | Grand Total Occurrences: | 43 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 6 | 6.98 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 2.33 % |
| | | | | | | Grand Total Occurrences: | 43 | |

Total Average Daily Enrollment: 2,198

Injury Occurrence Rate*: 3.91 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

FELL CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 3 | 50.00 % | Before School: | 2 | 33.33 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 2 | 33.33 % | Class Time: | 3 | 50.00 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 2 | 33.33 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 1 | 16.67 % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 1 | 16.67 % |
| Sprain/Strain/Tear (Possible): | 1 | 16.67 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 6 | | Grand Total Occurrences: | 6 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 3 | 50.00 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 6 | |

Total Average Daily Enrollment: 141
Injury Occurrence Rate*: 4.26 %

HOWARD GARDNER MULTIPLE INTELLIGENCE

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 37 | 60.66 % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 12 | 19.67 % | Class Time: | 14 | 22.95 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 14 | 22.95 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 7 | 11.48 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 40 | 65.57 % | Gymnasium/Pool: | 7 | 11.48 % |
| Fracture (Possible): | 1 | 1.64 % | Sci Lab/Fam & Consumer | | | Playground: | 40 | 65.57 % |
| Sprain/Strain/Tear (Possible): | 1 | 1.64 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 10 | 16.39 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 61 | | Grand Total Occurrences: | 61 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 61 | |

Total Average Daily Enrollment: 161
Injury Occurrence Rate*: 37.93 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

LAKELAND SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 5 | 3.42 % |
| Concussion (Possible): | 0 | - % | Before School: | 1 | 0.68 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 7 | 4.79 % | Class Time: | 4 | 2.74 % | Cafeteria: | 2 | 1.37 % |
| Dental Injury: | 1 | 0.68 % | Lunch Period: | 3 | 2.05 % | Classroom: | 2 | 1.37 % |
| Dislocation (Possible): | 5 | 3.42 % | P.E. Class: | 15 | 10.27 % | Corridor/Hall: | 1 | 0.68 % |
| Eye Injury: | 1 | 0.68 % | Recess: | 49 | 33.56 % | Gymnasium/Pool: | 14 | 9.59 % |
| Fracture (Possible): | 4 | 2.74 % | Sci Lab/Fam & Consumer | | | Playground: | 46 | 31.51 % |
| Sprain/Strain/Tear (Possible): | 3 | 2.05 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 52 | 35.62 % | Other: | 1 | 0.68 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 73 | | Grand Total Occurrences: | 73 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | - % |
| | | | | | | Sidewalk: | 1 | 0.68 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.68 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 73 | |

Total Average Daily Enrollment: 1,483
Injury Occurrence Rate*: 9.85 %

MID VALLEY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 7 | 18.42 % |
| Concussion (Possible): | 2 | 5.26 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 2 | 5.26 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 2 | 5.26 % | Class Time: | 5 | 13.16 % | Cafeteria: | 1 | 2.63 % |
| Dental Injury: | 0 | - % | Lunch Period: | 2 | 5.26 % | Classroom: | 6 | 15.79 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 2 | 5.26 % |
| Eye Injury: | 0 | - % | Recess: | 8 | 21.05 % | Gymnasium/Pool: | 2 | 5.26 % |
| Fracture (Possible): | 4 | 10.53 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 8 | 21.05 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 3 | 7.89 % | Other: | 2 | 5.26 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 19 | | Grand Total Occurrences: | 19 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 2.63 % |
| | | | | | | Grand Total Occurrences: | 19 | |

Total Average Daily Enrollment: 1,950
Injury Occurrence Rate*: 1.95 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

NORTH POCONO SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 5 | 2.45 % | After School: | 26 | 12.75 % | Athletic Field/Play Field: | 28 | 13.73 % |
| Concussion (Possible): | 32 | 15.69 % | Before School: | 2 | 0.98 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 0 | - % | Class Change: | 6 | 2.94 % | Bus Loading Area: | 1 | 0.49 % |
| Cut/Laceration/Puncture: | 9 | 4.41 % | Class Time: | 12 | 5.88 % | Cafeteria: | 1 | 0.49 % |
| Dental Injury: | 0 | - % | Lunch Period: | 1 | 0.49 % | Classroom: | 10 | 4.90 % |
| Dislocation (Possible): | 1 | 0.49 % | P.E. Class: | 27 | 13.24 % | Corridor/Hall: | 7 | 3.43 % |
| Eye Injury: | 3 | 1.47 % | Recess: | 21 | 10.29 % | Gymnasium/Pool: | 25 | 12.25 % |
| Fracture (Possible): | 21 | 10.29 % | Sci Lab/Fam & Consumer | | | Playground: | 12 | 5.88 % |
| Sprain/Strain/Tear (Possible): | 20 | 9.80 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 2 | 0.98 % |
| Other: | 11 | 5.39 % | Other: | 7 | 3.43 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 102 | | Grand Total Occurrences: | 102 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 3 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 0.98 % |
| | | | | | | Street/Driveway/Parking: | 6 | 2.94 % |
| | | | | | | Other: | 5 | 2.45 % |
| | | | | | | Grand Total Occurrences: | 102 | |

Total Average Daily Enrollment: 2,935

Injury Occurrence Rate*: 6.95 %

OLD FORGE SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 2.17 % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 1 | 2.17 % | Before School: | 1 | 2.17 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 9 | 19.57 % | Class Change: | 4 | 8.70 % | Bus Loading Area: | 1 | 2.17 % |
| Cut/Laceration/Puncture: | 5 | 10.87 % | Class Time: | 7 | 15.22 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 7 | 15.22 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 4 | 8.70 % | Corridor/Hall: | 3 | 6.52 % |
| Eye Injury: | 0 | - % | Recess: | 7 | 15.22 % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 3 | 6.52 % | Sci Lab/Fam & Consumer | | | Playground: | 10 | 21.74 % |
| Sprain/Strain/Tear (Possible): | 4 | 8.70 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 23 | | Grand Total Occurrences: | 23 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 1 | 2.17 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 2.17 % |
| | | | | | | Grand Total Occurrences: | 23 | |

Total Average Daily Enrollment: 882

Injury Occurrence Rate*: 5.22 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

RIVERSIDE SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 2 | 3.13 % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 5 | 7.81 % | Before School: | 2 | 3.13 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 1.56 % | Class Change: | 1 | 1.56 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 5 | 7.81 % | Class Time: | 10 | 15.63 % | Cafeteria: | 2 | 3.13 % |
| Dental Injury: | 1 | 1.56 % | Lunch Period: | 1 | 1.56 % | Classroom: | 10 | 15.63 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 3 | 4.69 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 1 | 1.56 % | Recess: | 10 | 15.63 % | Gymnasium/Pool: | 4 | 6.25 % |
| Fracture (Possible): | 6 | 9.38 % | Sci Lab/Fam & Consumer | | | Playground: | 11 | 17.19 % |
| Sprain/Strain/Tear (Possible): | 5 | 7.81 % | Sci & Tech ED Class: | 3 | 4.69 % | Restroom: | 0 | - % |
| Other: | 6 | 9.38 % | Other: | 2 | 3.13 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 32 | | Grand Total Occurrences: | 32 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 3 | 4.69 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 2 | 3.13 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 32 | |

Total Average Daily Enrollment: 1,464
Injury Occurrence Rate*: 4.37 %

SCRANTON SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 11 | 3.13 % | After School: | 10 | 2.84 % | Athletic Field/Play Field: | 12 | 3.41 % |
| Concussion (Possible): | 23 | 6.53 % | Before School: | 6 | 1.70 % | Auditorium/Multipurpose: | 3 | 0.85 % |
| Contusion: | 22 | 6.25 % | Class Change: | 27 | 7.67 % | Bus Loading Area: | 1 | 0.28 % |
| Cut/Laceration/Puncture: | 27 | 7.67 % | Class Time: | 30 | 8.52 % | Cafeteria: | 4 | 1.14 % |
| Dental Injury: | 2 | 0.57 % | Lunch Period: | 3 | 0.85 % | Classroom: | 24 | 6.82 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 57 | 16.19 % | Corridor/Hall: | 14 | 3.98 % |
| Eye Injury: | 5 | 1.42 % | Recess: | 19 | 5.40 % | Gymnasium/Pool: | 56 | 15.91 % |
| Fracture (Possible): | 17 | 4.83 % | Sci Lab/Fam & Consumer | | | Playground: | 17 | 4.83 % |
| Sprain/Strain/Tear (Possible): | 62 | 17.61 % | Sci & Tech ED Class: | 11 | 3.13 % | Restroom: | 1 | 0.28 % |
| Other: | 7 | 1.99 % | Other: | 13 | 3.69 % | School Bus/Public Bus: | 1 | 0.28 % |
| Grand Total Occurrences: | 176 | | Grand Total Occurrences: | 176 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 13 | 3.13 % |
| | | | | | | Sidewalk: | 2 | 0.57 % |
| | | | | | | Stairs/Ramp/Elevator: | 10 | 2.84 % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.28 % |
| | | | | | | Other: | 17 | 4.83 % |
| | | | | | | Grand Total Occurrences: | 176 | |

Total Average Daily Enrollment: 11,562
Injury Occurrence Rate*: 3.04 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

VALLEY VIEW SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 2 | 0.43 % | After School: | 0 | - % | Athletic Field/Play Field: | 7 | 1.50 % |
| Concussion (Possible): | 27 | 5.77 % | Before School: | 2 | 0.43 % | Auditorium/Multipurpose: | 2 | 0.43 % |
| Contusion: | 55 | 11.75 % | Class Change: | 10 | 2.14 % | Bus Loading Area: | 3 | 0.64 % |
| Cut/Laceration/Puncture: | 35 | 7.48 % | Class Time: | 20 | 4.27 % | Cafeteria: | 22 | 4.70 % |
| Dental Injury: | 6 | 1.28 % | Lunch Period: | 9 | 1.92 % | Classroom: | 27 | 5.77 % |
| Dislocation (Possible): | 4 | 0.85 % | P.E. Class: | 117 | 25.00 % | Corridor/Hall: | 13 | 2.78 % |
| Eye Injury: | 4 | 0.85 % | Recess: | 76 | 16.24 % | Gymnasium/Pool: | 49 | 10.47 % |
| Fracture (Possible): | 22 | 4.70 % | Sci Lab/Fam & Consumer | | | Playground: | 90 | 19.23 % |
| Sprain/Strain/Tear (Possible): | 69 | 14.74 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 17 | 3.63 % |
| Other: | 10 | 2.14 % | Other: | 0 | - % | School Bus/Public Bus: | 3 | 0.64 % |
| Grand Total Occurrences: | 234 | | Grand Total Occurrences: | 234 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.21 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 234 | |

Total Average Daily Enrollment: 2,719
Injury Occurrence Rate*: 17.21 %

LACKAWANNA COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 22 | 1.31 % | After School: | 40 | 2.37 % | Athletic Field/Play Field: | 77 | 4.57 % |
| Concussion (Possible): | 105 | 6.23 % | Before School: | 23 | 1.36 % | Auditorium/Multipurpose: | 15 | 0.89 % |
| Contusion: | 131 | 7.77 % | Class Change: | 63 | 3.74 % | Bus Loading Area: | 7 | 0.42 % |
| Cut/Laceration/Puncture: | 129 | 7.66 % | Class Time: | 139 | 8.25 % | Cafeteria: | 36 | 2.14 % |
| Dental Injury: | 14 | 0.83 % | Lunch Period: | 24 | 1.42 % | Classroom: | 124 | 7.36 % |
| Dislocation (Possible): | 16 | 0.95 % | P.E. Class: | 295 | 17.51 % | Corridor/Hall: | 51 | 3.03 % |
| Eye Injury: | 23 | 1.36 % | Recess: | 245 | 14.54 % | Gymnasium/Pool: | 219 | 13.00 % |
| Fracture (Possible): | 96 | 5.70 % | Sci Lab/Fam & Consumer | | | Playground: | 239 | 14.18 % |
| Sprain/Strain/Tear (Possible): | 220 | 13.06 % | Sci & Tech ED Class: | 18 | 1.07 % | Restroom: | 20 | 1.19 % |
| Other: | 120 | 7.12 % | Other: | 29 | 1.72 % | School Bus/Public Bus: | 4 | 0.24 % |
| Grand Total Occurrences: | 876 | | Grand Total Occurrences: | 876 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 20 | 1.19 % |
| | | | | | | Sidewalk: | 4 | 0.24 % |
| | | | | | | Stairs/Ramp/Elevator: | 18 | 1.07 % |
| | | | | | | Street/Driveway/Parking: | 14 | 0.83 % |
| | | | | | | Other: | 28 | 1.66 % |
| | | | | | | Grand Total Occurrences: | 876 | |

Total Average Daily Enrollment: 30,939
Injury Occurrence Rate*: 5.45 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

ALLENTOWN CITY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 2 | 0.49 % | After School: | 11 | 2.71 % | Athletic Field/Play Field: | 12 | 2.96 % |
| Concussion (Possible): | 21 | 5.17 % | Before School: | 11 | 2.71 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 15 | 3.69 % | Class Change: | 31 | 7.64 % | Bus Loading Area: | 1 | 0.25 % |
| Cut/Laceration/Puncture: | 32 | 7.88 % | Class Time: | 28 | 6.90 % | Cafeteria: | 6 | 1.48 % |
| Dental Injury: | 9 | 2.22 % | Lunch Period: | 7 | 1.72 % | Classroom: | 19 | 4.68 % |
| Dislocation (Possible): | 7 | 1.72 % | P.E. Class: | 83 | 20.44 % | Corridor/Hall: | 20 | 4.93 % |
| Eye Injury: | 8 | 1.97 % | Recess: | 24 | 5.91 % | Gymnasium/Pool: | 83 | 20.44 % |
| Fracture (Possible): | 45 | 11.08 % | Sci Lab/Fam & Consumer | | | Playground: | 24 | 5.91 % |
| Sprain/Strain/Tear (Possible): | 47 | 11.58 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 3 | 0.74 % |
| Other: | 17 | 4.19 % | Other: | 8 | 1.97 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 203 | | Grand Total Occurrences: | 203 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 3 | 0.74 % |
| | | | | | | Stairs/Ramp/Elevator: | 18 | 4.43 % |
| | | | | | | Street/Driveway/Parking: | 5 | 1.23 % |
| | | | | | | Other: | 9 | 2.22 % |
| | | | | | | Grand Total Occurrences: | 203 | |

Total Average Daily Enrollment: 18,162
Injury Occurrence Rate*: 2.24 %

ARTS ACADEMY CHARTER SCHOOL, INC.

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 2 | 25.00 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 0 | - % | Class Change: | 4 | 50.00 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 1 | 12.50 % | Class Time: | 3 | 37.50 % | Cafeteria: | 1 | 12.50 % |
| Dental Injury: | 0 | - % | Lunch Period: | 1 | 12.50 % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 1 | 12.50 % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 5 | 62.50 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 12.50 % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 8 | | Grand Total Occurrences: | 8 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 37.50 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 25.00 % |
| | | | | | | Grand Total Occurrences: | 8 | |

Total Average Daily Enrollment: 298
Injury Occurrence Rate*: 2.69 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

CATASAUQUA AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 6 | 6.12 % | Before School: | 2 | 2.04 % | Auditorium/Multipurpose: | 1 | 1.02 % |
| Contusion: | 1 | 1.02 % | Class Change: | 4 | 4.08 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 9 | 9.18 % | Class Time: | 12 | 12.24 % | Cafeteria: | 1 | 1.02 % |
| Dental Injury: | 3 | 3.06 % | Lunch Period: | 1 | 1.02 % | Classroom: | 11 | 11.22 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 12 | 12.24 % | Corridor/Hall: | 4 | 4.08 % |
| Eye Injury: | 2 | 2.04 % | Recess: | 16 | 16.33 % | Gymnasium/Pool: | 14 | 14.29 % |
| Fracture (Possible): | 5 | 5.10 % | Sci Lab/Fam & Consumer | | | Playground: | 14 | 14.29 % |
| Sprain/Strain/Tear (Possible): | 15 | 15.31 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 8 | 8.16 % | Other: | 2 | 2.04 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 49 | | Grand Total Occurrences: | 49 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 1.02 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 3 | 3.06 % |
| | | | | | | Grand Total Occurrences: | 49 | |

Total Average Daily Enrollment: 1,621
Injury Occurrence Rate*: 6.05 %

EAST PENN SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 2 | 1.92 % | Athletic Field/Play Field: | 1 | 0.96 % |
| Concussion (Possible): | 14 | 13.46 % | Before School: | 3 | 2.88 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 0.96 % | Class Change: | 3 | 2.88 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 6 | 5.77 % | Class Time: | 13 | 12.50 % | Cafeteria: | 3 | 2.88 % |
| Dental Injury: | 1 | 0.96 % | Lunch Period: | 2 | 1.92 % | Classroom: | 5 | 4.81 % |
| Dislocation (Possible): | 2 | 1.92 % | P.E. Class: | 6 | 5.77 % | Corridor/Hall: | 3 | 2.88 % |
| Eye Injury: | 3 | 2.88 % | Recess: | 18 | 17.31 % | Gymnasium/Pool: | 7 | 6.73 % |
| Fracture (Possible): | 9 | 8.65 % | Sci Lab/Fam & Consumer | | | Playground: | 19 | 18.27 % |
| Sprain/Strain/Tear (Possible): | 3 | 2.88 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 0.96 % |
| Other: | 13 | 12.50 % | Other: | 5 | 4.81 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 52 | | Grand Total Occurrences: | 52 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 1 | 0.96 % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 1.92 % |
| | | | | | | Street/Driveway/Parking: | 2 | 1.92 % |
| | | | | | | Other: | 8 | 7.69 % |
| | | | | | | Grand Total Occurrences: | 52 | |

Total Average Daily Enrollment: 8,546
Injury Occurrence Rate*: 1.22 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

LINCOLN LEADERSHIP ACADEMY CHARTER

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 1 | 25.00 % |
| Concussion (Possible): | 1 | 25.00 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 2 | 50.00 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 2 | 50.00 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 1 | 25.00 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 1 | 25.00 % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 3 | 75.00 % | Sci Lab/Fam & Consumer | | | Playground: | 1 | 25.00 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 4 | | Grand Total Occurrences: | 4 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 4 | |

Total Average Daily Enrollment: 505
Injury Occurrence Rate*: 0.79 %

MEDICAL ACADEMY CHARTER SCHOOL

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 0 | | Grand Total Occurrences: | 0 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 0 | |

Total Average Daily Enrollment: 130
Injury Occurrence Rate*: - %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

NORTHERN LEHIGH SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 4 | 10.53 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 6 | 15.79 % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 6 | 15.79 % | Class Time: | 6 | 15.79 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 4 | 10.53 % |
| Dislocation (Possible): | 1 | 2.63 % | P.E. Class: | 2 | 5.26 % | Corridor/Hall: | 2 | 5.26 % |
| Eye Injury: | 0 | - % | Recess: | 9 | 23.68 % | Gymnasium/Pool: | 2 | 5.26 % |
| Fracture (Possible): | 2 | 5.26 % | Sci Lab/Fam & Consumer | | | Playground: | 9 | 23.68 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 2 | 5.26 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 19 | | Grand Total Occurrences: | 19 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | 5.26 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 19 | |

Total Average Daily Enrollment: 1,702
Injury Occurrence Rate*: 2.23 %

NORTHWESTERN LEHIGH SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 11 | 5.91 % | After School: | 0 | - % | Athletic Field/Play Field: | 5 | 2.69 % |
| Concussion (Possible): | 50 | 26.88 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 2 | 1.08 % | Class Change: | 1 | 0.54 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 4 | 2.15 % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 0.54 % | Lunch Period: | 0 | - % | Classroom: | 6 | 3.23 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 37 | 19.89 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 47 | 25.27 % | Gymnasium/Pool: | 37 | 19.89 % |
| Fracture (Possible): | 8 | 4.30 % | Sci Lab/Fam & Consumer | | | Playground: | 42 | 22.58 % |
| Sprain/Strain/Tear (Possible): | 21 | 11.29 % | Sci & Tech ED Class: | 2 | 1.08 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 2 | 1.08 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 93 | | Grand Total Occurrences: | 93 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | 1.08 % |
| | | | | | | Sidewalk: | 2 | 1.08 % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 0.54 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 93 | |

Total Average Daily Enrollment: 2,241
Injury Occurrence Rate*: 8.30 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

PARKLAND SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 0 | - % | After School: | 1 | 0.38 % | Athletic Field/Play Field: | 9 | 3.46 % |
| Concussion (Possible): | 37 | 14.23 % | Before School: | 4 | 1.54 % | Auditorium/Multipurpose: | 1 | 0.38 % |
| Cotusion: | 10 | 3.85 % | Class Change: | 11 | 4.23 % | Bus Loading Area: | 1 | 0.38 % |
| Cut/Laceration/Puncture: | 15 | 5.77 % | Class Time: | 29 | 11.15 % | Cafeteria: | 2 | 0.77 % |
| Dental Injury: | 4 | 1.54 % | Lunch Period: | 2 | 0.77 % | Classroom: | 22 | 8.46 % |
| Dislocation (Possible): | 2 | 0.77 % | P.E. Class: | 51 | 19.62 % | Corridor/Hall: | 10 | 3.85 % |
| Eye Injury: | 5 | 1.92 % | Recess: | 29 | 11.15 % | Gymnasium/Pool: | 46 | 17.69 % |
| Fracture (Possible): | 29 | 11.15 % | Sci Lab/Fam & Consumer | | | Playground: | 28 | 10.77 % |
| Sprain/Strain/Tear (Possible): | 18 | 6.92 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 0.38 % |
| Other: | 10 | 3.85 % | Other: | 3 | 1.15 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 130 | | Grand Total Occurrences: | 130 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 1.15 % |
| | | | | | | Street/Driveway/Parking: | 2 | 0.77 % |
| | | | | | | Other: | 5 | 1.92 % |
| | | | | | | Grand Total Occurrences: | 130 | |

Total Average Daily Enrollment: 9,766
Injury Occurrence Rate*: 2.66 %

ROBERTO CLEMENTE CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|----------|
| Burn: | 0 | - % | After School: | 1 | 12.50 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 4 | 50.00 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 7 | 87.50 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 8 | 100.00 % |
| Fracture (Possible): | 1 | 12.50 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 2 | 25.00 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 1 | 12.50 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 8 | | Grand Total Occurrences: | 8 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 8 | |

Total Average Daily Enrollment: 311
Injury Occurrence Rate*: 2.58 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

SALISBURY TOWNSHIP SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 2 | 3.23 % |
| Concussion (Possible): | 0 | - % | Before School: | 4 | 6.45 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 5 | 8.06 % | Class Change: | 2 | 3.23 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 8 | 12.90 % | Class Time: | 6 | 9.68 % | Cafeteria: | 3 | 4.84 % |
| Dental Injury: | 0 | - % | Lunch Period: | 3 | 4.84 % | Classroom: | 3 | 4.84 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 9 | 14.52 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 2 | 3.23 % | Recess: | 5 | 8.06 % | Gymnasium/Pool: | 8 | 12.90 % |
| Fracture (Possible): | 6 | 9.68 % | Sci Lab/Fam & Consumer | | | Playground: | 7 | 11.29 % |
| Sprain/Strain/Tear (Possible): | 3 | 4.84 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 1.61 % |
| Other: | 7 | 11.29 % | Other: | 2 | 3.23 % | School Bus/Public Bus: | 2 | 3.23 % |
| Grand Total Occurrences: | 31 | | Grand Total Occurrences: | 31 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 4.84 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 3.23 % |
| | | | | | | Grand Total Occurrences: | 31 | |

Total Average Daily Enrollment: 2,716
Injury Occurrence Rate*: 2.28 %

SEVEN GENERATIONS CHARTER SCHOOL

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 2 | 22.22 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 5 | 55.56 % | Class Time: | 4 | 44.44 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 1 | 11.11 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 1 | 11.11 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 4 | 44.44 % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 1 | 11.11 % | Sci Lab/Fam & Consumer | | | Playground: | 6 | 66.67 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 1 | 11.11 % | Other: | 0 | - % | School Bus/Public Bus: | 1 | 11.11 % |
| Grand Total Occurrences: | 9 | | Grand Total Occurrences: | 9 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 11.11 % |
| | | | | | | Grand Total Occurrences: | 9 | |

Total Average Daily Enrollment: 322
Injury Occurrence Rate*: 2.80 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

SOUTHERN LEHIGH SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 8 | 2.41 % | After School: | 1 | 0.30 % | Athletic Field/Play Field: | 20 | 6.02 % |
| Concussion (Possible): | 27 | 8.13 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 8 | 2.41 % | Class Change: | 20 | 6.02 % | Bus Loading Area: | 2 | 0.60 % |
| Cut/Laceration/Puncture: | 55 | 16.57 % | Class Time: | 48 | 14.46 % | Cafeteria: | 14 | 4.22 % |
| Dental Injury: | 0 | - % | Lunch Period: | 2 | 0.60 % | Classroom: | 20 | 6.02 % |
| Dislocation (Possible): | 2 | 0.60 % | P.E. Class: | 46 | 13.86 % | Corridor/Hall: | 24 | 7.23 % |
| Eye Injury: | 4 | 1.20 % | Recess: | 0 | - % | Gymnasium/Pool: | 26 | 7.83 % |
| Fracture (Possible): | 19 | 5.72 % | Sci Lab/Fam & Consumer | | | Playground: | 22 | 6.63 % |
| Sprain/Strain/Tear (Possible): | 29 | 8.73 % | Sci & Tech ED Class: | 30 | 9.04 % | Restroom: | 0 | - % |
| Other: | 14 | 4.22 % | Other: | 19 | 5.72 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 166 | | Grand Total Occurrences: | 166 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 30 | 9.04 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 4 | 1.20 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 4 | 1.20 % |
| | | | | | | Grand Total Occurrences: | 166 | |

Total Average Daily Enrollment: 3,354
Injury Occurrence Rate*: 9.90 %

VITALISTIC THERAPEUTIC CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 0 | | Grand Total Occurrences: | 0 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 0 | |

Total Average Daily Enrollment: 99
Injury Occurrence Rate*: - %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

WHITEHALL-COPLAY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 13 | 16.67 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 2 | 2.56 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 1 | 1.28 % | Class Time: | 7 | 8.97 % | Cafeteria: | 2 | 2.56 % |
| Dental Injury: | 2 | 2.56 % | Lunch Period: | 2 | 2.56 % | Classroom: | 5 | 6.41 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 11 | 14.10 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 1 | 1.28 % | Recess: | 17 | 21.79 % | Gymnasium/Pool: | 12 | 15.38 % |
| Fracture (Possible): | 11 | 14.10 % | Sci Lab/Fam & Consumer | | | Playground: | 17 | 21.79 % |
| Sprain/Strain/Tear (Possible): | 3 | 3.85 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 8 | 10.26 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 39 | | Grand Total Occurrences: | 39 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 1.28 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 2.56 % |
| | | | | | | Grand Total Occurrences: | 39 | |

Total Average Daily Enrollment: 4,601
Injury Occurrence Rate*: 1.70 %

LEHIGH COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 21 | 1.32 % | After School: | 16 | 1.00 % | Athletic Field/Play Field: | 50 | 3.14 % |
| Concussion (Possible): | 181 | 11.36 % | Before School: | 24 | 1.51 % | Auditorium/Multipurpose: | 2 | 0.13 % |
| Contusion: | 48 | 3.01 % | Class Change: | 78 | 4.90 % | Bus Loading Area: | 4 | 0.25 % |
| Cut/Laceration/Puncture: | 138 | 8.66 % | Class Time: | 162 | 10.17 % | Cafeteria: | 32 | 2.01 % |
| Dental Injury: | 20 | 1.26 % | Lunch Period: | 20 | 1.26 % | Classroom: | 98 | 6.15 % |
| Dislocation (Possible): | 14 | 0.88 % | P.E. Class: | 266 | 16.70 % | Corridor/Hall: | 64 | 4.02 % |
| Eye Injury: | 25 | 1.57 % | Recess: | 170 | 10.67 % | Gymnasium/Pool: | 243 | 15.25 % |
| Fracture (Possible): | 139 | 8.73 % | Sci Lab/Fam & Consumer | | | Playground: | 189 | 11.86 % |
| Sprain/Strain/Tear (Possible): | 146 | 9.17 % | Sci & Tech ED Class: | 34 | 2.13 % | Restroom: | 7 | 0.44 % |
| Other: | 79 | 4.96 % | Other: | 41 | 2.57 % | School Bus/Public Bus: | 3 | 0.19 % |
| Grand Total Occurrences: | 811 | | Grand Total Occurrences: | 811 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 32 | 2.01 % |
| | | | | | | Sidewalk: | 6 | 0.38 % |
| | | | | | | Stairs/Ramp/Elevator: | 36 | 2.26 % |
| | | | | | | Street/Driveway/Parking: | 9 | 0.56 % |
| | | | | | | Other: | 36 | 2.26 % |
| | | | | | | Grand Total Occurrences: | 811 | |

Total Average Daily Enrollment: 54,374
Injury Occurrence Rate*: 2.93 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

BEAR CREEK COMMUNITY CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 2 | 25.00 % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 1 | 12.50 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 1 | 12.50 % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 1 | 12.50 % | P.E. Class: | 1 | 12.50 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 2 | 25.00 % | Recess: | 6 | 75.00 % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 5 | 62.50 % | Sci Lab/Fam & Consumer | | | Playground: | 5 | 62.50 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 8 | | Grand Total Occurrences: | 8 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 8 | |

Total Average Daily Enrollment: 419
Injury Occurrence Rate*: 1.91 %

CRESTWOOD SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 0.81 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 11 | 8.87 % | Before School: | 2 | 1.61 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 2 | 1.61 % | Class Change: | 6 | 4.84 % | Bus Loading Area: | 2 | 1.61 % |
| Cut/Laceration/Puncture: | 13 | 10.48 % | Class Time: | 6 | 4.84 % | Cafeteria: | 1 | 0.81 % |
| Dental Injury: | 4 | 3.23 % | Lunch Period: | 3 | 2.42 % | Classroom: | 4 | 3.23 % |
| Dislocation (Possible): | 1 | 0.81 % | P.E. Class: | 6 | 4.84 % | Corridor/Hall: | 6 | 4.84 % |
| Eye Injury: | 1 | 0.81 % | Recess: | 34 | 27.42 % | Gymnasium/Pool: | 6 | 4.84 % |
| Fracture (Possible): | 20 | 16.13 % | Sci Lab/Fam & Consumer | | | Playground: | 34 | 27.42 % |
| Sprain/Strain/Tear (Possible): | 5 | 4.03 % | Sci & Tech ED Class: | 3 | 2.42 % | Restroom: | 0 | - % |
| Other: | 5 | 4.03 % | Other: | 1 | 0.81 % | School Bus/Public Bus: | 1 | 0.81 % |
| Grand Total Occurrences: | 62 | | Grand Total Occurrences: | 62 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 3 | 2.42 % |
| | | | | | | Sidewalk: | 2 | 1.61 % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 0.81 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 1.61 % |
| | | | | | | Grand Total Occurrences: | 62 | |

Total Average Daily Enrollment: 3,158
Injury Occurrence Rate*: 3.93 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

DALLAS SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 4 | 7.69 % | Before School: | 4 | 7.69 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 2 | 3.85 % | Bus Loading Area: | 1 | 1.92 % |
| Cut/Laceration/Puncture: | 4 | 7.69 % | Class Time: | 3 | 5.77 % | Cafeteria: | 0 | - % |
| Dental Injury: | 4 | 7.69 % | Lunch Period: | 0 | - % | Classroom: | 3 | 5.77 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 5 | 9.62 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 1 | 1.92 % | Recess: | 10 | 19.23 % | Gymnasium/Pool: | 5 | 9.62 % |
| Fracture (Possible): | 7 | 13.46 % | Sci Lab/Fam & Consumer | | | Playground: | 10 | 19.23 % |
| Sprain/Strain/Tear (Possible): | 5 | 9.62 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 1 | 1.92 % | Other: | 2 | 3.85 % | School Bus/Public Bus: | 1 | 1.92 % |
| Grand Total Occurrences: | 26 | | Grand Total Occurrences: | 26 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 1 | 1.92 % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 3.85 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 3 | 5.77 % |
| | | | | | | Grand Total Occurrences: | 26 | |

Total Average Daily Enrollment: 2,714
Injury Occurrence Rate*: 1.92 %

GREATER NANTICOKE AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 6 | 0.99 % | After School: | 3 | 0.50 % | Athletic Field/Play Field: | 15 | 2.48 % |
| Concussion (Possible): | 38 | 6.27 % | Before School: | 12 | 1.98 % | Auditorium/Multipurpose: | 55 | 9.08 % |
| Contusion: | 91 | 15.02 % | Class Change: | 14 | 2.31 % | Bus Loading Area: | 25 | 4.13 % |
| Cut/Laceration/Puncture: | 49 | 8.09 % | Class Time: | 62 | 10.23 % | Cafeteria: | 59 | 9.74 % |
| Dental Injury: | 5 | 0.83 % | Lunch Period: | 55 | 9.08 % | Classroom: | 34 | 5.61 % |
| Dislocation (Possible): | 4 | 0.66 % | P.E. Class: | 66 | 10.89 % | Corridor/Hall: | 11 | 1.82 % |
| Eye Injury: | 8 | 1.32 % | Recess: | 82 | 13.53 % | Gymnasium/Pool: | 15 | 2.48 % |
| Fracture (Possible): | 21 | 3.47 % | Sci Lab/Fam & Consumer | | | Playground: | 43 | 7.10 % |
| Sprain/Strain/Tear (Possible): | 73 | 12.05 % | Sci & Tech ED Class: | 2 | 0.33 % | Restroom: | 11 | 1.82 % |
| Other: | 8 | 1.32 % | Other: | 7 | 1.16 % | School Bus/Public Bus: | 7 | 1.16 % |
| Grand Total Occurrences: | 303 | | Grand Total Occurrences: | 303 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | 0.33 % |
| | | | | | | Sidewalk: | 5 | 0.83 % |
| | | | | | | Stairs/Ramp/Elevator: | 15 | 2.48 % |
| | | | | | | Street/Driveway/Parking: | 2 | 0.33 % |
| | | | | | | Other: | 4 | 0.66 % |
| | | | | | | Grand Total Occurrences: | 303 | |

Total Average Daily Enrollment: 2,159
Injury Occurrence Rate*: 28.07 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

HANOVER AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 3 | 7.50 % | Athletic Field/Play Field: | 1 | 2.50 % |
| Concussion (Possible): | 2 | 5.00 % | Before School: | 1 | 2.50 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 2 | 5.00 % | Class Change: | 6 | 15.00 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 3 | 7.50 % | Class Time: | 2 | 5.00 % | Cafeteria: | 1 | 2.50 % |
| Dental Injury: | 2 | 5.00 % | Lunch Period: | 1 | 2.50 % | Classroom: | 0 | - % |
| Dislocation (Possible): | 1 | 2.50 % | P.E. Class: | 4 | 10.00 % | Corridor/Hall: | 2 | 5.00 % |
| Eye Injury: | 0 | - % | Recess: | 3 | 7.50 % | Gymnasium/Pool: | 4 | 10.00 % |
| Fracture (Possible): | 6 | 15.00 % | Sci Lab/Fam & Consumer | | | Playground: | 4 | 10.00 % |
| Sprain/Strain/Tear (Possible): | 4 | 10.00 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 2.50 % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 20 | | Grand Total Occurrences: | 20 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 1 | 2.50 % |
| | | | | | | Stairs/Ramp/Elevator: | 4 | 10.00 % |
| | | | | | | Street/Driveway/Parking: | 2 | 5.00 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 20 | |

Total Average Daily Enrollment: 1,958
Injury Occurrence Rate*: 2.04 %

HAZLETON AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 3 | 0.94 % | After School: | 3 | 0.94 % | Athletic Field/Play Field: | 6 | 1.88 % |
| Concussion (Possible): | 11 | 3.44 % | Before School: | 7 | 2.19 % | Auditorium/Multipurpose: | 1 | 0.31 % |
| Contusion: | 18 | 5.63 % | Class Change: | 10 | 3.13 % | Bus Loading Area: | 3 | 0.94 % |
| Cut/Laceration/Puncture: | 43 | 13.44 % | Class Time: | 26 | 8.13 % | Cafeteria: | 6 | 1.88 % |
| Dental Injury: | 4 | 1.25 % | Lunch Period: | 15 | 4.69 % | Classroom: | 22 | 6.88 % |
| Dislocation (Possible): | 3 | 0.94 % | P.E. Class: | 62 | 19.38 % | Corridor/Hall: | 4 | 1.25 % |
| Eye Injury: | 10 | 3.13 % | Recess: | 18 | 5.63 % | Gymnasium/Pool: | 82 | 25.63 % |
| Fracture (Possible): | 30 | 9.38 % | Sci Lab/Fam & Consumer | | | Playground: | 14 | 4.38 % |
| Sprain/Strain/Tear (Possible): | 32 | 10.00 % | Sci & Tech ED Class: | 10 | 3.13 % | Restroom: | 2 | 0.63 % |
| Other: | 6 | 1.88 % | Other: | 9 | 2.81 % | School Bus/Public Bus: | 1 | 0.31 % |
| Grand Total Occurrences: | 160 | | Grand Total Occurrences: | 160 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 10 | 3.13 % |
| | | | | | | Sidewalk: | 3 | 0.94 % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 0.63 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 4 | 1.25 % |
| | | | | | | Grand Total Occurrences: | 160 | |

Total Average Daily Enrollment: 11,041
Injury Occurrence Rate*: 2.90 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

LAKE-LEHMAN SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 1.11 % | Athletic Field/Play Field: | 2 | 2.22 % |
| Concussion (Possible): | 6 | 6.67 % | Before School: | 3 | 3.33 % | Auditorium/Multipurpose: | 1 | 1.11 % |
| Contusion: | 4 | 4.44 % | Class Change: | 4 | 4.44 % | Bus Loading Area: | 1 | 1.11 % |
| Cut/Laceration/Puncture: | 8 | 8.89 % | Class Time: | 7 | 7.78 % | Cafeteria: | 2 | 2.22 % |
| Dental Injury: | 1 | 1.11 % | Lunch Period: | 1 | 1.11 % | Classroom: | 6 | 6.67 % |
| Dislocation (Possible): | 2 | 2.22 % | P.E. Class: | 15 | 16.67 % | Corridor/Hall: | 8 | 8.89 % |
| Eye Injury: | 2 | 2.22 % | Recess: | 7 | 7.78 % | Gymnasium/Pool: | 15 | 16.67 % |
| Fracture (Possible): | 10 | 11.11 % | Sci Lab/Fam & Consumer | | | Playground: | 7 | 7.78 % |
| Sprain/Strain/Tear (Possible): | 8 | 8.89 % | Sci & Tech ED Class: | 1 | 1.11 % | Restroom: | 0 | - % |
| Other: | 4 | 4.44 % | Other: | 6 | 6.67 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 45 | | Grand Total Occurrences: | 45 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | 1.11 % |
| | | | | | | Sidewalk: | 2 | 2.22 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 1.11 % |
| | | | | | | Grand Total Occurrences: | 45 | |

Total Average Daily Enrollment: 1,939
Injury Occurrence Rate*: 4.64 %

NORTHWEST AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 13 | 15.48 % | Before School: | 5 | 5.95 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 2 | 2.38 % | Class Change: | 2 | 2.38 % | Bus Loading Area: | 1 | 1.19 % |
| Cut/Laceration/Puncture: | 2 | 2.38 % | Class Time: | 5 | 5.95 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 3 | 3.57 % |
| Dislocation (Possible): | 2 | 2.38 % | P.E. Class: | 4 | 4.76 % | Corridor/Hall: | 2 | 2.38 % |
| Eye Injury: | 1 | 1.19 % | Recess: | 26 | 30.95 % | Gymnasium/Pool: | 5 | 5.95 % |
| Fracture (Possible): | 5 | 5.95 % | Sci Lab/Fam & Consumer | | | Playground: | 26 | 30.95 % |
| Sprain/Strain/Tear (Possible): | 13 | 15.48 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 4 | 4.76 % | Other: | 0 | - % | School Bus/Public Bus: | 2 | 2.38 % |
| Grand Total Occurrences: | 42 | | Grand Total Occurrences: | 42 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 1.19 % |
| | | | | | | Street/Driveway/Parking: | 1 | 1.19 % |
| | | | | | | Other: | 1 | 1.19 % |
| | | | | | | Grand Total Occurrences: | 42 | |

Total Average Daily Enrollment: 1,094
Injury Occurrence Rate*: 7.68 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

PITTSTON AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 4 | 1.18 % | After School: | 3 | 0.89 % | Athletic Field/Play Field: | 8 | 2.37 % |
| Concussion (Possible): | 9 | 2.66 % | Before School: | 8 | 2.37 % | Auditorium/Multipurpose: | 6 | 1.78 % |
| Cotusion: | 43 | 12.72 % | Class Change: | 11 | 3.25 % | Bus Loading Area: | 4 | 1.18 % |
| Cut/Laceration/Puncture: | 57 | 16.86 % | Class Time: | 22 | 6.51 % | Cafeteria: | 19 | 5.62 % |
| Dental Injury: | 3 | 0.89 % | Lunch Period: | 35 | 10.36 % | Classroom: | 22 | 6.51 % |
| Dislocation (Possible): | 5 | 1.48 % | P.E. Class: | 52 | 15.38 % | Corridor/Hall: | 11 | 3.25 % |
| Eye Injury: | 6 | 1.78 % | Recess: | 19 | 5.62 % | Gymnasium/Pool: | 42 | 12.43 % |
| Fracture (Possible): | 17 | 5.03 % | Sci Lab/Fam & Consumer | | | Playground: | 24 | 7.10 % |
| Sprain/Strain/Tear (Possible): | 16 | 4.73 % | Sci & Tech ED Class: | 4 | 1.18 % | Restroom: | 5 | 1.48 % |
| Other: | 9 | 2.66 % | Other: | 15 | 4.44 % | School Bus/Public Bus: | 5 | 1.48 % |
| Grand Total Occurrences: | 169 | | Grand Total Occurrences: | 169 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 4 | 1.18 % |
| | | | | | | Sidewalk: | 6 | 1.78 % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 0.89 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 10 | 2.96 % |
| | | | | | | Grand Total Occurrences: | 169 | |

Total Average Daily Enrollment: 3,492
Injury Occurrence Rate*: 9.68 %

WEST SIDE CTC

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 1 | 10.00 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 5 | 50.00 % | Class Time: | 5 | 50.00 % | Cafeteria: | 1 | 10.00 % |
| Dental Injury: | 0 | - % | Lunch Period: | 1 | 10.00 % | Classroom: | 1 | 10.00 % |
| Dislocation (Possible): | 1 | 10.00 % | P.E. Class: | 4 | 40.00 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 2 | 20.00 % | Recess: | 0 | - % | Gymnasium/Pool: | 4 | 40.00 % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 1 | 10.00 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 10 | | Grand Total Occurrences: | 10 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 4 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 10 | |

Total Average Daily Enrollment: 472
Injury Occurrence Rate*: 2.12 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

WILKES-BARRE AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 3 | 0.83 % | After School: | 4 | 1.11 % | Athletic Field/Play Field: | 14 | 3.89 % |
| Concussion (Possible): | 29 | 8.06 % | Before School: | 11 | 3.06 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 16 | 4.44 % | Class Change: | 23 | 6.39 % | Bus Loading Area: | 2 | 0.56 % |
| Cut/Laceration/Puncture: | 37 | 10.28 % | Class Time: | 43 | 11.94 % | Cafeteria: | 10 | 2.78 % |
| Dental Injury: | 8 | 2.22 % | Lunch Period: | 7 | 1.94 % | Classroom: | 43 | 11.94 % |
| Dislocation (Possible): | 8 | 2.22 % | P.E. Class: | 63 | 17.50 % | Corridor/Hall: | 17 | 4.72 % |
| Eye Injury: | 6 | 1.67 % | Recess: | 23 | 6.39 % | Gymnasium/Pool: | 55 | 15.28 % |
| Fracture (Possible): | 16 | 4.44 % | Sci Lab/Fam & Consumer | | | Playground: | 19 | 5.28 % |
| Sprain/Strain/Tear (Possible): | 43 | 11.94 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 5 | 1.39 % |
| Other: | 14 | 3.89 % | Other: | 6 | 1.67 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 180 | | Grand Total Occurrences: | 180 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 7 | 1.94 % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 0.56 % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.28 % |
| | | | | | | Other: | 5 | 1.39 % |
| | | | | | | Grand Total Occurrences: | 180 | |

Total Average Daily Enrollment: 8,015
Injury Occurrence Rate*: 4.49 %

WYOMING AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 30 | 15.46 % | Before School: | 2 | 1.03 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 13 | 6.70 % | Class Change: | 9 | 4.64 % | Bus Loading Area: | 2 | 1.03 % |
| Cut/Laceration/Puncture: | 12 | 6.19 % | Class Time: | 13 | 6.70 % | Cafeteria: | 3 | 1.55 % |
| Dental Injury: | 1 | 0.52 % | Lunch Period: | 3 | 1.55 % | Classroom: | 11 | 5.67 % |
| Dislocation (Possible): | 5 | 2.58 % | P.E. Class: | 35 | 18.04 % | Corridor/Hall: | 6 | 3.09 % |
| Eye Injury: | 6 | 3.09 % | Recess: | 31 | 15.98 % | Gymnasium/Pool: | 35 | 18.04 % |
| Fracture (Possible): | 4 | 2.06 % | Sci Lab/Fam & Consumer | | | Playground: | 31 | 15.98 % |
| Sprain/Strain/Tear (Possible): | 19 | 9.79 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 3 | 1.55 % |
| Other: | 7 | 3.61 % | Other: | 4 | 2.06 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 97 | | Grand Total Occurrences: | 97 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 1.55 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 3 | 1.55 % |
| | | | | | | Grand Total Occurrences: | 97 | |

Total Average Daily Enrollment: 2,670
Injury Occurrence Rate*: 7.27 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

WYOMING VALLEY WEST SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 3 | 0.71 % | After School: | 10 | 2.36 % | Athletic Field/Play Field: | 4 | 0.94 % |
| Concussion (Possible): | 17 | 4.01 % | Before School: | 15 | 3.54 % | Auditorium/Multipurpose: | 4 | 0.94 % |
| Contusion: | 75 | 17.69 % | Class Change: | 32 | 7.55 % | Bus Loading Area: | 3 | 0.71 % |
| Cut/Laceration/Puncture: | 35 | 8.25 % | Class Time: | 54 | 12.74 % | Cafeteria: | 18 | 4.25 % |
| Dental Injury: | 3 | 0.71 % | Lunch Period: | 14 | 3.30 % | Classroom: | 30 | 7.08 % |
| Dislocation (Possible): | 7 | 1.65 % | P.E. Class: | 53 | 12.50 % | Corridor/Hall: | 27 | 6.37 % |
| Eye Injury: | 15 | 3.54 % | Recess: | 17 | 4.01 % | Gymnasium/Pool: | 56 | 13.21 % |
| Fracture (Possible): | 19 | 4.48 % | Sci Lab/Fam & Consumer | | | Playground: | 17 | 4.01 % |
| Sprain/Strain/Tear (Possible): | 30 | 7.08 % | Sci & Tech ED Class: | 14 | 3.30 % | Restroom: | 3 | 0.71 % |
| Other: | 8 | 1.89 % | Other: | 3 | 0.71 % | School Bus/Public Bus: | 7 | 1.65 % |
| Grand Total Occurrences: | 212 | | Grand Total Occurrences: | 212 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 14 | 3.30 % |
| | | | | | | Sidewalk: | 4 | 0.94 % |
| | | | | | | Stairs/Ramp/Elevator: | 17 | 4.01 % |
| | | | | | | Street/Driveway/Parking: | 2 | 0.47 % |
| | | | | | | Other: | 6 | 1.42 % |
| | | | | | | Grand Total Occurrences: | 212 | |

Total Average Daily Enrollment: 5,865
Injury Occurrence Rate*: 7.23 %

LUZERNE COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|--------------|---------|--|--------------|---------|--|--------------|---------|
| Burn: | 19 | 0.72 % | After School: | 28 | 1.06 % | Athletic Field/Play Field: | 52 | 1.96 % |
| Concussion (Possible): | 171 | 6.45 % | Before School: | 70 | 2.64 % | Auditorium/Multipurpose: | 67 | 2.53 % |
| Contusion: | 266 | 10.04 % | Class Change: | 120 | 4.53 % | Bus Loading Area: | 44 | 1.66 % |
| Cut/Laceration/Puncture: | 268 | 10.11 % | Class Time: | 248 | 9.36 % | Cafeteria: | 121 | 4.57 % |
| Dental Injury: | 35 | 1.32 % | Lunch Period: | 135 | 5.09 % | Classroom: | 179 | 6.75 % |
| Dislocation (Possible): | 40 | 1.51 % | P.E. Class: | 370 | 13.96 % | Corridor/Hall: | 94 | 3.55 % |
| Eye Injury: | 60 | 2.26 % | Recess: | 276 | 10.42 % | Gymnasium/Pool: | 324 | 12.23 % |
| Fracture (Possible): | 160 | 6.04 % | Sci Lab/Fam & Consumer | | | Playground: | 234 | 8.83 % |
| Sprain/Strain/Tear (Possible): | 248 | 9.36 % | Sci & Tech ED Class: | 34 | 1.28 % | Restroom: | 30 | 1.13 % |
| Other: | 67 | 2.53 % | Other: | 53 | 2.00 % | School Bus/Public Bus: | 24 | 0.91 % |
| Grand Total Occurrences: | 1,334 | | Grand Total Occurrences: | 1,334 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 37 | 1.40 % |
| | | | | | | Sidewalk: | 31 | 1.17 % |
| | | | | | | Stairs/Ramp/Elevator: | 50 | 1.89 % |
| | | | | | | Street/Driveway/Parking: | 8 | 0.30 % |
| | | | | | | Other: | 39 | 1.47 % |
| | | | | | | Grand Total Occurrences: | 1,334 | |

Total Average Daily Enrollment: 44,996
Injury Occurrence Rate*: 5.89 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

EAST STROUDSBURG AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 3 | 1.21 % | After School: | 4 | 1.61 % | Athletic Field/Play Field: | 4 | 1.61 % |
| Concussion (Possible): | 23 | 9.27 % | Before School: | 10 | 4.03 % | Auditorium/Multipurpose: | 1 | 0.40 % |
| Cotusion: | 12 | 4.84 % | Class Change: | 9 | 3.63 % | Bus Loading Area: | 4 | 1.61 % |
| Cut/Laceration/Puncture: | 17 | 6.85 % | Class Time: | 12 | 4.84 % | Cafeteria: | 6 | 2.42 % |
| Dental Injury: | 8 | 3.23 % | Lunch Period: | 14 | 5.65 % | Classroom: | 5 | 2.02 % |
| Dislocation (Possible): | 2 | 0.81 % | P.E. Class: | 38 | 15.32 % | Corridor/Hall: | 11 | 4.44 % |
| Eye Injury: | 7 | 2.82 % | Recess: | 30 | 12.10 % | Gymnasium/Pool: | 42 | 16.94 % |
| Fracture (Possible): | 32 | 12.90 % | Sci Lab/Fam & Consumer | | | Playground: | 27 | 10.89 % |
| Sprain/Strain/Tear (Possible): | 18 | 7.26 % | Sci & Tech ED Class: | 1 | 0.40 % | Restroom: | 5 | 2.02 % |
| Other: | 2 | 0.81 % | Other: | 6 | 2.42 % | School Bus/Public Bus: | 4 | 1.61 % |
| Grand Total Occurrences: | 124 | | Grand Total Occurrences: | 124 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 0.40 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 7 | 2.82 % |
| | | | | | | Street/Driveway/Parking: | 4 | 1.61 % |
| | | | | | | Other: | 3 | 1.21 % |
| | | | | | | Grand Total Occurrences: | 124 | |

Total Average Daily Enrollment: 7,760

Injury Occurrence Rate*: 3.20 %

EVERGREEN COMMUNITY CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|----------|--|----------|----------|--|----------|----------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 1 | 100.00 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 1 | 100.00 % |
| Sprain/Strain/Tear (Possible): | 1 | 100.00 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 1 | | Grand Total Occurrences: | 1 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 1 | |

Total Average Daily Enrollment: 87

Injury Occurrence Rate*: 1.14 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

PLEASANT VALLEY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 0.54 % | After School: | 2 | 1.09 % | Athletic Field/Play Field: | 1 | 0.54 % |
| Concussion (Possible): | 4 | 2.17 % | Before School: | 1 | 0.54 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 4 | 2.17 % | Class Change: | 6 | 3.26 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 10 | 5.43 % | Class Time: | 11 | 5.98 % | Cafeteria: | 3 | 1.63 % |
| Dental Injury: | 3 | 1.63 % | Lunch Period: | 3 | 1.63 % | Classroom: | 9 | 4.89 % |
| Dislocation (Possible): | 5 | 2.72 % | P.E. Class: | 53 | 28.80 % | Corridor/Hall: | 5 | 2.72 % |
| Eye Injury: | 0 | - % | Recess: | 14 | 7.61 % | Gymnasium/Pool: | 53 | 28.80 % |
| Fracture (Possible): | 12 | 6.52 % | Sci Lab/Fam & Consumer | | | Playground: | 13 | 7.07 % |
| Sprain/Strain/Tear (Possible): | 42 | 22.83 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 0.54 % |
| Other: | 11 | 5.98 % | Other: | 2 | 1.09 % | School Bus/Public Bus: | 2 | 1.09 % |
| Grand Total Occurrences: | 92 | | Grand Total Occurrences: | 92 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 2 | 1.09 % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 1.09 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 0.54 % |
| | | | | | | Grand Total Occurrences: | 92 | |

Total Average Daily Enrollment: 5,345

Injury Occurrence Rate*: 3.44 %

POCONO MOUNTAIN CHARTER SCHOOL

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|----------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 1 | 25.00 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 1 | 25.00 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 3 | 75.00 % | Gymnasium/Pool: | 4 | 100.00 % |
| Fracture (Possible): | 1 | 25.00 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 2 | 50.00 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 4 | | Grand Total Occurrences: | 4 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 4 | |

Total Average Daily Enrollment: 303

Injury Occurrence Rate*: 1.32 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

POCONO MOUNTAIN SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 0 | - % | After School: | 4 | 0.87 % | Athletic Field/Play Field: | 7 | 1.52 % |
| Concussion (Possible): | 37 | 8.01 % | Before School: | 13 | 2.81 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 28 | 6.06 % | Class Change: | 10 | 2.16 % | Bus Loading Area: | 4 | 0.87 % |
| Cut/Laceration/Puncture: | 33 | 7.14 % | Class Time: | 35 | 7.58 % | Cafeteria: | 12 | 2.60 % |
| Dental Injury: | 7 | 1.52 % | Lunch Period: | 8 | 1.73 % | Classroom: | 28 | 6.06 % |
| Dislocation (Possible): | 15 | 3.25 % | P.E. Class: | 114 | 24.68 % | Corridor/Hall: | 8 | 1.73 % |
| Eye Injury: | 13 | 2.81 % | Recess: | 39 | 8.44 % | Gymnasium/Pool: | 108 | 23.38 % |
| Fracture (Possible): | 44 | 9.52 % | Sci Lab/Fam & Consumer | | | Playground: | 35 | 7.58 % |
| Sprain/Strain/Tear (Possible): | 46 | 9.96 % | Sci & Tech ED Class: | 1 | 0.22 % | Restroom: | 5 | 1.08 % |
| Other: | 8 | 1.73 % | Other: | 7 | 1.52 % | School Bus/Public Bus: | 6 | 1.30 % |
| Grand Total Occurrences: | 231 | | Grand Total Occurrences: | 231 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 5 | 0.22 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 8 | 1.73 % |
| | | | | | | Other: | 5 | 1.08 % |
| | | | | | | Grand Total Occurrences: | 231 | |

Total Average Daily Enrollment: 10,012
Injury Occurrence Rate*: 4.61 %

STROUDSBURG AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 0 | - % | After School: | 2 | 0.74 % | Athletic Field/Play Field: | 4 | 1.48 % |
| Concussion (Possible): | 24 | 8.89 % | Before School: | 6 | 2.22 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 10 | 3.70 % | Class Change: | 17 | 6.30 % | Bus Loading Area: | 3 | 1.11 % |
| Cut/Laceration/Puncture: | 24 | 8.89 % | Class Time: | 16 | 5.93 % | Cafeteria: | 6 | 2.22 % |
| Dental Injury: | 6 | 2.22 % | Lunch Period: | 7 | 2.59 % | Classroom: | 16 | 5.93 % |
| Dislocation (Possible): | 1 | 0.37 % | P.E. Class: | 40 | 14.81 % | Corridor/Hall: | 13 | 4.81 % |
| Eye Injury: | 4 | 1.48 % | Recess: | 42 | 15.56 % | Gymnasium/Pool: | 40 | 14.81 % |
| Fracture (Possible): | 19 | 7.04 % | Sci Lab/Fam & Consumer | | | Playground: | 27 | 10.00 % |
| Sprain/Strain/Tear (Possible): | 37 | 13.70 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 0.37 % |
| Other: | 10 | 3.70 % | Other: | 5 | 1.85 % | School Bus/Public Bus: | 2 | 0.74 % |
| Grand Total Occurrences: | 135 | | Grand Total Occurrences: | 135 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 5 | 1.85 % |
| | | | | | | Street/Driveway/Parking: | 15 | 5.56 % |
| | | | | | | Other: | 3 | 1.11 % |
| | | | | | | Grand Total Occurrences: | 135 | |

Total Average Daily Enrollment: 5,071
Injury Occurrence Rate*: 5.32 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

MONROE COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 4 | 0.34 % | After School: | 12 | 1.03 % | Athletic Field/Play Field: | 16 | 1.37 % |
| Concussion (Possible): | 89 | 7.61 % | Before School: | 31 | 2.65 % | Auditorium/Multipurpose: | 1 | 0.09 % |
| Contusion: | 54 | 4.62 % | Class Change: | 42 | 3.59 % | Bus Loading Area: | 11 | 0.94 % |
| Cut/Laceration/Puncture: | 84 | 7.19 % | Class Time: | 75 | 6.42 % | Cafeteria: | 27 | 2.31 % |
| Dental Injury: | 24 | 2.05 % | Lunch Period: | 32 | 2.74 % | Classroom: | 58 | 4.96 % |
| Dislocation (Possible): | 23 | 1.97 % | P.E. Class: | 245 | 20.96 % | Corridor/Hall: | 37 | 3.17 % |
| Eye Injury: | 24 | 2.05 % | Recess: | 128 | 10.95 % | Gymnasium/Pool: | 247 | 21.13 % |
| Fracture (Possible): | 108 | 9.24 % | Sci Lab/Fam & Consumer | | | Playground: | 103 | 8.81 % |
| Sprain/Strain/Tear (Possible): | 146 | 12.49 % | Sci & Tech ED Class: | 2 | 0.17 % | Restroom: | 12 | 1.03 % |
| Other: | 31 | 2.65 % | Other: | 20 | 1.71 % | School Bus/Public Bus: | 14 | 1.20 % |
| Grand Total Occurrences: | 587 | | Grand Total Occurrences: | 587 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 6 | 0.51 % |
| | | | | | | Sidewalk: | 2 | 0.17 % |
| | | | | | | Stairs/Ramp/Elevator: | 14 | 1.20 % |
| | | | | | | Street/Driveway/Parking: | 27 | 2.31 % |
| | | | | | | Other: | 12 | 1.03 % |
| | | | | | | Grand Total Occurrences: | 587 | |

Total Average Daily Enrollment: 28,578

Injury Occurrence Rate*: 4.09 %

BANGOR AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 6 | 2.56 % | After School: | 2 | 0.85 % | Athletic Field/Play Field: | 6 | 2.56 % |
| Concussion (Possible): | 21 | 8.97 % | Before School: | 10 | 4.27 % | Auditorium/Multipurpose: | 1 | 0.43 % |
| Contusion: | 11 | 4.70 % | Class Change: | 6 | 2.56 % | Bus Loading Area: | 1 | 0.43 % |
| Cut/Laceration/Puncture: | 21 | 8.97 % | Class Time: | 23 | 9.83 % | Cafeteria: | 13 | 5.56 % |
| Dental Injury: | 0 | - % | Lunch Period: | 15 | 6.41 % | Classroom: | 19 | 8.12 % |
| Dislocation (Possible): | 4 | 1.71 % | P.E. Class: | 42 | 17.95 % | Corridor/Hall: | 9 | 3.85 % |
| Eye Injury: | 11 | 4.70 % | Recess: | 4 | 1.71 % | Gymnasium/Pool: | 40 | 17.09 % |
| Fracture (Possible): | 11 | 4.70 % | Sci Lab/Fam & Consumer | | | Playground: | 4 | 1.71 % |
| Sprain/Strain/Tear (Possible): | 17 | 7.26 % | Sci & Tech ED Class: | 5 | 2.14 % | Restroom: | 3 | 1.28 % |
| Other: | 15 | 6.41 % | Other: | 10 | 4.27 % | School Bus/Public Bus: | 6 | 2.56 % |
| Grand Total Occurrences: | 117 | | Grand Total Occurrences: | 117 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 5 | 2.14 % |
| | | | | | | Sidewalk: | 2 | 0.85 % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 1.28 % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.43 % |
| | | | | | | Other: | 4 | 1.71 % |
| | | | | | | Grand Total Occurrences: | 117 | |

Total Average Daily Enrollment: 3,498

Injury Occurrence Rate*: 6.69 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

BETHLEHEM AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 7 | 1.53 % | After School: | 21 | 4.59 % | Athletic Field/Play Field: | 23 | 5.02 % |
| Concussion (Possible): | 40 | 8.73 % | Before School: | 14 | 3.06 % | Auditorium/Multipurpose: | 2 | 0.44 % |
| Cotusion: | 13 | 2.84 % | Class Change: | 23 | 5.02 % | Bus Loading Area: | 1 | 0.22 % |
| Cut/Laceration/Puncture: | 34 | 7.42 % | Class Time: | 36 | 7.86 % | Cafeteria: | 2 | 0.44 % |
| Dental Injury: | 6 | 1.31 % | Lunch Period: | 3 | 0.66 % | Classroom: | 25 | 5.46 % |
| Dislocation (Possible): | 5 | 1.09 % | P.E. Class: | 96 | 20.96 % | Corridor/Hall: | 16 | 3.49 % |
| Eye Injury: | 6 | 1.31 % | Recess: | 23 | 5.02 % | Gymnasium/Pool: | 96 | 20.96 % |
| Fracture (Possible): | 46 | 10.04 % | Sci Lab/Fam & Consumer | | | Playground: | 27 | 5.90 % |
| Sprain/Strain/Tear (Possible): | 61 | 13.32 % | Sci & Tech ED Class: | 5 | 1.09 % | Restroom: | 3 | 0.66 % |
| Other: | 11 | 2.40 % | Other: | 8 | 1.75 % | School Bus/Public Bus: | 2 | 0.44 % |
| Grand Total Occurrences: | 229 | | Grand Total Occurrences: | 229 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 5 | 1.09 % |
| | | | | | | Sidewalk: | 2 | 0.44 % |
| | | | | | | Stairs/Ramp/Elevator: | 7 | 1.53 % |
| | | | | | | Street/Driveway/Parking: | 2 | 0.44 % |
| | | | | | | Other: | 16 | 3.49 % |
| | | | | | | Grand Total Occurrences: | 229 | |

Total Average Daily Enrollment: 18,726
Injury Occurrence Rate*: 2.45 %

EASTON AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 3 | 0.64 % | After School: | 5 | 1.07 % | Athletic Field/Play Field: | 17 | 3.65 % |
| Concussion (Possible): | 43 | 9.23 % | Before School: | 26 | 5.58 % | Auditorium/Multipurpose: | 7 | 1.50 % |
| Cotusion: | 33 | 7.08 % | Class Change: | 20 | 4.29 % | Bus Loading Area: | 13 | 2.79 % |
| Cut/Laceration/Puncture: | 31 | 6.65 % | Class Time: | 40 | 8.58 % | Cafeteria: | 12 | 2.58 % |
| Dental Injury: | 8 | 1.72 % | Lunch Period: | 14 | 3.00 % | Classroom: | 32 | 6.87 % |
| Dislocation (Possible): | 6 | 1.29 % | P.E. Class: | 83 | 17.81 % | Corridor/Hall: | 16 | 3.43 % |
| Eye Injury: | 11 | 2.36 % | Recess: | 35 | 7.51 % | Gymnasium/Pool: | 66 | 14.16 % |
| Fracture (Possible): | 34 | 7.30 % | Sci Lab/Fam & Consumer | | | Playground: | 23 | 4.94 % |
| Sprain/Strain/Tear (Possible): | 36 | 7.73 % | Sci & Tech ED Class: | 6 | 1.29 % | Restroom: | 0 | - % |
| Other: | 28 | 6.01 % | Other: | 4 | 0.86 % | School Bus/Public Bus: | 8 | 1.72 % |
| Grand Total Occurrences: | 233 | | Grand Total Occurrences: | 233 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 6 | 1.29 % |
| | | | | | | Sidewalk: | 3 | 0.64 % |
| | | | | | | Stairs/Ramp/Elevator: | 10 | 2.15 % |
| | | | | | | Street/Driveway/Parking: | 7 | 1.50 % |
| | | | | | | Other: | 13 | 2.79 % |
| | | | | | | Grand Total Occurrences: | 233 | |

Total Average Daily Enrollment: 9,038
Injury Occurrence Rate*: 5.16 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

LEHIGH VALLEY ACADEMY REGIONAL CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 1 | 5.26 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 1 | 5.26 % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 2 | 10.53 % | Class Time: | 2 | 10.53 % | Cafeteria: | 0 | - % |
| Dental Injury: | 2 | 10.53 % | Lunch Period: | 0 | - % | Classroom: | 2 | 10.53 % |
| Dislocation (Possible): | 1 | 5.26 % | P.E. Class: | 5 | 26.32 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 1 | 5.26 % | Recess: | 10 | 52.63 % | Gymnasium/Pool: | 5 | 26.32 % |
| Fracture (Possible): | 9 | 47.37 % | Sci Lab/Fam & Consumer | | | Playground: | 10 | 52.63 % |
| Sprain/Strain/Tear (Possible): | 3 | 15.79 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 2 | 10.53 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 19 | | Grand Total Occurrences: | 19 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 5.26 % |
| | | | | | | Grand Total Occurrences: | 19 | |

Total Average Daily Enrollment: 1,063

Injury Occurrence Rate*: 1.79 %

LEHIGH VALLEY CHS FOR PERFORMING ARTS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 2 | 28.57 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 3 | 42.86 % | Before School: | 1 | 14.29 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 2 | 28.57 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 2 | 28.57 % | Class Time: | 1 | 14.29 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 1 | 14.29 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 3 | 42.86 % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 1 | 14.29 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 1 | 14.29 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 1 | 14.29 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 7 | | Grand Total Occurrences: | 7 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 1 | 14.29 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 28.57 % |
| | | | | | | Grand Total Occurrences: | 7 | |

Total Average Daily Enrollment: 499

Injury Occurrence Rate*: 1.40 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

LEHIGH VALLEY DUAL LANGUAGE CHARTER

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 1 | 20.00 % | After School: | 0 | - % | Athletic Field/Play Field: | 2 | 40.00 % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 1 | 20.00 % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 1 | 20.00 % | P.E. Class: | 1 | 20.00 % | Corridor/Hall: | 1 | 20.00 % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 1 | 20.00 % |
| Fracture (Possible): | 1 | 20.00 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 20.00 % |
| Other: | 1 | 20.00 % | Other: | 4 | 80.00 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 5 | | Grand Total Occurrences: | 5 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 5 | |

Total Average Daily Enrollment: 338
Injury Occurrence Rate*: 1.48 %

NAZARETH AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 0 | - % | After School: | 1 | 0.32 % | Athletic Field/Play Field: | 13 | 4.17 % |
| Concussion (Possible): | 24 | 7.69 % | Before School: | 4 | 1.28 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 26 | 8.33 % | Class Change: | 11 | 3.53 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 25 | 8.01 % | Class Time: | 33 | 10.58 % | Cafeteria: | 13 | 4.17 % |
| Dental Injury: | 4 | 1.28 % | Lunch Period: | 12 | 3.85 % | Classroom: | 32 | 10.26 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 44 | 14.10 % | Corridor/Hall: | 8 | 2.56 % |
| Eye Injury: | 10 | 3.21 % | Recess: | 40 | 12.82 % | Gymnasium/Pool: | 34 | 10.90 % |
| Fracture (Possible): | 19 | 6.09 % | Sci Lab/Fam & Consumer | | | Playground: | 38 | 12.18 % |
| Sprain/Strain/Tear (Possible): | 16 | 5.13 % | Sci & Tech ED Class: | 1 | 0.32 % | Restroom: | 3 | 0.96 % |
| Other: | 32 | 10.26 % | Other: | 10 | 3.21 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 156 | | Grand Total Occurrences: | 156 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 0.32 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 4 | 1.28 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 10 | 3.21 % |
| | | | | | | Grand Total Occurrences: | 156 | |

Total Average Daily Enrollment: 4,780
Injury Occurrence Rate*: 6.53 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

NORTHAMPTON AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 10 | 10.00 % | Before School: | 1 | 1.00 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 5 | 5.00 % | Class Change: | 11 | 11.00 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 8 | 8.00 % | Class Time: | 4 | 4.00 % | Cafeteria: | 2 | 2.00 % |
| Dental Injury: | 0 | - % | Lunch Period: | 2 | 2.00 % | Classroom: | 3 | 3.00 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 13 | 13.00 % | Corridor/Hall: | 12 | 12.00 % |
| Eye Injury: | 1 | 1.00 % | Recess: | 18 | 18.00 % | Gymnasium/Pool: | 12 | 12.00 % |
| Fracture (Possible): | 10 | 10.00 % | Sci Lab/Fam & Consumer | | | Playground: | 18 | 18.00 % |
| Sprain/Strain/Tear (Possible): | 10 | 10.00 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 6 | 6.00 % | Other: | 1 | 1.00 % | School Bus/Public Bus: | 1 | 1.00 % |
| Grand Total Occurrences: | 50 | | Grand Total Occurrences: | 50 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 1.00 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 1.00 % |
| | | | | | | Grand Total Occurrences: | 50 | |

Total Average Daily Enrollment: 5,738
Injury Occurrence Rate*: 1.74 %

PEN ARGYL AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 2 | 1.54 % | After School: | 9 | 6.92 % | Athletic Field/Play Field: | 8 | 6.15 % |
| Concussion (Possible): | 13 | 10.00 % | Before School: | 2 | 1.54 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 13 | 10.00 % | Class Change: | 6 | 4.62 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 24 | 18.46 % | Class Time: | 14 | 10.77 % | Cafeteria: | 7 | 5.38 % |
| Dental Injury: | 3 | 2.31 % | Lunch Period: | 8 | 6.15 % | Classroom: | 2 | 1.54 % |
| Dislocation (Possible): | 1 | 0.77 % | P.E. Class: | 10 | 7.69 % | Corridor/Hall: | 8 | 6.15 % |
| Eye Injury: | 3 | 2.31 % | Recess: | 15 | 11.54 % | Gymnasium/Pool: | 10 | 7.69 % |
| Fracture (Possible): | 3 | 2.31 % | Sci Lab/Fam & Consumer | | | Playground: | 15 | 11.54 % |
| Sprain/Strain/Tear (Possible): | 3 | 2.31 % | Sci & Tech ED Class: | 1 | 0.77 % | Restroom: | 6 | 4.62 % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 65 | | Grand Total Occurrences: | 65 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 0.77 % |
| | | | | | | Sidewalk: | 5 | 3.85 % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 0.77 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 1.54 % |
| | | | | | | Grand Total Occurrences: | 65 | |

Total Average Daily Enrollment: 1,863
Injury Occurrence Rate*: 6.98 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

SAUCON VALLEY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 1 | 0.39 % | After School: | 14 | 5.51 % | Athletic Field/Play Field: | 14 | 5.51 % |
| Concussion (Possible): | 32 | 12.60 % | Before School: | 10 | 3.94 % | Auditorium/Multipurpose: | 2 | 0.79 % |
| Contusion: | 3 | 1.18 % | Class Change: | 8 | 3.15 % | Bus Loading Area: | 3 | 1.18 % |
| Cut/Laceration/Puncture: | 30 | 11.81 % | Class Time: | 13 | 5.12 % | Cafeteria: | 16 | 6.30 % |
| Dental Injury: | 5 | 1.97 % | Lunch Period: | 23 | 9.06 % | Classroom: | 13 | 5.12 % |
| Dislocation (Possible): | 3 | 1.18 % | P.E. Class: | 40 | 15.75 % | Corridor/Hall: | 9 | 3.54 % |
| Eye Injury: | 7 | 2.76 % | Recess: | 16 | 6.30 % | Gymnasium/Pool: | 34 | 13.39 % |
| Fracture (Possible): | 28 | 11.02 % | Sci Lab/Fam & Consumer | | | Playground: | 19 | 7.48 % |
| Sprain/Strain/Tear (Possible): | 18 | 7.09 % | Sci & Tech ED Class: | 2 | 0.79 % | Restroom: | 3 | 1.18 % |
| Other: | 0 | - % | Other: | 1 | 0.39 % | School Bus/Public Bus: | 1 | 0.39 % |
| Grand Total Occurrences: | 127 | | Grand Total Occurrences: | 127 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | 0.79 % |
| | | | | | | Sidewalk: | 1 | 0.39 % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 0.79 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 8 | 3.15 % |
| | | | | | | Grand Total Occurrences: | 127 | |

Total Average Daily Enrollment: 2,372
Injury Occurrence Rate*: 10.71 %

WILSON AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 2 | 2.94 % | Athletic Field/Play Field: | 4 | 5.88 % |
| Concussion (Possible): | 4 | 5.88 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 2 | 2.94 % |
| Contusion: | 1 | 1.47 % | Class Change: | 7 | 10.29 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 5 | 7.35 % | Class Time: | 4 | 5.88 % | Cafeteria: | 3 | 4.41 % |
| Dental Injury: | 2 | 2.94 % | Lunch Period: | 2 | 2.94 % | Classroom: | 2 | 2.94 % |
| Dislocation (Possible): | 1 | 1.47 % | P.E. Class: | 16 | 23.53 % | Corridor/Hall: | 2 | 2.94 % |
| Eye Injury: | 1 | 1.47 % | Recess: | 1 | 1.47 % | Gymnasium/Pool: | 11 | 16.18 % |
| Fracture (Possible): | 12 | 17.65 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 6 | 8.82 % | Sci & Tech ED Class: | 1 | 1.47 % | Restroom: | 3 | 4.41 % |
| Other: | 2 | 2.94 % | Other: | 1 | 1.47 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 34 | | Grand Total Occurrences: | 34 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | 1.47 % |
| | | | | | | Sidewalk: | 1 | 1.47 % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 4.41 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 1.47 % |
| | | | | | | Grand Total Occurrences: | 34 | |

Total Average Daily Enrollment: 2,741
Injury Occurrence Rate*: 2.48 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

NORTHAMPTON COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|--------------|---------|--|--------------|---------|--|--------------|---------|
| Burn: | 20 | 0.97 % | After School: | 56 | 2.73 % | Athletic Field/Play Field: | 87 | 4.24 % |
| Concussion (Possible): | 191 | 9.30 % | Before School: | 68 | 3.31 % | Auditorium/Multipurpose: | 15 | 0.73 % |
| Contusion: | 105 | 5.11 % | Class Change: | 94 | 4.58 % | Bus Loading Area: | 18 | 0.88 % |
| Cut/Laceration/Puncture: | 183 | 8.91 % | Class Time: | 170 | 8.28 % | Cafeteria: | 68 | 3.31 % |
| Dental Injury: | 30 | 1.46 % | Lunch Period: | 79 | 3.85 % | Classroom: | 131 | 6.38 % |
| Dislocation (Possible): | 22 | 1.07 % | P.E. Class: | 350 | 17.05 % | Corridor/Hall: | 84 | 4.09 % |
| Eye Injury: | 51 | 2.48 % | Recess: | 162 | 7.89 % | Gymnasium/Pool: | 309 | 15.05 % |
| Fracture (Possible): | 174 | 8.48 % | Sci Lab/Fam & Consumer | | | Playground: | 154 | 7.50 % |
| Sprain/Strain/Tear (Possible): | 171 | 8.33 % | Sci & Tech ED Class: | 21 | 1.02 % | Restroom: | 22 | 1.07 % |
| Other: | 95 | 4.63 % | Other: | 42 | 2.05 % | School Bus/Public Bus: | 18 | 0.88 % |
| Grand Total Occurrences: | 1,042 | | Grand Total Occurrences: | 1,042 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 22 | 1.07 % |
| | | | | | | Sidewalk: | 15 | 0.73 % |
| | | | | | | Stairs/Ramp/Elevator: | 31 | 1.51 % |
| | | | | | | Street/Driveway/Parking: | 10 | 0.49 % |
| | | | | | | Other: | 58 | 2.83 % |
| | | | | | | Grand Total Occurrences: | 1,042 | |

Total Average Daily Enrollment: 50,657

Injury Occurrence Rate*: 4.05 %

DELAWARE VALLEY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 2 | 1.08 % | Athletic Field/Play Field: | 14 | 7.53 % |
| Concussion (Possible): | 8 | 4.30 % | Before School: | 3 | 1.61 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 9 | 4.84 % | Class Change: | 7 | 3.76 % | Bus Loading Area: | 3 | 1.61 % |
| Cut/Laceration/Puncture: | 20 | 10.75 % | Class Time: | 19 | 10.22 % | Cafeteria: | 5 | 2.69 % |
| Dental Injury: | 3 | 1.61 % | Lunch Period: | 5 | 2.69 % | Classroom: | 10 | 5.38 % |
| Dislocation (Possible): | 3 | 1.61 % | P.E. Class: | 35 | 18.82 % | Corridor/Hall: | 10 | 5.38 % |
| Eye Injury: | 7 | 3.76 % | Recess: | 14 | 7.53 % | Gymnasium/Pool: | 23 | 12.37 % |
| Fracture (Possible): | 24 | 12.90 % | Sci Lab/Fam & Consumer | | | Playground: | 10 | 5.38 % |
| Sprain/Strain/Tear (Possible): | 17 | 9.14 % | Sci & Tech ED Class: | 8 | 4.30 % | Restroom: | 1 | 0.54 % |
| Other: | 2 | 1.08 % | Other: | 0 | - % | School Bus/Public Bus: | 1 | 0.54 % |
| Grand Total Occurrences: | 93 | | Grand Total Occurrences: | 93 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 9 | 4.30 % |
| | | | | | | Sidewalk: | 1 | 0.54 % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 1.08 % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.54 % |
| | | | | | | Other: | 3 | 1.61 % |
| | | | | | | Grand Total Occurrences: | 93 | |

Total Average Daily Enrollment: 4,769

Injury Occurrence Rate*: 3.90 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

WALLENPAUPACK AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 3 | 4.05 % | Athletic Field/Play Field: | 6 | 8.11 % |
| Concussion (Possible): | 9 | 12.16 % | Before School: | 2 | 2.70 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 8 | 10.81 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 3 | 4.05 % | Class Time: | 4 | 5.41 % | Cafeteria: | 1 | 1.35 % |
| Dental Injury: | 4 | 5.41 % | Lunch Period: | 1 | 1.35 % | Classroom: | 2 | 2.70 % |
| Dislocation (Possible): | 6 | 8.11 % | P.E. Class: | 12 | 16.22 % | Corridor/Hall: | 5 | 6.76 % |
| Eye Injury: | 0 | - % | Recess: | 6 | 8.11 % | Gymnasium/Pool: | 7 | 9.46 % |
| Fracture (Possible): | 5 | 6.76 % | Sci Lab/Fam & Consumer | | | Playground: | 10 | 13.51 % |
| Sprain/Strain/Tear (Possible): | 9 | 12.16 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 1.35 % |
| Other: | 1 | 1.35 % | Other: | 1 | 1.35 % | School Bus/Public Bus: | 1 | 1.35 % |
| Grand Total Occurrences: | 37 | | Grand Total Occurrences: | 37 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 1 | 1.35 % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 1.35 % |
| | | | | | | Street/Driveway/Parking: | 2 | 2.70 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 37 | |

Total Average Daily Enrollment: 3,300
Injury Occurrence Rate*: 2.24 %

PIKE COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 0 | - % | After School: | 5 | 1.92 % | Athletic Field/Play Field: | 20 | 7.69 % |
| Concussion (Possible): | 17 | 6.54 % | Before School: | 5 | 1.92 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 9 | 3.46 % | Class Change: | 15 | 5.77 % | Bus Loading Area: | 3 | 1.15 % |
| Cut/Laceration/Puncture: | 23 | 8.85 % | Class Time: | 23 | 8.85 % | Cafeteria: | 6 | 2.31 % |
| Dental Injury: | 7 | 2.69 % | Lunch Period: | 6 | 2.31 % | Classroom: | 12 | 4.62 % |
| Dislocation (Possible): | 9 | 3.46 % | P.E. Class: | 47 | 18.08 % | Corridor/Hall: | 15 | 5.77 % |
| Eye Injury: | 7 | 2.69 % | Recess: | 20 | 7.69 % | Gymnasium/Pool: | 30 | 11.54 % |
| Fracture (Possible): | 29 | 11.15 % | Sci Lab/Fam & Consumer | | | Playground: | 20 | 7.69 % |
| Sprain/Strain/Tear (Possible): | 26 | 10.00 % | Sci & Tech ED Class: | 8 | 3.08 % | Restroom: | 2 | 0.77 % |
| Other: | 3 | 1.15 % | Other: | 1 | 0.38 % | School Bus/Public Bus: | 2 | 0.77 % |
| Grand Total Occurrences: | 130 | | Grand Total Occurrences: | 130 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 9 | 3.46 % |
| | | | | | | Sidewalk: | 2 | 0.77 % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 1.15 % |
| | | | | | | Street/Driveway/Parking: | 3 | 1.15 % |
| | | | | | | Other: | 3 | 1.15 % |
| | | | | | | Grand Total Occurrences: | 130 | |

Total Average Daily Enrollment: 8,069
Injury Occurrence Rate*: 3.22 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

BLUE RIDGE SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 14 | 25.00 % | Athletic Field/Play Field: | 15 | 26.79 % |
| Concussion (Possible): | 8 | 14.29 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 3 | 5.36 % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 1.79 % | Lunch Period: | 0 | - % | Classroom: | 2 | 3.57 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 2 | 3.57 % | Corridor/Hall: | 1 | 1.79 % |
| Eye Injury: | 0 | - % | Recess: | 6 | 10.71 % | Gymnasium/Pool: | 2 | 3.57 % |
| Fracture (Possible): | 7 | 12.50 % | Sci Lab/Fam & Consumer | | | Playground: | 6 | 10.71 % |
| Sprain/Strain/Tear (Possible): | 10 | 17.86 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 2 | 3.57 % | Other: | 3 | 5.36 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 28 | | Grand Total Occurrences: | 28 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 3.57 % |
| | | | | | | Grand Total Occurrences: | 28 | |

Total Average Daily Enrollment: 1,029
Injury Occurrence Rate*: 5.44 %

ELK LAKE SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 3 | 9.38 % |
| Concussion (Possible): | 1 | 3.13 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 2 | 6.25 % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 6 | 18.75 % | Class Time: | 1 | 3.13 % | Cafeteria: | 1 | 3.13 % |
| Dental Injury: | 1 | 3.13 % | Lunch Period: | 4 | 12.50 % | Classroom: | 1 | 3.13 % |
| Dislocation (Possible): | 1 | 3.13 % | P.E. Class: | 6 | 18.75 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 1 | 3.13 % | Recess: | 2 | 6.25 % | Gymnasium/Pool: | 7 | 21.88 % |
| Fracture (Possible): | 2 | 6.25 % | Sci Lab/Fam & Consumer | | | Playground: | 1 | 3.13 % |
| Sprain/Strain/Tear (Possible): | 2 | 6.25 % | Sci & Tech ED Class: | 3 | 9.38 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 16 | | Grand Total Occurrences: | 16 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 3 | 9.38 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 16 | |

Total Average Daily Enrollment: 1,277
Injury Occurrence Rate*: 2.51 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

FOREST CITY REGIONAL SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 6 | 13.64 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 0 | - % | Class Change: | 2 | 4.55 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 1 | 2.27 % | Class Time: | 4 | 9.09 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 4 | 9.09 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 7 | 15.91 % | Corridor/Hall: | 2 | 4.55 % |
| Eye Injury: | 3 | 6.82 % | Recess: | 9 | 20.45 % | Gymnasium/Pool: | 9 | 20.45 % |
| Fracture (Possible): | 2 | 4.55 % | Sci Lab/Fam & Consumer | | | Playground: | 7 | 15.91 % |
| Sprain/Strain/Tear (Possible): | 8 | 18.18 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 2 | 4.55 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 22 | | Grand Total Occurrences: | 22 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 22 | |

Total Average Daily Enrollment: 782

Injury Occurrence Rate*: 5.63 %

MONTROSE AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 2.50 % | After School: | 2 | 5.00 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 2 | 5.00 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 1 | 2.50 % | Class Change: | 1 | 2.50 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 7 | 17.50 % | Class Time: | 4 | 10.00 % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 2.50 % | Lunch Period: | 0 | - % | Classroom: | 1 | 2.50 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 11 | 27.50 % | Corridor/Hall: | 2 | 5.00 % |
| Eye Injury: | 0 | - % | Recess: | 2 | 5.00 % | Gymnasium/Pool: | 9 | 22.50 % |
| Fracture (Possible): | 4 | 10.00 % | Sci Lab/Fam & Consumer | | | Playground: | 5 | 12.50 % |
| Sprain/Strain/Tear (Possible): | 2 | 5.00 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 2 | 5.00 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 20 | | Grand Total Occurrences: | 20 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 3 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 20 | |

Total Average Daily Enrollment: 1,508

Injury Occurrence Rate*: 2.65 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

MOUNTAIN VIEW SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 3 | 37.50 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 3 | 37.50 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 1 | 12.50 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 1 | 12.50 % | Gymnasium/Pool: | 2 | 25.00 % |
| Fracture (Possible): | 1 | 12.50 % | Sci Lab/Fam & Consumer | | | Playground: | 1 | 12.50 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 4 | | Grand Total Occurrences: | 4 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 4 | |

Total Average Daily Enrollment: 1,109
Injury Occurrence Rate*: 0.72 %

SUSQUEHANNA COMMUNITY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 4 | 8.70 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 2 | 4.35 % | Class Change: | 2 | 4.35 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 2 | 4.35 % | Class Time: | 1 | 2.17 % | Cafeteria: | 1 | 2.17 % |
| Dental Injury: | 1 | 2.17 % | Lunch Period: | 2 | 4.35 % | Classroom: | 1 | 2.17 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 8 | 17.39 % | Corridor/Hall: | 2 | 4.35 % |
| Eye Injury: | 1 | 2.17 % | Recess: | 10 | 21.74 % | Gymnasium/Pool: | 9 | 19.57 % |
| Fracture (Possible): | 2 | 4.35 % | Sci Lab/Fam & Consumer | | | Playground: | 8 | 17.39 % |
| Sprain/Strain/Tear (Possible): | 10 | 21.74 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 1 | 2.17 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 23 | | Grand Total Occurrences: | 23 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 2 | 4.35 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 23 | |

Total Average Daily Enrollment: 831
Injury Occurrence Rate*: 5.54 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

SUSQUEHANNA COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 1 | 0.44 % | After School: | 16 | 7.08 % | Athletic Field/Play Field: | 18 | 7.96 % |
| Concussion (Possible): | 24 | 10.62 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 5 | 2.21 % | Class Change: | 5 | 2.21 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 16 | 7.08 % | Class Time: | 16 | 7.08 % | Cafeteria: | 2 | 0.88 % |
| Dental Injury: | 4 | 1.77 % | Lunch Period: | 6 | 2.65 % | Classroom: | 10 | 4.42 % |
| Dislocation (Possible): | 1 | 0.44 % | P.E. Class: | 34 | 15.04 % | Corridor/Hall: | 7 | 3.10 % |
| Eye Injury: | 5 | 2.21 % | Recess: | 30 | 13.27 % | Gymnasium/Pool: | 38 | 16.81 % |
| Fracture (Possible): | 18 | 7.96 % | Sci Lab/Fam & Consumer | | | Playground: | 28 | 12.39 % |
| Sprain/Strain/Tear (Possible): | 32 | 14.16 % | Sci & Tech ED Class: | 3 | 1.33 % | Restroom: | 0 | - % |
| Other: | 7 | 3.10 % | Other: | 3 | 1.33 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 113 | | Grand Total Occurrences: | 113 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 6 | 2.65 % |
| | | | | | | Sidewalk: | 2 | 0.88 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 0.88 % |
| | | | | | | Grand Total Occurrences: | 113 | |

Total Average Daily Enrollment: 6,536

Injury Occurrence Rate*: 3.46 %

WAYNE HIGHLANDS SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 4 | 3.08 % |
| Concussion (Possible): | 14 | 10.77 % | Before School: | 3 | 2.31 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 0.77 % | Class Change: | 8 | 6.15 % | Bus Loading Area: | 2 | 1.54 % |
| Cut/Laceration/Puncture: | 12 | 9.23 % | Class Time: | 7 | 5.38 % | Cafeteria: | 1 | 0.77 % |
| Dental Injury: | 2 | 1.54 % | Lunch Period: | 1 | 0.77 % | Classroom: | 7 | 5.38 % |
| Dislocation (Possible): | 3 | 2.31 % | P.E. Class: | 24 | 18.46 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 3 | 2.31 % | Recess: | 17 | 13.08 % | Gymnasium/Pool: | 26 | 20.00 % |
| Fracture (Possible): | 20 | 15.38 % | Sci Lab/Fam & Consumer | | | Playground: | 16 | 12.31 % |
| Sprain/Strain/Tear (Possible): | 9 | 6.92 % | Sci & Tech ED Class: | 1 | 0.77 % | Restroom: | 0 | - % |
| Other: | 1 | 0.77 % | Other: | 4 | 3.08 % | School Bus/Public Bus: | 1 | 0.77 % |
| Grand Total Occurrences: | 65 | | Grand Total Occurrences: | 65 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | 0.77 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 6 | 4.62 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 1.54 % |
| | | | | | | Grand Total Occurrences: | 65 | |

Total Average Daily Enrollment: 2,845

Injury Occurrence Rate*: 4.57 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

WESTERN WAYNE SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 1 | 3.85 % |
| Concussion (Possible): | 1 | 3.85 % | Before School: | 1 | 3.85 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 2 | 7.69 % | Class Change: | 2 | 7.69 % | Bus Loading Area: | 1 | 3.85 % |
| Cut/Laceration/Puncture: | 2 | 7.69 % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 7 | 26.92 % | Corridor/Hall: | 2 | 7.69 % |
| Eye Injury: | 0 | - % | Recess: | 3 | 11.54 % | Gymnasium/Pool: | 7 | 26.92 % |
| Fracture (Possible): | 6 | 23.08 % | Sci Lab/Fam & Consumer | | | Playground: | 2 | 7.69 % |
| Sprain/Strain/Tear (Possible): | 2 | 7.69 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 13 | | Grand Total Occurrences: | 13 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 13 | |

Total Average Daily Enrollment: 2,330
Injury Occurrence Rate*: 1.12 %

WAYNE COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 5 | 3.21 % |
| Concussion (Possible): | 15 | 9.62 % | Before School: | 4 | 2.56 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 3 | 1.92 % | Class Change: | 10 | 6.41 % | Bus Loading Area: | 3 | 1.92 % |
| Cut/Laceration/Puncture: | 14 | 8.97 % | Class Time: | 7 | 4.49 % | Cafeteria: | 1 | 0.64 % |
| Dental Injury: | 2 | 1.28 % | Lunch Period: | 1 | 0.64 % | Classroom: | 7 | 4.49 % |
| Dislocation (Possible): | 3 | 1.92 % | P.E. Class: | 31 | 19.87 % | Corridor/Hall: | 2 | 1.28 % |
| Eye Injury: | 3 | 1.92 % | Recess: | 20 | 12.82 % | Gymnasium/Pool: | 33 | 21.15 % |
| Fracture (Possible): | 26 | 16.67 % | Sci Lab/Fam & Consumer | | | Playground: | 18 | 11.54 % |
| Sprain/Strain/Tear (Possible): | 11 | 7.05 % | Sci & Tech ED Class: | 1 | 0.64 % | Restroom: | 0 | - % |
| Other: | 1 | 0.64 % | Other: | 4 | 2.56 % | School Bus/Public Bus: | 1 | 0.64 % |
| Grand Total Occurrences: | 78 | | Grand Total Occurrences: | 78 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 6 | 3.85 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 1.28 % |
| | | | | | | Grand Total Occurrences: | 78 | |

Total Average Daily Enrollment: 5,175
Injury Occurrence Rate*: 3.01 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

LACKAWANNA TRAIL SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 3 | 5.77 % | Before School: | 1 | 1.92 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 2 | 3.85 % | Class Change: | 1 | 1.92 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 1 | 1.92 % | Class Time: | 2 | 3.85 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 2 | 3.85 % | Classroom: | 2 | 3.85 % |
| Dislocation (Possible): | 2 | 3.85 % | P.E. Class: | 3 | 5.77 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 1 | 1.92 % | Recess: | 16 | 30.77 % | Gymnasium/Pool: | 3 | 5.77 % |
| Fracture (Possible): | 5 | 9.62 % | Sci Lab/Fam & Consumer | | | Playground: | 17 | 32.69 % |
| Sprain/Strain/Tear (Possible): | 12 | 23.08 % | Sci & Tech ED Class: | 1 | 1.92 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 1 | 1.92 % |
| Grand Total Occurrences: | 26 | | Grand Total Occurrences: | 26 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 1.92 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 1.92 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 1.92 % |
| | | | | | | Grand Total Occurrences: | 26 | |

Total Average Daily Enrollment: 1,058
Injury Occurrence Rate*: 4.91 %

TUNKHANNOCK AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 16 | 2.83 % | After School: | 5 | 0.88 % | Athletic Field/Play Field: | 97 | 17.14 % |
| Concussion (Possible): | 60 | 10.60 % | Before School: | 24 | 4.24 % | Auditorium/Multipurpose: | 13 | 2.30 % |
| Contusion: | 45 | 7.95 % | Class Change: | 23 | 4.06 % | Bus Loading Area: | 5 | 0.88 % |
| Cut/Laceration/Puncture: | 49 | 8.66 % | Class Time: | 59 | 10.42 % | Cafeteria: | 7 | 1.24 % |
| Dental Injury: | 50 | 8.83 % | Lunch Period: | 7 | 1.24 % | Classroom: | 60 | 10.60 % |
| Dislocation (Possible): | 19 | 3.36 % | P.E. Class: | 105 | 18.55 % | Corridor/Hall: | 17 | 3.00 % |
| Eye Injury: | 11 | 1.94 % | Recess: | 30 | 5.30 % | Gymnasium/Pool: | 10 | 1.77 % |
| Fracture (Possible): | 15 | 2.65 % | Sci Lab/Fam & Consumer | | | Playground: | 30 | 5.30 % |
| Sprain/Strain/Tear (Possible): | 17 | 3.00 % | Sci & Tech ED Class: | 27 | 4.77 % | Restroom: | 6 | 1.06 % |
| Other: | 1 | 0.18 % | Other: | 3 | 0.53 % | School Bus/Public Bus: | 5 | 0.88 % |
| Grand Total Occurrences: | 283 | | Grand Total Occurrences: | 283 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 27 | 4.77 % |
| | | | | | | Sidewalk: | 2 | 0.35 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 4 | 0.71 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 283 | |

Total Average Daily Enrollment: 2,657
Injury Occurrence Rate*: 21.31 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

WYOMING COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 16 | 2.59 % | After School: | 5 | 0.81 % | Athletic Field/Play Field: | 97 | 15.70 % |
| Concussion (Possible): | 63 | 10.19 % | Before School: | 25 | 4.05 % | Auditorium/Multipurpose: | 13 | 2.10 % |
| Contusion: | 47 | 7.61 % | Class Change: | 24 | 3.88 % | Bus Loading Area: | 5 | 0.81 % |
| Cut/Laceration/Puncture: | 50 | 8.09 % | Class Time: | 61 | 9.87 % | Cafeteria: | 7 | 1.13 % |
| Dental Injury: | 50 | 8.09 % | Lunch Period: | 9 | 1.46 % | Classroom: | 62 | 10.03 % |
| Dislocation (Possible): | 21 | 3.40 % | P.E. Class: | 108 | 17.48 % | Corridor/Hall: | 17 | 2.75 % |
| Eye Injury: | 12 | 1.94 % | Recess: | 46 | 7.44 % | Gymnasium/Pool: | 13 | 2.10 % |
| Fracture (Possible): | 20 | 3.24 % | Sci Lab/Fam & Consumer | | | Playground: | 47 | 7.61 % |
| Sprain/Strain/Tear (Possible): | 29 | 4.69 % | Sci & Tech ED Class: | 28 | 4.53 % | Restroom: | 6 | 0.97 % |
| Other: | 1 | 0.16 % | Other: | 3 | 0.49 % | School Bus/Public Bus: | 6 | 0.97 % |
| Grand Total Occurrences: | 309 | | Grand Total Occurrences: | 309 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 28 | 4.53 % |
| | | | | | | Sidewalk: | 2 | 0.32 % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 0.16 % |
| | | | | | | Street/Driveway/Parking: | 4 | 0.65 % |
| | | | | | | Other: | 1 | 0.16 % |
| | | | | | | Grand Total Occurrences: | 309 | |

Total Average Daily Enrollment: 3,715
 Injury Occurrence Rate*: 16.64 %

Northeastern District

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|--------------|---------|--|--------------|---------|--|--------------|---------|
| Burn: | 105 | 0.97 % | After School: | 186 | 1.72 % | Athletic Field/Play Field: | 430 | 3.97 % |
| Concussion (Possible): | 893 | 8.25 % | Before School: | 262 | 2.42 % | Auditorium/Multipurpose: | 114 | 1.05 % |
| Contusion: | 707 | 6.53 % | Class Change: | 474 | 4.38 % | Bus Loading Area: | 104 | 0.96 % |
| Cut/Laceration/Puncture: | 928 | 8.57 % | Class Time: | 933 | 8.62 % | Cafeteria: | 304 | 2.81 % |
| Dental Injury: | 194 | 1.79 % | Lunch Period: | 315 | 2.91 % | Classroom: | 706 | 6.52 % |
| Dislocation (Possible): | 153 | 1.41 % | P.E. Class: | 1,833 | 16.94 % | Corridor/Hall: | 387 | 3.58 % |
| Eye Injury: | 216 | 2.00 % | Recess: | 1,125 | 10.39 % | Gymnasium/Pool: | 1,542 | 14.25 % |
| Fracture (Possible): | 807 | 7.46 % | Sci Lab/Fam & Consumer | | | Playground: | 1,062 | 9.81 % |
| Sprain/Strain/Tear (Possible): | 1,080 | 9.98 % | Sci & Tech ED Class: | 154 | 1.42 % | Restroom: | 103 | 0.95 % |
| Other: | 408 | 3.77 % | Other: | 209 | 1.93 % | School Bus/Public Bus: | 73 | 0.67 % |
| Grand Total Occurrences: | 5,491 | | Grand Total Occurrences: | 5,491 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 164 | 1.52 % |
| | | | | | | Sidewalk: | 65 | 0.60 % |
| | | | | | | Stairs/Ramp/Elevator: | 168 | 1.55 % |
| | | | | | | Street/Driveway/Parking: | 77 | 0.71 % |
| | | | | | | Other: | 192 | 1.77 % |
| | | | | | | Grand Total Occurrences: | 5,491 | |

Total Average Daily Enrollment: 242,452
 Injury Occurrence Rate*: 4.46 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
 Division of School Health

CAMERON COUNTY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 3 | 10.00 % | Athletic Field/Play Field: | 4 | 13.33 % |
| Concussion (Possible): | 2 | 6.67 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 3.33 % | Class Change: | 1 | 3.33 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 2 | 6.67 % | Class Time: | 3 | 10.00 % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 3.33 % | Lunch Period: | 2 | 6.67 % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 2 | 6.67 % | Corridor/Hall: | 4 | 13.33 % |
| Eye Injury: | 1 | 3.33 % | Recess: | 4 | 13.33 % | Gymnasium/Pool: | 2 | 6.67 % |
| Fracture (Possible): | 5 | 16.67 % | Sci Lab/Fam & Consumer | | | Playground: | 4 | 13.33 % |
| Sprain/Strain/Tear (Possible): | 1 | 3.33 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 2 | 6.67 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 15 | | Grand Total Occurrences: | 15 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 3.33 % |
| | | | | | | Grand Total Occurrences: | 15 | |

Total Average Daily Enrollment: 672
Injury Occurrence Rate*: 4.46 %

CAMERON COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 3 | 10.00 % | Athletic Field/Play Field: | 4 | 13.33 % |
| Concussion (Possible): | 2 | 6.67 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 3.33 % | Class Change: | 1 | 3.33 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 2 | 6.67 % | Class Time: | 3 | 10.00 % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 3.33 % | Lunch Period: | 2 | 6.67 % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 2 | 6.67 % | Corridor/Hall: | 4 | 13.33 % |
| Eye Injury: | 1 | 3.33 % | Recess: | 4 | 13.33 % | Gymnasium/Pool: | 2 | 6.67 % |
| Fracture (Possible): | 5 | 16.67 % | Sci Lab/Fam & Consumer | | | Playground: | 4 | 13.33 % |
| Sprain/Strain/Tear (Possible): | 1 | 3.33 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 2 | 6.67 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 15 | | Grand Total Occurrences: | 15 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 3.33 % |
| | | | | | | Grand Total Occurrences: | 15 | |

Total Average Daily Enrollment: 672
Injury Occurrence Rate*: 4.46 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

ALLEGHENY-CLARION VALLEY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 1 | 16.67 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 1 | 16.67 % | Cafeteria: | 1 | 16.67 % |
| Dental Injury: | 1 | 16.67 % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 2 | 33.33 % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 1 | 16.67 % | Sci Lab/Fam & Consumer | | | Playground: | 2 | 33.33 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 3 | | Grand Total Occurrences: | 3 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 3 | |

Total Average Daily Enrollment: 690
Injury Occurrence Rate*: 0.87 %

CLARION AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 6 | 15.79 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 2 | 5.26 % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 1 | 2.63 % | Class Time: | 1 | 2.63 % | Cafeteria: | 1 | 2.63 % |
| Dental Injury: | 1 | 2.63 % | Lunch Period: | 1 | 2.63 % | Classroom: | 1 | 2.63 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 7 | 18.42 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 1 | 2.63 % | Recess: | 5 | 13.16 % | Gymnasium/Pool: | 7 | 18.42 % |
| Fracture (Possible): | 1 | 2.63 % | Sci Lab/Fam & Consumer | | | Playground: | 5 | 13.16 % |
| Sprain/Strain/Tear (Possible): | 7 | 18.42 % | Sci & Tech ED Class: | 3 | 7.89 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 2 | 5.26 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 19 | | Grand Total Occurrences: | 19 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 3 | 7.89 % |
| | | | | | | Sidewalk: | 1 | 2.63 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 2.63 % |
| | | | | | | Grand Total Occurrences: | 19 | |

Total Average Daily Enrollment: 957
Injury Occurrence Rate*: 3.97 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

CLARION-LIMESTONE AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 2 | 7.14 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 3.57 % | Class Change: | 1 | 3.57 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 5 | 17.86 % | Class Time: | 3 | 10.71 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 1 | 3.57 % |
| Dislocation (Possible): | 1 | 3.57 % | P.E. Class: | 5 | 17.86 % | Corridor/Hall: | 2 | 7.14 % |
| Eye Injury: | 1 | 3.57 % | Recess: | 3 | 10.71 % | Gymnasium/Pool: | 5 | 17.86 % |
| Fracture (Possible): | 2 | 7.14 % | Sci Lab/Fam & Consumer | | | Playground: | 3 | 10.71 % |
| Sprain/Strain/Tear (Possible): | 2 | 7.14 % | Sci & Tech ED Class: | 2 | 7.14 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 14 | | Grand Total Occurrences: | 14 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 3 | 7.14 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 14 | |

Total Average Daily Enrollment: 877

Injury Occurrence Rate*: 3.19 %

KEYSTONE SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 4 | 9.52 % | Before School: | 1 | 2.38 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 4 | 9.52 % | Class Time: | 6 | 14.29 % | Cafeteria: | 1 | 2.38 % |
| Dental Injury: | 2 | 4.76 % | Lunch Period: | 1 | 2.38 % | Classroom: | 4 | 9.52 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 7 | 16.67 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 1 | 2.38 % | Recess: | 6 | 14.29 % | Gymnasium/Pool: | 8 | 19.05 % |
| Fracture (Possible): | 6 | 14.29 % | Sci Lab/Fam & Consumer | | | Playground: | 5 | 11.90 % |
| Sprain/Strain/Tear (Possible): | 1 | 2.38 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 2.38 % |
| Other: | 3 | 7.14 % | Other: | 0 | - % | School Bus/Public Bus: | 1 | 2.38 % |
| Grand Total Occurrences: | 21 | | Grand Total Occurrences: | 21 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 1 | 2.38 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 21 | |

Total Average Daily Enrollment: 1,076

Injury Occurrence Rate*: 3.90 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

NORTH CLARION COUNTY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 3 | 16.67 % |
| Concussion (Possible): | 1 | 5.56 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 1 | 5.56 % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 2 | 11.11 % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 4 | 22.22 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 4 | 22.22 % | Gymnasium/Pool: | 3 | 16.67 % |
| Fracture (Possible): | 2 | 11.11 % | Sci Lab/Fam & Consumer | | | Playground: | 2 | 11.11 % |
| Sprain/Strain/Tear (Possible): | 4 | 22.22 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 1 | 5.56 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 9 | | Grand Total Occurrences: | 9 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 9 | |

Total Average Daily Enrollment: 646
Injury Occurrence Rate*: 2.79 %

REDBANK VALLEY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 1 | 4.17 % |
| Concussion (Possible): | 2 | 8.33 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 4.17 % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 4 | 16.67 % | Class Time: | 1 | 4.17 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 1 | 4.17 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 7 | 29.17 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 3 | 12.50 % | Gymnasium/Pool: | 6 | 25.00 % |
| Fracture (Possible): | 2 | 8.33 % | Sci Lab/Fam & Consumer | | | Playground: | 3 | 12.50 % |
| Sprain/Strain/Tear (Possible): | 3 | 12.50 % | Sci & Tech ED Class: | 1 | 4.17 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 12 | | Grand Total Occurrences: | 12 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 4.17 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 12 | |

Total Average Daily Enrollment: 1,104
Injury Occurrence Rate*: 2.17 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

UNION SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 1 | 3.33 % | Before School: | 1 | 3.33 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 1 | 3.33 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 2 | 6.67 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 2 | 6.67 % |
| Dislocation (Possible): | 1 | 3.33 % | P.E. Class: | 3 | 10.00 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 1 | 3.33 % | Recess: | 8 | 26.67 % | Gymnasium/Pool: | 3 | 10.00 % |
| Fracture (Possible): | 7 | 23.33 % | Sci Lab/Fam & Consumer | | | Playground: | 8 | 26.67 % |
| Sprain/Strain/Tear (Possible): | 5 | 16.67 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 15 | | Grand Total Occurrences: | 15 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 3.33 % |
| | | | | | | Street/Driveway/Parking: | 1 | 3.33 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 15 | |

Total Average Daily Enrollment: 542
Injury Occurrence Rate*: 5.54 %

CLARION COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 4 | 2.15 % |
| Concussion (Possible): | 17 | 9.14 % | Before School: | 2 | 1.08 % | Auditorium/Multipurpose: | 1 | 0.54 % |
| Contusion: | 4 | 2.15 % | Class Change: | 2 | 1.08 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 16 | 8.60 % | Class Time: | 14 | 7.53 % | Cafeteria: | 3 | 1.61 % |
| Dental Injury: | 4 | 2.15 % | Lunch Period: | 2 | 1.08 % | Classroom: | 9 | 4.84 % |
| Dislocation (Possible): | 2 | 1.08 % | P.E. Class: | 33 | 17.74 % | Corridor/Hall: | 2 | 1.08 % |
| Eye Injury: | 4 | 2.15 % | Recess: | 31 | 16.67 % | Gymnasium/Pool: | 32 | 17.20 % |
| Fracture (Possible): | 21 | 11.29 % | Sci Lab/Fam & Consumer | | | Playground: | 28 | 15.05 % |
| Sprain/Strain/Tear (Possible): | 22 | 11.83 % | Sci & Tech ED Class: | 6 | 3.23 % | Restroom: | 1 | 0.54 % |
| Other: | 3 | 1.61 % | Other: | 3 | 1.61 % | School Bus/Public Bus: | 1 | 0.54 % |
| Grand Total Occurrences: | 93 | | Grand Total Occurrences: | 93 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 7 | 3.76 % |
| | | | | | | Sidewalk: | 2 | 1.08 % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 0.54 % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.54 % |
| | | | | | | Other: | 1 | 0.54 % |
| | | | | | | Grand Total Occurrences: | 93 | |

Total Average Daily Enrollment: 5,892
Injury Occurrence Rate*: 3.16 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

CLEARFIELD AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 1 | 1.72 % |
| Concussion (Possible): | 9 | 15.52 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 3 | 5.17 % | Class Change: | 5 | 8.62 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 6 | 10.34 % | Class Time: | 5 | 8.62 % | Cafeteria: | 3 | 5.17 % |
| Dental Injury: | 0 | - % | Lunch Period: | 1 | 1.72 % | Classroom: | 4 | 6.90 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 14 | 24.14 % | Corridor/Hall: | 5 | 8.62 % |
| Eye Injury: | 2 | 3.45 % | Recess: | 3 | 5.17 % | Gymnasium/Pool: | 13 | 22.41 % |
| Fracture (Possible): | 5 | 8.62 % | Sci Lab/Fam & Consumer | | | Playground: | 2 | 3.45 % |
| Sprain/Strain/Tear (Possible): | 4 | 6.90 % | Sci & Tech ED Class: | 1 | 1.72 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 29 | | Grand Total Occurrences: | 29 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 1.72 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 29 | |

Total Average Daily Enrollment: 2,511
Injury Occurrence Rate*: 2.31 %

CURWENSVILLE AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 3 | 6.25 % | Before School: | 1 | 2.08 % | Auditorium/Multipurpose: | 1 | 2.08 % |
| Contusion: | 0 | - % | Class Change: | 2 | 4.17 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 8 | 16.67 % | Class Time: | 2 | 4.17 % | Cafeteria: | 1 | 2.08 % |
| Dental Injury: | 0 | - % | Lunch Period: | 1 | 2.08 % | Classroom: | 1 | 2.08 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 12 | 25.00 % | Corridor/Hall: | 2 | 4.17 % |
| Eye Injury: | 3 | 6.25 % | Recess: | 3 | 6.25 % | Gymnasium/Pool: | 12 | 25.00 % |
| Fracture (Possible): | 5 | 10.42 % | Sci Lab/Fam & Consumer | | | Playground: | 3 | 6.25 % |
| Sprain/Strain/Tear (Possible): | 5 | 10.42 % | Sci & Tech ED Class: | 1 | 2.08 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 2 | 4.17 % | School Bus/Public Bus: | 1 | 2.08 % |
| Grand Total Occurrences: | 24 | | Grand Total Occurrences: | 24 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 2.08 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 4.17 % |
| | | | | | | Grand Total Occurrences: | 24 | |

Total Average Daily Enrollment: 1,101
Injury Occurrence Rate*: 4.36 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

DUBOIS AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 0 | - % | After School: | 11 | 3.69 % | Athletic Field/Play Field: | 22 | 7.38 % |
| Concussion (Possible): | 25 | 8.39 % | Before School: | 9 | 3.02 % | Auditorium/Multipurpose: | 1 | 0.34 % |
| Contusion: | 19 | 6.38 % | Class Change: | 13 | 4.36 % | Bus Loading Area: | 3 | 1.01 % |
| Cut/Laceration/Puncture: | 6 | 2.01 % | Class Time: | 23 | 7.72 % | Cafeteria: | 9 | 3.02 % |
| Dental Injury: | 2 | 0.67 % | Lunch Period: | 7 | 2.35 % | Classroom: | 16 | 5.37 % |
| Dislocation (Possible): | 3 | 1.01 % | P.E. Class: | 49 | 16.44 % | Corridor/Hall: | 12 | 4.03 % |
| Eye Injury: | 2 | 0.67 % | Recess: | 28 | 9.40 % | Gymnasium/Pool: | 34 | 11.41 % |
| Fracture (Possible): | 30 | 10.07 % | Sci Lab/Fam & Consumer | | | Playground: | 25 | 8.39 % |
| Sprain/Strain/Tear (Possible): | 38 | 12.75 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 2 | 0.67 % |
| Other: | 24 | 8.05 % | Other: | 9 | 3.02 % | School Bus/Public Bus: | 5 | 1.68 % |
| Grand Total Occurrences: | 149 | | Grand Total Occurrences: | 149 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 1 | 0.34 % |
| | | | | | | Stairs/Ramp/Elevator: | 4 | 1.34 % |
| | | | | | | Street/Driveway/Parking: | 3 | 1.01 % |
| | | | | | | Other: | 12 | 4.03 % |
| | | | | | | Grand Total Occurrences: | 149 | |

Total Average Daily Enrollment: 4,442
Injury Occurrence Rate*: 6.71 %

GLENDALE SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 3 | 21.43 % | Class Time: | 2 | 14.29 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 1 | 7.14 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 4 | 28.57 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 1 | 7.14 % | Gymnasium/Pool: | 4 | 28.57 % |
| Fracture (Possible): | 3 | 21.43 % | Sci Lab/Fam & Consumer | | | Playground: | 1 | 7.14 % |
| Sprain/Strain/Tear (Possible): | 1 | 7.14 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 7 | | Grand Total Occurrences: | 7 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 7 | |

Total Average Daily Enrollment: 824
Injury Occurrence Rate*: 1.70 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

HARMONY AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 2 | 20.00 % | Athletic Field/Play Field: | 2 | 20.00 % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 1 | 10.00 % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 4 | 40.00 % | P.E. Class: | 1 | 10.00 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 2 | 20.00 % | Gymnasium/Pool: | 2 | 20.00 % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 5 | | Grand Total Occurrences: | 5 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 10.00 % |
| | | | | | | Grand Total Occurrences: | 5 | |

Total Average Daily Enrollment: 306
Injury Occurrence Rate*: 3.27 %

MOSHANNON VALLEY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 10 | 12.50 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 27 | 33.75 % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 2 | 2.50 % | Class Time: | 30 | 37.50 % | Cafeteria: | 1 | 1.25 % |
| Dental Injury: | 1 | 1.25 % | Lunch Period: | 1 | 1.25 % | Classroom: | 30 | 37.50 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 6 | 7.50 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 6 | 7.50 % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 1 | 1.25 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 2 | 2.50 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 1 | 1.25 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 40 | | Grand Total Occurrences: | 40 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | 2.50 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 40 | |

Total Average Daily Enrollment: 880
Injury Occurrence Rate*: 9.09 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

PHILIPSBURG-OSCEOLA AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 2 | 2.17 % | After School: | 1 | 1.09 % | Athletic Field/Play Field: | 2 | 2.17 % |
| Concussion (Possible): | 9 | 9.78 % | Before School: | 2 | 2.17 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 1.09 % | Class Change: | 5 | 5.43 % | Bus Loading Area: | 1 | 1.09 % |
| Cut/Laceration/Puncture: | 8 | 8.70 % | Class Time: | 6 | 6.52 % | Cafeteria: | 2 | 2.17 % |
| Dental Injury: | 0 | - % | Lunch Period: | 2 | 2.17 % | Classroom: | 6 | 6.52 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 15 | 16.30 % | Corridor/Hall: | 3 | 3.26 % |
| Eye Injury: | 1 | 1.09 % | Recess: | 13 | 14.13 % | Gymnasium/Pool: | 12 | 13.04 % |
| Fracture (Possible): | 14 | 15.22 % | Sci Lab/Fam & Consumer | | | Playground: | 12 | 13.04 % |
| Sprain/Strain/Tear (Possible): | 10 | 10.87 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 1 | 1.09 % | Other: | 2 | 2.17 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 46 | | Grand Total Occurrences: | 46 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 2 | 2.17 % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 3.26 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 3 | 3.26 % |
| | | | | | | Grand Total Occurrences: | 46 | |

Total Average Daily Enrollment: 1,791
Injury Occurrence Rate*: 5.14 %

WEST BRANCH AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 1 | 6.25 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 3 | 18.75 % | Class Time: | 4 | 25.00 % | Cafeteria: | 1 | 6.25 % |
| Dental Injury: | 0 | - % | Lunch Period: | 1 | 6.25 % | Classroom: | 4 | 25.00 % |
| Dislocation (Possible): | 1 | 6.25 % | P.E. Class: | 2 | 12.50 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 1 | 6.25 % | Gymnasium/Pool: | 2 | 12.50 % |
| Fracture (Possible): | 2 | 12.50 % | Sci Lab/Fam & Consumer | | | Playground: | 1 | 6.25 % |
| Sprain/Strain/Tear (Possible): | 1 | 6.25 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 8 | | Grand Total Occurrences: | 8 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 8 | |

Total Average Daily Enrollment: 1,049
Injury Occurrence Rate*: 1.53 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

CLEARFIELD COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 2 | 0.32 % | After School: | 14 | 2.27 % | Athletic Field/Play Field: | 27 | 4.38 % |
| Concussion (Possible): | 57 | 9.25 % | Before School: | 12 | 1.95 % | Auditorium/Multipurpose: | 2 | 0.32 % |
| Contusion: | 50 | 8.12 % | Class Change: | 25 | 4.06 % | Bus Loading Area: | 4 | 0.65 % |
| Cut/Laceration/Puncture: | 37 | 6.01 % | Class Time: | 72 | 11.69 % | Cafeteria: | 17 | 2.76 % |
| Dental Injury: | 3 | 0.49 % | Lunch Period: | 13 | 2.11 % | Classroom: | 62 | 10.06 % |
| Dislocation (Possible): | 8 | 1.30 % | P.E. Class: | 103 | 16.72 % | Corridor/Hall: | 22 | 3.57 % |
| Eye Injury: | 8 | 1.30 % | Recess: | 51 | 8.28 % | Gymnasium/Pool: | 85 | 13.80 % |
| Fracture (Possible): | 59 | 9.58 % | Sci Lab/Fam & Consumer | | | Playground: | 45 | 7.31 % |
| Sprain/Strain/Tear (Possible): | 59 | 9.58 % | Sci & Tech ED Class: | 4 | 0.65 % | Restroom: | 2 | 0.32 % |
| Other: | 25 | 4.06 % | Other: | 14 | 2.27 % | School Bus/Public Bus: | 6 | 0.97 % |
| Grand Total Occurrences: | 308 | | Grand Total Occurrences: | 308 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 5 | 0.81 % |
| | | | | | | Sidewalk: | 3 | 0.49 % |
| | | | | | | Stairs/Ramp/Elevator: | 7 | 1.14 % |
| | | | | | | Street/Driveway/Parking: | 3 | 0.49 % |
| | | | | | | Other: | 18 | 2.92 % |
| | | | | | | Grand Total Occurrences: | 308 | |

Total Average Daily Enrollment: 12,904

Injury Occurrence Rate*: 4.77 %

CONNEAUT SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 0.67 % | After School: | 1 | 0.67 % | Athletic Field/Play Field: | 6 | 4.00 % |
| Concussion (Possible): | 15 | 10.00 % | Before School: | 2 | 1.33 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 3 | 2.00 % | Class Change: | 5 | 3.33 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 20 | 13.33 % | Class Time: | 5 | 3.33 % | Cafeteria: | 2 | 1.33 % |
| Dental Injury: | 4 | 2.67 % | Lunch Period: | 3 | 2.00 % | Classroom: | 3 | 2.00 % |
| Dislocation (Possible): | 2 | 1.33 % | P.E. Class: | 23 | 15.33 % | Corridor/Hall: | 4 | 2.67 % |
| Eye Injury: | 0 | - % | Recess: | 28 | 18.67 % | Gymnasium/Pool: | 21 | 14.00 % |
| Fracture (Possible): | 7 | 4.67 % | Sci Lab/Fam & Consumer | | | Playground: | 23 | 15.33 % |
| Sprain/Strain/Tear (Possible): | 14 | 9.33 % | Sci & Tech ED Class: | 3 | 2.00 % | Restroom: | 1 | 0.67 % |
| Other: | 9 | 6.00 % | Other: | 5 | 3.33 % | School Bus/Public Bus: | 1 | 0.67 % |
| Grand Total Occurrences: | 75 | | Grand Total Occurrences: | 75 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 3 | 2.00 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 2.00 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 8 | 5.33 % |
| | | | | | | Grand Total Occurrences: | 75 | |

Total Average Daily Enrollment: 2,447

Injury Occurrence Rate*: 6.13 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

CRAWFORD CENTRAL SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 0.68 % | After School: | 5 | 3.42 % | Athletic Field/Play Field: | 1 | 0.68 % |
| Concussion (Possible): | 3 | 2.05 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 4 | 2.74 % | Class Change: | 6 | 4.11 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 16 | 10.96 % | Class Time: | 14 | 9.59 % | Cafeteria: | 3 | 2.05 % |
| Dental Injury: | 1 | 0.68 % | Lunch Period: | 0 | - % | Classroom: | 9 | 6.16 % |
| Dislocation (Possible): | 2 | 1.37 % | P.E. Class: | 3 | 2.05 % | Corridor/Hall: | 8 | 5.48 % |
| Eye Injury: | 4 | 2.74 % | Recess: | 30 | 20.55 % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 14 | 9.59 % | Sci Lab/Fam & Consumer | | | Playground: | 29 | 19.86 % |
| Sprain/Strain/Tear (Possible): | 28 | 19.18 % | Sci & Tech ED Class: | 13 | 8.90 % | Restroom: | 12 | 8.22 % |
| Other: | 0 | - % | Other: | 2 | 1.37 % | School Bus/Public Bus: | 1 | 0.68 % |
| Grand Total Occurrences: | 73 | | Grand Total Occurrences: | 73 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | 8.90 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 1.37 % |
| | | | | | | Street/Driveway/Parking: | 2 | 1.37 % |
| | | | | | | Other: | 4 | 2.74 % |
| | | | | | | Grand Total Occurrences: | 73 | |

Total Average Daily Enrollment: 4,080
Injury Occurrence Rate*: 3.58 %

PENNCREST SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 3 | 1.81 % |
| Concussion (Possible): | 10 | 6.02 % | Before School: | 6 | 3.61 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 11 | 6.63 % | Class Change: | 5 | 3.01 % | Bus Loading Area: | 1 | 0.60 % |
| Cut/Laceration/Puncture: | 2 | 1.20 % | Class Time: | 10 | 6.02 % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 0.60 % | Lunch Period: | 0 | - % | Classroom: | 7 | 4.22 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 34 | 20.48 % | Corridor/Hall: | 8 | 4.82 % |
| Eye Injury: | 7 | 4.22 % | Recess: | 25 | 15.06 % | Gymnasium/Pool: | 31 | 18.67 % |
| Fracture (Possible): | 26 | 15.66 % | Sci Lab/Fam & Consumer | | | Playground: | 25 | 15.06 % |
| Sprain/Strain/Tear (Possible): | 20 | 12.05 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 6 | 3.61 % | Other: | 3 | 1.81 % | School Bus/Public Bus: | 1 | 0.60 % |
| Grand Total Occurrences: | 83 | | Grand Total Occurrences: | 83 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 2 | 1.20 % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 1.20 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 3 | 1.81 % |
| | | | | | | Grand Total Occurrences: | 83 | |

Total Average Daily Enrollment: 3,118
Injury Occurrence Rate*: 5.32 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

CRAWFORD COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 2 | 0.43 % | After School: | 6 | 1.30 % | Athletic Field/Play Field: | 10 | 2.16 % |
| Concussion (Possible): | 28 | 6.06 % | Before School: | 8 | 1.73 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 18 | 3.90 % | Class Change: | 16 | 3.46 % | Bus Loading Area: | 1 | 0.22 % |
| Cut/Laceration/Puncture: | 38 | 8.23 % | Class Time: | 29 | 6.28 % | Cafeteria: | 5 | 1.08 % |
| Dental Injury: | 6 | 1.30 % | Lunch Period: | 3 | 0.65 % | Classroom: | 19 | 4.11 % |
| Dislocation (Possible): | 4 | 0.87 % | P.E. Class: | 60 | 12.99 % | Corridor/Hall: | 20 | 4.33 % |
| Eye Injury: | 11 | 2.38 % | Recess: | 83 | 17.97 % | Gymnasium/Pool: | 52 | 11.26 % |
| Fracture (Possible): | 47 | 10.17 % | Sci Lab/Fam & Consumer | | | Playground: | 77 | 16.67 % |
| Sprain/Strain/Tear (Possible): | 62 | 13.42 % | Sci & Tech ED Class: | 16 | 3.46 % | Restroom: | 13 | 2.81 % |
| Other: | 15 | 3.25 % | Other: | 10 | 2.16 % | School Bus/Public Bus: | 3 | 0.65 % |
| Grand Total Occurrences: | 231 | | Grand Total Occurrences: | 231 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 5 | 1.08 % |
| | | | | | | Sidewalk: | 2 | 0.43 % |
| | | | | | | Stairs/Ramp/Elevator: | 7 | 1.52 % |
| | | | | | | Street/Driveway/Parking: | 2 | 0.43 % |
| | | | | | | Other: | 15 | 3.25 % |
| | | | | | | Grand Total Occurrences: | 231 | |

Total Average Daily Enrollment: 9,645

Injury Occurrence Rate*: 4.79 %

JOHNSONBURG AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 11 | 16.18 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 1.47 % | Class Change: | 1 | 1.47 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 2 | 2.94 % | Class Time: | 5 | 7.35 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 6 | 8.82 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 15 | 22.06 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 3 | 4.41 % | Recess: | 7 | 10.29 % | Gymnasium/Pool: | 15 | 22.06 % |
| Fracture (Possible): | 6 | 8.82 % | Sci Lab/Fam & Consumer | | | Playground: | 5 | 7.35 % |
| Sprain/Strain/Tear (Possible): | 10 | 14.71 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 1 | 1.47 % | Other: | 6 | 8.82 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 34 | | Grand Total Occurrences: | 34 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 1.47 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 7 | 10.29 % |
| | | | | | | Grand Total Occurrences: | 34 | |

Total Average Daily Enrollment: 615

Injury Occurrence Rate*: 11.06 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

RIDGWAY AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 4 | 16.67 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 1 | 4.17 % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 7 | 29.17 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 3 | 12.50 % | Gymnasium/Pool: | 9 | 37.50 % |
| Fracture (Possible): | 4 | 16.67 % | Sci Lab/Fam & Consumer | | | Playground: | 3 | 12.50 % |
| Sprain/Strain/Tear (Possible): | 3 | 12.50 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 2 | 8.33 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 12 | | Grand Total Occurrences: | 12 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 12 | |

Total Average Daily Enrollment: 986
Injury Occurrence Rate*: 2.43 %

SAINT MARYS AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 2 | 2.13 % |
| Concussion (Possible): | 4 | 4.26 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 2 | 2.13 % | Class Change: | 3 | 3.19 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 7 | 7.45 % | Class Time: | 10 | 10.64 % | Cafeteria: | 2 | 2.13 % |
| Dental Injury: | 1 | 1.06 % | Lunch Period: | 1 | 1.06 % | Classroom: | 9 | 9.57 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 25 | 26.60 % | Corridor/Hall: | 2 | 2.13 % |
| Eye Injury: | 6 | 6.38 % | Recess: | 7 | 7.45 % | Gymnasium/Pool: | 21 | 22.34 % |
| Fracture (Possible): | 13 | 13.83 % | Sci Lab/Fam & Consumer | | | Playground: | 7 | 7.45 % |
| Sprain/Strain/Tear (Possible): | 12 | 12.77 % | Sci & Tech ED Class: | 1 | 1.06 % | Restroom: | 0 | - % |
| Other: | 2 | 2.13 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 47 | | Grand Total Occurrences: | 47 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | 1.06 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 1.06 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 1.06 % |
| | | | | | | Grand Total Occurrences: | 47 | |

Total Average Daily Enrollment: 2,867
Injury Occurrence Rate*: 3.28 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

ELK COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 2 | 1.08 % |
| Concussion (Possible): | 19 | 10.22 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 3 | 1.61 % | Class Change: | 4 | 2.15 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 10 | 5.38 % | Class Time: | 15 | 8.06 % | Cafeteria: | 2 | 1.08 % |
| Dental Injury: | 1 | 0.54 % | Lunch Period: | 1 | 0.54 % | Classroom: | 15 | 8.06 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 47 | 25.27 % | Corridor/Hall: | 2 | 1.08 % |
| Eye Injury: | 9 | 4.84 % | Recess: | 17 | 9.14 % | Gymnasium/Pool: | 45 | 24.19 % |
| Fracture (Possible): | 23 | 12.37 % | Sci Lab/Fam & Consumer | | | Playground: | 15 | 8.06 % |
| Sprain/Strain/Tear (Possible): | 25 | 13.44 % | Sci & Tech ED Class: | 1 | 0.54 % | Restroom: | 0 | - % |
| Other: | 3 | 1.61 % | Other: | 8 | 4.30 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 93 | | Grand Total Occurrences: | 93 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | 1.08 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 1.08 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 8 | 4.30 % |
| | | | | | | Grand Total Occurrences: | 93 | |

Total Average Daily Enrollment: 4,468

Injury Occurrence Rate*: 4.16 %

CORRY AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 1.09 % | Athletic Field/Play Field: | 3 | 3.26 % |
| Concussion (Possible): | 5 | 5.43 % | Before School: | 1 | 1.09 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 3 | 3.26 % | Class Change: | 1 | 1.09 % | Bus Loading Area: | 1 | 1.09 % |
| Cut/Laceration/Puncture: | 10 | 10.87 % | Class Time: | 4 | 4.35 % | Cafeteria: | 1 | 1.09 % |
| Dental Injury: | 1 | 1.09 % | Lunch Period: | 0 | - % | Classroom: | 4 | 4.35 % |
| Dislocation (Possible): | 3 | 3.26 % | P.E. Class: | 20 | 21.74 % | Corridor/Hall: | 1 | 1.09 % |
| Eye Injury: | 4 | 4.35 % | Recess: | 10 | 10.87 % | Gymnasium/Pool: | 16 | 17.39 % |
| Fracture (Possible): | 10 | 10.87 % | Sci Lab/Fam & Consumer | | | Playground: | 8 | 8.70 % |
| Sprain/Strain/Tear (Possible): | 10 | 10.87 % | Sci & Tech ED Class: | 6 | 6.52 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 3 | 3.26 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 46 | | Grand Total Occurrences: | 46 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 6 | 6.52 % |
| | | | | | | Sidewalk: | 3 | 3.26 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 3 | 3.26 % |
| | | | | | | Grand Total Occurrences: | 46 | |

Total Average Daily Enrollment: 2,272

Injury Occurrence Rate*: 4.05 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

ERIE CITY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 1 | 0.27 % | After School: | 8 | 2.20 % | Athletic Field/Play Field: | 21 | 5.77 % |
| Concussion (Possible): | 14 | 3.85 % | Before School: | 13 | 3.57 % | Auditorium/Multipurpose: | 3 | 0.82 % |
| Cotusion: | 54 | 14.84 % | Class Change: | 21 | 5.77 % | Bus Loading Area: | 1 | 0.27 % |
| Cut/Laceration/Puncture: | 33 | 9.07 % | Class Time: | 37 | 10.16 % | Cafeteria: | 6 | 1.65 % |
| Dental Injury: | 7 | 1.92 % | Lunch Period: | 12 | 3.30 % | Classroom: | 34 | 9.34 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 47 | 12.91 % | Corridor/Hall: | 12 | 3.30 % |
| Eye Injury: | 6 | 1.65 % | Recess: | 36 | 9.89 % | Gymnasium/Pool: | 32 | 8.79 % |
| Fracture (Possible): | 14 | 3.85 % | Sci Lab/Fam & Consumer | | | Playground: | 24 | 6.59 % |
| Sprain/Strain/Tear (Possible): | 47 | 12.91 % | Sci & Tech ED Class: | 5 | 1.37 % | Restroom: | 4 | 1.10 % |
| Other: | 6 | 1.65 % | Other: | 3 | 0.82 % | School Bus/Public Bus: | 1 | 0.27 % |
| Grand Total Occurrences: | 182 | | Grand Total Occurrences: | 182 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 5 | 1.37 % |
| | | | | | | Sidewalk: | 8 | 2.20 % |
| | | | | | | Stairs/Ramp/Elevator: | 20 | 5.49 % |
| | | | | | | Street/Driveway/Parking: | 8 | 2.20 % |
| | | | | | | Other: | 3 | 0.82 % |
| | | | | | | Grand Total Occurrences: | 182 | |

Total Average Daily Enrollment: 15,774
Injury Occurrence Rate*: 2.31 %

ERIE RISE LEADERSHIP ACADEMY CHARTER

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 0 | | Grand Total Occurrences: | 0 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 0 | |

Total Average Daily Enrollment: 235
Injury Occurrence Rate*: - %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

FAIRVIEW SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 2 | 1.85 % | After School: | 2 | 1.85 % | Athletic Field/Play Field: | 6 | 5.56 % |
| Concussion (Possible): | 8 | 7.41 % | Before School: | 1 | 0.93 % | Auditorium/Multipurpose: | 1 | 0.93 % |
| Cotusion: | 9 | 8.33 % | Class Change: | 4 | 3.70 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 11 | 10.19 % | Class Time: | 11 | 10.19 % | Cafeteria: | 4 | 3.70 % |
| Dental Injury: | 1 | 0.93 % | Lunch Period: | 1 | 0.93 % | Classroom: | 10 | 9.26 % |
| Dislocation (Possible): | 1 | 0.93 % | P.E. Class: | 5 | 4.63 % | Corridor/Hall: | 3 | 2.78 % |
| Eye Injury: | 1 | 0.93 % | Recess: | 21 | 19.44 % | Gymnasium/Pool: | 1 | 0.93 % |
| Fracture (Possible): | 9 | 8.33 % | Sci Lab/Fam & Consumer | | | Playground: | 18 | 16.67 % |
| Sprain/Strain/Tear (Possible): | 5 | 4.63 % | Sci & Tech ED Class: | 5 | 4.63 % | Restroom: | 4 | 3.70 % |
| Other: | 7 | 6.48 % | Other: | 4 | 3.70 % | School Bus/Public Bus: | 2 | 1.85 % |
| Grand Total Occurrences: | 54 | | Grand Total Occurrences: | 54 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | 4.63 % |
| | | | | | | Sidewalk: | 3 | 2.78 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 2 | 1.85 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 54 | |

Total Average Daily Enrollment: 1,596
Injury Occurrence Rate*: 6.77 %

FORT LEBOEUF SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 0.93 % | Athletic Field/Play Field: | 3 | 2.78 % |
| Concussion (Possible): | 2 | 1.85 % | Before School: | 2 | 1.85 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 7 | 6.48 % | Class Change: | 1 | 0.93 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 13 | 12.04 % | Class Time: | 8 | 7.41 % | Cafeteria: | 1 | 0.93 % |
| Dental Injury: | 3 | 2.78 % | Lunch Period: | 1 | 0.93 % | Classroom: | 3 | 2.78 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 28 | 25.93 % | Corridor/Hall: | 2 | 1.85 % |
| Eye Injury: | 1 | 0.93 % | Recess: | 12 | 11.11 % | Gymnasium/Pool: | 32 | 29.63 % |
| Fracture (Possible): | 12 | 11.11 % | Sci Lab/Fam & Consumer | | | Playground: | 10 | 9.26 % |
| Sprain/Strain/Tear (Possible): | 14 | 12.96 % | Sci & Tech ED Class: | 1 | 0.93 % | Restroom: | 2 | 1.85 % |
| Other: | 2 | 1.85 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 54 | | Grand Total Occurrences: | 54 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 0.93 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 54 | |

Total Average Daily Enrollment: 2,301
Injury Occurrence Rate*: 4.69 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

GENERAL MCLANE SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 1 | 0.46 % | After School: | 5 | 2.31 % | Athletic Field/Play Field: | 16 | 7.41 % |
| Concussion (Possible): | 21 | 9.72 % | Before School: | 3 | 1.39 % | Auditorium/Multipurpose: | 2 | 0.93 % |
| Cotusion: | 2 | 0.93 % | Class Change: | 11 | 5.09 % | Bus Loading Area: | 2 | 0.93 % |
| Cut/Laceration/Puncture: | 17 | 7.87 % | Class Time: | 13 | 6.02 % | Cafeteria: | 4 | 1.85 % |
| Dental Injury: | 2 | 0.93 % | Lunch Period: | 4 | 1.85 % | Classroom: | 19 | 8.80 % |
| Dislocation (Possible): | 1 | 0.46 % | P.E. Class: | 38 | 17.59 % | Corridor/Hall: | 6 | 2.78 % |
| Eye Injury: | 4 | 1.85 % | Recess: | 28 | 12.96 % | Gymnasium/Pool: | 24 | 11.11 % |
| Fracture (Possible): | 25 | 11.57 % | Sci Lab/Fam & Consumer | | | Playground: | 25 | 11.57 % |
| Sprain/Strain/Tear (Possible): | 28 | 12.96 % | Sci & Tech ED Class: | 4 | 1.85 % | Restroom: | 0 | - % |
| Other: | 7 | 3.24 % | Other: | 2 | 0.93 % | School Bus/Public Bus: | 2 | 0.93 % |
| Grand Total Occurrences: | 108 | | Grand Total Occurrences: | 108 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 1.85 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 0.46 % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.46 % |
| | | | | | | Other: | 5 | 2.31 % |
| | | | | | | Grand Total Occurrences: | 108 | |

Total Average Daily Enrollment: 2,126
Injury Occurrence Rate*: 10.16 %

GIRARD SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 6 | 3.85 % | After School: | 15 | 9.62 % | Athletic Field/Play Field: | 3 | 1.92 % |
| Concussion (Possible): | 22 | 14.10 % | Before School: | 7 | 4.49 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 5 | 3.21 % | Class Change: | 3 | 1.92 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 6 | 3.85 % | Class Time: | 13 | 8.33 % | Cafeteria: | 5 | 3.21 % |
| Dental Injury: | 4 | 2.56 % | Lunch Period: | 2 | 1.28 % | Classroom: | 3 | 1.92 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 21 | 13.46 % | Corridor/Hall: | 2 | 1.28 % |
| Eye Injury: | 2 | 1.28 % | Recess: | 8 | 5.13 % | Gymnasium/Pool: | 26 | 16.67 % |
| Fracture (Possible): | 20 | 12.82 % | Sci Lab/Fam & Consumer | | | Playground: | 8 | 5.13 % |
| Sprain/Strain/Tear (Possible): | 11 | 7.05 % | Sci & Tech ED Class: | 3 | 1.92 % | Restroom: | 1 | 0.64 % |
| Other: | 2 | 1.28 % | Other: | 6 | 3.85 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 78 | | Grand Total Occurrences: | 78 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 3 | 1.92 % |
| | | | | | | Sidewalk: | 2 | 1.28 % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 1.28 % |
| | | | | | | Street/Driveway/Parking: | 3 | 1.92 % |
| | | | | | | Other: | 20 | 12.82 % |
| | | | | | | Grand Total Occurrences: | 78 | |

Total Average Daily Enrollment: 1,854
Injury Occurrence Rate*: 8.41 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

HARBOR CREEK SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 1.56 % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 7 | 10.94 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 2 | 3.13 % | Class Change: | 5 | 7.81 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 8 | 12.50 % | Class Time: | 4 | 6.25 % | Cafeteria: | 0 | - % |
| Dental Injury: | 2 | 3.13 % | Lunch Period: | 0 | - % | Classroom: | 4 | 6.25 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 3 | 4.69 % | Corridor/Hall: | 5 | 7.81 % |
| Eye Injury: | 2 | 3.13 % | Recess: | 15 | 23.44 % | Gymnasium/Pool: | 3 | 4.69 % |
| Fracture (Possible): | 6 | 9.38 % | Sci Lab/Fam & Consumer | | | Playground: | 14 | 21.88 % |
| Sprain/Strain/Tear (Possible): | 4 | 6.25 % | Sci & Tech ED Class: | 4 | 6.25 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 1 | 1.56 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 32 | | Grand Total Occurrences: | 32 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 4 | 6.25 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 1 | 1.56 % |
| | | | | | | Other: | 1 | 1.56 % |
| | | | | | | Grand Total Occurrences: | 32 | |

Total Average Daily Enrollment: 1,991
Injury Occurrence Rate*: 3.21 %

IROQUOIS SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 2 | 7.69 % | Before School: | 2 | 7.69 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 1 | 3.85 % |
| Cut/Laceration/Puncture: | 7 | 26.92 % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 2 | 7.69 % | Classroom: | 2 | 7.69 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 3 | 11.54 % | Corridor/Hall: | 2 | 7.69 % |
| Eye Injury: | 0 | - % | Recess: | 5 | 19.23 % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 2 | 7.69 % | Sci Lab/Fam & Consumer | | | Playground: | 3 | 11.54 % |
| Sprain/Strain/Tear (Possible): | 1 | 3.85 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 3.85 % |
| Other: | 1 | 3.85 % | Other: | 1 | 3.85 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 13 | | Grand Total Occurrences: | 13 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 2 | 7.69 % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 7.69 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 13 | |

Total Average Daily Enrollment: 1,139
Injury Occurrence Rate*: 2.28 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

MILLCREEK TOWNSHIP SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 0 | - % | After School: | 7 | 2.76 % | Athletic Field/Play Field: | 16 | 6.30 % |
| Concussion (Possible): | 28 | 11.02 % | Before School: | 11 | 4.33 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 4 | 1.57 % | Class Change: | 7 | 2.76 % | Bus Loading Area: | 3 | 1.18 % |
| Cut/Laceration/Puncture: | 27 | 10.63 % | Class Time: | 22 | 8.66 % | Cafeteria: | 4 | 1.57 % |
| Dental Injury: | 2 | 0.79 % | Lunch Period: | 4 | 1.57 % | Classroom: | 11 | 4.33 % |
| Dislocation (Possible): | 2 | 0.79 % | P.E. Class: | 39 | 15.35 % | Corridor/Hall: | 4 | 1.57 % |
| Eye Injury: | 4 | 1.57 % | Recess: | 22 | 8.66 % | Gymnasium/Pool: | 47 | 18.50 % |
| Fracture (Possible): | 18 | 7.09 % | Sci Lab/Fam & Consumer | | | Playground: | 21 | 8.27 % |
| Sprain/Strain/Tear (Possible): | 18 | 7.09 % | Sci & Tech ED Class: | 5 | 1.97 % | Restroom: | 3 | 1.18 % |
| Other: | 24 | 9.45 % | Other: | 10 | 3.94 % | School Bus/Public Bus: | 5 | 1.97 % |
| Grand Total Occurrences: | 127 | | Grand Total Occurrences: | 127 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 4 | 1.97 % |
| | | | | | | Sidewalk: | 2 | 0.79 % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 1.18 % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.39 % |
| | | | | | | Other: | 3 | 1.18 % |
| | | | | | | Grand Total Occurrences: | 127 | |

Total Average Daily Enrollment: 9,154
Injury Occurrence Rate*: 2.77 %

MONTESSORI REGIONAL CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|----------|--|----------|----------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 1 | 50.00 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 50.00 % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 2 | 100.00 % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 2 | 100.00 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 2 | | Grand Total Occurrences: | 2 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 2 | |

Total Average Daily Enrollment: 332
Injury Occurrence Rate*: 0.60 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

NORTH EAST SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 1.04 % | After School: | 0 | - % | Athletic Field/Play Field: | 5 | 5.21 % |
| Concussion (Possible): | 12 | 12.50 % | Before School: | 3 | 3.13 % | Auditorium/Multipurpose: | 3 | 3.13 % |
| Contusion: | 1 | 1.04 % | Class Change: | 1 | 1.04 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 11 | 11.46 % | Class Time: | 10 | 10.42 % | Cafeteria: | 0 | - % |
| Dental Injury: | 3 | 3.13 % | Lunch Period: | 3 | 3.13 % | Classroom: | 4 | 4.17 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 18 | 18.75 % | Corridor/Hall: | 2 | 2.08 % |
| Eye Injury: | 2 | 2.08 % | Recess: | 13 | 13.54 % | Gymnasium/Pool: | 12 | 12.50 % |
| Fracture (Possible): | 11 | 11.46 % | Sci Lab/Fam & Consumer | | | Playground: | 20 | 20.83 % |
| Sprain/Strain/Tear (Possible): | 7 | 7.29 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 48 | | Grand Total Occurrences: | 48 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 2.08 % |
| | | | | | | Grand Total Occurrences: | 48 | |

Total Average Daily Enrollment: 1,721
Injury Occurrence Rate*: 5.58 %

NORTHWESTERN SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 3 | 3.06 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 8 | 8.16 % | Before School: | 2 | 2.04 % | Auditorium/Multipurpose: | 4 | 4.08 % |
| Contusion: | 17 | 17.35 % | Class Change: | 5 | 5.10 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 14 | 14.29 % | Class Time: | 21 | 21.43 % | Cafeteria: | 2 | 2.04 % |
| Dental Injury: | 0 | - % | Lunch Period: | 1 | 1.02 % | Classroom: | 17 | 17.35 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 2 | 2.04 % | Corridor/Hall: | 4 | 4.08 % |
| Eye Injury: | 1 | 1.02 % | Recess: | 7 | 7.14 % | Gymnasium/Pool: | 6 | 6.12 % |
| Fracture (Possible): | 5 | 5.10 % | Sci Lab/Fam & Consumer | | | Playground: | 4 | 4.08 % |
| Sprain/Strain/Tear (Possible): | 4 | 4.08 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 1.02 % |
| Other: | 0 | - % | Other: | 8 | 8.16 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 49 | | Grand Total Occurrences: | 49 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 5 | - % |
| | | | | | | Sidewalk: | 2 | 2.04 % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 1.02 % |
| | | | | | | Street/Driveway/Parking: | 2 | 2.04 % |
| | | | | | | Other: | 1 | 1.02 % |
| | | | | | | Grand Total Occurrences: | 49 | |

Total Average Daily Enrollment: 1,537
Injury Occurrence Rate*: 6.38 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

PERSEUS HOUSE CS OF EXCELLENCE

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 2 | 28.57 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 14.29 % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 2 | 28.57 % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 5 | 71.43 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 1 | 14.29 % | Recess: | 0 | - % | Gymnasium/Pool: | 4 | 57.14 % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 1 | 14.29 % | Sci & Tech ED Class: | 1 | 14.29 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 1 | 14.29 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 7 | | Grand Total Occurrences: | 7 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 14.29 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 1 | 14.29 % |
| | | | | | | Other: | 1 | 14.29 % |
| | | | | | | Grand Total Occurrences: | 7 | |

Total Average Daily Enrollment: 534

Injury Occurrence Rate*: 1.31 %

ROBERT BENJAMIN WILEY COMMUNITY CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|----------|--|----------|----------|--|----------|----------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 1 | 100.00 % |
| Dental Injury: | 0 | - % | Lunch Period: | 1 | 100.00 % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 1 | 100.00 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 1 | | Grand Total Occurrences: | 1 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 1 | |

Total Average Daily Enrollment: 360

Injury Occurrence Rate*: 0.28 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

UNION CITY AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 1 | 5.56 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 1 | 5.56 % | Cafeteria: | 0 | - % |
| Dental Injury: | 2 | 11.11 % | Lunch Period: | 0 | - % | Classroom: | 1 | 5.56 % |
| Dislocation (Possible): | 1 | 5.56 % | P.E. Class: | 3 | 16.67 % | Corridor/Hall: | 1 | 5.56 % |
| Eye Injury: | 1 | 5.56 % | Recess: | 3 | 16.67 % | Gymnasium/Pool: | 3 | 16.67 % |
| Fracture (Possible): | 2 | 11.11 % | Sci Lab/Fam & Consumer | | | Playground: | 3 | 16.67 % |
| Sprain/Strain/Tear (Possible): | 3 | 16.67 % | Sci & Tech ED Class: | 1 | 5.56 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 9 | | Grand Total Occurrences: | 9 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 5.56 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 9 | |

Total Average Daily Enrollment: 1,249
Injury Occurrence Rate*: 1.44 %

WATTSBURG AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 1 | 2.94 % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 1 | 2.94 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 2 | 5.88 % | Class Time: | 1 | 2.94 % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 2.94 % | Lunch Period: | 0 | - % | Classroom: | 1 | 2.94 % |
| Dislocation (Possible): | 1 | 2.94 % | P.E. Class: | 12 | 35.29 % | Corridor/Hall: | 1 | 2.94 % |
| Eye Injury: | 2 | 5.88 % | Recess: | 3 | 8.82 % | Gymnasium/Pool: | 11 | 32.35 % |
| Fracture (Possible): | 7 | 20.59 % | Sci Lab/Fam & Consumer | | | Playground: | 3 | 8.82 % |
| Sprain/Strain/Tear (Possible): | 4 | 11.76 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 17 | | Grand Total Occurrences: | 17 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 17 | |

Total Average Daily Enrollment: 1,518
Injury Occurrence Rate*: 2.24 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

ERIE COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 12 | 0.73 % | After School: | 42 | 2.55 % | Athletic Field/Play Field: | 74 | 4.50 % |
| Concussion (Possible): | 132 | 8.03 % | Before School: | 45 | 2.74 % | Auditorium/Multipurpose: | 13 | 0.79 % |
| Contusion: | 105 | 6.39 % | Class Change: | 61 | 3.71 % | Bus Loading Area: | 8 | 0.49 % |
| Cut/Laceration/Puncture: | 161 | 9.79 % | Class Time: | 145 | 8.82 % | Cafeteria: | 28 | 1.70 % |
| Dental Injury: | 29 | 1.76 % | Lunch Period: | 31 | 1.89 % | Classroom: | 113 | 6.87 % |
| Dislocation (Possible): | 9 | 0.55 % | P.E. Class: | 244 | 14.84 % | Corridor/Hall: | 45 | 2.74 % |
| Eye Injury: | 31 | 1.89 % | Recess: | 185 | 11.25 % | Gymnasium/Pool: | 217 | 13.20 % |
| Fracture (Possible): | 141 | 8.58 % | Sci Lab/Fam & Consumer | | | Playground: | 163 | 9.91 % |
| Sprain/Strain/Tear (Possible): | 157 | 9.55 % | Sci & Tech ED Class: | 35 | 2.13 % | Restroom: | 16 | 0.97 % |
| Other: | 50 | 3.04 % | Other: | 39 | 2.37 % | School Bus/Public Bus: | 10 | 0.61 % |
| Grand Total Occurrences: | 827 | | Grand Total Occurrences: | 827 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 31 | 1.89 % |
| | | | | | | Sidewalk: | 22 | 1.34 % |
| | | | | | | Stairs/Ramp/Elevator: | 29 | 1.76 % |
| | | | | | | Street/Driveway/Parking: | 19 | 1.16 % |
| | | | | | | Other: | 39 | 2.37 % |
| | | | | | | Grand Total Occurrences: | 827 | |

Total Average Daily Enrollment: 45,695

Injury Occurrence Rate*: 3.60 %

FOREST AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 11 | 34.38 % | Class Change: | 1 | 3.13 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 12 | 37.50 % | Corridor/Hall: | 1 | 3.13 % |
| Eye Injury: | 0 | - % | Recess: | 3 | 9.38 % | Gymnasium/Pool: | 12 | 37.50 % |
| Fracture (Possible): | 4 | 12.50 % | Sci Lab/Fam & Consumer | | | Playground: | 3 | 9.38 % |
| Sprain/Strain/Tear (Possible): | 1 | 3.13 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 16 | | Grand Total Occurrences: | 16 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 16 | |

Total Average Daily Enrollment: 478

Injury Occurrence Rate*: 6.69 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

FOREST COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 11 | 34.38 % | Class Change: | 1 | 3.13 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 12 | 37.50 % | Corridor/Hall: | 1 | 3.13 % |
| Eye Injury: | 0 | - % | Recess: | 3 | 9.38 % | Gymnasium/Pool: | 12 | 37.50 % |
| Fracture (Possible): | 4 | 12.50 % | Sci Lab/Fam & Consumer | | | Playground: | 3 | 9.38 % |
| Sprain/Strain/Tear (Possible): | 1 | 3.13 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 16 | | Grand Total Occurrences: | 16 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 16 | |

Total Average Daily Enrollment: 478

Injury Occurrence Rate*: 6.69 %

BROCKWAY AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 2 | 3.33 % |
| Concussion (Possible): | 1 | 1.67 % | Before School: | 1 | 1.67 % | Auditorium/Multipurpose: | 2 | 3.33 % |
| Contusion: | 3 | 5.00 % | Class Change: | 3 | 5.00 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 7 | 11.67 % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 5 | 8.33 % | Lunch Period: | 0 | - % | Classroom: | 1 | 1.67 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 8 | 13.33 % | Corridor/Hall: | 3 | 5.00 % |
| Eye Injury: | 1 | 1.67 % | Recess: | 11 | 18.33 % | Gymnasium/Pool: | 8 | 13.33 % |
| Fracture (Possible): | 9 | 15.00 % | Sci Lab/Fam & Consumer | | | Playground: | 7 | 11.67 % |
| Sprain/Strain/Tear (Possible): | 3 | 5.00 % | Sci & Tech ED Class: | 6 | 10.00 % | Restroom: | 0 | - % |
| Other: | 1 | 1.67 % | Other: | 1 | 1.67 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 30 | | Grand Total Occurrences: | 30 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 6 | 10.00 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 1.67 % |
| | | | | | | Grand Total Occurrences: | 30 | |

Total Average Daily Enrollment: 1,001

Injury Occurrence Rate*: 5.99 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

BROOKVILLE AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 2 | 2.17 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 5 | 5.43 % | Before School: | 1 | 1.09 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 8 | 8.70 % | Class Change: | 1 | 1.09 % | Bus Loading Area: | 2 | 2.17 % |
| Cut/Laceration/Puncture: | 13 | 14.13 % | Class Time: | 9 | 9.78 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 8 | 8.70 % |
| Dislocation (Possible): | 1 | 1.09 % | P.E. Class: | 19 | 20.65 % | Corridor/Hall: | 1 | 1.09 % |
| Eye Injury: | 0 | - % | Recess: | 12 | 13.04 % | Gymnasium/Pool: | 17 | 18.48 % |
| Fracture (Possible): | 6 | 6.52 % | Sci Lab/Fam & Consumer | | | Playground: | 14 | 15.22 % |
| Sprain/Strain/Tear (Possible): | 7 | 7.61 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 6 | 6.52 % | Other: | 2 | 2.17 % | School Bus/Public Bus: | 1 | 1.09 % |
| Grand Total Occurrences: | 46 | | Grand Total Occurrences: | 46 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 1.09 % |
| | | | | | | Grand Total Occurrences: | 46 | |

Total Average Daily Enrollment: 1,579
Injury Occurrence Rate*: 5.83 %

JEFFERSON COUNTY-DUBOIS AVTS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 2.33 % | After School: | 1 | 2.33 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 11 | 25.58 % | Before School: | 2 | 4.65 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 12 | 27.91 % | Class Change: | 2 | 4.65 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 5 | 11.63 % | Class Time: | 3 | 6.98 % | Cafeteria: | 1 | 2.33 % |
| Dental Injury: | 1 | 2.33 % | Lunch Period: | 0 | - % | Classroom: | 3 | 6.98 % |
| Dislocation (Possible): | 1 | 2.33 % | P.E. Class: | 5 | 11.63 % | Corridor/Hall: | 2 | 4.65 % |
| Eye Injury: | 3 | 6.98 % | Recess: | 0 | - % | Gymnasium/Pool: | 5 | 11.63 % |
| Fracture (Possible): | 5 | 11.63 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 2 | 4.65 % | Sci & Tech ED Class: | 30 | 69.77 % | Restroom: | 0 | - % |
| Other: | 2 | 4.65 % | Other: | 0 | - % | School Bus/Public Bus: | 1 | 2.33 % |
| Grand Total Occurrences: | 43 | | Grand Total Occurrences: | 43 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 30 | 69.77 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 1 | 2.33 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 43 | |

Total Average Daily Enrollment: 378
Injury Occurrence Rate*: 11.38 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

PUNXSUTAWNEY AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 0 | - % | After School: | 4 | 1.38 % | Athletic Field/Play Field: | 11 | 3.79 % |
| Concussion (Possible): | 16 | 5.52 % | Before School: | 11 | 3.79 % | Auditorium/Multipurpose: | 3 | 1.03 % |
| Contusion: | 33 | 11.38 % | Class Change: | 23 | 7.93 % | Bus Loading Area: | 3 | 1.03 % |
| Cut/Laceration/Puncture: | 19 | 6.55 % | Class Time: | 9 | 3.10 % | Cafeteria: | 5 | 1.72 % |
| Dental Injury: | 3 | 1.03 % | Lunch Period: | 4 | 1.38 % | Classroom: | 17 | 5.86 % |
| Dislocation (Possible): | 8 | 2.76 % | P.E. Class: | 64 | 22.07 % | Corridor/Hall: | 17 | 5.86 % |
| Eye Injury: | 10 | 3.45 % | Recess: | 23 | 7.93 % | Gymnasium/Pool: | 46 | 15.86 % |
| Fracture (Possible): | 26 | 8.97 % | Sci Lab/Fam & Consumer | | | Playground: | 13 | 4.48 % |
| Sprain/Strain/Tear (Possible): | 25 | 8.62 % | Sci & Tech ED Class: | 1 | 0.34 % | Restroom: | 4 | 1.38 % |
| Other: | 5 | 1.72 % | Other: | 6 | 2.07 % | School Bus/Public Bus: | 2 | 0.69 % |
| Grand Total Occurrences: | 145 | | Grand Total Occurrences: | 145 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 0.34 % |
| | | | | | | Sidewalk: | 2 | 0.69 % |
| | | | | | | Stairs/Ramp/Elevator: | 11 | 3.79 % |
| | | | | | | Street/Driveway/Parking: | 3 | 1.03 % |
| | | | | | | Other: | 7 | 2.41 % |
| | | | | | | Grand Total Occurrences: | 145 | |

Total Average Daily Enrollment: 2,460
Injury Occurrence Rate*: 11.79 %

JEFFERSON COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 1 | 0.21 % | After School: | 7 | 1.44 % | Athletic Field/Play Field: | 13 | 2.68 % |
| Concussion (Possible): | 33 | 6.80 % | Before School: | 15 | 3.09 % | Auditorium/Multipurpose: | 5 | 1.03 % |
| Contusion: | 56 | 11.55 % | Class Change: | 29 | 5.98 % | Bus Loading Area: | 5 | 1.03 % |
| Cut/Laceration/Puncture: | 44 | 9.07 % | Class Time: | 21 | 4.33 % | Cafeteria: | 6 | 1.24 % |
| Dental Injury: | 9 | 1.86 % | Lunch Period: | 4 | 0.82 % | Classroom: | 29 | 5.98 % |
| Dislocation (Possible): | 10 | 2.06 % | P.E. Class: | 96 | 19.79 % | Corridor/Hall: | 23 | 4.74 % |
| Eye Injury: | 14 | 2.89 % | Recess: | 46 | 9.48 % | Gymnasium/Pool: | 76 | 15.67 % |
| Fracture (Possible): | 46 | 9.48 % | Sci Lab/Fam & Consumer | | | Playground: | 34 | 7.01 % |
| Sprain/Strain/Tear (Possible): | 37 | 7.63 % | Sci & Tech ED Class: | 37 | 7.63 % | Restroom: | 4 | 0.82 % |
| Other: | 14 | 2.89 % | Other: | 9 | 1.86 % | School Bus/Public Bus: | 4 | 0.82 % |
| Grand Total Occurrences: | 264 | | Grand Total Occurrences: | 264 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 39 | 8.04 % |
| | | | | | | Sidewalk: | 2 | 0.41 % |
| | | | | | | Stairs/Ramp/Elevator: | 11 | 2.27 % |
| | | | | | | Street/Driveway/Parking: | 4 | 0.82 % |
| | | | | | | Other: | 9 | 1.86 % |
| | | | | | | Grand Total Occurrences: | 264 | |

Total Average Daily Enrollment: 5,418
Injury Occurrence Rate*: 8.95 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

ELLWOOD CITY AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 4 | 3.64 % |
| Concussion (Possible): | 14 | 12.73 % | Before School: | 4 | 3.64 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 6 | 5.45 % | Class Change: | 10 | 9.09 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 11 | 10.00 % | Class Time: | 14 | 12.73 % | Cafeteria: | 3 | 2.73 % |
| Dental Injury: | 0 | - % | Lunch Period: | 3 | 2.73 % | Classroom: | 9 | 8.18 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 13 | 11.82 % | Corridor/Hall: | 9 | 8.18 % |
| Eye Injury: | 0 | - % | Recess: | 5 | 4.55 % | Gymnasium/Pool: | 13 | 11.82 % |
| Fracture (Possible): | 6 | 5.45 % | Sci Lab/Fam & Consumer | | | Playground: | 1 | 0.91 % |
| Sprain/Strain/Tear (Possible): | 16 | 14.55 % | Sci & Tech ED Class: | 5 | 4.55 % | Restroom: | 0 | - % |
| Other: | 2 | 1.82 % | Other: | 1 | 0.91 % | School Bus/Public Bus: | 2 | 1.82 % |
| Grand Total Occurrences: | 55 | | Grand Total Occurrences: | 55 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 5 | 4.55 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 0.91 % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.91 % |
| | | | | | | Other: | 7 | 6.36 % |
| | | | | | | Grand Total Occurrences: | 55 | |

Total Average Daily Enrollment: 1,969
Injury Occurrence Rate*: 5.59 %

LAUREL SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 1.85 % | After School: | 1 | 1.85 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 4 | 7.41 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 0 | - % | Class Change: | 7 | 12.96 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 1 | 1.85 % | Class Time: | 6 | 11.11 % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 1.85 % | Lunch Period: | 0 | - % | Classroom: | 6 | 11.11 % |
| Dislocation (Possible): | 1 | 1.85 % | P.E. Class: | 7 | 12.96 % | Corridor/Hall: | 7 | 12.96 % |
| Eye Injury: | 0 | - % | Recess: | 5 | 9.26 % | Gymnasium/Pool: | 7 | 12.96 % |
| Fracture (Possible): | 8 | 14.81 % | Sci Lab/Fam & Consumer | | | Playground: | 6 | 11.11 % |
| Sprain/Strain/Tear (Possible): | 11 | 20.37 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 1 | 1.85 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 27 | | Grand Total Occurrences: | 27 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 1.85 % |
| | | | | | | Grand Total Occurrences: | 27 | |

Total Average Daily Enrollment: 1,298
Injury Occurrence Rate*: 4.16 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

LAWRENCE COUNTY CTC

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 2 | 22.22 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 4 | 44.44 % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 2 | 22.22 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 3 | 33.33 % |
| Fracture (Possible): | 2 | 22.22 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 6 | 66.67 % | Restroom: | 0 | - % |
| Other: | 1 | 11.11 % | Other: | 1 | 11.11 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 9 | | Grand Total Occurrences: | 9 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 6 | 66.67 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 9 | |

Total Average Daily Enrollment: 356
Injury Occurrence Rate*: 2.53 %

MOHAWK AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 1 | 1.25 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 1 | 1.25 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 8 | 10.00 % | Class Time: | 3 | 3.75 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 3 | 3.75 % |
| Dislocation (Possible): | 2 | 2.50 % | P.E. Class: | 25 | 31.25 % | Corridor/Hall: | 1 | 1.25 % |
| Eye Injury: | 1 | 1.25 % | Recess: | 7 | 8.75 % | Gymnasium/Pool: | 25 | 31.25 % |
| Fracture (Possible): | 19 | 23.75 % | Sci Lab/Fam & Consumer | | | Playground: | 7 | 8.75 % |
| Sprain/Strain/Tear (Possible): | 9 | 11.25 % | Sci & Tech ED Class: | 4 | 5.00 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 40 | | Grand Total Occurrences: | 40 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 4 | 5.00 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 40 | |

Total Average Daily Enrollment: 1,487
Injury Occurrence Rate*: 5.38 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

NESHANNOCK TOWNSHIP SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 1 | 1.72 % |
| Concussion (Possible): | 4 | 6.90 % | Before School: | 4 | 6.90 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 4 | 6.90 % | Class Change: | 3 | 5.17 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 12 | 20.69 % | Class Time: | 3 | 5.17 % | Cafeteria: | 1 | 1.72 % |
| Dental Injury: | 0 | - % | Lunch Period: | 1 | 1.72 % | Classroom: | 2 | 3.45 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 7 | 12.07 % | Corridor/Hall: | 3 | 5.17 % |
| Eye Injury: | 0 | - % | Recess: | 9 | 15.52 % | Gymnasium/Pool: | 8 | 13.79 % |
| Fracture (Possible): | 8 | 13.79 % | Sci Lab/Fam & Consumer | | | Playground: | 6 | 10.34 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 2 | 3.45 % |
| Other: | 1 | 1.72 % | Other: | 2 | 3.45 % | School Bus/Public Bus: | 1 | 1.72 % |
| Grand Total Occurrences: | 29 | | Grand Total Occurrences: | 29 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 1.72 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 3.45 % |
| | | | | | | Grand Total Occurrences: | 29 | |

Total Average Daily Enrollment: 1,267

Injury Occurrence Rate*: 4.58 %

NEW CASTLE AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 4 | 14.29 % |
| Concussion (Possible): | 2 | 7.14 % | Before School: | 1 | 3.57 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 1 | 3.57 % | Class Time: | 1 | 3.57 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 1 | 3.57 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 4 | 14.29 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 7 | 25.00 % | Gymnasium/Pool: | 4 | 14.29 % |
| Fracture (Possible): | 4 | 14.29 % | Sci Lab/Fam & Consumer | | | Playground: | 3 | 10.71 % |
| Sprain/Strain/Tear (Possible): | 6 | 21.43 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 1 | 3.57 % | Other: | 1 | 3.57 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 14 | | Grand Total Occurrences: | 14 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 3.57 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 3.57 % |
| | | | | | | Grand Total Occurrences: | 14 | |

Total Average Daily Enrollment: 3,223

Injury Occurrence Rate*: 0.87 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

SHENANGO AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 1 | 5.56 % |
| Contusion: | 2 | 11.11 % | Class Change: | 1 | 5.56 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 4 | 22.22 % | Class Time: | 1 | 5.56 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 1 | 5.56 % |
| Dislocation (Possible): | 1 | 5.56 % | P.E. Class: | 3 | 16.67 % | Corridor/Hall: | 1 | 5.56 % |
| Eye Injury: | 0 | - % | Recess: | 2 | 11.11 % | Gymnasium/Pool: | 3 | 16.67 % |
| Fracture (Possible): | 1 | 5.56 % | Sci Lab/Fam & Consumer | | | Playground: | 2 | 11.11 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 1 | 5.56 % | Restroom: | 0 | - % |
| Other: | 1 | 5.56 % | Other: | 1 | 5.56 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 9 | | Grand Total Occurrences: | 9 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 5.56 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 9 | |

Total Average Daily Enrollment: 1,152
Injury Occurrence Rate*: 1.56 %

UNION AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 1 | 2.78 % |
| Concussion (Possible): | 1 | 2.78 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 2.78 % | Class Change: | 2 | 5.56 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 1 | 2.78 % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 1 | 2.78 % | P.E. Class: | 12 | 33.33 % | Corridor/Hall: | 1 | 2.78 % |
| Eye Injury: | 0 | - % | Recess: | 3 | 8.33 % | Gymnasium/Pool: | 11 | 30.56 % |
| Fracture (Possible): | 9 | 25.00 % | Sci Lab/Fam & Consumer | | | Playground: | 3 | 8.33 % |
| Sprain/Strain/Tear (Possible): | 5 | 13.89 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 1 | 2.78 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 18 | | Grand Total Occurrences: | 18 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 2.78 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 2.78 % |
| | | | | | | Grand Total Occurrences: | 18 | |

Total Average Daily Enrollment: 801
Injury Occurrence Rate*: 4.49 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

WILMINGTON AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 4 | 8.70 % |
| Concussion (Possible): | 6 | 13.04 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 2.17 % | Class Change: | 4 | 8.70 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 2 | 4.35 % | Class Time: | 2 | 4.35 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 4 | 8.70 % |
| Dislocation (Possible): | 1 | 2.17 % | P.E. Class: | 8 | 17.39 % | Corridor/Hall: | 2 | 4.35 % |
| Eye Injury: | 0 | - % | Recess: | 9 | 19.57 % | Gymnasium/Pool: | 5 | 10.87 % |
| Fracture (Possible): | 3 | 6.52 % | Sci Lab/Fam & Consumer | | | Playground: | 8 | 17.39 % |
| Sprain/Strain/Tear (Possible): | 8 | 17.39 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 2 | 4.35 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 23 | | Grand Total Occurrences: | 23 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 23 | |

Total Average Daily Enrollment: 1,288
Injury Occurrence Rate*: 3.57 %

LAWRENCE COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 1 | 0.23 % | After School: | 1 | 0.23 % | Athletic Field/Play Field: | 14 | 3.19 % |
| Concussion (Possible): | 34 | 7.74 % | Before School: | 9 | 2.05 % | Auditorium/Multipurpose: | 1 | 0.23 % |
| Contusion: | 14 | 3.19 % | Class Change: | 28 | 6.38 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 44 | 10.02 % | Class Time: | 30 | 6.83 % | Cafeteria: | 4 | 0.91 % |
| Dental Injury: | 1 | 0.23 % | Lunch Period: | 4 | 0.91 % | Classroom: | 26 | 5.92 % |
| Dislocation (Possible): | 6 | 1.37 % | P.E. Class: | 81 | 18.45 % | Corridor/Hall: | 24 | 5.47 % |
| Eye Injury: | 1 | 0.23 % | Recess: | 47 | 10.71 % | Gymnasium/Pool: | 79 | 18.00 % |
| Fracture (Possible): | 60 | 13.67 % | Sci Lab/Fam & Consumer | | | Playground: | 36 | 8.20 % |
| Sprain/Strain/Tear (Possible): | 55 | 12.53 % | Sci & Tech ED Class: | 16 | 3.64 % | Restroom: | 2 | 0.46 % |
| Other: | 8 | 1.82 % | Other: | 8 | 1.82 % | School Bus/Public Bus: | 3 | 0.68 % |
| Grand Total Occurrences: | 224 | | Grand Total Occurrences: | 224 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 18 | 4.10 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 4 | 0.91 % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.23 % |
| | | | | | | Other: | 12 | 2.73 % |
| | | | | | | Grand Total Occurrences: | 224 | |

Total Average Daily Enrollment: 12,842
Injury Occurrence Rate*: 3.42 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

BRADFORD AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 6 | 8.11 % |
| Concussion (Possible): | 2 | 2.70 % | Before School: | 3 | 4.05 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 2 | 2.70 % | Class Change: | 3 | 4.05 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 12 | 16.22 % | Class Time: | 4 | 5.41 % | Cafeteria: | 1 | 1.35 % |
| Dental Injury: | 2 | 2.70 % | Lunch Period: | 0 | - % | Classroom: | 3 | 4.05 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 18 | 24.32 % | Corridor/Hall: | 3 | 4.05 % |
| Eye Injury: | 1 | 1.35 % | Recess: | 5 | 6.76 % | Gymnasium/Pool: | 12 | 16.22 % |
| Fracture (Possible): | 7 | 9.46 % | Sci Lab/Fam & Consumer | | | Playground: | 5 | 6.76 % |
| Sprain/Strain/Tear (Possible): | 9 | 12.16 % | Sci & Tech ED Class: | 3 | 4.05 % | Restroom: | 0 | - % |
| Other: | 2 | 2.70 % | Other: | 1 | 1.35 % | School Bus/Public Bus: | 1 | 1.35 % |
| Grand Total Occurrences: | 37 | | Grand Total Occurrences: | 37 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 3 | 4.05 % |
| | | | | | | Sidewalk: | 1 | 1.35 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 1 | 1.35 % |
| | | | | | | Other: | 1 | 1.35 % |
| | | | | | | Grand Total Occurrences: | 37 | |

Total Average Daily Enrollment: 2,627
Injury Occurrence Rate*: 2.82 %

KANE AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 2 | 3.57 % | Athletic Field/Play Field: | 1 | 1.79 % |
| Concussion (Possible): | 4 | 7.14 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 4 | 7.14 % |
| Cotusion: | 5 | 8.93 % | Class Change: | 3 | 5.36 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 2 | 3.57 % | Class Time: | 6 | 10.71 % | Cafeteria: | 1 | 1.79 % |
| Dental Injury: | 4 | 7.14 % | Lunch Period: | 1 | 1.79 % | Classroom: | 4 | 7.14 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 6 | 10.71 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 1 | 1.79 % | Recess: | 7 | 12.50 % | Gymnasium/Pool: | 3 | 5.36 % |
| Fracture (Possible): | 5 | 8.93 % | Sci Lab/Fam & Consumer | | | Playground: | 7 | 12.50 % |
| Sprain/Strain/Tear (Possible): | 5 | 8.93 % | Sci & Tech ED Class: | 2 | 3.57 % | Restroom: | 0 | - % |
| Other: | 2 | 3.57 % | Other: | 1 | 1.79 % | School Bus/Public Bus: | 1 | 1.79 % |
| Grand Total Occurrences: | 28 | | Grand Total Occurrences: | 28 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | 3.57 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 3.57 % |
| | | | | | | Street/Driveway/Parking: | 2 | 3.57 % |
| | | | | | | Other: | 1 | 1.79 % |
| | | | | | | Grand Total Occurrences: | 28 | |

Total Average Daily Enrollment: 1,210
Injury Occurrence Rate*: 4.63 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

OTTO-ELDRED SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 1 | 8.33 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 2 | 16.67 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 8.33 % | Class Change: | 1 | 8.33 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 3 | 25.00 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 1 | 8.33 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 2 | 16.67 % |
| Eye Injury: | 0 | - % | Recess: | 1 | 8.33 % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 3 | 25.00 % | Sci Lab/Fam & Consumer | | | Playground: | 1 | 8.33 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 6 | | Grand Total Occurrences: | 6 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 16.67 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 6 | |

Total Average Daily Enrollment: 685
Injury Occurrence Rate*: 1.75 %

PORT ALLEGANY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 9 | 12.50 % | After School: | 5 | 6.94 % | Athletic Field/Play Field: | 5 | 6.94 % |
| Concussion (Possible): | 5 | 6.94 % | Before School: | 3 | 4.17 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 1.39 % | Class Change: | 1 | 1.39 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 5 | 6.94 % | Class Time: | 3 | 4.17 % | Cafeteria: | 1 | 1.39 % |
| Dental Injury: | 0 | - % | Lunch Period: | 1 | 1.39 % | Classroom: | 3 | 4.17 % |
| Dislocation (Possible): | 3 | 4.17 % | P.E. Class: | 11 | 15.28 % | Corridor/Hall: | 1 | 1.39 % |
| Eye Injury: | 0 | - % | Recess: | 4 | 5.56 % | Gymnasium/Pool: | 11 | 15.28 % |
| Fracture (Possible): | 10 | 13.89 % | Sci Lab/Fam & Consumer | | | Playground: | 4 | 5.56 % |
| Sprain/Strain/Tear (Possible): | 3 | 4.17 % | Sci & Tech ED Class: | 6 | 8.33 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 2 | 2.78 % | School Bus/Public Bus: | 1 | 1.39 % |
| Grand Total Occurrences: | 36 | | Grand Total Occurrences: | 36 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 6 | 8.33 % |
| | | | | | | Sidewalk: | 1 | 1.39 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 1 | 1.39 % |
| | | | | | | Other: | 2 | 2.78 % |
| | | | | | | Grand Total Occurrences: | 36 | |

Total Average Daily Enrollment: 873
Injury Occurrence Rate*: 8.25 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

SMETHPORT AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 1.19 % | After School: | 1 | 1.19 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 8 | 9.52 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 3 | 3.57 % | Class Change: | 3 | 3.57 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 10 | 11.90 % | Class Time: | 15 | 17.86 % | Cafeteria: | 1 | 1.19 % |
| Dental Injury: | 5 | 5.95 % | Lunch Period: | 1 | 1.19 % | Classroom: | 13 | 15.48 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 17 | 20.24 % | Corridor/Hall: | 4 | 4.76 % |
| Eye Injury: | 1 | 1.19 % | Recess: | 3 | 3.57 % | Gymnasium/Pool: | 9 | 10.71 % |
| Fracture (Possible): | 10 | 11.90 % | Sci Lab/Fam & Consumer | | | Playground: | 8 | 9.52 % |
| Sprain/Strain/Tear (Possible): | 1 | 1.19 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 3 | 3.57 % |
| Other: | 3 | 3.57 % | Other: | 2 | 2.38 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 42 | | Grand Total Occurrences: | 42 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 1.19 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 1.19 % |
| | | | | | | Grand Total Occurrences: | 42 | |

Total Average Daily Enrollment: 924
Injury Occurrence Rate*: 9.09 %

MCKEAN COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 10 | 3.36 % | After School: | 9 | 3.02 % | Athletic Field/Play Field: | 12 | 4.03 % |
| Concussion (Possible): | 21 | 7.05 % | Before School: | 6 | 2.01 % | Auditorium/Multipurpose: | 4 | 1.34 % |
| Contusion: | 12 | 4.03 % | Class Change: | 11 | 3.69 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 29 | 9.73 % | Class Time: | 31 | 10.40 % | Cafeteria: | 4 | 1.34 % |
| Dental Injury: | 11 | 3.69 % | Lunch Period: | 3 | 1.01 % | Classroom: | 24 | 8.05 % |
| Dislocation (Possible): | 3 | 1.01 % | P.E. Class: | 52 | 17.45 % | Corridor/Hall: | 10 | 3.36 % |
| Eye Injury: | 3 | 1.01 % | Recess: | 20 | 6.71 % | Gymnasium/Pool: | 35 | 11.74 % |
| Fracture (Possible): | 35 | 11.74 % | Sci Lab/Fam & Consumer | | | Playground: | 25 | 8.39 % |
| Sprain/Strain/Tear (Possible): | 18 | 6.04 % | Sci & Tech ED Class: | 11 | 3.69 % | Restroom: | 3 | 1.01 % |
| Other: | 7 | 2.35 % | Other: | 6 | 2.01 % | School Bus/Public Bus: | 3 | 1.01 % |
| Grand Total Occurrences: | 149 | | Grand Total Occurrences: | 149 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 13 | 4.36 % |
| | | | | | | Sidewalk: | 2 | 0.67 % |
| | | | | | | Stairs/Ramp/Elevator: | 5 | 1.68 % |
| | | | | | | Street/Driveway/Parking: | 4 | 1.34 % |
| | | | | | | Other: | 5 | 1.68 % |
| | | | | | | Grand Total Occurrences: | 149 | |

Total Average Daily Enrollment: 6,319
Injury Occurrence Rate*: 4.72 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

COMMODORE PERRY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 3 | 11.54 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 3.85 % | Class Change: | 1 | 3.85 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 1 | 3.85 % | P.E. Class: | 4 | 15.38 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 8 | 30.77 % | Gymnasium/Pool: | 4 | 15.38 % |
| Fracture (Possible): | 6 | 23.08 % | Sci Lab/Fam & Consumer | | | Playground: | 8 | 30.77 % |
| Sprain/Strain/Tear (Possible): | 2 | 7.69 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 13 | | Grand Total Occurrences: | 13 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 3.85 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 13 | |

Total Average Daily Enrollment: 493
Injury Occurrence Rate*: 5.28 %

FARRELL AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 1 | 5.00 % |
| Concussion (Possible): | 3 | 15.00 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 5.00 % | Class Change: | 1 | 5.00 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 1 | 5.00 % | Classroom: | 0 | - % |
| Dislocation (Possible): | 1 | 5.00 % | P.E. Class: | 6 | 30.00 % | Corridor/Hall: | 1 | 5.00 % |
| Eye Injury: | 0 | - % | Recess: | 1 | 5.00 % | Gymnasium/Pool: | 4 | 20.00 % |
| Fracture (Possible): | 1 | 5.00 % | Sci Lab/Fam & Consumer | | | Playground: | 2 | 10.00 % |
| Sprain/Strain/Tear (Possible): | 4 | 20.00 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 1 | 5.00 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 10 | | Grand Total Occurrences: | 10 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 5.00 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 5.00 % |
| | | | | | | Grand Total Occurrences: | 10 | |

Total Average Daily Enrollment: 770
Injury Occurrence Rate*: 2.60 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

GREENVILLE AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 1.32 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 4 | 5.26 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 6 | 7.89 % | Class Change: | 3 | 3.95 % | Bus Loading Area: | 1 | 1.32 % |
| Cut/Laceration/Puncture: | 5 | 6.58 % | Class Time: | 14 | 18.42 % | Cafeteria: | 2 | 2.63 % |
| Dental Injury: | 0 | - % | Lunch Period: | 2 | 2.63 % | Classroom: | 10 | 13.16 % |
| Dislocation (Possible): | 2 | 2.63 % | P.E. Class: | 7 | 9.21 % | Corridor/Hall: | 2 | 2.63 % |
| Eye Injury: | 1 | 1.32 % | Recess: | 10 | 13.16 % | Gymnasium/Pool: | 8 | 10.53 % |
| Fracture (Possible): | 7 | 9.21 % | Sci Lab/Fam & Consumer | | | Playground: | 10 | 13.16 % |
| Sprain/Strain/Tear (Possible): | 7 | 9.21 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 1.32 % |
| Other: | 6 | 7.89 % | Other: | 1 | 1.32 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 38 | | Grand Total Occurrences: | 38 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 1.32 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 1.32 % |
| | | | | | | Grand Total Occurrences: | 38 | |

Total Average Daily Enrollment: 1,426
Injury Occurrence Rate*: 5.33 %

GROVE CITY AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 1 | 8.33 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 1 | 8.33 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 3 | 25.00 % | Class Time: | 1 | 8.33 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 1 | 8.33 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 3 | 25.00 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 1 | 8.33 % | Gymnasium/Pool: | 3 | 25.00 % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 1 | 8.33 % |
| Sprain/Strain/Tear (Possible): | 2 | 16.67 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 6 | | Grand Total Occurrences: | 6 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 6 | |

Total Average Daily Enrollment: 2,217
Injury Occurrence Rate*: 0.54 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

HERMITAGE SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 2 | 2.70 % | Athletic Field/Play Field: | 2 | 2.70 % |
| Concussion (Possible): | 8 | 10.81 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 7 | 9.46 % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 3 | 4.05 % | Class Time: | 9 | 12.16 % | Cafeteria: | 2 | 2.70 % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 5 | 6.76 % |
| Dislocation (Possible): | 1 | 1.35 % | P.E. Class: | 16 | 21.62 % | Corridor/Hall: | 3 | 4.05 % |
| Eye Injury: | 3 | 4.05 % | Recess: | 4 | 5.41 % | Gymnasium/Pool: | 19 | 25.68 % |
| Fracture (Possible): | 6 | 8.11 % | Sci Lab/Fam & Consumer | | | Playground: | 1 | 1.35 % |
| Sprain/Strain/Tear (Possible): | 7 | 9.46 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 2 | 2.70 % | Other: | 6 | 8.11 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 37 | | Grand Total Occurrences: | 37 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 3 | 4.05 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 1 | 1.35 % |
| | | | | | | Other: | 1 | 1.35 % |
| | | | | | | Grand Total Occurrences: | 37 | |

Total Average Daily Enrollment: 2,603
Injury Occurrence Rate*: 2.84 %

JAMESTOWN AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 16 | 23.53 % | Athletic Field/Play Field: | 6 | 8.82 % |
| Concussion (Possible): | 6 | 8.82 % | Before School: | 3 | 4.41 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 3 | 4.41 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 4 | 5.88 % | Class Time: | 4 | 5.88 % | Cafeteria: | 0 | - % |
| Dental Injury: | 3 | 4.41 % | Lunch Period: | 0 | - % | Classroom: | 2 | 2.94 % |
| Dislocation (Possible): | 2 | 2.94 % | P.E. Class: | 5 | 7.35 % | Corridor/Hall: | 3 | 4.41 % |
| Eye Injury: | 0 | - % | Recess: | 2 | 2.94 % | Gymnasium/Pool: | 17 | 25.00 % |
| Fracture (Possible): | 5 | 7.35 % | Sci Lab/Fam & Consumer | | | Playground: | 2 | 2.94 % |
| Sprain/Strain/Tear (Possible): | 12 | 17.65 % | Sci & Tech ED Class: | 1 | 1.47 % | Restroom: | 0 | - % |
| Other: | 2 | 2.94 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 34 | | Grand Total Occurrences: | 34 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 1.47 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 2 | 2.94 % |
| | | | | | | Other: | 1 | 1.47 % |
| | | | | | | Grand Total Occurrences: | 34 | |

Total Average Daily Enrollment: 524
Injury Occurrence Rate*: 12.97 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

KEYSTONE EDUCATION CENTER CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|----------|--|----------|----------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 5 | 100.00 % |
| Concussion (Possible): | 1 | 20.00 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 5 | 100.00 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 1 | 20.00 % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 3 | 60.00 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 5 | | Grand Total Occurrences: | 5 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 5 | |

Total Average Daily Enrollment: 241
Injury Occurrence Rate*: 2.08 %

LAKEVIEW SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 3 | 8.82 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 2 | 5.88 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 2 | 5.88 % | Class Time: | 3 | 8.82 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 1 | 2.94 % |
| Dislocation (Possible): | 1 | 2.94 % | P.E. Class: | 6 | 17.65 % | Corridor/Hall: | 2 | 5.88 % |
| Eye Injury: | 0 | - % | Recess: | 4 | 11.76 % | Gymnasium/Pool: | 9 | 26.47 % |
| Fracture (Possible): | 5 | 14.71 % | Sci Lab/Fam & Consumer | | | Playground: | 1 | 2.94 % |
| Sprain/Strain/Tear (Possible): | 4 | 11.76 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 2.94 % |
| Other: | 2 | 5.88 % | Other: | 2 | 5.88 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 17 | | Grand Total Occurrences: | 17 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 1 | 2.94 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 17 | |

Total Average Daily Enrollment: 1,413
Injury Occurrence Rate*: 2.41 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

MERCER AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 1 | 5.00 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 1 | 5.00 % |
| Contusion: | 2 | 10.00 % | Class Change: | 1 | 5.00 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 2 | 10.00 % | Class Time: | 6 | 30.00 % | Cafeteria: | 1 | 5.00 % |
| Dental Injury: | 0 | - % | Lunch Period: | 1 | 5.00 % | Classroom: | 2 | 10.00 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 1 | 5.00 % | Recess: | 2 | 10.00 % | Gymnasium/Pool: | 3 | 15.00 % |
| Fracture (Possible): | 2 | 10.00 % | Sci Lab/Fam & Consumer | | | Playground: | 2 | 10.00 % |
| Sprain/Strain/Tear (Possible): | 1 | 5.00 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 5.00 % |
| Other: | 1 | 5.00 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 10 | | Grand Total Occurrences: | 10 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 10 | |

Total Average Daily Enrollment: 1,275
Injury Occurrence Rate*: 1.57 %

REYNOLDS SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 6 | 7.89 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 3 | 3.95 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 7 | 9.21 % | Class Time: | 15 | 19.74 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 12 | 15.79 % |
| Dislocation (Possible): | 1 | 1.32 % | P.E. Class: | 11 | 14.47 % | Corridor/Hall: | 5 | 6.58 % |
| Eye Injury: | 0 | - % | Recess: | 6 | 7.89 % | Gymnasium/Pool: | 11 | 14.47 % |
| Fracture (Possible): | 9 | 11.84 % | Sci Lab/Fam & Consumer | | | Playground: | 6 | 7.89 % |
| Sprain/Strain/Tear (Possible): | 7 | 9.21 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 1.32 % |
| Other: | 8 | 10.53 % | Other: | 3 | 3.95 % | School Bus/Public Bus: | 1 | 1.32 % |
| Grand Total Occurrences: | 38 | | Grand Total Occurrences: | 38 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 1.32 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 1.32 % |
| | | | | | | Grand Total Occurrences: | 38 | |

Total Average Daily Enrollment: 1,143
Injury Occurrence Rate*: 6.65 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

SHARON CITY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 1.14 % | Athletic Field/Play Field: | 2 | 2.27 % |
| Concussion (Possible): | 10 | 11.36 % | Before School: | 4 | 4.55 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 11 | 12.50 % | Class Change: | 3 | 3.41 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 8 | 9.09 % | Class Time: | 10 | 11.36 % | Cafeteria: | 2 | 2.27 % |
| Dental Injury: | 0 | - % | Lunch Period: | 1 | 1.14 % | Classroom: | 7 | 7.95 % |
| Dislocation (Possible): | 1 | 1.14 % | P.E. Class: | 13 | 14.77 % | Corridor/Hall: | 5 | 5.68 % |
| Eye Injury: | 0 | - % | Recess: | 6 | 6.82 % | Gymnasium/Pool: | 15 | 17.05 % |
| Fracture (Possible): | 8 | 9.09 % | Sci Lab/Fam & Consumer | | | Playground: | 5 | 5.68 % |
| Sprain/Strain/Tear (Possible): | 4 | 4.55 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 3 | 3.41 % |
| Other: | 2 | 2.27 % | Other: | 6 | 6.82 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 44 | | Grand Total Occurrences: | 44 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 3.41 % |
| | | | | | | Street/Driveway/Parking: | 1 | 1.14 % |
| | | | | | | Other: | 1 | 1.14 % |
| | | | | | | Grand Total Occurrences: | 44 | |

Total Average Daily Enrollment: 2,100
Injury Occurrence Rate*: 4.19 %

SHARPSVILLE AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 2 | 0.55 % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 30 | 8.29 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 127 | 35.08 % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 2 | 0.55 % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 3 | 0.83 % | P.E. Class: | 38 | 10.50 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 8 | 2.21 % | Recess: | 140 | 38.67 % | Gymnasium/Pool: | 38 | 10.50 % |
| Fracture (Possible): | 4 | 1.10 % | Sci Lab/Fam & Consumer | | | Playground: | 140 | 38.67 % |
| Sprain/Strain/Tear (Possible): | 5 | 1.38 % | Sci & Tech ED Class: | 3 | 0.83 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 181 | | Grand Total Occurrences: | 181 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 3 | 0.83 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 181 | |

Total Average Daily Enrollment: 1,316
Injury Occurrence Rate*: 27.51 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

WEST MIDDLESEX AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 1.85 % | After School: | 0 | - % | Athletic Field/Play Field: | 3 | 5.56 % |
| Concussion (Possible): | 8 | 14.81 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 4 | 7.41 % | Class Change: | 3 | 5.56 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 3 | 5.56 % | Class Time: | 3 | 5.56 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 6 | 11.11 % |
| Dislocation (Possible): | 1 | 1.85 % | P.E. Class: | 6 | 11.11 % | Corridor/Hall: | 2 | 3.70 % |
| Eye Injury: | 3 | 5.56 % | Recess: | 10 | 18.52 % | Gymnasium/Pool: | 6 | 11.11 % |
| Fracture (Possible): | 5 | 9.26 % | Sci Lab/Fam & Consumer | | | Playground: | 4 | 7.41 % |
| Sprain/Strain/Tear (Possible): | 2 | 3.70 % | Sci & Tech ED Class: | 3 | 5.56 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 2 | 3.70 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 27 | | Grand Total Occurrences: | 27 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 3 | 5.56 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 1.85 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 3.70 % |
| | | | | | | Grand Total Occurrences: | 27 | |

Total Average Daily Enrollment: 991
Injury Occurrence Rate*: 5.45 %

MERCER COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 3 | 0.33 % | After School: | 20 | 2.19 % | Athletic Field/Play Field: | 19 | 2.08 % |
| Concussion (Possible): | 84 | 9.18 % | Before School: | 7 | 0.77 % | Auditorium/Multipurpose: | 1 | 0.11 % |
| Contusion: | 32 | 3.50 % | Class Change: | 21 | 2.30 % | Bus Loading Area: | 1 | 0.11 % |
| Cut/Laceration/Puncture: | 164 | 17.92 % | Class Time: | 65 | 7.10 % | Cafeteria: | 7 | 0.77 % |
| Dental Injury: | 5 | 0.55 % | Lunch Period: | 5 | 0.55 % | Classroom: | 46 | 5.03 % |
| Dislocation (Possible): | 14 | 1.53 % | P.E. Class: | 120 | 13.11 % | Corridor/Hall: | 23 | 2.51 % |
| Eye Injury: | 17 | 1.86 % | Recess: | 194 | 21.20 % | Gymnasium/Pool: | 137 | 14.97 % |
| Fracture (Possible): | 58 | 6.34 % | Sci Lab/Fam & Consumer | | | Playground: | 182 | 19.89 % |
| Sprain/Strain/Tear (Possible): | 60 | 6.56 % | Sci & Tech ED Class: | 7 | 0.77 % | Restroom: | 7 | 0.77 % |
| Other: | 23 | 2.51 % | Other: | 21 | 2.30 % | School Bus/Public Bus: | 1 | 0.11 % |
| Grand Total Occurrences: | 460 | | Grand Total Occurrences: | 460 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 12 | 1.31 % |
| | | | | | | Sidewalk: | 3 | 0.33 % |
| | | | | | | Stairs/Ramp/Elevator: | 8 | 0.87 % |
| | | | | | | Street/Driveway/Parking: | 5 | 0.55 % |
| | | | | | | Other: | 8 | 0.87 % |
| | | | | | | Grand Total Occurrences: | 460 | |

Total Average Daily Enrollment: 16,511
Injury Occurrence Rate*: 5.54 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

CRANBERRY AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 2 | 1.85 % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 2 | 1.85 % | Class Change: | 5 | 4.63 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 7 | 6.48 % | Class Time: | 17 | 15.74 % | Cafeteria: | 1 | 0.93 % |
| Dental Injury: | 0 | - % | Lunch Period: | 1 | 0.93 % | Classroom: | 4 | 3.70 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 8 | 7.41 % | Corridor/Hall: | 5 | 4.63 % |
| Eye Injury: | 0 | - % | Recess: | 7 | 6.48 % | Gymnasium/Pool: | 8 | 7.41 % |
| Fracture (Possible): | 1 | 0.93 % | Sci Lab/Fam & Consumer | | | Playground: | 7 | 6.48 % |
| Sprain/Strain/Tear (Possible): | 1 | 0.93 % | Sci & Tech ED Class: | 5 | 4.63 % | Restroom: | 1 | 0.93 % |
| Other: | 41 | 37.96 % | Other: | 11 | 10.19 % | School Bus/Public Bus: | 1 | 0.93 % |
| Grand Total Occurrences: | 54 | | Grand Total Occurrences: | 54 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 5 | 4.63 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 0.93 % |
| | | | | | | Street/Driveway/Parking: | 2 | 1.85 % |
| | | | | | | Other: | 19 | 17.59 % |
| | | | | | | Grand Total Occurrences: | 54 | |

Total Average Daily Enrollment: 1,127
Injury Occurrence Rate*: 9.58 %

FRANKLIN AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 1.43 % | After School: | 1 | 1.43 % | Athletic Field/Play Field: | 1 | 1.43 % |
| Concussion (Possible): | 5 | 7.14 % | Before School: | 1 | 1.43 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 1.43 % | Class Change: | 4 | 5.71 % | Bus Loading Area: | 1 | 1.43 % |
| Cut/Laceration/Puncture: | 4 | 5.71 % | Class Time: | 8 | 11.43 % | Cafeteria: | 2 | 2.86 % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 3 | 4.29 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 1 | 1.43 % | Corridor/Hall: | 5 | 7.14 % |
| Eye Injury: | 0 | - % | Recess: | 13 | 18.57 % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 10 | 14.29 % | Sci Lab/Fam & Consumer | | | Playground: | 15 | 21.43 % |
| Sprain/Strain/Tear (Possible): | 13 | 18.57 % | Sci & Tech ED Class: | 5 | 7.14 % | Restroom: | 5 | 7.14 % |
| Other: | 1 | 1.43 % | Other: | 2 | 2.86 % | School Bus/Public Bus: | 2 | 2.86 % |
| Grand Total Occurrences: | 35 | | Grand Total Occurrences: | 35 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | 7.14 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 1.43 % |
| | | | | | | Grand Total Occurrences: | 35 | |

Total Average Daily Enrollment: 1,865
Injury Occurrence Rate*: 3.75 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

OIL CITY AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 7 | 15.22 % | Before School: | 2 | 4.35 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 2.17 % | Class Change: | 2 | 4.35 % | Bus Loading Area: | 2 | 4.35 % |
| Cut/Laceration/Puncture: | 4 | 8.70 % | Class Time: | 4 | 8.70 % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 2.17 % | Lunch Period: | 0 | - % | Classroom: | 4 | 8.70 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 10 | 21.74 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 1 | 2.17 % | Recess: | 4 | 8.70 % | Gymnasium/Pool: | 9 | 19.57 % |
| Fracture (Possible): | 4 | 8.70 % | Sci Lab/Fam & Consumer | | | Playground: | 4 | 8.70 % |
| Sprain/Strain/Tear (Possible): | 3 | 6.52 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 2 | 4.35 % | Other: | 1 | 2.17 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 23 | | Grand Total Occurrences: | 23 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 1 | 2.17 % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 4.35 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 2.17 % |
| | | | | | | Grand Total Occurrences: | 23 | |

Total Average Daily Enrollment: 2,339
Injury Occurrence Rate*: 1.97 %

TITUSVILLE AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 1.25 % | Athletic Field/Play Field: | 3 | 3.75 % |
| Concussion (Possible): | 4 | 5.00 % | Before School: | 4 | 5.00 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 1.25 % | Class Change: | 1 | 1.25 % | Bus Loading Area: | 1 | 1.25 % |
| Cut/Laceration/Puncture: | 8 | 10.00 % | Class Time: | 7 | 8.75 % | Cafeteria: | 1 | 1.25 % |
| Dental Injury: | 0 | - % | Lunch Period: | 2 | 2.50 % | Classroom: | 7 | 8.75 % |
| Dislocation (Possible): | 1 | 1.25 % | P.E. Class: | 20 | 25.00 % | Corridor/Hall: | 3 | 3.75 % |
| Eye Injury: | 2 | 2.50 % | Recess: | 4 | 5.00 % | Gymnasium/Pool: | 19 | 23.75 % |
| Fracture (Possible): | 11 | 13.75 % | Sci Lab/Fam & Consumer | | | Playground: | 4 | 5.00 % |
| Sprain/Strain/Tear (Possible): | 9 | 11.25 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 4 | 5.00 % | Other: | 1 | 1.25 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 40 | | Grand Total Occurrences: | 40 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 1.25 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 1.25 % |
| | | | | | | Grand Total Occurrences: | 40 | |

Total Average Daily Enrollment: 2,036
Injury Occurrence Rate*: 3.93 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

VALLEY GROVE SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 1 | 1.22 % |
| Concussion (Possible): | 6 | 7.32 % | Before School: | 2 | 2.44 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 5 | 6.10 % | Class Change: | 4 | 4.88 % | Bus Loading Area: | 1 | 1.22 % |
| Cut/Laceration/Puncture: | 8 | 9.76 % | Class Time: | 13 | 15.85 % | Cafeteria: | 1 | 1.22 % |
| Dental Injury: | 1 | 1.22 % | Lunch Period: | 2 | 2.44 % | Classroom: | 8 | 9.76 % |
| Dislocation (Possible): | 5 | 6.10 % | P.E. Class: | 12 | 14.63 % | Corridor/Hall: | 3 | 3.66 % |
| Eye Injury: | 2 | 2.44 % | Recess: | 8 | 9.76 % | Gymnasium/Pool: | 15 | 18.29 % |
| Fracture (Possible): | 3 | 3.66 % | Sci Lab/Fam & Consumer | | | Playground: | 9 | 10.98 % |
| Sprain/Strain/Tear (Possible): | 8 | 9.76 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 3 | 3.66 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 41 | | Grand Total Occurrences: | 41 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | - % |
| | | | | | | Sidewalk: | 1 | 1.22 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 1.22 % |
| | | | | | | Grand Total Occurrences: | 41 | |

Total Average Daily Enrollment: 954
Injury Occurrence Rate*: 8.60 %

VENANGO COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 3 | 0.78 % | After School: | 2 | 0.52 % | Athletic Field/Play Field: | 5 | 1.30 % |
| Concussion (Possible): | 22 | 5.70 % | Before School: | 9 | 2.33 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 10 | 2.59 % | Class Change: | 16 | 4.15 % | Bus Loading Area: | 5 | 1.30 % |
| Cut/Laceration/Puncture: | 31 | 8.03 % | Class Time: | 49 | 12.69 % | Cafeteria: | 5 | 1.30 % |
| Dental Injury: | 2 | 0.52 % | Lunch Period: | 5 | 1.30 % | Classroom: | 26 | 6.74 % |
| Dislocation (Possible): | 6 | 1.55 % | P.E. Class: | 51 | 13.21 % | Corridor/Hall: | 16 | 4.15 % |
| Eye Injury: | 5 | 1.30 % | Recess: | 36 | 9.33 % | Gymnasium/Pool: | 51 | 13.21 % |
| Fracture (Possible): | 29 | 7.51 % | Sci Lab/Fam & Consumer | | | Playground: | 39 | 10.10 % |
| Sprain/Strain/Tear (Possible): | 34 | 8.81 % | Sci & Tech ED Class: | 10 | 2.59 % | Restroom: | 6 | 1.55 % |
| Other: | 51 | 13.21 % | Other: | 15 | 3.89 % | School Bus/Public Bus: | 3 | 0.78 % |
| Grand Total Occurrences: | 193 | | Grand Total Occurrences: | 193 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 6 | 1.55 % |
| | | | | | | Sidewalk: | 2 | 0.52 % |
| | | | | | | Stairs/Ramp/Elevator: | 4 | 1.04 % |
| | | | | | | Street/Driveway/Parking: | 2 | 0.52 % |
| | | | | | | Other: | 23 | 5.96 % |
| | | | | | | Grand Total Occurrences: | 193 | |

Total Average Daily Enrollment: 8,321
Injury Occurrence Rate*: 4.64 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

TIDIOUTE COMMUNITY CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|----------|--|----------|----------|--|----------|----------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 1 | 100.00 % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 1 | 100.00 % | Gymnasium/Pool: | 1 | 100.00 % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 1 | | Grand Total Occurrences: | 1 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 1 | |

Total Average Daily Enrollment: 297
Injury Occurrence Rate*: 0.34 %

WARREN COUNTY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 4 | 3.51 % | Athletic Field/Play Field: | 2 | 1.75 % |
| Concussion (Possible): | 12 | 10.53 % | Before School: | 4 | 3.51 % | Auditorium/Multipurpose: | 2 | 1.75 % |
| Contusion: | 5 | 4.39 % | Class Change: | 3 | 2.63 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 9 | 7.89 % | Class Time: | 13 | 11.40 % | Cafeteria: | 1 | 0.88 % |
| Dental Injury: | 3 | 2.63 % | Lunch Period: | 1 | 0.88 % | Classroom: | 9 | 7.89 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 21 | 18.42 % | Corridor/Hall: | 3 | 2.63 % |
| Eye Injury: | 0 | - % | Recess: | 10 | 8.77 % | Gymnasium/Pool: | 26 | 22.81 % |
| Fracture (Possible): | 9 | 7.89 % | Sci Lab/Fam & Consumer | | | Playground: | 7 | 6.14 % |
| Sprain/Strain/Tear (Possible): | 14 | 12.28 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 5 | 4.39 % | Other: | 1 | 0.88 % | School Bus/Public Bus: | 1 | 0.88 % |
| Grand Total Occurrences: | 57 | | Grand Total Occurrences: | 57 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 1 | 0.88 % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 2.63 % |
| | | | | | | Street/Driveway/Parking: | 2 | 1.75 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 57 | |

Total Average Daily Enrollment: 4,752
Injury Occurrence Rate*: 2.40 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

WARREN COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 4 | 3.48 % | Athletic Field/Play Field: | 2 | 1.74 % |
| Concussion (Possible): | 12 | 10.43 % | Before School: | 4 | 3.48 % | Auditorium/Multipurpose: | 2 | 1.74 % |
| Contusion: | 5 | 4.35 % | Class Change: | 3 | 2.61 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 10 | 8.70 % | Class Time: | 13 | 11.30 % | Cafeteria: | 1 | 0.87 % |
| Dental Injury: | 3 | 2.61 % | Lunch Period: | 1 | 0.87 % | Classroom: | 9 | 7.83 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 21 | 18.26 % | Corridor/Hall: | 3 | 2.61 % |
| Eye Injury: | 0 | - % | Recess: | 11 | 9.57 % | Gymnasium/Pool: | 27 | 23.48 % |
| Fracture (Possible): | 9 | 7.83 % | Sci Lab/Fam & Consumer | | | Playground: | 7 | 6.09 % |
| Sprain/Strain/Tear (Possible): | 14 | 12.17 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 5 | 4.35 % | Other: | 1 | 0.87 % | School Bus/Public Bus: | 1 | 0.87 % |
| Grand Total Occurrences: | 58 | | Grand Total Occurrences: | 58 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 1 | 0.87 % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 2.61 % |
| | | | | | | Street/Driveway/Parking: | 2 | 1.74 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 58 | |

Total Average Daily Enrollment: 5,049

Injury Occurrence Rate*: 2.28 %

Northwestern District

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|--------------|---------|--|--------------|---------|--|--------------|---------|
| Burn: | 34 | 0.59 % | After School: | 108 | 1.86 % | Athletic Field/Play Field: | 186 | 3.21 % |
| Concussion (Possible): | 461 | 7.96 % | Before School: | 117 | 2.02 % | Auditorium/Multipurpose: | 29 | 0.50 % |
| Contusion: | 321 | 5.54 % | Class Change: | 218 | 3.76 % | Bus Loading Area: | 24 | 0.41 % |
| Cut/Laceration/Puncture: | 586 | 10.11 % | Class Time: | 487 | 8.41 % | Cafeteria: | 82 | 1.42 % |
| Dental Injury: | 75 | 1.29 % | Lunch Period: | 74 | 1.28 % | Classroom: | 378 | 6.52 % |
| Dislocation (Possible): | 62 | 1.07 % | P.E. Class: | 922 | 15.91 % | Corridor/Hall: | 195 | 3.37 % |
| Eye Injury: | 104 | 1.79 % | Recess: | 728 | 12.56 % | Gymnasium/Pool: | 850 | 14.67 % |
| Fracture (Possible): | 537 | 9.27 % | Sci Lab/Fam & Consumer | | | Playground: | 658 | 11.36 % |
| Sprain/Strain/Tear (Possible): | 545 | 9.41 % | Sci & Tech ED Class: | 143 | 2.47 % | Restroom: | 54 | 0.93 % |
| Other: | 206 | 3.56 % | Other: | 134 | 2.31 % | School Bus/Public Bus: | 35 | 0.60 % |
| Grand Total Occurrences: | 2,931 | | Grand Total Occurrences: | 2,931 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 138 | 2.38 % |
| | | | | | | Sidewalk: | 39 | 0.67 % |
| | | | | | | Stairs/Ramp/Elevator: | 81 | 1.40 % |
| | | | | | | Street/Driveway/Parking: | 43 | 0.74 % |
| | | | | | | Other: | 139 | 2.40 % |
| | | | | | | Grand Total Occurrences: | 2,931 | |

Total Average Daily Enrollment: 134,214

Injury Occurrence Rate*: 4.32 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

BERMUDIAN SPRINGS SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 11 | 16.18 % |
| Concussion (Possible): | 8 | 11.76 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 2 | 2.94 % |
| Cotusion: | 0 | - % | Class Change: | 3 | 4.41 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 4 | 5.88 % | Class Time: | 2 | 2.94 % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 1.47 % | Lunch Period: | 0 | - % | Classroom: | 2 | 2.94 % |
| Dislocation (Possible): | 1 | 1.47 % | P.E. Class: | 19 | 27.94 % | Corridor/Hall: | 2 | 2.94 % |
| Eye Injury: | 1 | 1.47 % | Recess: | 6 | 8.82 % | Gymnasium/Pool: | 6 | 8.82 % |
| Fracture (Possible): | 8 | 11.76 % | Sci Lab/Fam & Consumer | | | Playground: | 6 | 8.82 % |
| Sprain/Strain/Tear (Possible): | 8 | 11.76 % | Sci & Tech ED Class: | 1 | 1.47 % | Restroom: | 1 | 1.47 % |
| Other: | 3 | 4.41 % | Other: | 3 | 4.41 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 34 | | Grand Total Occurrences: | 34 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 1.47 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 3 | 4.41 % |
| | | | | | | Grand Total Occurrences: | 34 | |

Total Average Daily Enrollment: 2,022
Injury Occurrence Rate*: 3.36 %

CONEWAGO VALLEY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 4 | 5.56 % | After School: | 0 | - % | Athletic Field/Play Field: | 1 | 1.39 % |
| Concussion (Possible): | 5 | 6.94 % | Before School: | 1 | 1.39 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 1 | 1.39 % | Class Change: | 2 | 2.78 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 5 | 6.94 % | Class Time: | 8 | 11.11 % | Cafeteria: | 1 | 1.39 % |
| Dental Injury: | 1 | 1.39 % | Lunch Period: | 1 | 1.39 % | Classroom: | 3 | 4.17 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 14 | 19.44 % | Corridor/Hall: | 2 | 2.78 % |
| Eye Injury: | 0 | - % | Recess: | 10 | 13.89 % | Gymnasium/Pool: | 15 | 20.83 % |
| Fracture (Possible): | 11 | 15.28 % | Sci Lab/Fam & Consumer | | | Playground: | 10 | 13.89 % |
| Sprain/Strain/Tear (Possible): | 9 | 12.50 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 36 | | Grand Total Occurrences: | 36 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 3 | - % |
| | | | | | | Sidewalk: | 1 | 1.39 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 36 | |

Total Average Daily Enrollment: 4,916
Injury Occurrence Rate*: 1.46 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

FAIRFIELD AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 2 | 9.09 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 1 | 4.55 % | Before School: | 1 | 4.55 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 1 | 4.55 % | Class Time: | 3 | 13.64 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 2 | 9.09 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 2 | 9.09 % | Corridor/Hall: | 2 | 9.09 % |
| Eye Injury: | 0 | - % | Recess: | 2 | 9.09 % | Gymnasium/Pool: | 2 | 9.09 % |
| Fracture (Possible): | 8 | 36.36 % | Sci Lab/Fam & Consumer | | | Playground: | 2 | 9.09 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 4.55 % |
| Other: | 1 | 4.55 % | Other: | 1 | 4.55 % | School Bus/Public Bus: | 1 | 4.55 % |
| Grand Total Occurrences: | 11 | | Grand Total Occurrences: | 11 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 4.55 % |
| | | | | | | Grand Total Occurrences: | 11 | |

Total Average Daily Enrollment: 1,106

Injury Occurrence Rate*: 1.99 %

GETTYSBURG AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 1 | 0.34 % | After School: | 7 | 2.40 % | Athletic Field/Play Field: | 11 | 3.77 % |
| Concussion (Possible): | 22 | 7.53 % | Before School: | 8 | 2.74 % | Auditorium/Multipurpose: | 6 | 2.05 % |
| Contusion: | 12 | 4.11 % | Class Change: | 10 | 3.42 % | Bus Loading Area: | 2 | 0.68 % |
| Cut/Laceration/Puncture: | 29 | 9.93 % | Class Time: | 24 | 8.22 % | Cafeteria: | 8 | 2.74 % |
| Dental Injury: | 6 | 2.05 % | Lunch Period: | 7 | 2.40 % | Classroom: | 9 | 3.08 % |
| Dislocation (Possible): | 2 | 0.68 % | P.E. Class: | 52 | 17.81 % | Corridor/Hall: | 14 | 4.79 % |
| Eye Injury: | 3 | 1.03 % | Recess: | 27 | 9.25 % | Gymnasium/Pool: | 50 | 17.12 % |
| Fracture (Possible): | 39 | 13.36 % | Sci Lab/Fam & Consumer | | | Playground: | 17 | 5.82 % |
| Sprain/Strain/Tear (Possible): | 28 | 9.59 % | Sci & Tech ED Class: | 8 | 2.74 % | Restroom: | 0 | - % |
| Other: | 4 | 1.37 % | Other: | 3 | 1.03 % | School Bus/Public Bus: | 2 | 0.68 % |
| Grand Total Occurrences: | 146 | | Grand Total Occurrences: | 146 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 14 | 2.74 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 1.03 % |
| | | | | | | Street/Driveway/Parking: | 6 | 2.05 % |
| | | | | | | Other: | 4 | 1.37 % |
| | | | | | | Grand Total Occurrences: | 146 | |

Total Average Daily Enrollment: 3,334

Injury Occurrence Rate*: 8.76 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

GETTYSBURG MONTESSORI CHARTER SCHOOL

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|----------|--|----------|----------|--|----------|----------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 1 | 100.00 % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 1 | 100.00 % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 1 | 100.00 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 1 | | Grand Total Occurrences: | 1 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 1 | |

Total Average Daily Enrollment: 96
Injury Occurrence Rate*: 1.04 %

LITTLESTOWN AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 2 | 1.23 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 20 | 12.35 % | Before School: | 2 | 1.23 % | Auditorium/Multipurpose: | 1 | 0.62 % |
| Contusion: | 7 | 4.32 % | Class Change: | 11 | 6.79 % | Bus Loading Area: | 1 | 0.62 % |
| Cut/Laceration/Puncture: | 17 | 10.49 % | Class Time: | 10 | 6.17 % | Cafeteria: | 4 | 2.47 % |
| Dental Injury: | 1 | 0.62 % | Lunch Period: | 6 | 3.70 % | Classroom: | 7 | 4.32 % |
| Dislocation (Possible): | 1 | 0.62 % | P.E. Class: | 33 | 20.37 % | Corridor/Hall: | 11 | 6.79 % |
| Eye Injury: | 6 | 3.70 % | Recess: | 14 | 8.64 % | Gymnasium/Pool: | 34 | 20.99 % |
| Fracture (Possible): | 17 | 10.49 % | Sci Lab/Fam & Consumer | | | Playground: | 14 | 8.64 % |
| Sprain/Strain/Tear (Possible): | 9 | 5.56 % | Sci & Tech ED Class: | 3 | 1.85 % | Restroom: | 1 | 0.62 % |
| Other: | 3 | 1.85 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 81 | | Grand Total Occurrences: | 81 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 3 | 1.85 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 0.62 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 4 | 2.47 % |
| | | | | | | Grand Total Occurrences: | 81 | |

Total Average Daily Enrollment: 1,990
Injury Occurrence Rate*: 8.14 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

UPPER ADAMS SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 2 | 1.96 % | After School: | 6 | 5.88 % | Athletic Field/Play Field: | 3 | 2.94 % |
| Concussion (Possible): | 8 | 7.84 % | Before School: | 9 | 8.82 % | Auditorium/Multipurpose: | 1 | 0.98 % |
| Contusion: | 2 | 1.96 % | Class Change: | 2 | 1.96 % | Bus Loading Area: | 2 | 1.96 % |
| Cut/Laceration/Puncture: | 5 | 4.90 % | Class Time: | 7 | 6.86 % | Cafeteria: | 1 | 0.98 % |
| Dental Injury: | 1 | 0.98 % | Lunch Period: | 2 | 1.96 % | Classroom: | 7 | 6.86 % |
| Dislocation (Possible): | 1 | 0.98 % | P.E. Class: | 16 | 15.69 % | Corridor/Hall: | 1 | 0.98 % |
| Eye Injury: | 3 | 2.94 % | Recess: | 4 | 3.92 % | Gymnasium/Pool: | 16 | 15.69 % |
| Fracture (Possible): | 23 | 22.55 % | Sci Lab/Fam & Consumer | | | Playground: | 3 | 2.94 % |
| Sprain/Strain/Tear (Possible): | 4 | 3.92 % | Sci & Tech ED Class: | 1 | 0.98 % | Restroom: | 0 | - % |
| Other: | 2 | 1.96 % | Other: | 4 | 3.92 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 51 | | Grand Total Occurrences: | 51 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 0.98 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 16 | 15.69 % |
| | | | | | | Grand Total Occurrences: | 51 | |

Total Average Daily Enrollment: 1,645
Injury Occurrence Rate*: 6.20 %

VIDA CHARTER SCHOOL

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 0 | | Grand Total Occurrences: | 0 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 0 | |

Total Average Daily Enrollment: 197
Injury Occurrence Rate*: - %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

ADAMS COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 7 | 0.97 % | After School: | 17 | 2.36 % | Athletic Field/Play Field: | 27 | 3.76 % |
| Concussion (Possible): | 64 | 8.90 % | Before School: | 21 | 2.92 % | Auditorium/Multipurpose: | 10 | 1.39 % |
| Contusion: | 22 | 3.06 % | Class Change: | 28 | 3.89 % | Bus Loading Area: | 5 | 0.70 % |
| Cut/Laceration/Puncture: | 61 | 8.48 % | Class Time: | 54 | 7.51 % | Cafeteria: | 14 | 1.95 % |
| Dental Injury: | 10 | 1.39 % | Lunch Period: | 16 | 2.23 % | Classroom: | 30 | 4.17 % |
| Dislocation (Possible): | 5 | 0.70 % | P.E. Class: | 136 | 18.92 % | Corridor/Hall: | 32 | 4.45 % |
| Eye Injury: | 13 | 1.81 % | Recess: | 64 | 8.90 % | Gymnasium/Pool: | 123 | 17.11 % |
| Fracture (Possible): | 106 | 14.74 % | Sci Lab/Fam & Consumer | | | Playground: | 52 | 7.23 % |
| Sprain/Strain/Tear (Possible): | 59 | 8.21 % | Sci & Tech ED Class: | 13 | 1.81 % | Restroom: | 3 | 0.42 % |
| Other: | 13 | 1.81 % | Other: | 11 | 1.53 % | School Bus/Public Bus: | 3 | 0.42 % |
| Grand Total Occurrences: | 360 | | Grand Total Occurrences: | 360 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 22 | 3.06 % |
| | | | | | | Sidewalk: | 1 | 0.14 % |
| | | | | | | Stairs/Ramp/Elevator: | 4 | 0.56 % |
| | | | | | | Street/Driveway/Parking: | 6 | 0.83 % |
| | | | | | | Other: | 28 | 3.89 % |
| | | | | | | Grand Total Occurrences: | 360 | |

Total Average Daily Enrollment: 15,305

Injury Occurrence Rate*: 4.70 %

BEDFORD AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 2.38 % | Athletic Field/Play Field: | 5 | 11.90 % |
| Concussion (Possible): | 5 | 11.90 % | Before School: | 2 | 4.76 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 3 | 7.14 % | Class Change: | 0 | - % | Bus Loading Area: | 2 | 4.76 % |
| Cut/Laceration/Puncture: | 5 | 11.90 % | Class Time: | 0 | - % | Cafeteria: | 1 | 2.38 % |
| Dental Injury: | 0 | - % | Lunch Period: | 1 | 2.38 % | Classroom: | 1 | 2.38 % |
| Dislocation (Possible): | 1 | 2.38 % | P.E. Class: | 11 | 26.19 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 4 | 9.52 % | Gymnasium/Pool: | 7 | 16.67 % |
| Fracture (Possible): | 4 | 9.52 % | Sci Lab/Fam & Consumer | | | Playground: | 4 | 9.52 % |
| Sprain/Strain/Tear (Possible): | 1 | 2.38 % | Sci & Tech ED Class: | 2 | 4.76 % | Restroom: | 0 | - % |
| Other: | 2 | 4.76 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 21 | | Grand Total Occurrences: | 21 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 4.76 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 21 | |

Total Average Daily Enrollment: 2,032

Injury Occurrence Rate*: 2.07 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

CHESTNUT RIDGE SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 2 | 2.56 % |
| Concussion (Possible): | 5 | 6.41 % | Before School: | 2 | 2.56 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 1.28 % | Class Change: | 1 | 1.28 % | Bus Loading Area: | 1 | 1.28 % |
| Cut/Laceration/Puncture: | 7 | 8.97 % | Class Time: | 9 | 11.54 % | Cafeteria: | 0 | - % |
| Dental Injury: | 2 | 2.56 % | Lunch Period: | 0 | - % | Classroom: | 7 | 8.97 % |
| Dislocation (Possible): | 1 | 1.28 % | P.E. Class: | 8 | 10.26 % | Corridor/Hall: | 1 | 1.28 % |
| Eye Injury: | 1 | 1.28 % | Recess: | 17 | 21.79 % | Gymnasium/Pool: | 12 | 15.38 % |
| Fracture (Possible): | 20 | 25.64 % | Sci Lab/Fam & Consumer | | | Playground: | 13 | 16.67 % |
| Sprain/Strain/Tear (Possible): | 1 | 1.28 % | Sci & Tech ED Class: | 2 | 2.56 % | Restroom: | 0 | - % |
| Other: | 1 | 1.28 % | Other: | 0 | - % | School Bus/Public Bus: | 1 | 1.28 % |
| Grand Total Occurrences: | 39 | | Grand Total Occurrences: | 39 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | 2.56 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 39 | |

Total Average Daily Enrollment: 1,564
Injury Occurrence Rate*: 4.99 %

EVERETT AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 2.94 % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 5 | 14.71 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 2.94 % | Class Change: | 2 | 5.88 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 3 | 8.82 % | Class Time: | 4 | 11.76 % | Cafeteria: | 1 | 2.94 % |
| Dental Injury: | 1 | 2.94 % | Lunch Period: | 1 | 2.94 % | Classroom: | 4 | 11.76 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 4 | 11.76 % | Corridor/Hall: | 2 | 5.88 % |
| Eye Injury: | 0 | - % | Recess: | 6 | 17.65 % | Gymnasium/Pool: | 4 | 11.76 % |
| Fracture (Possible): | 6 | 17.65 % | Sci Lab/Fam & Consumer | | | Playground: | 6 | 17.65 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 17 | | Grand Total Occurrences: | 17 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 17 | |

Total Average Daily Enrollment: 1,221
Injury Occurrence Rate*: 2.78 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

HOPE FOR HYNDMAN CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 1 | 50.00 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 1 | 50.00 % | Gymnasium/Pool: | 1 | 50.00 % |
| Fracture (Possible): | 1 | 50.00 % | Sci Lab/Fam & Consumer | | | Playground: | 1 | 50.00 % |
| Sprain/Strain/Tear (Possible): | 1 | 50.00 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 2 | | Grand Total Occurrences: | 2 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 2 | |

Total Average Daily Enrollment: 325
Injury Occurrence Rate*: 0.62 %

NORTHERN BEDFORD COUNTY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 2 | 5.88 % |
| Concussion (Possible): | 3 | 8.82 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 2 | 5.88 % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 1 | 2.94 % | Class Time: | 3 | 8.82 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 4 | 11.76 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 9 | 26.47 % | Corridor/Hall: | 1 | 2.94 % |
| Eye Injury: | 1 | 2.94 % | Recess: | 3 | 8.82 % | Gymnasium/Pool: | 6 | 17.65 % |
| Fracture (Possible): | 7 | 20.59 % | Sci Lab/Fam & Consumer | | | Playground: | 2 | 5.88 % |
| Sprain/Strain/Tear (Possible): | 2 | 5.88 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 1 | 2.94 % | Other: | 2 | 5.88 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 17 | | Grand Total Occurrences: | 17 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 5.88 % |
| | | | | | | Grand Total Occurrences: | 17 | |

Total Average Daily Enrollment: 1,051
Injury Occurrence Rate*: 3.24 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

TUSSEY MOUNTAIN SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 3 | 5.36 % |
| Concussion (Possible): | 4 | 7.14 % | Before School: | 2 | 3.57 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 2 | 3.57 % | Class Change: | 5 | 8.93 % | Bus Loading Area: | 1 | 1.79 % |
| Cut/Laceration/Puncture: | 4 | 7.14 % | Class Time: | 4 | 7.14 % | Cafeteria: | 2 | 3.57 % |
| Dental Injury: | 1 | 1.79 % | Lunch Period: | 1 | 1.79 % | Classroom: | 5 | 8.93 % |
| Dislocation (Possible): | 1 | 1.79 % | P.E. Class: | 8 | 14.29 % | Corridor/Hall: | 3 | 5.36 % |
| Eye Injury: | 0 | - % | Recess: | 7 | 12.50 % | Gymnasium/Pool: | 2 | 3.57 % |
| Fracture (Possible): | 11 | 19.64 % | Sci Lab/Fam & Consumer | | | Playground: | 9 | 16.07 % |
| Sprain/Strain/Tear (Possible): | 3 | 5.36 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 2 | 3.57 % | Other: | 1 | 1.79 % | School Bus/Public Bus: | 1 | 1.79 % |
| Grand Total Occurrences: | 28 | | Grand Total Occurrences: | 28 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 3.57 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 28 | |

Total Average Daily Enrollment: 1,074
Injury Occurrence Rate*: 5.22 %

BEDFORD COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 1 | 0.41 % | After School: | 1 | 0.41 % | Athletic Field/Play Field: | 12 | 4.88 % |
| Concussion (Possible): | 22 | 8.94 % | Before School: | 6 | 2.44 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 9 | 3.66 % | Class Change: | 8 | 3.25 % | Bus Loading Area: | 4 | 1.63 % |
| Cut/Laceration/Puncture: | 20 | 8.13 % | Class Time: | 20 | 8.13 % | Cafeteria: | 4 | 1.63 % |
| Dental Injury: | 4 | 1.63 % | Lunch Period: | 3 | 1.22 % | Classroom: | 21 | 8.54 % |
| Dislocation (Possible): | 3 | 1.22 % | P.E. Class: | 41 | 16.67 % | Corridor/Hall: | 7 | 2.85 % |
| Eye Injury: | 2 | 0.81 % | Recess: | 38 | 15.45 % | Gymnasium/Pool: | 32 | 13.01 % |
| Fracture (Possible): | 49 | 19.92 % | Sci Lab/Fam & Consumer | | | Playground: | 35 | 14.23 % |
| Sprain/Strain/Tear (Possible): | 8 | 3.25 % | Sci & Tech ED Class: | 4 | 1.63 % | Restroom: | 0 | - % |
| Other: | 6 | 2.44 % | Other: | 3 | 1.22 % | School Bus/Public Bus: | 2 | 0.81 % |
| Grand Total Occurrences: | 124 | | Grand Total Occurrences: | 124 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 3 | 1.22 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 0.81 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 0.81 % |
| | | | | | | Grand Total Occurrences: | 124 | |

Total Average Daily Enrollment: 7,267
Injury Occurrence Rate*: 3.39 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

ALTOONA AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 2 | 1.79 % | Athletic Field/Play Field: | 17 | 15.18 % |
| Concussion (Possible): | 5 | 4.46 % | Before School: | 3 | 2.68 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 6 | 5.36 % | Class Change: | 9 | 8.04 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 10 | 8.93 % | Class Time: | 8 | 7.14 % | Cafeteria: | 1 | 0.89 % |
| Dental Injury: | 3 | 2.68 % | Lunch Period: | 1 | 0.89 % | Classroom: | 7 | 6.25 % |
| Dislocation (Possible): | 1 | 0.89 % | P.E. Class: | 5 | 4.46 % | Corridor/Hall: | 5 | 4.46 % |
| Eye Injury: | 1 | 0.89 % | Recess: | 27 | 24.11 % | Gymnasium/Pool: | 7 | 6.25 % |
| Fracture (Possible): | 21 | 18.75 % | Sci Lab/Fam & Consumer | | | Playground: | 12 | 10.71 % |
| Sprain/Strain/Tear (Possible): | 9 | 8.04 % | Sci & Tech ED Class: | 1 | 0.89 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 56 | | Grand Total Occurrences: | 56 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | 0.89 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 5 | 4.46 % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.89 % |
| | | | | | | Other: | 1 | 0.89 % |
| | | | | | | Grand Total Occurrences: | 56 | |

Total Average Daily Enrollment: 8,751
Injury Occurrence Rate*: 1.28 %

BELLWOOD-ANTIS SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 2.17 % | Athletic Field/Play Field: | 1 | 2.17 % |
| Concussion (Possible): | 6 | 13.04 % | Before School: | 1 | 2.17 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 0 | - % | Class Change: | 2 | 4.35 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 7 | 15.22 % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 4 | 8.70 % | Corridor/Hall: | 2 | 4.35 % |
| Eye Injury: | 0 | - % | Recess: | 14 | 30.43 % | Gymnasium/Pool: | 5 | 10.87 % |
| Fracture (Possible): | 10 | 21.74 % | Sci Lab/Fam & Consumer | | | Playground: | 13 | 28.26 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 2.17 % |
| Other: | 0 | - % | Other: | 1 | 2.17 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 23 | | Grand Total Occurrences: | 23 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 2.17 % |
| | | | | | | Grand Total Occurrences: | 23 | |

Total Average Daily Enrollment: 1,245
Injury Occurrence Rate*: 3.69 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

CENTRAL PA DIGITAL LEARNING FOUNDATION

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 0 | | Grand Total Occurrences: | 0 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 0 | |

Total Average Daily Enrollment: 126
Injury Occurrence Rate*: - %

CLAYSBURG-KIMMEL SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 3 | 12.50 % | Before School: | 1 | 4.17 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 4.17 % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 4 | 16.67 % | Class Time: | 5 | 20.83 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 2 | 8.33 % |
| Dislocation (Possible): | 1 | 4.17 % | P.E. Class: | 0 | - % | Corridor/Hall: | 1 | 4.17 % |
| Eye Injury: | 1 | 4.17 % | Recess: | 5 | 20.83 % | Gymnasium/Pool: | 3 | 12.50 % |
| Fracture (Possible): | 1 | 4.17 % | Sci Lab/Fam & Consumer | | | Playground: | 4 | 16.67 % |
| Sprain/Strain/Tear (Possible): | 1 | 4.17 % | Sci & Tech ED Class: | 1 | 4.17 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 1 | 4.17 % |
| Grand Total Occurrences: | 12 | | Grand Total Occurrences: | 12 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | 4.17 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 4.17 % |
| | | | | | | Grand Total Occurrences: | 12 | |

Total Average Daily Enrollment: 833
Injury Occurrence Rate*: 2.88 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

HOLLIDAYSBURG AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 1 | 0.36 % | After School: | 4 | 1.44 % | Athletic Field/Play Field: | 4 | 1.44 % |
| Concussion (Possible): | 9 | 3.24 % | Before School: | 5 | 1.80 % | Auditorium/Multipurpose: | 3 | 1.08 % |
| Cotusion: | 16 | 5.76 % | Class Change: | 27 | 9.71 % | Bus Loading Area: | 1 | 0.36 % |
| Cut/Laceration/Puncture: | 27 | 9.71 % | Class Time: | 20 | 7.19 % | Cafeteria: | 5 | 1.80 % |
| Dental Injury: | 6 | 2.16 % | Lunch Period: | 5 | 1.80 % | Classroom: | 17 | 6.12 % |
| Dislocation (Possible): | 5 | 1.80 % | P.E. Class: | 39 | 14.03 % | Corridor/Hall: | 28 | 10.07 % |
| Eye Injury: | 7 | 2.52 % | Recess: | 24 | 8.63 % | Gymnasium/Pool: | 30 | 10.79 % |
| Fracture (Possible): | 10 | 3.60 % | Sci Lab/Fam & Consumer | | | Playground: | 24 | 8.63 % |
| Sprain/Strain/Tear (Possible): | 16 | 5.76 % | Sci & Tech ED Class: | 1 | 0.36 % | Restroom: | 0 | - % |
| Other: | 42 | 15.11 % | Other: | 14 | 5.04 % | School Bus/Public Bus: | 3 | 1.08 % |
| Grand Total Occurrences: | 139 | | Grand Total Occurrences: | 139 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 0.36 % |
| | | | | | | Sidewalk: | 2 | 0.72 % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 1.08 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 18 | 6.47 % |
| | | | | | | Grand Total Occurrences: | 139 | |

Total Average Daily Enrollment: 3,722
Injury Occurrence Rate*: 7.47 %

SPRING COVE SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 1.16 % | After School: | 3 | 3.49 % | Athletic Field/Play Field: | 1 | 1.16 % |
| Concussion (Possible): | 10 | 11.63 % | Before School: | 3 | 3.49 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 1 | 1.16 % | Class Change: | 1 | 1.16 % | Bus Loading Area: | 1 | 1.16 % |
| Cut/Laceration/Puncture: | 9 | 10.47 % | Class Time: | 4 | 4.65 % | Cafeteria: | 0 | - % |
| Dental Injury: | 3 | 3.49 % | Lunch Period: | 0 | - % | Classroom: | 4 | 4.65 % |
| Dislocation (Possible): | 1 | 1.16 % | P.E. Class: | 10 | 11.63 % | Corridor/Hall: | 4 | 4.65 % |
| Eye Injury: | 1 | 1.16 % | Recess: | 15 | 17.44 % | Gymnasium/Pool: | 10 | 11.63 % |
| Fracture (Possible): | 6 | 6.98 % | Sci Lab/Fam & Consumer | | | Playground: | 15 | 17.44 % |
| Sprain/Strain/Tear (Possible): | 7 | 8.14 % | Sci & Tech ED Class: | 1 | 1.16 % | Restroom: | 1 | 1.16 % |
| Other: | 4 | 4.65 % | Other: | 6 | 6.98 % | School Bus/Public Bus: | 1 | 1.16 % |
| Grand Total Occurrences: | 43 | | Grand Total Occurrences: | 43 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 1.16 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 5 | 5.81 % |
| | | | | | | Grand Total Occurrences: | 43 | |

Total Average Daily Enrollment: 1,825
Injury Occurrence Rate*: 4.71 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

TYRONE AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 2 | 2.94 % |
| Concussion (Possible): | 4 | 5.88 % | Before School: | 2 | 2.94 % | Auditorium/Multipurpose: | 1 | 1.47 % |
| Cotusion: | 0 | - % | Class Change: | 2 | 2.94 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 17 | 25.00 % | Class Time: | 3 | 4.41 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 4 | 5.88 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 12 | 17.65 % | Corridor/Hall: | 2 | 2.94 % |
| Eye Injury: | 1 | 1.47 % | Recess: | 11 | 16.18 % | Gymnasium/Pool: | 10 | 14.71 % |
| Fracture (Possible): | 8 | 11.76 % | Sci Lab/Fam & Consumer | | | Playground: | 10 | 14.71 % |
| Sprain/Strain/Tear (Possible): | 4 | 5.88 % | Sci & Tech ED Class: | 3 | 4.41 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 1 | 1.47 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 34 | | Grand Total Occurrences: | 34 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 3 | 4.41 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 2.94 % |
| | | | | | | Grand Total Occurrences: | 34 | |

Total Average Daily Enrollment: 1,890
 Injury Occurrence Rate*: 3.60 %

WILLIAMSBURG COMMUNITY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 3 | 12.50 % |
| Concussion (Possible): | 4 | 16.67 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 1 | 4.17 % |
| Cotusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 1 | 4.17 % | Class Time: | 1 | 4.17 % | Cafeteria: | 1 | 4.17 % |
| Dental Injury: | 2 | 8.33 % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 1 | 4.17 % | P.E. Class: | 8 | 33.33 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 1 | 4.17 % | Gymnasium/Pool: | 5 | 20.83 % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 1 | 4.17 % |
| Sprain/Strain/Tear (Possible): | 3 | 12.50 % | Sci & Tech ED Class: | 1 | 4.17 % | Restroom: | 0 | - % |
| Other: | 1 | 4.17 % | Other: | 1 | 4.17 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 12 | | Grand Total Occurrences: | 12 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 4.17 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 12 | |

Total Average Daily Enrollment: 495
 Injury Occurrence Rate*: 4.85 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
 Division of School Health

BLAIR COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 2 | 0.31 % | After School: | 10 | 1.57 % | Athletic Field/Play Field: | 28 | 4.39 % |
| Concussion (Possible): | 41 | 6.43 % | Before School: | 15 | 2.35 % | Auditorium/Multipurpose: | 5 | 0.78 % |
| Contusion: | 24 | 3.76 % | Class Change: | 41 | 6.43 % | Bus Loading Area: | 2 | 0.31 % |
| Cut/Laceration/Puncture: | 75 | 11.76 % | Class Time: | 41 | 6.43 % | Cafeteria: | 7 | 1.10 % |
| Dental Injury: | 14 | 2.19 % | Lunch Period: | 6 | 0.94 % | Classroom: | 34 | 5.33 % |
| Dislocation (Possible): | 9 | 1.41 % | P.E. Class: | 78 | 12.23 % | Corridor/Hall: | 42 | 6.58 % |
| Eye Injury: | 11 | 1.72 % | Recess: | 97 | 15.20 % | Gymnasium/Pool: | 70 | 10.97 % |
| Fracture (Possible): | 56 | 8.78 % | Sci Lab/Fam & Consumer | | | Playground: | 79 | 12.38 % |
| Sprain/Strain/Tear (Possible): | 40 | 6.27 % | Sci & Tech ED Class: | 8 | 1.25 % | Restroom: | 2 | 0.31 % |
| Other: | 47 | 7.37 % | Other: | 23 | 3.61 % | School Bus/Public Bus: | 5 | 0.78 % |
| Grand Total Occurrences: | 319 | | Grand Total Occurrences: | 319 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 6 | 0.94 % |
| | | | | | | Sidewalk: | 2 | 0.31 % |
| | | | | | | Stairs/Ramp/Elevator: | 8 | 1.25 % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.16 % |
| | | | | | | Other: | 28 | 4.39 % |
| | | | | | | Grand Total Occurrences: | 319 | |

Total Average Daily Enrollment: 18,887

Injury Occurrence Rate*: 3.38 %

BIG SPRING SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 0.85 % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 4 | 3.39 % | Before School: | 3 | 2.54 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 6 | 5.08 % | Class Change: | 3 | 2.54 % | Bus Loading Area: | 1 | 0.85 % |
| Cut/Laceration/Puncture: | 5 | 4.24 % | Class Time: | 9 | 7.63 % | Cafeteria: | 4 | 3.39 % |
| Dental Injury: | 1 | 0.85 % | Lunch Period: | 4 | 3.39 % | Classroom: | 5 | 4.24 % |
| Dislocation (Possible): | 1 | 0.85 % | P.E. Class: | 7 | 5.93 % | Corridor/Hall: | 3 | 2.54 % |
| Eye Injury: | 2 | 1.69 % | Recess: | 21 | 17.80 % | Gymnasium/Pool: | 12 | 10.17 % |
| Fracture (Possible): | 21 | 17.80 % | Sci Lab/Fam & Consumer | | | Playground: | 22 | 18.64 % |
| Sprain/Strain/Tear (Possible): | 11 | 9.32 % | Sci & Tech ED Class: | 2 | 1.69 % | Restroom: | 0 | - % |
| Other: | 7 | 5.93 % | Other: | 10 | 8.47 % | School Bus/Public Bus: | 1 | 0.85 % |
| Grand Total Occurrences: | 59 | | Grand Total Occurrences: | 59 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | 1.69 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 0.85 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 8 | 6.78 % |
| | | | | | | Grand Total Occurrences: | 59 | |

Total Average Daily Enrollment: 2,575

Injury Occurrence Rate*: 4.58 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

CAMP HILL SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 3 | 6.52 % |
| Concussion (Possible): | 7 | 15.22 % | Before School: | 2 | 4.35 % | Auditorium/Multipurpose: | 1 | 2.17 % |
| Contusion: | 2 | 4.35 % | Class Change: | 2 | 4.35 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 5 | 10.87 % | Class Time: | 3 | 6.52 % | Cafeteria: | 0 | - % |
| Dental Injury: | 2 | 4.35 % | Lunch Period: | 3 | 6.52 % | Classroom: | 2 | 4.35 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 4 | 8.70 % | Corridor/Hall: | 1 | 2.17 % |
| Eye Injury: | 1 | 2.17 % | Recess: | 8 | 17.39 % | Gymnasium/Pool: | 4 | 8.70 % |
| Fracture (Possible): | 3 | 6.52 % | Sci Lab/Fam & Consumer | | | Playground: | 8 | 17.39 % |
| Sprain/Strain/Tear (Possible): | 2 | 4.35 % | Sci & Tech ED Class: | 1 | 2.17 % | Restroom: | 0 | - % |
| Other: | 1 | 2.17 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 23 | | Grand Total Occurrences: | 23 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 2.17 % |
| | | | | | | Sidewalk: | 1 | 2.17 % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 2.17 % |
| | | | | | | Street/Driveway/Parking: | 1 | 2.17 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 23 | |

Total Average Daily Enrollment: 1,522
Injury Occurrence Rate*: 3.02 %

CARLISLE AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 8 | 4.65 % | After School: | 0 | - % | Athletic Field/Play Field: | 3 | 1.74 % |
| Concussion (Possible): | 18 | 10.47 % | Before School: | 6 | 3.49 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 0.58 % | Class Change: | 7 | 4.07 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 22 | 12.79 % | Class Time: | 35 | 20.35 % | Cafeteria: | 3 | 1.74 % |
| Dental Injury: | 1 | 0.58 % | Lunch Period: | 2 | 1.16 % | Classroom: | 13 | 7.56 % |
| Dislocation (Possible): | 2 | 1.16 % | P.E. Class: | 9 | 5.23 % | Corridor/Hall: | 9 | 5.23 % |
| Eye Injury: | 2 | 1.16 % | Recess: | 18 | 10.47 % | Gymnasium/Pool: | 19 | 11.05 % |
| Fracture (Possible): | 19 | 11.05 % | Sci Lab/Fam & Consumer | | | Playground: | 23 | 13.37 % |
| Sprain/Strain/Tear (Possible): | 7 | 4.07 % | Sci & Tech ED Class: | 9 | 5.23 % | Restroom: | 2 | 1.16 % |
| Other: | 6 | 3.49 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 86 | | Grand Total Occurrences: | 86 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 9 | 5.23 % |
| | | | | | | Sidewalk: | 2 | 1.16 % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 0.58 % |
| | | | | | | Street/Driveway/Parking: | 2 | 1.16 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 86 | |

Total Average Daily Enrollment: 4,892
Injury Occurrence Rate*: 3.52 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

CUMBERLAND VALLEY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 4 | 2.78 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 3 | 2.08 % | Before School: | 2 | 1.39 % | Auditorium/Multipurpose: | 1 | 0.69 % |
| Cotusion: | 4 | 2.78 % | Class Change: | 3 | 2.08 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 15 | 10.42 % | Class Time: | 19 | 13.19 % | Cafeteria: | 2 | 1.39 % |
| Dental Injury: | 2 | 1.39 % | Lunch Period: | 12 | 8.33 % | Classroom: | 8 | 5.56 % |
| Dislocation (Possible): | 2 | 1.39 % | P.E. Class: | 23 | 15.97 % | Corridor/Hall: | 2 | 1.39 % |
| Eye Injury: | 4 | 2.78 % | Recess: | 5 | 3.47 % | Gymnasium/Pool: | 12 | 8.33 % |
| Fracture (Possible): | 22 | 15.28 % | Sci Lab/Fam & Consumer | | | Playground: | 23 | 15.97 % |
| Sprain/Strain/Tear (Possible): | 10 | 6.94 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 10 | 6.94 % | Other: | 4 | 2.78 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 72 | | Grand Total Occurrences: | 72 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 7 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 0.69 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 16 | 11.11 % |
| | | | | | | Grand Total Occurrences: | 72 | |

Total Average Daily Enrollment: 7,675
Injury Occurrence Rate*: 1.88 %

EAST PENNSBORO AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 1 | 5.00 % |
| Cotusion: | 1 | 5.00 % | Class Change: | 1 | 5.00 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 2 | 10.00 % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 5.00 % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 1 | 5.00 % | P.E. Class: | 7 | 35.00 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 2 | 10.00 % | Gymnasium/Pool: | 6 | 30.00 % |
| Fracture (Possible): | 3 | 15.00 % | Sci Lab/Fam & Consumer | | | Playground: | 2 | 10.00 % |
| Sprain/Strain/Tear (Possible): | 2 | 10.00 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 10 | | Grand Total Occurrences: | 10 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 5.00 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 10 | |

Total Average Daily Enrollment: 3,007
Injury Occurrence Rate*: 0.67 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

MECHANICSBURG AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 0.60 % | Athletic Field/Play Field: | 5 | 2.98 % |
| Concussion (Possible): | 21 | 12.50 % | Before School: | 9 | 5.36 % | Auditorium/Multipurpose: | 1 | 0.60 % |
| Cotusion: | 6 | 3.57 % | Class Change: | 5 | 2.98 % | Bus Loading Area: | 2 | 1.19 % |
| Cut/Laceration/Puncture: | 13 | 7.74 % | Class Time: | 37 | 22.02 % | Cafeteria: | 3 | 1.79 % |
| Dental Injury: | 4 | 2.38 % | Lunch Period: | 4 | 2.38 % | Classroom: | 11 | 6.55 % |
| Dislocation (Possible): | 1 | 0.60 % | P.E. Class: | 9 | 5.36 % | Corridor/Hall: | 7 | 4.17 % |
| Eye Injury: | 3 | 1.79 % | Recess: | 15 | 8.93 % | Gymnasium/Pool: | 28 | 16.67 % |
| Fracture (Possible): | 16 | 9.52 % | Sci Lab/Fam & Consumer | | | Playground: | 16 | 9.52 % |
| Sprain/Strain/Tear (Possible): | 6 | 3.57 % | Sci & Tech ED Class: | 3 | 1.79 % | Restroom: | 1 | 0.60 % |
| Other: | 14 | 8.33 % | Other: | 1 | 0.60 % | School Bus/Public Bus: | 5 | 2.98 % |
| Grand Total Occurrences: | 84 | | Grand Total Occurrences: | 84 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 3 | 1.79 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 2 | 1.19 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 84 | |

Total Average Daily Enrollment: 4,424
Injury Occurrence Rate*: 3.80 %

SHIPPENSBURG AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 3 | 2.38 % | After School: | 1 | 0.79 % | Athletic Field/Play Field: | 4 | 3.17 % |
| Concussion (Possible): | 4 | 3.17 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 0 | - % | Class Change: | 7 | 5.56 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 15 | 11.90 % | Class Time: | 7 | 5.56 % | Cafeteria: | 1 | 0.79 % |
| Dental Injury: | 5 | 3.97 % | Lunch Period: | 1 | 0.79 % | Classroom: | 5 | 3.97 % |
| Dislocation (Possible): | 3 | 2.38 % | P.E. Class: | 15 | 11.90 % | Corridor/Hall: | 9 | 7.14 % |
| Eye Injury: | 2 | 1.59 % | Recess: | 24 | 19.05 % | Gymnasium/Pool: | 12 | 9.52 % |
| Fracture (Possible): | 23 | 18.25 % | Sci Lab/Fam & Consumer | | | Playground: | 23 | 18.25 % |
| Sprain/Strain/Tear (Possible): | 8 | 6.35 % | Sci & Tech ED Class: | 8 | 6.35 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 63 | | Grand Total Occurrences: | 63 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 8 | 6.35 % |
| | | | | | | Sidewalk: | 1 | 0.79 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 63 | |

Total Average Daily Enrollment: 3,544
Injury Occurrence Rate*: 3.56 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

SOUTH MIDDLETON SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 0.78 % | After School: | 1 | 0.78 % | Athletic Field/Play Field: | 4 | 3.13 % |
| Concussion (Possible): | 12 | 9.38 % | Before School: | 2 | 1.56 % | Auditorium/Multipurpose: | 3 | 2.34 % |
| Contusion: | 3 | 2.34 % | Class Change: | 3 | 2.34 % | Bus Loading Area: | 1 | 0.78 % |
| Cut/Laceration/Puncture: | 14 | 10.94 % | Class Time: | 10 | 7.81 % | Cafeteria: | 2 | 1.56 % |
| Dental Injury: | 1 | 0.78 % | Lunch Period: | 2 | 1.56 % | Classroom: | 7 | 5.47 % |
| Dislocation (Possible): | 2 | 1.56 % | P.E. Class: | 16 | 12.50 % | Corridor/Hall: | 2 | 1.56 % |
| Eye Injury: | 2 | 1.56 % | Recess: | 25 | 19.53 % | Gymnasium/Pool: | 17 | 13.28 % |
| Fracture (Possible): | 16 | 12.50 % | Sci Lab/Fam & Consumer | | | Playground: | 19 | 14.84 % |
| Sprain/Strain/Tear (Possible): | 12 | 9.38 % | Sci & Tech ED Class: | 2 | 1.56 % | Restroom: | 2 | 1.56 % |
| Other: | 1 | 0.78 % | Other: | 3 | 2.34 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 64 | | Grand Total Occurrences: | 64 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | 1.56 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 1.56 % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.78 % |
| | | | | | | Other: | 2 | 1.56 % |
| | | | | | | Grand Total Occurrences: | 64 | |

Total Average Daily Enrollment: 2,441
Injury Occurrence Rate*: 5.24 %

CUMBERLAND COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 13 | 1.41 % | After School: | 7 | 0.76 % | Athletic Field/Play Field: | 19 | 2.06 % |
| Concussion (Possible): | 69 | 7.48 % | Before School: | 24 | 2.60 % | Auditorium/Multipurpose: | 7 | 0.76 % |
| Contusion: | 23 | 2.49 % | Class Change: | 31 | 3.36 % | Bus Loading Area: | 4 | 0.43 % |
| Cut/Laceration/Puncture: | 91 | 9.87 % | Class Time: | 120 | 13.02 % | Cafeteria: | 15 | 1.63 % |
| Dental Injury: | 17 | 1.84 % | Lunch Period: | 28 | 3.04 % | Classroom: | 51 | 5.53 % |
| Dislocation (Possible): | 12 | 1.30 % | P.E. Class: | 90 | 9.76 % | Corridor/Hall: | 33 | 3.58 % |
| Eye Injury: | 16 | 1.74 % | Recess: | 118 | 12.80 % | Gymnasium/Pool: | 110 | 11.93 % |
| Fracture (Possible): | 123 | 13.34 % | Sci Lab/Fam & Consumer | | | Playground: | 136 | 14.75 % |
| Sprain/Strain/Tear (Possible): | 58 | 6.29 % | Sci & Tech ED Class: | 25 | 2.71 % | Restroom: | 5 | 0.54 % |
| Other: | 39 | 4.23 % | Other: | 18 | 1.95 % | School Bus/Public Bus: | 6 | 0.65 % |
| Grand Total Occurrences: | 461 | | Grand Total Occurrences: | 461 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 32 | 3.47 % |
| | | | | | | Sidewalk: | 4 | 0.43 % |
| | | | | | | Stairs/Ramp/Elevator: | 7 | 0.76 % |
| | | | | | | Street/Driveway/Parking: | 6 | 0.65 % |
| | | | | | | Other: | 26 | 2.82 % |
| | | | | | | Grand Total Occurrences: | 461 | |

Total Average Daily Enrollment: 30,080
Injury Occurrence Rate*: 3.07 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

CENTRAL DAUPHIN SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 3 | 0.67 % | After School: | 6 | 1.35 % | Athletic Field/Play Field: | 13 | 2.91 % |
| Concussion (Possible): | 40 | 8.97 % | Before School: | 8 | 1.79 % | Auditorium/Multipurpose: | 4 | 0.90 % |
| Cotusion: | 14 | 3.14 % | Class Change: | 13 | 2.91 % | Bus Loading Area: | 1 | 0.22 % |
| Cut/Laceration/Puncture: | 39 | 8.74 % | Class Time: | 34 | 7.62 % | Cafeteria: | 7 | 1.57 % |
| Dental Injury: | 20 | 4.48 % | Lunch Period: | 5 | 1.12 % | Classroom: | 30 | 6.73 % |
| Dislocation (Possible): | 2 | 0.45 % | P.E. Class: | 58 | 13.00 % | Corridor/Hall: | 11 | 2.47 % |
| Eye Injury: | 5 | 1.12 % | Recess: | 82 | 18.39 % | Gymnasium/Pool: | 44 | 9.87 % |
| Fracture (Possible): | 36 | 8.07 % | Sci Lab/Fam & Consumer | | | Playground: | 88 | 19.73 % |
| Sprain/Strain/Tear (Possible): | 39 | 8.74 % | Sci & Tech ED Class: | 2 | 0.45 % | Restroom: | 4 | 0.90 % |
| Other: | 25 | 5.61 % | Other: | 15 | 3.36 % | School Bus/Public Bus: | 4 | 0.90 % |
| Grand Total Occurrences: | 223 | | Grand Total Occurrences: | 223 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | 0.45 % |
| | | | | | | Sidewalk: | 2 | 0.45 % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 0.45 % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.22 % |
| | | | | | | Other: | 10 | 2.24 % |
| | | | | | | Grand Total Occurrences: | 223 | |

Total Average Daily Enrollment: 12,369

Injury Occurrence Rate*: 3.61 %

COMMONWEALTH CONNECTIONS ACADEMY CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 0 | | Grand Total Occurrences: | 0 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 0 | |

Total Average Daily Enrollment: 6,938

Injury Occurrence Rate*: - %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

DAUPHIN COUNTY TECHNICAL SCHOOL

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 1 | 25.00 % |
| Concussion (Possible): | 1 | 25.00 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 1 | 25.00 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 1 | 25.00 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 2 | 50.00 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 2 | 50.00 % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 3 | 75.00 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 1 | 25.00 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 4 | | Grand Total Occurrences: | 4 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 4 | |

Total Average Daily Enrollment: 945
Injury Occurrence Rate*: 0.42 %

DERRY TOWNSHIP SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 1.92 % | Athletic Field/Play Field: | 1 | 1.92 % |
| Concussion (Possible): | 1 | 1.92 % | Before School: | 6 | 11.54 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 1.92 % | Class Change: | 1 | 1.92 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 6 | 11.54 % | Class Time: | 4 | 7.69 % | Cafeteria: | 1 | 1.92 % |
| Dental Injury: | 4 | 7.69 % | Lunch Period: | 1 | 1.92 % | Classroom: | 3 | 5.77 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 1 | 1.92 % | Recess: | 5 | 9.62 % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 8 | 15.38 % | Sci Lab/Fam & Consumer | | | Playground: | 10 | 19.23 % |
| Sprain/Strain/Tear (Possible): | 4 | 7.69 % | Sci & Tech ED Class: | 8 | 15.38 % | Restroom: | 8 | 15.38 % |
| Other: | 1 | 1.92 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 26 | | Grand Total Occurrences: | 26 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | 15.38 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 1.92 % |
| | | | | | | Street/Driveway/Parking: | 1 | 1.92 % |
| | | | | | | Other: | 1 | 1.92 % |
| | | | | | | Grand Total Occurrences: | 26 | |

Total Average Daily Enrollment: 4,159
Injury Occurrence Rate*: 1.25 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

HALIFAX AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 3 | 6.25 % |
| Concussion (Possible): | 7 | 14.58 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 2.08 % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 2 | 4.17 % | Class Time: | 5 | 10.42 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 3 | 6.25 % |
| Dislocation (Possible): | 1 | 2.08 % | P.E. Class: | 16 | 33.33 % | Corridor/Hall: | 1 | 2.08 % |
| Eye Injury: | 0 | - % | Recess: | 2 | 4.17 % | Gymnasium/Pool: | 14 | 29.17 % |
| Fracture (Possible): | 8 | 16.67 % | Sci Lab/Fam & Consumer | | | Playground: | 2 | 4.17 % |
| Sprain/Strain/Tear (Possible): | 5 | 10.42 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 2.08 % |
| Other: | 0 | - % | Other: | 1 | 2.08 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 24 | | Grand Total Occurrences: | 24 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 24 | |

Total Average Daily Enrollment: 1,069
Injury Occurrence Rate*: 4.49 %

HARRISBURG CITY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 1 | 0.40 % |
| Concussion (Possible): | 10 | 3.97 % | Before School: | 37 | 14.68 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 16 | 6.35 % | Class Change: | 21 | 8.33 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 7 | 2.78 % | Class Time: | 20 | 7.94 % | Cafeteria: | 4 | 1.59 % |
| Dental Injury: | 1 | 0.40 % | Lunch Period: | 4 | 1.59 % | Classroom: | 15 | 5.95 % |
| Dislocation (Possible): | 1 | 0.40 % | P.E. Class: | 26 | 10.32 % | Corridor/Hall: | 14 | 5.56 % |
| Eye Injury: | 8 | 3.17 % | Recess: | 16 | 6.35 % | Gymnasium/Pool: | 24 | 9.52 % |
| Fracture (Possible): | 20 | 7.94 % | Sci Lab/Fam & Consumer | | | Playground: | 8 | 3.17 % |
| Sprain/Strain/Tear (Possible): | 21 | 8.33 % | Sci & Tech ED Class: | 1 | 0.40 % | Restroom: | 7 | 2.78 % |
| Other: | 42 | 16.67 % | Other: | 1 | 0.40 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 126 | | Grand Total Occurrences: | 126 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 0.40 % |
| | | | | | | Sidewalk: | 3 | 1.19 % |
| | | | | | | Stairs/Ramp/Elevator: | 10 | 3.97 % |
| | | | | | | Street/Driveway/Parking: | 3 | 1.19 % |
| | | | | | | Other: | 36 | 14.29 % |
| | | | | | | Grand Total Occurrences: | 126 | |

Total Average Daily Enrollment: 7,233
Injury Occurrence Rate*: 3.48 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

INFINITY CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 1 | 33.33 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 1 | 33.33 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 2 | 66.67 % | Gymnasium/Pool: | 1 | 33.33 % |
| Fracture (Possible): | 2 | 66.67 % | Sci Lab/Fam & Consumer | | | Playground: | 2 | 66.67 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 3 | | Grand Total Occurrences: | 3 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 3 | |

Total Average Daily Enrollment: 121
Injury Occurrence Rate*: 2.48 %

LOWER DAUPHIN SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 2 | 1.72 % | After School: | 1 | 0.86 % | Athletic Field/Play Field: | 10 | 8.62 % |
| Concussion (Possible): | 9 | 7.76 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 1 | 0.86 % |
| Contusion: | 6 | 5.17 % | Class Change: | 6 | 5.17 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 18 | 15.52 % | Class Time: | 11 | 9.48 % | Cafeteria: | 2 | 1.72 % |
| Dental Injury: | 4 | 3.45 % | Lunch Period: | 2 | 1.72 % | Classroom: | 5 | 4.31 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 18 | 15.52 % | Corridor/Hall: | 8 | 6.90 % |
| Eye Injury: | 3 | 2.59 % | Recess: | 11 | 9.48 % | Gymnasium/Pool: | 10 | 8.62 % |
| Fracture (Possible): | 11 | 9.48 % | Sci Lab/Fam & Consumer | | | Playground: | 8 | 6.90 % |
| Sprain/Strain/Tear (Possible): | 2 | 1.72 % | Sci & Tech ED Class: | 6 | 5.17 % | Restroom: | 1 | 0.86 % |
| Other: | 3 | 2.59 % | Other: | 3 | 2.59 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 58 | | Grand Total Occurrences: | 58 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 8 | 5.17 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.86 % |
| | | | | | | Other: | 4 | 3.45 % |
| | | | | | | Grand Total Occurrences: | 58 | |

Total Average Daily Enrollment: 3,765
Injury Occurrence Rate*: 3.08 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

MIDDLETOWN AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 8 | 7.41 % |
| Concussion (Possible): | 12 | 11.11 % | Before School: | 2 | 1.85 % | Auditorium/Multipurpose: | 1 | 0.93 % |
| Cotusion: | 2 | 1.85 % | Class Change: | 1 | 0.93 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 7 | 6.48 % | Class Time: | 6 | 5.56 % | Cafeteria: | 1 | 0.93 % |
| Dental Injury: | 1 | 0.93 % | Lunch Period: | 1 | 0.93 % | Classroom: | 2 | 1.85 % |
| Dislocation (Possible): | 2 | 1.85 % | P.E. Class: | 27 | 25.00 % | Corridor/Hall: | 1 | 0.93 % |
| Eye Injury: | 3 | 2.78 % | Recess: | 16 | 14.81 % | Gymnasium/Pool: | 20 | 18.52 % |
| Fracture (Possible): | 14 | 12.96 % | Sci Lab/Fam & Consumer | | | Playground: | 17 | 15.74 % |
| Sprain/Strain/Tear (Possible): | 13 | 12.04 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 0.93 % |
| Other: | 0 | - % | Other: | 1 | 0.93 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 54 | | Grand Total Occurrences: | 54 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 1.85 % |
| | | | | | | Grand Total Occurrences: | 54 | |

Total Average Daily Enrollment: 2,496
Injury Occurrence Rate*: 4.33 %

MILLERSBURG AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 1 | 7.14 % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 1 | 7.14 % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 1 | 7.14 % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 4 | 28.57 % | Corridor/Hall: | 1 | 7.14 % |
| Eye Injury: | 0 | - % | Recess: | 2 | 14.29 % | Gymnasium/Pool: | 3 | 21.43 % |
| Fracture (Possible): | 4 | 28.57 % | Sci Lab/Fam & Consumer | | | Playground: | 2 | 14.29 % |
| Sprain/Strain/Tear (Possible): | 2 | 14.29 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 7 | | Grand Total Occurrences: | 7 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 7 | |

Total Average Daily Enrollment: 907
Injury Occurrence Rate*: 1.54 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

STEELTON-HIGHSPIRE SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 2.17 % | After School: | 1 | 2.17 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 4 | 8.70 % | Before School: | 1 | 2.17 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 1 | 2.17 % |
| Cut/Laceration/Puncture: | 2 | 4.35 % | Class Time: | 2 | 4.35 % | Cafeteria: | 1 | 2.17 % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 2 | 4.35 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 13 | 28.26 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 6 | 13.04 % | Gymnasium/Pool: | 13 | 28.26 % |
| Fracture (Possible): | 12 | 26.09 % | Sci Lab/Fam & Consumer | | | Playground: | 6 | 13.04 % |
| Sprain/Strain/Tear (Possible): | 4 | 8.70 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 23 | | Grand Total Occurrences: | 23 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 23 | |

Total Average Daily Enrollment: 1,357
Injury Occurrence Rate*: 3.39 %

SUSQUEHANNA TOWNSHIP SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 8 | 5.00 % | After School: | 1 | 0.63 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 8 | 5.00 % | Before School: | 1 | 0.63 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 12 | 7.50 % | Class Change: | 4 | 2.50 % | Bus Loading Area: | 2 | 1.25 % |
| Cut/Laceration/Puncture: | 33 | 20.63 % | Class Time: | 10 | 6.25 % | Cafeteria: | 3 | 1.88 % |
| Dental Injury: | 1 | 0.63 % | Lunch Period: | 3 | 1.88 % | Classroom: | 17 | 10.63 % |
| Dislocation (Possible): | 2 | 1.25 % | P.E. Class: | 37 | 23.13 % | Corridor/Hall: | 9 | 5.63 % |
| Eye Injury: | 2 | 1.25 % | Recess: | 7 | 4.38 % | Gymnasium/Pool: | 23 | 14.38 % |
| Fracture (Possible): | 6 | 3.75 % | Sci Lab/Fam & Consumer | | | Playground: | 7 | 4.38 % |
| Sprain/Strain/Tear (Possible): | 6 | 3.75 % | Sci & Tech ED Class: | 17 | 10.63 % | Restroom: | 2 | 1.25 % |
| Other: | 2 | 1.25 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 80 | | Grand Total Occurrences: | 80 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 17 | 10.63 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 80 | |

Total Average Daily Enrollment: 3,006
Injury Occurrence Rate*: 5.32 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

SYLVAN HEIGHTS SCIENCE CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|----------|--|----------|----------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 2 | 66.67 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 3 | 100.00 % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 1 | 33.33 % | Sci Lab/Fam & Consumer | | | Playground: | 3 | 100.00 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 3 | | Grand Total Occurrences: | 3 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 3 | |

Total Average Daily Enrollment: 220
Injury Occurrence Rate*: 1.36 %

UPPER DAUPHIN AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 1 | 7.14 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 7.14 % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 1 | 7.14 % | Class Time: | 1 | 7.14 % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 7.14 % | Lunch Period: | 0 | - % | Classroom: | 1 | 7.14 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 2 | 14.29 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 1 | 7.14 % | Recess: | 3 | 21.43 % | Gymnasium/Pool: | 2 | 14.29 % |
| Fracture (Possible): | 1 | 7.14 % | Sci Lab/Fam & Consumer | | | Playground: | 3 | 21.43 % |
| Sprain/Strain/Tear (Possible): | 1 | 7.14 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 7.14 % |
| Other: | 0 | - % | Other: | 1 | 7.14 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 7 | | Grand Total Occurrences: | 7 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 7 | |

Total Average Daily Enrollment: 1,227
Injury Occurrence Rate*: 1.14 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

DAUPHIN COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 14 | 1.11 % | After School: | 10 | 0.79 % | Athletic Field/Play Field: | 38 | 3.00 % |
| Concussion (Possible): | 96 | 7.58 % | Before School: | 55 | 4.34 % | Auditorium/Multipurpose: | 6 | 0.47 % |
| Contusion: | 53 | 4.19 % | Class Change: | 46 | 3.63 % | Bus Loading Area: | 4 | 0.32 % |
| Cut/Laceration/Puncture: | 116 | 9.16 % | Class Time: | 94 | 7.42 % | Cafeteria: | 19 | 1.50 % |
| Dental Injury: | 32 | 2.53 % | Lunch Period: | 17 | 1.34 % | Classroom: | 79 | 6.24 % |
| Dislocation (Possible): | 8 | 0.63 % | P.E. Class: | 204 | 16.11 % | Corridor/Hall: | 45 | 3.55 % |
| Eye Injury: | 23 | 1.82 % | Recess: | 155 | 12.24 % | Gymnasium/Pool: | 156 | 12.32 % |
| Fracture (Possible): | 123 | 9.72 % | Sci Lab/Fam & Consumer | | | Playground: | 156 | 12.32 % |
| Sprain/Strain/Tear (Possible): | 100 | 7.90 % | Sci & Tech ED Class: | 34 | 2.69 % | Restroom: | 25 | 1.97 % |
| Other: | 73 | 5.77 % | Other: | 23 | 1.82 % | School Bus/Public Bus: | 4 | 0.32 % |
| Grand Total Occurrences: | 638 | | Grand Total Occurrences: | 638 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 29 | 2.29 % |
| | | | | | | Sidewalk: | 5 | 0.39 % |
| | | | | | | Stairs/Ramp/Elevator: | 13 | 1.03 % |
| | | | | | | Street/Driveway/Parking: | 6 | 0.47 % |
| | | | | | | Other: | 53 | 4.19 % |
| | | | | | | Grand Total Occurrences: | 638 | |

Total Average Daily Enrollment: 45,810
 Injury Occurrence Rate*: 2.76 %

CHAMBERSBURG AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 18 | 2.43 % | After School: | 6 | 0.81 % | Athletic Field/Play Field: | 25 | 3.37 % |
| Concussion (Possible): | 57 | 7.68 % | Before School: | 13 | 1.75 % | Auditorium/Multipurpose: | 1 | 0.13 % |
| Contusion: | 31 | 4.18 % | Class Change: | 72 | 9.70 % | Bus Loading Area: | 4 | 0.54 % |
| Cut/Laceration/Puncture: | 85 | 11.46 % | Class Time: | 42 | 5.66 % | Cafeteria: | 10 | 1.35 % |
| Dental Injury: | 10 | 1.35 % | Lunch Period: | 12 | 1.62 % | Classroom: | 60 | 8.09 % |
| Dislocation (Possible): | 13 | 1.75 % | P.E. Class: | 94 | 12.67 % | Corridor/Hall: | 32 | 4.31 % |
| Eye Injury: | 14 | 1.89 % | Recess: | 68 | 9.16 % | Gymnasium/Pool: | 95 | 12.80 % |
| Fracture (Possible): | 37 | 4.99 % | Sci Lab/Fam & Consumer | | | Playground: | 72 | 9.70 % |
| Sprain/Strain/Tear (Possible): | 65 | 8.76 % | Sci & Tech ED Class: | 25 | 3.37 % | Restroom: | 3 | 0.40 % |
| Other: | 41 | 5.53 % | Other: | 39 | 5.26 % | School Bus/Public Bus: | 4 | 0.54 % |
| Grand Total Occurrences: | 371 | | Grand Total Occurrences: | 371 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 25 | 3.37 % |
| | | | | | | Sidewalk: | 2 | 0.27 % |
| | | | | | | Stairs/Ramp/Elevator: | 10 | 1.35 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 28 | 3.77 % |
| | | | | | | Grand Total Occurrences: | 371 | |

Total Average Daily Enrollment: 9,976
 Injury Occurrence Rate*: 7.44 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
 Division of School Health

FANNETT-METAL SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 1 | 16.67 % | Class Time: | 1 | 16.67 % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 16.67 % | Lunch Period: | 1 | 16.67 % | Classroom: | 1 | 16.67 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 1 | 16.67 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 1 | 16.67 % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 1 | 16.67 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 3 | | Grand Total Occurrences: | 3 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 16.67 % |
| | | | | | | Grand Total Occurrences: | 3 | |

Total Average Daily Enrollment: 543
Injury Occurrence Rate*: 1.10 %

GREENCASTLE-ANTRIM SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 2.17 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 6 | 13.04 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 0 | - % | Class Change: | 1 | 2.17 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 5 | 10.87 % | Class Time: | 1 | 2.17 % | Cafeteria: | 1 | 2.17 % |
| Dental Injury: | 3 | 6.52 % | Lunch Period: | 1 | 2.17 % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 7 | 15.22 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 1 | 2.17 % | Recess: | 11 | 23.91 % | Gymnasium/Pool: | 7 | 15.22 % |
| Fracture (Possible): | 6 | 13.04 % | Sci Lab/Fam & Consumer | | | Playground: | 11 | 23.91 % |
| Sprain/Strain/Tear (Possible): | 2 | 4.35 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 1 | 2.17 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 23 | | Grand Total Occurrences: | 23 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 4 | 8.70 % |
| | | | | | | Grand Total Occurrences: | 23 | |

Total Average Daily Enrollment: 3,022
Injury Occurrence Rate*: 1.52 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

TUSCARORA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 1 | 0.50 % | After School: | 1 | 0.50 % | Athletic Field/Play Field: | 7 | 3.47 % |
| Concussion (Possible): | 24 | 11.88 % | Before School: | 7 | 3.47 % | Auditorium/Multipurpose: | 4 | 1.98 % |
| Cotusion: | 4 | 1.98 % | Class Change: | 4 | 1.98 % | Bus Loading Area: | 1 | 0.50 % |
| Cut/Laceration/Puncture: | 9 | 4.46 % | Class Time: | 17 | 8.42 % | Cafeteria: | 3 | 1.49 % |
| Dental Injury: | 2 | 0.99 % | Lunch Period: | 2 | 0.99 % | Classroom: | 13 | 6.44 % |
| Dislocation (Possible): | 1 | 0.50 % | P.E. Class: | 42 | 20.79 % | Corridor/Hall: | 6 | 2.97 % |
| Eye Injury: | 3 | 1.49 % | Recess: | 28 | 13.86 % | Gymnasium/Pool: | 33 | 16.34 % |
| Fracture (Possible): | 43 | 21.29 % | Sci Lab/Fam & Consumer | | | Playground: | 26 | 12.87 % |
| Sprain/Strain/Tear (Possible): | 11 | 5.45 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 3 | 1.49 % | Other: | 0 | - % | School Bus/Public Bus: | 2 | 0.99 % |
| Grand Total Occurrences: | 101 | | Grand Total Occurrences: | 101 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | - % |
| | | | | | | Sidewalk: | 1 | 0.50 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 3 | 1.49 % |
| | | | | | | Other: | 1 | 0.50 % |
| | | | | | | Grand Total Occurrences: | 101 | |

Total Average Daily Enrollment: 2,637
Injury Occurrence Rate*: 7.66 %

WAYNESBORO AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 6 | 6.67 % |
| Concussion (Possible): | 3 | 3.33 % | Before School: | 7 | 7.78 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 5 | 5.56 % | Class Change: | 3 | 3.33 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 9 | 10.00 % | Class Time: | 5 | 5.56 % | Cafeteria: | 2 | 2.22 % |
| Dental Injury: | 2 | 2.22 % | Lunch Period: | 1 | 1.11 % | Classroom: | 5 | 5.56 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 18 | 20.00 % | Corridor/Hall: | 4 | 4.44 % |
| Eye Injury: | 1 | 1.11 % | Recess: | 10 | 11.11 % | Gymnasium/Pool: | 15 | 16.67 % |
| Fracture (Possible): | 17 | 18.89 % | Sci Lab/Fam & Consumer | | | Playground: | 6 | 6.67 % |
| Sprain/Strain/Tear (Possible): | 6 | 6.67 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 2 | 2.22 % | Other: | 1 | 1.11 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 45 | | Grand Total Occurrences: | 45 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 2 | 2.22 % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 1.11 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 4 | 4.44 % |
| | | | | | | Grand Total Occurrences: | 45 | |

Total Average Daily Enrollment: 4,397
Injury Occurrence Rate*: 2.05 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

FRANKLIN COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 19 | 1.75 % | After School: | 8 | 0.74 % | Athletic Field/Play Field: | 38 | 3.50 % |
| Concussion (Possible): | 90 | 8.29 % | Before School: | 27 | 2.49 % | Auditorium/Multipurpose: | 5 | 0.46 % |
| Contusion: | 40 | 3.68 % | Class Change: | 80 | 7.37 % | Bus Loading Area: | 5 | 0.46 % |
| Cut/Laceration/Puncture: | 109 | 10.04 % | Class Time: | 66 | 6.08 % | Cafeteria: | 16 | 1.47 % |
| Dental Injury: | 18 | 1.66 % | Lunch Period: | 17 | 1.57 % | Classroom: | 79 | 7.27 % |
| Dislocation (Possible): | 14 | 1.29 % | P.E. Class: | 162 | 14.92 % | Corridor/Hall: | 42 | 3.87 % |
| Eye Injury: | 19 | 1.75 % | Recess: | 117 | 10.77 % | Gymnasium/Pool: | 151 | 13.90 % |
| Fracture (Possible): | 103 | 9.48 % | Sci Lab/Fam & Consumer | | | Playground: | 115 | 10.59 % |
| Sprain/Strain/Tear (Possible): | 84 | 7.73 % | Sci & Tech ED Class: | 25 | 2.30 % | Restroom: | 3 | 0.28 % |
| Other: | 47 | 4.33 % | Other: | 41 | 3.78 % | School Bus/Public Bus: | 6 | 0.55 % |
| Grand Total Occurrences: | 543 | | Grand Total Occurrences: | 543 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 26 | 2.39 % |
| | | | | | | Sidewalk: | 5 | 0.46 % |
| | | | | | | Stairs/Ramp/Elevator: | 11 | 1.01 % |
| | | | | | | Street/Driveway/Parking: | 3 | 0.28 % |
| | | | | | | Other: | 38 | 3.50 % |
| | | | | | | Grand Total Occurrences: | 543 | |

Total Average Daily Enrollment: 20,576

Injury Occurrence Rate*: 5.28 %

CENTRAL FULTON SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 2 | 4.76 % |
| Concussion (Possible): | 3 | 7.14 % | Before School: | 1 | 2.38 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 2 | 4.76 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 10 | 23.81 % | Class Time: | 3 | 7.14 % | Cafeteria: | 1 | 2.38 % |
| Dental Injury: | 1 | 2.38 % | Lunch Period: | 1 | 2.38 % | Classroom: | 3 | 7.14 % |
| Dislocation (Possible): | 1 | 2.38 % | P.E. Class: | 5 | 11.90 % | Corridor/Hall: | 2 | 4.76 % |
| Eye Injury: | 0 | - % | Recess: | 6 | 14.29 % | Gymnasium/Pool: | 4 | 9.52 % |
| Fracture (Possible): | 5 | 11.90 % | Sci Lab/Fam & Consumer | | | Playground: | 5 | 11.90 % |
| Sprain/Strain/Tear (Possible): | 1 | 2.38 % | Sci & Tech ED Class: | 1 | 2.38 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 2 | 4.76 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 21 | | Grand Total Occurrences: | 21 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 2.38 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 7.14 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 21 | |

Total Average Daily Enrollment: 980

Injury Occurrence Rate*: 4.29 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

FORBES ROAD SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 5 | 12.50 % | Athletic Field/Play Field: | 1 | 2.50 % |
| Concussion (Possible): | 6 | 15.00 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 1 | 2.50 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 3 | 7.50 % | Class Time: | 2 | 5.00 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 3 | 7.50 % | Classroom: | 1 | 2.50 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 2 | 5.00 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 1 | 2.50 % | Recess: | 3 | 7.50 % | Gymnasium/Pool: | 10 | 25.00 % |
| Fracture (Possible): | 5 | 12.50 % | Sci Lab/Fam & Consumer | | | Playground: | 2 | 5.00 % |
| Sprain/Strain/Tear (Possible): | 5 | 12.50 % | Sci & Tech ED Class: | 4 | 10.00 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 20 | | Grand Total Occurrences: | 20 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 3 | 10.00 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 2.50 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 5.00 % |
| | | | | | | Grand Total Occurrences: | 20 | |

Total Average Daily Enrollment: 386
Injury Occurrence Rate*: 10.37 %

SOUTHERN FULTON SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 2 | 6.67 % | After School: | 0 | - % | Athletic Field/Play Field: | 1 | 3.33 % |
| Concussion (Possible): | 1 | 3.33 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 2 | 6.67 % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 4 | 13.33 % | Class Time: | 8 | 26.67 % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 3.33 % | Lunch Period: | 0 | - % | Classroom: | 1 | 3.33 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 2 | 6.67 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 4 | 13.33 % | Gymnasium/Pool: | 2 | 6.67 % |
| Fracture (Possible): | 4 | 13.33 % | Sci Lab/Fam & Consumer | | | Playground: | 4 | 13.33 % |
| Sprain/Strain/Tear (Possible): | 1 | 3.33 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 1 | 3.33 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 15 | | Grand Total Occurrences: | 15 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 6 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 3.33 % |
| | | | | | | Grand Total Occurrences: | 15 | |

Total Average Daily Enrollment: 846
Injury Occurrence Rate*: 3.55 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

FULTON COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 2 | 1.79 % | After School: | 5 | 4.46 % | Athletic Field/Play Field: | 4 | 3.57 % |
| Concussion (Possible): | 10 | 8.93 % | Before School: | 1 | 0.89 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 2 | 1.79 % | Class Change: | 3 | 2.68 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 17 | 15.18 % | Class Time: | 13 | 11.61 % | Cafeteria: | 1 | 0.89 % |
| Dental Injury: | 2 | 1.79 % | Lunch Period: | 4 | 3.57 % | Classroom: | 5 | 4.46 % |
| Dislocation (Possible): | 1 | 0.89 % | P.E. Class: | 9 | 8.04 % | Corridor/Hall: | 2 | 1.79 % |
| Eye Injury: | 1 | 0.89 % | Recess: | 13 | 11.61 % | Gymnasium/Pool: | 16 | 14.29 % |
| Fracture (Possible): | 14 | 12.50 % | Sci Lab/Fam & Consumer | | | Playground: | 11 | 9.82 % |
| Sprain/Strain/Tear (Possible): | 7 | 6.25 % | Sci & Tech ED Class: | 5 | 4.46 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 3 | 2.68 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 56 | | Grand Total Occurrences: | 56 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 10 | 8.93 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 4 | 3.57 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 3 | 2.68 % |
| | | | | | | Grand Total Occurrences: | 56 | |

Total Average Daily Enrollment: 2,212

Injury Occurrence Rate*: 5.06 %

HUNTINGDON AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 2 | 2.44 % |
| Concussion (Possible): | 2 | 2.44 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 6 | 7.32 % | Class Change: | 3 | 3.66 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 7 | 8.54 % | Class Time: | 11 | 13.41 % | Cafeteria: | 1 | 1.22 % |
| Dental Injury: | 1 | 1.22 % | Lunch Period: | 1 | 1.22 % | Classroom: | 8 | 9.76 % |
| Dislocation (Possible): | 1 | 1.22 % | P.E. Class: | 19 | 23.17 % | Corridor/Hall: | 2 | 2.44 % |
| Eye Injury: | 0 | - % | Recess: | 6 | 7.32 % | Gymnasium/Pool: | 18 | 21.95 % |
| Fracture (Possible): | 9 | 10.98 % | Sci Lab/Fam & Consumer | | | Playground: | 6 | 7.32 % |
| Sprain/Strain/Tear (Possible): | 12 | 14.63 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 3 | 3.66 % | Other: | 1 | 1.22 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 41 | | Grand Total Occurrences: | 41 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 1.22 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 3 | 3.66 % |
| | | | | | | Grand Total Occurrences: | 41 | |

Total Average Daily Enrollment: 2,079

Injury Occurrence Rate*: 3.94 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

JUNIATA VALLEY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 2 | 12.50 % | Before School: | 2 | 12.50 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 2 | 12.50 % | Class Time: | 1 | 6.25 % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 6.25 % | Lunch Period: | 0 | - % | Classroom: | 3 | 18.75 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 1 | 6.25 % | Corridor/Hall: | 2 | 12.50 % |
| Eye Injury: | 0 | - % | Recess: | 2 | 12.50 % | Gymnasium/Pool: | 1 | 6.25 % |
| Fracture (Possible): | 3 | 18.75 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 2 | 12.50 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 8 | | Grand Total Occurrences: | 8 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | 12.50 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 8 | |

Total Average Daily Enrollment: 747
Injury Occurrence Rate*: 2.14 %

MOUNT UNION AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 5 | 13.16 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 3 | 7.89 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 2 | 5.26 % | Class Time: | 7 | 18.42 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 2 | 5.26 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 3 | 7.89 % | Corridor/Hall: | 1 | 2.63 % |
| Eye Injury: | 0 | - % | Recess: | 6 | 15.79 % | Gymnasium/Pool: | 9 | 23.68 % |
| Fracture (Possible): | 5 | 13.16 % | Sci Lab/Fam & Consumer | | | Playground: | 7 | 18.42 % |
| Sprain/Strain/Tear (Possible): | 7 | 18.42 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 19 | | Grand Total Occurrences: | 19 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 19 | |

Total Average Daily Enrollment: 1,501
Injury Occurrence Rate*: 2.53 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

NEW DAY CHARTER SCHOOL

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 0 | | Grand Total Occurrences: | 0 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 0 | |

Total Average Daily Enrollment: 123
Injury Occurrence Rate*: - %

SOUTHERN HUNTINGDON COUNTY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 2.27 % | Athletic Field/Play Field: | 2 | 4.55 % |
| Concussion (Possible): | 1 | 2.27 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 4 | 9.09 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 5 | 11.36 % | Class Time: | 4 | 9.09 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 1 | 2.27 % | P.E. Class: | 5 | 11.36 % | Corridor/Hall: | 3 | 6.82 % |
| Eye Injury: | 0 | - % | Recess: | 8 | 18.18 % | Gymnasium/Pool: | 3 | 6.82 % |
| Fracture (Possible): | 10 | 22.73 % | Sci Lab/Fam & Consumer | | | Playground: | 8 | 18.18 % |
| Sprain/Strain/Tear (Possible): | 5 | 11.36 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 3 | 6.82 % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 22 | | Grand Total Occurrences: | 22 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 3 | 6.82 % |
| | | | | | | Grand Total Occurrences: | 22 | |

Total Average Daily Enrollment: 1,516
Injury Occurrence Rate*: 2.90 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

STONE VALLEY COMMUNITY CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 7 | 43.75 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 7 | 43.75 % | Class Change: | 1 | 6.25 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 2 | 12.50 % | Class Time: | 2 | 12.50 % | Cafeteria: | 2 | 12.50 % |
| Dental Injury: | 0 | - % | Lunch Period: | 2 | 12.50 % | Classroom: | 2 | 12.50 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 1 | 6.25 % | Corridor/Hall: | 1 | 6.25 % |
| Eye Injury: | 0 | - % | Recess: | 10 | 62.50 % | Gymnasium/Pool: | 1 | 6.25 % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 10 | 62.50 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 16 | | Grand Total Occurrences: | 16 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 16 | |

Total Average Daily Enrollment: 84
Injury Occurrence Rate*: 19.05 %

HUNTINGDON COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 0 | - % | After School: | 1 | 0.51 % | Athletic Field/Play Field: | 4 | 2.04 % |
| Concussion (Possible): | 17 | 8.67 % | Before School: | 2 | 1.02 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 13 | 6.63 % | Class Change: | 11 | 5.61 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 18 | 9.18 % | Class Time: | 25 | 12.76 % | Cafeteria: | 3 | 1.53 % |
| Dental Injury: | 2 | 1.02 % | Lunch Period: | 3 | 1.53 % | Classroom: | 15 | 7.65 % |
| Dislocation (Possible): | 2 | 1.02 % | P.E. Class: | 29 | 14.80 % | Corridor/Hall: | 9 | 4.59 % |
| Eye Injury: | 0 | - % | Recess: | 32 | 16.33 % | Gymnasium/Pool: | 32 | 16.33 % |
| Fracture (Possible): | 27 | 13.78 % | Sci Lab/Fam & Consumer | | | Playground: | 31 | 15.82 % |
| Sprain/Strain/Tear (Possible): | 24 | 12.24 % | Sci & Tech ED Class: | 2 | 1.02 % | Restroom: | 3 | 1.53 % |
| Other: | 3 | 1.53 % | Other: | 1 | 0.51 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 106 | | Grand Total Occurrences: | 106 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | 1.02 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 0.51 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 6 | 3.06 % |
| | | | | | | Grand Total Occurrences: | 106 | |

Total Average Daily Enrollment: 6,050
Injury Occurrence Rate*: 3.24 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

JUNIATA COUNTY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 4 | 5.41 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 6 | 8.11 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 9 | 12.16 % | Class Time: | 7 | 9.46 % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 1.35 % | Lunch Period: | 2 | 2.70 % | Classroom: | 6 | 8.11 % |
| Dislocation (Possible): | 4 | 5.41 % | P.E. Class: | 11 | 14.86 % | Corridor/Hall: | 6 | 8.11 % |
| Eye Injury: | 1 | 1.35 % | Recess: | 8 | 10.81 % | Gymnasium/Pool: | 11 | 14.86 % |
| Fracture (Possible): | 9 | 12.16 % | Sci Lab/Fam & Consumer | | | Playground: | 8 | 10.81 % |
| Sprain/Strain/Tear (Possible): | 8 | 10.81 % | Sci & Tech ED Class: | 3 | 4.05 % | Restroom: | 0 | - % |
| Other: | 1 | 1.35 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 37 | | Grand Total Occurrences: | 37 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 3 | 4.05 % |
| | | | | | | Sidewalk: | 1 | 1.35 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 2.70 % |
| | | | | | | Grand Total Occurrences: | 37 | |

Total Average Daily Enrollment: 2,939
Injury Occurrence Rate*: 2.52 %

JUNIATA COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 4 | 5.41 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 6 | 8.11 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 9 | 12.16 % | Class Time: | 7 | 9.46 % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 1.35 % | Lunch Period: | 2 | 2.70 % | Classroom: | 6 | 8.11 % |
| Dislocation (Possible): | 4 | 5.41 % | P.E. Class: | 11 | 14.86 % | Corridor/Hall: | 6 | 8.11 % |
| Eye Injury: | 1 | 1.35 % | Recess: | 8 | 10.81 % | Gymnasium/Pool: | 11 | 14.86 % |
| Fracture (Possible): | 9 | 12.16 % | Sci Lab/Fam & Consumer | | | Playground: | 8 | 10.81 % |
| Sprain/Strain/Tear (Possible): | 8 | 10.81 % | Sci & Tech ED Class: | 3 | 4.05 % | Restroom: | 0 | - % |
| Other: | 1 | 1.35 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 37 | | Grand Total Occurrences: | 37 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 3 | 4.05 % |
| | | | | | | Sidewalk: | 1 | 1.35 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 2.70 % |
| | | | | | | Grand Total Occurrences: | 37 | |

Total Average Daily Enrollment: 2,939
Injury Occurrence Rate*: 2.52 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

ANNVILLE-CLEONA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 2 | 8.33 % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 1 | 4.17 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 5 | 20.83 % | Class Time: | 3 | 12.50 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 1 | 4.17 % | Classroom: | 3 | 12.50 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 2 | 8.33 % | Corridor/Hall: | 1 | 4.17 % |
| Eye Injury: | 1 | 4.17 % | Recess: | 3 | 12.50 % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 1 | 4.17 % | Sci Lab/Fam & Consumer | | | Playground: | 3 | 12.50 % |
| Sprain/Strain/Tear (Possible): | 4 | 16.67 % | Sci & Tech ED Class: | 1 | 4.17 % | Restroom: | 0 | - % |
| Other: | 1 | 4.17 % | Other: | 1 | 4.17 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 12 | | Grand Total Occurrences: | 12 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 4.17 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 1 | 4.17 % |
| | | | | | | Other: | 1 | 4.17 % |
| | | | | | | Grand Total Occurrences: | 12 | |

Total Average Daily Enrollment: 1,469

Injury Occurrence Rate*: 1.63 %

CORNWALL-LEBANON SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 0.69 % | After School: | 16 | 11.11 % | Athletic Field/Play Field: | 6 | 4.17 % |
| Concussion (Possible): | 8 | 5.56 % | Before School: | 1 | 0.69 % | Auditorium/Multipurpose: | 1 | 0.69 % |
| Contusion: | 5 | 3.47 % | Class Change: | 3 | 2.08 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 15 | 10.42 % | Class Time: | 11 | 7.64 % | Cafeteria: | 7 | 4.86 % |
| Dental Injury: | 2 | 1.39 % | Lunch Period: | 1 | 0.69 % | Classroom: | 9 | 6.25 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 13 | 9.03 % | Corridor/Hall: | 4 | 2.78 % |
| Eye Injury: | 6 | 4.17 % | Recess: | 23 | 15.97 % | Gymnasium/Pool: | 13 | 9.03 % |
| Fracture (Possible): | 15 | 10.42 % | Sci Lab/Fam & Consumer | | | Playground: | 26 | 18.06 % |
| Sprain/Strain/Tear (Possible): | 10 | 6.94 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 10 | 6.94 % | Other: | 4 | 2.78 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 72 | | Grand Total Occurrences: | 72 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 1.39 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 4 | 2.78 % |
| | | | | | | Grand Total Occurrences: | 72 | |

Total Average Daily Enrollment: 5,025

Injury Occurrence Rate*: 2.87 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

EASTERN LEBANON COUNTY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 4 | 2.67 % | After School: | 23 | 15.33 % | Athletic Field/Play Field: | 8 | 5.33 % |
| Concussion (Possible): | 18 | 12.00 % | Before School: | 5 | 3.33 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 8 | 5.33 % | Class Change: | 2 | 1.33 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 7 | 4.67 % | Class Time: | 6 | 4.00 % | Cafeteria: | 1 | 0.67 % |
| Dental Injury: | 0 | - % | Lunch Period: | 1 | 0.67 % | Classroom: | 6 | 4.00 % |
| Dislocation (Possible): | 4 | 2.67 % | P.E. Class: | 21 | 14.00 % | Corridor/Hall: | 2 | 1.33 % |
| Eye Injury: | 2 | 1.33 % | Recess: | 11 | 7.33 % | Gymnasium/Pool: | 23 | 15.33 % |
| Fracture (Possible): | 19 | 12.67 % | Sci Lab/Fam & Consumer | | | Playground: | 12 | 8.00 % |
| Sprain/Strain/Tear (Possible): | 8 | 5.33 % | Sci & Tech ED Class: | 2 | 1.33 % | Restroom: | 1 | 0.67 % |
| Other: | 5 | 3.33 % | Other: | 4 | 2.67 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 75 | | Grand Total Occurrences: | 75 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | 1.33 % |
| | | | | | | Sidewalk: | 1 | 0.67 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.67 % |
| | | | | | | Other: | 18 | 12.00 % |
| | | | | | | Grand Total Occurrences: | 75 | |

Total Average Daily Enrollment: 2,449
Injury Occurrence Rate*: 6.13 %

LEBANON SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 1 | 0.27 % | After School: | 5 | 1.34 % | Athletic Field/Play Field: | 13 | 3.48 % |
| Concussion (Possible): | 23 | 6.15 % | Before School: | 11 | 2.94 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 24 | 6.42 % | Class Change: | 36 | 9.63 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 30 | 8.02 % | Class Time: | 32 | 8.56 % | Cafeteria: | 10 | 2.67 % |
| Dental Injury: | 12 | 3.21 % | Lunch Period: | 11 | 2.94 % | Classroom: | 31 | 8.29 % |
| Dislocation (Possible): | 4 | 1.07 % | P.E. Class: | 37 | 9.89 % | Corridor/Hall: | 24 | 6.42 % |
| Eye Injury: | 8 | 2.14 % | Recess: | 41 | 10.96 % | Gymnasium/Pool: | 37 | 9.89 % |
| Fracture (Possible): | 32 | 8.56 % | Sci Lab/Fam & Consumer | | | Playground: | 41 | 10.96 % |
| Sprain/Strain/Tear (Possible): | 45 | 12.03 % | Sci & Tech ED Class: | 2 | 0.53 % | Restroom: | 2 | 0.53 % |
| Other: | 8 | 2.14 % | Other: | 12 | 3.21 % | School Bus/Public Bus: | 2 | 0.53 % |
| Grand Total Occurrences: | 187 | | Grand Total Occurrences: | 187 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | 0.53 % |
| | | | | | | Sidewalk: | 1 | 0.27 % |
| | | | | | | Stairs/Ramp/Elevator: | 18 | 4.81 % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.27 % |
| | | | | | | Other: | 5 | 1.34 % |
| | | | | | | Grand Total Occurrences: | 187 | |

Total Average Daily Enrollment: 5,014
Injury Occurrence Rate*: 7.46 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

NORTHERN LEBANON SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 6 | 4.84 % |
| Concussion (Possible): | 23 | 18.55 % | Before School: | 3 | 2.42 % | Auditorium/Multipurpose: | 1 | 0.81 % |
| Contusion: | 3 | 2.42 % | Class Change: | 6 | 4.84 % | Bus Loading Area: | 2 | 1.61 % |
| Cut/Laceration/Puncture: | 4 | 3.23 % | Class Time: | 6 | 4.84 % | Cafeteria: | 1 | 0.81 % |
| Dental Injury: | 4 | 3.23 % | Lunch Period: | 1 | 0.81 % | Classroom: | 4 | 3.23 % |
| Dislocation (Possible): | 3 | 2.42 % | P.E. Class: | 28 | 22.58 % | Corridor/Hall: | 7 | 5.65 % |
| Eye Injury: | 1 | 0.81 % | Recess: | 17 | 13.71 % | Gymnasium/Pool: | 25 | 20.16 % |
| Fracture (Possible): | 15 | 12.10 % | Sci Lab/Fam & Consumer | | | Playground: | 15 | 12.10 % |
| Sprain/Strain/Tear (Possible): | 9 | 7.26 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 1 | 0.81 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 62 | | Grand Total Occurrences: | 62 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 0.81 % |
| | | | | | | Grand Total Occurrences: | 62 | |

Total Average Daily Enrollment: 2,532
Injury Occurrence Rate*: 4.90 %

PALMYRA AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 3 | 3.26 % | After School: | 2 | 2.17 % | Athletic Field/Play Field: | 3 | 3.26 % |
| Concussion (Possible): | 8 | 8.70 % | Before School: | 4 | 4.35 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 1.09 % | Class Change: | 2 | 2.17 % | Bus Loading Area: | 1 | 1.09 % |
| Cut/Laceration/Puncture: | 8 | 8.70 % | Class Time: | 6 | 6.52 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 7 | 7.61 % |
| Dislocation (Possible): | 2 | 2.17 % | P.E. Class: | 18 | 19.57 % | Corridor/Hall: | 1 | 1.09 % |
| Eye Injury: | 1 | 1.09 % | Recess: | 9 | 9.78 % | Gymnasium/Pool: | 15 | 16.30 % |
| Fracture (Possible): | 16 | 17.39 % | Sci Lab/Fam & Consumer | | | Playground: | 9 | 9.78 % |
| Sprain/Strain/Tear (Possible): | 4 | 4.35 % | Sci & Tech ED Class: | 5 | 5.43 % | Restroom: | 0 | - % |
| Other: | 3 | 3.26 % | Other: | 0 | - % | School Bus/Public Bus: | 3 | 3.26 % |
| Grand Total Occurrences: | 46 | | Grand Total Occurrences: | 46 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 4 | 5.43 % |
| | | | | | | Sidewalk: | 1 | 1.09 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 2 | 2.17 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 46 | |

Total Average Daily Enrollment: 3,320
Injury Occurrence Rate*: 2.77 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

LEBANON COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 9 | 0.99 % | After School: | 46 | 5.07 % | Athletic Field/Play Field: | 38 | 4.19 % |
| Concussion (Possible): | 80 | 8.81 % | Before School: | 24 | 2.64 % | Auditorium/Multipurpose: | 2 | 0.22 % |
| Contusion: | 41 | 4.52 % | Class Change: | 50 | 5.51 % | Bus Loading Area: | 3 | 0.33 % |
| Cut/Laceration/Puncture: | 69 | 7.60 % | Class Time: | 64 | 7.05 % | Cafeteria: | 19 | 2.09 % |
| Dental Injury: | 18 | 1.98 % | Lunch Period: | 15 | 1.65 % | Classroom: | 60 | 6.61 % |
| Dislocation (Possible): | 13 | 1.43 % | P.E. Class: | 119 | 13.11 % | Corridor/Hall: | 39 | 4.30 % |
| Eye Injury: | 19 | 2.09 % | Recess: | 104 | 11.45 % | Gymnasium/Pool: | 113 | 12.44 % |
| Fracture (Possible): | 98 | 10.79 % | Sci Lab/Fam & Consumer | | | Playground: | 106 | 11.67 % |
| Sprain/Strain/Tear (Possible): | 80 | 8.81 % | Sci & Tech ED Class: | 10 | 1.10 % | Restroom: | 3 | 0.33 % |
| Other: | 27 | 2.97 % | Other: | 22 | 2.42 % | School Bus/Public Bus: | 5 | 0.55 % |
| Grand Total Occurrences: | 454 | | Grand Total Occurrences: | 454 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 9 | 0.99 % |
| | | | | | | Sidewalk: | 3 | 0.33 % |
| | | | | | | Stairs/Ramp/Elevator: | 20 | 2.20 % |
| | | | | | | Street/Driveway/Parking: | 5 | 0.55 % |
| | | | | | | Other: | 29 | 3.19 % |
| | | | | | | Grand Total Occurrences: | 454 | |

Total Average Daily Enrollment: 19,809

Injury Occurrence Rate*: 4.58 %

MIFFLIN COUNTY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 15 | 3.55 % | After School: | 6 | 1.42 % | Athletic Field/Play Field: | 13 | 3.08 % |
| Concussion (Possible): | 19 | 4.50 % | Before School: | 11 | 2.61 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 8 | 1.90 % | Class Change: | 2 | 0.47 % | Bus Loading Area: | 2 | 0.47 % |
| Cut/Laceration/Puncture: | 31 | 7.35 % | Class Time: | 24 | 5.69 % | Cafeteria: | 4 | 0.95 % |
| Dental Injury: | 5 | 1.18 % | Lunch Period: | 5 | 1.18 % | Classroom: | 19 | 4.50 % |
| Dislocation (Possible): | 3 | 0.71 % | P.E. Class: | 33 | 7.82 % | Corridor/Hall: | 5 | 1.18 % |
| Eye Injury: | 8 | 1.90 % | Recess: | 99 | 23.46 % | Gymnasium/Pool: | 32 | 7.58 % |
| Fracture (Possible): | 32 | 7.58 % | Sci Lab/Fam & Consumer | | | Playground: | 98 | 23.22 % |
| Sprain/Strain/Tear (Possible): | 42 | 9.95 % | Sci & Tech ED Class: | 2 | 0.47 % | Restroom: | 2 | 0.47 % |
| Other: | 48 | 11.37 % | Other: | 29 | 6.87 % | School Bus/Public Bus: | 6 | 1.42 % |
| Grand Total Occurrences: | 211 | | Grand Total Occurrences: | 211 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | 0.47 % |
| | | | | | | Sidewalk: | 6 | 1.42 % |
| | | | | | | Stairs/Ramp/Elevator: | 4 | 0.95 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 18 | 4.27 % |
| | | | | | | Grand Total Occurrences: | 211 | |

Total Average Daily Enrollment: 5,531

Injury Occurrence Rate*: 7.63 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

MIFFLIN COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 15 | 3.55 % | After School: | 6 | 1.42 % | Athletic Field/Play Field: | 13 | 3.08 % |
| Concussion (Possible): | 19 | 4.50 % | Before School: | 11 | 2.61 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 8 | 1.90 % | Class Change: | 2 | 0.47 % | Bus Loading Area: | 2 | 0.47 % |
| Cut/Laceration/Puncture: | 31 | 7.35 % | Class Time: | 24 | 5.69 % | Cafeteria: | 4 | 0.95 % |
| Dental Injury: | 5 | 1.18 % | Lunch Period: | 5 | 1.18 % | Classroom: | 19 | 4.50 % |
| Dislocation (Possible): | 3 | 0.71 % | P.E. Class: | 33 | 7.82 % | Corridor/Hall: | 5 | 1.18 % |
| Eye Injury: | 8 | 1.90 % | Recess: | 99 | 23.46 % | Gymnasium/Pool: | 32 | 7.58 % |
| Fracture (Possible): | 32 | 7.58 % | Sci Lab/Fam & Consumer | | | Playground: | 98 | 23.22 % |
| Sprain/Strain/Tear (Possible): | 42 | 9.95 % | Sci & Tech ED Class: | 2 | 0.47 % | Restroom: | 2 | 0.47 % |
| Other: | 48 | 11.37 % | Other: | 29 | 6.87 % | School Bus/Public Bus: | 6 | 1.42 % |
| Grand Total Occurrences: | 211 | | Grand Total Occurrences: | 211 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | 0.47 % |
| | | | | | | Sidewalk: | 6 | 1.42 % |
| | | | | | | Stairs/Ramp/Elevator: | 4 | 0.95 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 18 | 4.27 % |
| | | | | | | Grand Total Occurrences: | 211 | |

Total Average Daily Enrollment: 5,531

Injury Occurrence Rate*: 7.63 %

GREENWOOD SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 4 | 9.52 % |
| Concussion (Possible): | 4 | 9.52 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 2 | 4.76 % | Class Change: | 2 | 4.76 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 3 | 7.14 % | Class Time: | 2 | 4.76 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 2 | 4.76 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 7 | 16.67 % | Corridor/Hall: | 1 | 2.38 % |
| Eye Injury: | 0 | - % | Recess: | 9 | 21.43 % | Gymnasium/Pool: | 6 | 14.29 % |
| Fracture (Possible): | 8 | 19.05 % | Sci Lab/Fam & Consumer | | | Playground: | 7 | 16.67 % |
| Sprain/Strain/Tear (Possible): | 1 | 2.38 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 3 | 7.14 % | Other: | 1 | 2.38 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 21 | | Grand Total Occurrences: | 21 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 2.38 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 21 | |

Total Average Daily Enrollment: 762

Injury Occurrence Rate*: 5.51 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

NEWPORT SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 2 | 3.70 % | After School: | 0 | - % | Athletic Field/Play Field: | 1 | 1.85 % |
| Concussion (Possible): | 6 | 11.11 % | Before School: | 1 | 1.85 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 3 | 5.56 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 6 | 11.11 % | Class Time: | 4 | 7.41 % | Cafeteria: | 2 | 3.70 % |
| Dental Injury: | 1 | 1.85 % | Lunch Period: | 3 | 5.56 % | Classroom: | 1 | 1.85 % |
| Dislocation (Possible): | 1 | 1.85 % | P.E. Class: | 7 | 12.96 % | Corridor/Hall: | 3 | 5.56 % |
| Eye Injury: | 1 | 1.85 % | Recess: | 7 | 12.96 % | Gymnasium/Pool: | 7 | 12.96 % |
| Fracture (Possible): | 7 | 12.96 % | Sci Lab/Fam & Consumer | | | Playground: | 9 | 16.67 % |
| Sprain/Strain/Tear (Possible): | 3 | 5.56 % | Sci & Tech ED Class: | 2 | 3.70 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 27 | | Grand Total Occurrences: | 27 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | 3.70 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 1 | 1.85 % |
| | | | | | | Other: | 1 | 1.85 % |
| | | | | | | Grand Total Occurrences: | 27 | |

Total Average Daily Enrollment: 1,080

Injury Occurrence Rate*: 5.00 %

SUSQUENITA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 3 | 2.38 % | After School: | 2 | 1.59 % | Athletic Field/Play Field: | 5 | 3.97 % |
| Concussion (Possible): | 9 | 7.14 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 2 | 1.59 % | Class Change: | 2 | 1.59 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 16 | 12.70 % | Class Time: | 8 | 6.35 % | Cafeteria: | 0 | - % |
| Dental Injury: | 4 | 3.17 % | Lunch Period: | 0 | - % | Classroom: | 9 | 7.14 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 25 | 19.84 % | Corridor/Hall: | 2 | 1.59 % |
| Eye Injury: | 1 | 0.79 % | Recess: | 22 | 17.46 % | Gymnasium/Pool: | 20 | 15.87 % |
| Fracture (Possible): | 21 | 16.67 % | Sci Lab/Fam & Consumer | | | Playground: | 23 | 18.25 % |
| Sprain/Strain/Tear (Possible): | 4 | 3.17 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 3 | 2.38 % | Other: | 4 | 3.17 % | School Bus/Public Bus: | 2 | 1.59 % |
| Grand Total Occurrences: | 63 | | Grand Total Occurrences: | 63 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.79 % |
| | | | | | | Other: | 1 | 0.79 % |
| | | | | | | Grand Total Occurrences: | 63 | |

Total Average Daily Enrollment: 1,711

Injury Occurrence Rate*: 7.36 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

WEST PERRY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 2 | 3.03 % |
| Concussion (Possible): | 5 | 7.58 % | Before School: | 1 | 1.52 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 2 | 3.03 % | Class Change: | 4 | 6.06 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 6 | 9.09 % | Class Time: | 6 | 9.09 % | Cafeteria: | 0 | - % |
| Dental Injury: | 2 | 3.03 % | Lunch Period: | 0 | - % | Classroom: | 5 | 7.58 % |
| Dislocation (Possible): | 1 | 1.52 % | P.E. Class: | 16 | 24.24 % | Corridor/Hall: | 2 | 3.03 % |
| Eye Injury: | 3 | 4.55 % | Recess: | 6 | 9.09 % | Gymnasium/Pool: | 15 | 22.73 % |
| Fracture (Possible): | 10 | 15.15 % | Sci Lab/Fam & Consumer | | | Playground: | 5 | 7.58 % |
| Sprain/Strain/Tear (Possible): | 2 | 3.03 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 2 | 3.03 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 33 | | Grand Total Occurrences: | 33 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 4.55 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 33 | |

Total Average Daily Enrollment: 2,485
Injury Occurrence Rate*: 2.66 %

PERRY COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 5 | 1.74 % | After School: | 2 | 0.69 % | Athletic Field/Play Field: | 12 | 4.17 % |
| Concussion (Possible): | 24 | 8.33 % | Before School: | 2 | 0.69 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 6 | 2.08 % | Class Change: | 11 | 3.82 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 31 | 10.76 % | Class Time: | 20 | 6.94 % | Cafeteria: | 2 | 0.69 % |
| Dental Injury: | 7 | 2.43 % | Lunch Period: | 3 | 1.04 % | Classroom: | 17 | 5.90 % |
| Dislocation (Possible): | 2 | 0.69 % | P.E. Class: | 55 | 19.10 % | Corridor/Hall: | 8 | 2.78 % |
| Eye Injury: | 5 | 1.74 % | Recess: | 44 | 15.28 % | Gymnasium/Pool: | 48 | 16.67 % |
| Fracture (Possible): | 46 | 15.97 % | Sci Lab/Fam & Consumer | | | Playground: | 44 | 15.28 % |
| Sprain/Strain/Tear (Possible): | 10 | 3.47 % | Sci & Tech ED Class: | 2 | 0.69 % | Restroom: | 0 | - % |
| Other: | 8 | 2.78 % | Other: | 5 | 1.74 % | School Bus/Public Bus: | 2 | 0.69 % |
| Grand Total Occurrences: | 144 | | Grand Total Occurrences: | 144 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 3 | 1.04 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 4 | 1.39 % |
| | | | | | | Street/Driveway/Parking: | 2 | 0.69 % |
| | | | | | | Other: | 2 | 0.69 % |
| | | | | | | Grand Total Occurrences: | 144 | |

Total Average Daily Enrollment: 6,039
Injury Occurrence Rate*: 4.77 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

CENTRAL YORK SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 0.53 % | After School: | 5 | 2.66 % | Athletic Field/Play Field: | 2 | 1.06 % |
| Concussion (Possible): | 20 | 10.64 % | Before School: | 3 | 1.60 % | Auditorium/Multipurpose: | 1 | 0.53 % |
| Cotusion: | 13 | 6.91 % | Class Change: | 16 | 8.51 % | Bus Loading Area: | 2 | 1.06 % |
| Cut/Laceration/Puncture: | 25 | 13.30 % | Class Time: | 18 | 9.57 % | Cafeteria: | 2 | 1.06 % |
| Dental Injury: | 3 | 1.60 % | Lunch Period: | 4 | 2.13 % | Classroom: | 15 | 7.98 % |
| Dislocation (Possible): | 2 | 1.06 % | P.E. Class: | 30 | 15.96 % | Corridor/Hall: | 16 | 8.51 % |
| Eye Injury: | 2 | 1.06 % | Recess: | 17 | 9.04 % | Gymnasium/Pool: | 30 | 15.96 % |
| Fracture (Possible): | 14 | 7.45 % | Sci Lab/Fam & Consumer | | | Playground: | 17 | 9.04 % |
| Sprain/Strain/Tear (Possible): | 11 | 5.85 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 4 | 2.13 % |
| Other: | 3 | 1.60 % | Other: | 1 | 0.53 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 94 | | Grand Total Occurrences: | 94 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 0.53 % |
| | | | | | | Street/Driveway/Parking: | 2 | 1.06 % |
| | | | | | | Other: | 1 | 0.53 % |
| | | | | | | Grand Total Occurrences: | 94 | |

Total Average Daily Enrollment: 6,225
Injury Occurrence Rate*: 3.02 %

CRISPUS ATTUCKS YOUTHBUILD CS (EXEMPT)

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 0 | | Grand Total Occurrences: | 0 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 0 | |

Total Average Daily Enrollment: 0
Injury Occurrence Rate*: - %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

DALLASTOWN AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 0 | - % | After School: | 7 | 2.78 % | Athletic Field/Play Field: | 21 | 8.33 % |
| Concussion (Possible): | 12 | 4.76 % | Before School: | 3 | 1.19 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 7 | 2.78 % | Class Change: | 9 | 3.57 % | Bus Loading Area: | 2 | 0.79 % |
| Cut/Laceration/Puncture: | 26 | 10.32 % | Class Time: | 13 | 5.16 % | Cafeteria: | 4 | 1.59 % |
| Dental Injury: | 4 | 1.59 % | Lunch Period: | 3 | 1.19 % | Classroom: | 10 | 3.97 % |
| Dislocation (Possible): | 4 | 1.59 % | P.E. Class: | 47 | 18.65 % | Corridor/Hall: | 11 | 4.37 % |
| Eye Injury: | 2 | 0.79 % | Recess: | 40 | 15.87 % | Gymnasium/Pool: | 7 | 2.78 % |
| Fracture (Possible): | 38 | 15.08 % | Sci Lab/Fam & Consumer | | | Playground: | 45 | 17.86 % |
| Sprain/Strain/Tear (Possible): | 31 | 12.30 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 22 | 8.73 % |
| Other: | 2 | 0.79 % | Other: | 4 | 1.59 % | School Bus/Public Bus: | 1 | 0.40 % |
| Grand Total Occurrences: | 126 | | Grand Total Occurrences: | 126 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 0.79 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 0.40 % |
| | | | | | | Grand Total Occurrences: | 126 | |

Total Average Daily Enrollment: 6,238
Injury Occurrence Rate*: 4.04 %

DOVER AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 0.94 % | Athletic Field/Play Field: | 5 | 4.72 % |
| Concussion (Possible): | 12 | 11.32 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 1 | 0.94 % |
| Cotusion: | 5 | 4.72 % | Class Change: | 2 | 1.89 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 15 | 14.15 % | Class Time: | 8 | 7.55 % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 0.94 % | Lunch Period: | 1 | 0.94 % | Classroom: | 7 | 6.60 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 19 | 17.92 % | Corridor/Hall: | 3 | 2.83 % |
| Eye Injury: | 1 | 0.94 % | Recess: | 14 | 13.21 % | Gymnasium/Pool: | 18 | 16.98 % |
| Fracture (Possible): | 10 | 9.43 % | Sci Lab/Fam & Consumer | | | Playground: | 12 | 11.32 % |
| Sprain/Strain/Tear (Possible): | 8 | 7.55 % | Sci & Tech ED Class: | 5 | 4.72 % | Restroom: | 1 | 0.94 % |
| Other: | 1 | 0.94 % | Other: | 3 | 2.83 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 53 | | Grand Total Occurrences: | 53 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 5 | 4.72 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 0.94 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 53 | |

Total Average Daily Enrollment: 4,797
Injury Occurrence Rate*: 2.21 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

EASTERN YORK SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 0.88 % | After School: | 2 | 1.75 % | Athletic Field/Play Field: | 1 | 0.88 % |
| Concussion (Possible): | 16 | 14.04 % | Before School: | 1 | 0.88 % | Auditorium/Multipurpose: | 11 | 9.65 % |
| Cotusion: | 2 | 1.75 % | Class Change: | 6 | 5.26 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 10 | 8.77 % | Class Time: | 19 | 16.67 % | Cafeteria: | 2 | 1.75 % |
| Dental Injury: | 3 | 2.63 % | Lunch Period: | 1 | 0.88 % | Classroom: | 6 | 5.26 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 15 | 13.16 % | Corridor/Hall: | 4 | 3.51 % |
| Eye Injury: | 1 | 0.88 % | Recess: | 10 | 8.77 % | Gymnasium/Pool: | 14 | 12.28 % |
| Fracture (Possible): | 8 | 7.02 % | Sci Lab/Fam & Consumer | | | Playground: | 10 | 8.77 % |
| Sprain/Strain/Tear (Possible): | 2 | 1.75 % | Sci & Tech ED Class: | 3 | 2.63 % | Restroom: | 0 | - % |
| Other: | 14 | 12.28 % | Other: | 0 | - % | School Bus/Public Bus: | 1 | 0.88 % |
| Grand Total Occurrences: | 57 | | Grand Total Occurrences: | 57 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 3 | 2.63 % |
| | | | | | | Sidewalk: | 1 | 0.88 % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 0.88 % |
| | | | | | | Street/Driveway/Parking: | 2 | 1.75 % |
| | | | | | | Other: | 1 | 0.88 % |
| | | | | | | Grand Total Occurrences: | 57 | |

Total Average Daily Enrollment: 2,596
Injury Occurrence Rate*: 4.39 %

HANOVER PUBLIC SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 1 | 3.13 % |
| Concussion (Possible): | 3 | 9.38 % | Before School: | 2 | 6.25 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 6 | 18.75 % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 6 | 18.75 % | Classroom: | 7 | 21.88 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 1 | 3.13 % | Corridor/Hall: | 2 | 6.25 % |
| Eye Injury: | 1 | 3.13 % | Recess: | 5 | 15.63 % | Gymnasium/Pool: | 1 | 3.13 % |
| Fracture (Possible): | 4 | 12.50 % | Sci Lab/Fam & Consumer | | | Playground: | 4 | 12.50 % |
| Sprain/Strain/Tear (Possible): | 1 | 3.13 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 3.13 % |
| Other: | 1 | 3.13 % | Other: | 2 | 6.25 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 16 | | Grand Total Occurrences: | 16 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 16 | |

Total Average Daily Enrollment: 1,746
Injury Occurrence Rate*: 1.83 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

NEW HOPE ACADEMY CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 1 | 12.50 % | Auditorium/Multipurpose: | 2 | 25.00 % |
| Contusion: | 0 | - % | Class Change: | 2 | 25.00 % | Bus Loading Area: | 2 | 25.00 % |
| Cut/Laceration/Puncture: | 3 | 37.50 % | Class Time: | 1 | 12.50 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 1 | 12.50 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 3 | 37.50 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 1 | 12.50 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 3 | 37.50 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 1 | 12.50 % | Other: | 1 | 12.50 % | School Bus/Public Bus: | 1 | 12.50 % |
| Grand Total Occurrences: | 8 | | Grand Total Occurrences: | 8 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 25.00 % |
| | | | | | | Grand Total Occurrences: | 8 | |

Total Average Daily Enrollment: 731
Injury Occurrence Rate*: 1.09 %

NORTHEASTERN YORK SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 0.55 % | After School: | 0 | - % | Athletic Field/Play Field: | 2 | 1.10 % |
| Concussion (Possible): | 24 | 13.19 % | Before School: | 4 | 2.20 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 2 | 1.10 % | Class Change: | 4 | 2.20 % | Bus Loading Area: | 1 | 0.55 % |
| Cut/Laceration/Puncture: | 12 | 6.59 % | Class Time: | 13 | 7.14 % | Cafeteria: | 3 | 1.65 % |
| Dental Injury: | 5 | 2.75 % | Lunch Period: | 7 | 3.85 % | Classroom: | 10 | 5.49 % |
| Dislocation (Possible): | 3 | 1.65 % | P.E. Class: | 35 | 19.23 % | Corridor/Hall: | 4 | 2.20 % |
| Eye Injury: | 2 | 1.10 % | Recess: | 24 | 13.19 % | Gymnasium/Pool: | 38 | 20.88 % |
| Fracture (Possible): | 19 | 10.44 % | Sci Lab/Fam & Consumer | | | Playground: | 27 | 14.84 % |
| Sprain/Strain/Tear (Possible): | 10 | 5.49 % | Sci & Tech ED Class: | 3 | 1.65 % | Restroom: | 1 | 0.55 % |
| Other: | 13 | 7.14 % | Other: | 1 | 0.55 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 91 | | Grand Total Occurrences: | 91 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | 1.65 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 0.55 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 1.10 % |
| | | | | | | Grand Total Occurrences: | 91 | |

Total Average Daily Enrollment: 3,723
Injury Occurrence Rate*: 4.89 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

NORTHERN YORK COUNTY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 1 | 0.42 % | After School: | 1 | 0.42 % | Athletic Field/Play Field: | 5 | 2.10 % |
| Concussion (Possible): | 22 | 9.24 % | Before School: | 1 | 0.42 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 24 | 10.08 % | Class Change: | 21 | 8.82 % | Bus Loading Area: | 1 | 0.42 % |
| Cut/Laceration/Puncture: | 16 | 6.72 % | Class Time: | 15 | 6.30 % | Cafeteria: | 5 | 2.10 % |
| Dental Injury: | 7 | 2.94 % | Lunch Period: | 6 | 2.52 % | Classroom: | 18 | 7.56 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 28 | 11.76 % | Corridor/Hall: | 11 | 4.62 % |
| Eye Injury: | 3 | 1.26 % | Recess: | 37 | 15.55 % | Gymnasium/Pool: | 23 | 9.66 % |
| Fracture (Possible): | 25 | 10.50 % | Sci Lab/Fam & Consumer | | | Playground: | 36 | 15.13 % |
| Sprain/Strain/Tear (Possible): | 18 | 7.56 % | Sci & Tech ED Class: | 10 | 4.20 % | Restroom: | 1 | 0.42 % |
| Other: | 3 | 1.26 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 119 | | Grand Total Occurrences: | 119 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 10 | 4.20 % |
| | | | | | | Sidewalk: | 1 | 0.42 % |
| | | | | | | Stairs/Ramp/Elevator: | 6 | 2.52 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 0.84 % |
| | | | | | | Grand Total Occurrences: | 119 | |

Total Average Daily Enrollment: 3,112
Injury Occurrence Rate*: 7.65 %

RED LION AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 3 | 1.13 % | After School: | 5 | 1.88 % | Athletic Field/Play Field: | 15 | 5.64 % |
| Concussion (Possible): | 27 | 10.15 % | Before School: | 9 | 3.38 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 5 | 1.88 % | Class Change: | 12 | 4.51 % | Bus Loading Area: | 4 | 1.50 % |
| Cut/Laceration/Puncture: | 21 | 7.89 % | Class Time: | 27 | 10.15 % | Cafeteria: | 14 | 5.26 % |
| Dental Injury: | 2 | 0.75 % | Lunch Period: | 15 | 5.64 % | Classroom: | 18 | 6.77 % |
| Dislocation (Possible): | 2 | 0.75 % | P.E. Class: | 14 | 5.26 % | Corridor/Hall: | 10 | 3.76 % |
| Eye Injury: | 2 | 0.75 % | Recess: | 38 | 14.29 % | Gymnasium/Pool: | 12 | 4.51 % |
| Fracture (Possible): | 24 | 9.02 % | Sci Lab/Fam & Consumer | | | Playground: | 33 | 12.41 % |
| Sprain/Strain/Tear (Possible): | 23 | 8.65 % | Sci & Tech ED Class: | 6 | 2.26 % | Restroom: | 2 | 0.75 % |
| Other: | 24 | 9.02 % | Other: | 7 | 2.63 % | School Bus/Public Bus: | 5 | 1.88 % |
| Grand Total Occurrences: | 133 | | Grand Total Occurrences: | 133 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 7 | 2.26 % |
| | | | | | | Sidewalk: | 1 | 0.38 % |
| | | | | | | Stairs/Ramp/Elevator: | 4 | 1.50 % |
| | | | | | | Street/Driveway/Parking: | 2 | 0.75 % |
| | | | | | | Other: | 6 | 2.26 % |
| | | | | | | Grand Total Occurrences: | 133 | |

Total Average Daily Enrollment: 5,504
Injury Occurrence Rate*: 4.83 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

SOUTH EASTERN SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 4 | 8.00 % | Before School: | 1 | 2.00 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 2.00 % | Class Change: | 2 | 4.00 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 4 | 8.00 % | Class Time: | 3 | 6.00 % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 2.00 % | Lunch Period: | 1 | 2.00 % | Classroom: | 1 | 2.00 % |
| Dislocation (Possible): | 1 | 2.00 % | P.E. Class: | 6 | 12.00 % | Corridor/Hall: | 2 | 4.00 % |
| Eye Injury: | 0 | - % | Recess: | 11 | 22.00 % | Gymnasium/Pool: | 6 | 12.00 % |
| Fracture (Possible): | 8 | 16.00 % | Sci Lab/Fam & Consumer | | | Playground: | 11 | 22.00 % |
| Sprain/Strain/Tear (Possible): | 5 | 10.00 % | Sci & Tech ED Class: | 1 | 2.00 % | Restroom: | 0 | - % |
| Other: | 1 | 2.00 % | Other: | 0 | - % | School Bus/Public Bus: | 1 | 2.00 % |
| Grand Total Occurrences: | 25 | | Grand Total Occurrences: | 25 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 2.00 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 2.00 % |
| | | | | | | Street/Driveway/Parking: | 2 | 4.00 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 25 | |

Total Average Daily Enrollment: 2,858
Injury Occurrence Rate*: 1.75 %

SOUTH WESTERN SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 5 | 3.13 % |
| Concussion (Possible): | 26 | 16.25 % | Before School: | 2 | 1.25 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 2 | 1.25 % | Class Change: | 2 | 1.25 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 10 | 6.25 % | Class Time: | 9 | 5.63 % | Cafeteria: | 1 | 0.63 % |
| Dental Injury: | 4 | 2.50 % | Lunch Period: | 7 | 4.38 % | Classroom: | 5 | 3.13 % |
| Dislocation (Possible): | 1 | 0.63 % | P.E. Class: | 29 | 18.13 % | Corridor/Hall: | 3 | 1.88 % |
| Eye Injury: | 4 | 2.50 % | Recess: | 28 | 17.50 % | Gymnasium/Pool: | 24 | 15.00 % |
| Fracture (Possible): | 15 | 9.38 % | Sci Lab/Fam & Consumer | | | Playground: | 35 | 21.88 % |
| Sprain/Strain/Tear (Possible): | 15 | 9.38 % | Sci & Tech ED Class: | 2 | 1.25 % | Restroom: | 1 | 0.63 % |
| Other: | 3 | 1.88 % | Other: | 1 | 0.63 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 80 | | Grand Total Occurrences: | 80 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | 1.25 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 1.25 % |
| | | | | | | Street/Driveway/Parking: | 2 | 1.25 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 80 | |

Total Average Daily Enrollment: 4,081
Injury Occurrence Rate*: 3.92 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

SOUTHERN YORK COUNTY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 0.91 % | After School: | 0 | - % | Athletic Field/Play Field: | 12 | 10.91 % |
| Concussion (Possible): | 15 | 13.64 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 0 | - % | Class Change: | 6 | 5.45 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 4 | 3.64 % | Class Time: | 3 | 2.73 % | Cafeteria: | 0 | - % |
| Dental Injury: | 3 | 2.73 % | Lunch Period: | 0 | - % | Classroom: | 3 | 2.73 % |
| Dislocation (Possible): | 1 | 0.91 % | P.E. Class: | 22 | 20.00 % | Corridor/Hall: | 4 | 3.64 % |
| Eye Injury: | 1 | 0.91 % | Recess: | 24 | 21.82 % | Gymnasium/Pool: | 16 | 14.55 % |
| Fracture (Possible): | 18 | 16.36 % | Sci Lab/Fam & Consumer | | | Playground: | 17 | 15.45 % |
| Sprain/Strain/Tear (Possible): | 11 | 10.00 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 1 | 0.91 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 55 | | Grand Total Occurrences: | 55 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 2 | 1.82 % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 0.91 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 55 | |

Total Average Daily Enrollment: 3,269
Injury Occurrence Rate*: 3.36 %

SPRING GROVE AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 5 | 3.38 % | Athletic Field/Play Field: | 6 | 4.05 % |
| Concussion (Possible): | 12 | 8.11 % | Before School: | 5 | 3.38 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 5 | 3.38 % | Class Change: | 2 | 1.35 % | Bus Loading Area: | 2 | 1.35 % |
| Cut/Laceration/Puncture: | 10 | 6.76 % | Class Time: | 8 | 5.41 % | Cafeteria: | 2 | 1.35 % |
| Dental Injury: | 2 | 1.35 % | Lunch Period: | 3 | 2.03 % | Classroom: | 7 | 4.73 % |
| Dislocation (Possible): | 2 | 1.35 % | P.E. Class: | 24 | 16.22 % | Corridor/Hall: | 3 | 2.03 % |
| Eye Injury: | 4 | 2.70 % | Recess: | 21 | 14.19 % | Gymnasium/Pool: | 27 | 18.24 % |
| Fracture (Possible): | 21 | 14.19 % | Sci Lab/Fam & Consumer | | | Playground: | 20 | 13.51 % |
| Sprain/Strain/Tear (Possible): | 13 | 8.78 % | Sci & Tech ED Class: | 4 | 2.70 % | Restroom: | 0 | - % |
| Other: | 5 | 3.38 % | Other: | 2 | 1.35 % | School Bus/Public Bus: | 1 | 0.68 % |
| Grand Total Occurrences: | 74 | | Grand Total Occurrences: | 74 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | 2.70 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 0.68 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 3 | 2.03 % |
| | | | | | | Grand Total Occurrences: | 74 | |

Total Average Daily Enrollment: 4,026
Injury Occurrence Rate*: 3.68 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

WEST SHORE SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 4 | 1.06 % | After School: | 5 | 1.32 % | Athletic Field/Play Field: | 12 | 3.17 % |
| Concussion (Possible): | 45 | 11.90 % | Before School: | 5 | 1.32 % | Auditorium/Multipurpose: | 2 | 0.53 % |
| Cotusion: | 28 | 7.41 % | Class Change: | 18 | 4.76 % | Bus Loading Area: | 1 | 0.26 % |
| Cut/Laceration/Puncture: | 34 | 8.99 % | Class Time: | 36 | 9.52 % | Cafeteria: | 5 | 1.32 % |
| Dental Injury: | 6 | 1.59 % | Lunch Period: | 6 | 1.59 % | Classroom: | 29 | 7.67 % |
| Dislocation (Possible): | 2 | 0.53 % | P.E. Class: | 80 | 21.16 % | Corridor/Hall: | 12 | 3.17 % |
| Eye Injury: | 7 | 1.85 % | Recess: | 34 | 8.99 % | Gymnasium/Pool: | 71 | 18.78 % |
| Fracture (Possible): | 36 | 9.52 % | Sci Lab/Fam & Consumer | | | Playground: | 36 | 9.52 % |
| Sprain/Strain/Tear (Possible): | 22 | 5.82 % | Sci & Tech ED Class: | 2 | 0.53 % | Restroom: | 4 | 1.06 % |
| Other: | 5 | 1.32 % | Other: | 3 | 0.79 % | School Bus/Public Bus: | 1 | 0.26 % |
| Grand Total Occurrences: | 189 | | Grand Total Occurrences: | 189 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 4 | 0.53 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 5 | 1.32 % |
| | | | | | | Street/Driveway/Parking: | 3 | 0.79 % |
| | | | | | | Other: | 4 | 1.06 % |
| | | | | | | Grand Total Occurrences: | 189 | |

Total Average Daily Enrollment: 8,706
Injury Occurrence Rate*: 4.34 %

WEST YORK AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 0.91 % | Athletic Field/Play Field: | 6 | 5.45 % |
| Concussion (Possible): | 10 | 9.09 % | Before School: | 3 | 2.73 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 4 | 3.64 % | Class Change: | 4 | 3.64 % | Bus Loading Area: | 1 | 0.91 % |
| Cut/Laceration/Puncture: | 7 | 6.36 % | Class Time: | 5 | 4.55 % | Cafeteria: | 0 | - % |
| Dental Injury: | 3 | 2.73 % | Lunch Period: | 4 | 3.64 % | Classroom: | 2 | 1.82 % |
| Dislocation (Possible): | 3 | 2.73 % | P.E. Class: | 19 | 17.27 % | Corridor/Hall: | 4 | 3.64 % |
| Eye Injury: | 4 | 3.64 % | Recess: | 17 | 15.45 % | Gymnasium/Pool: | 15 | 13.64 % |
| Fracture (Possible): | 15 | 13.64 % | Sci Lab/Fam & Consumer | | | Playground: | 17 | 15.45 % |
| Sprain/Strain/Tear (Possible): | 7 | 6.36 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 0.91 % |
| Other: | 2 | 1.82 % | Other: | 2 | 1.82 % | School Bus/Public Bus: | 1 | 0.91 % |
| Grand Total Occurrences: | 55 | | Grand Total Occurrences: | 55 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 3 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 2.73 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 1.82 % |
| | | | | | | Grand Total Occurrences: | 55 | |

Total Average Daily Enrollment: 2,950
Injury Occurrence Rate*: 3.73 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

YORK ACADEMY REGIONAL CHARTER SCHOOL

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 4 | 44.44 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 3 | 33.33 % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 1 | 11.11 % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 11.11 % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 1 | 11.11 % | Corridor/Hall: | 2 | 22.22 % |
| Eye Injury: | 0 | - % | Recess: | 6 | 66.67 % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 6 | 66.67 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 2 | 22.22 % | School Bus/Public Bus: | 1 | 11.11 % |
| Grand Total Occurrences: | 9 | | Grand Total Occurrences: | 9 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 9 | |

Total Average Daily Enrollment: 297
Injury Occurrence Rate*: 3.03 %

YORK CITY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 0.52 % | After School: | 2 | 1.03 % | Athletic Field/Play Field: | 1 | 0.52 % |
| Concussion (Possible): | 20 | 10.31 % | Before School: | 2 | 1.03 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 5 | 2.58 % | Class Change: | 12 | 6.19 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 22 | 11.34 % | Class Time: | 26 | 13.40 % | Cafeteria: | 6 | 3.09 % |
| Dental Injury: | 3 | 1.55 % | Lunch Period: | 5 | 2.58 % | Classroom: | 27 | 13.92 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 24 | 12.37 % | Corridor/Hall: | 14 | 7.22 % |
| Eye Injury: | 3 | 1.55 % | Recess: | 14 | 7.22 % | Gymnasium/Pool: | 9 | 4.64 % |
| Fracture (Possible): | 10 | 5.15 % | Sci Lab/Fam & Consumer | | | Playground: | 15 | 7.73 % |
| Sprain/Strain/Tear (Possible): | 28 | 14.43 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 5 | 2.58 % | Other: | 12 | 6.19 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 97 | | Grand Total Occurrences: | 97 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 1.03 % |
| | | | | | | Street/Driveway/Parking: | 2 | 1.03 % |
| | | | | | | Other: | 21 | 10.82 % |
| | | | | | | Grand Total Occurrences: | 97 | |

Total Average Daily Enrollment: 5,805
Injury Occurrence Rate*: 3.34 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

YORK CO SCHOOL OF TECHNOLOGY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 2.22 % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 3 | 6.67 % | Before School: | 1 | 2.22 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 1 | 2.22 % | Class Change: | 2 | 4.44 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 20 | 44.44 % | Class Time: | 1 | 2.22 % | Cafeteria: | 2 | 4.44 % |
| Dental Injury: | 2 | 4.44 % | Lunch Period: | 2 | 4.44 % | Classroom: | 1 | 2.22 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 5 | 11.11 % | Corridor/Hall: | 1 | 2.22 % |
| Eye Injury: | 1 | 2.22 % | Recess: | 0 | - % | Gymnasium/Pool: | 5 | 11.11 % |
| Fracture (Possible): | 7 | 15.56 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 9 | 20.00 % | Sci & Tech ED Class: | 33 | 73.33 % | Restroom: | 0 | - % |
| Other: | 1 | 2.22 % | Other: | 1 | 2.22 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 45 | | Grand Total Occurrences: | 45 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 33 | 73.33 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 2.22 % |
| | | | | | | Street/Driveway/Parking: | 1 | 2.22 % |
| | | | | | | Other: | 1 | 2.22 % |
| | | | | | | Grand Total Occurrences: | 45 | |

Total Average Daily Enrollment: 1,485
Injury Occurrence Rate*: 3.03 %

YORK SUBURBAN SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 2 | 1.37 % | After School: | 1 | 0.68 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 11 | 7.53 % | Before School: | 3 | 2.05 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 4 | 2.74 % | Class Change: | 2 | 1.37 % | Bus Loading Area: | 1 | 0.68 % |
| Cut/Laceration/Puncture: | 15 | 10.27 % | Class Time: | 20 | 13.70 % | Cafeteria: | 4 | 2.74 % |
| Dental Injury: | 2 | 1.37 % | Lunch Period: | 6 | 4.11 % | Classroom: | 20 | 13.70 % |
| Dislocation (Possible): | 3 | 2.05 % | P.E. Class: | 18 | 12.33 % | Corridor/Hall: | 3 | 2.05 % |
| Eye Injury: | 1 | 0.68 % | Recess: | 19 | 13.01 % | Gymnasium/Pool: | 17 | 11.64 % |
| Fracture (Possible): | 11 | 7.53 % | Sci Lab/Fam & Consumer | | | Playground: | 22 | 15.07 % |
| Sprain/Strain/Tear (Possible): | 9 | 6.16 % | Sci & Tech ED Class: | 1 | 0.68 % | Restroom: | 0 | - % |
| Other: | 15 | 10.27 % | Other: | 3 | 2.05 % | School Bus/Public Bus: | 1 | 0.68 % |
| Grand Total Occurrences: | 73 | | Grand Total Occurrences: | 73 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 0.68 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 4 | 2.74 % |
| | | | | | | Grand Total Occurrences: | 73 | |

Total Average Daily Enrollment: 3,334
Injury Occurrence Rate*: 4.38 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

YORK COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|--------------|---------|--|--------------|---------|--|--------------|---------|
| Burn: | 16 | 0.58 % | After School: | 35 | 1.28 % | Athletic Field/Play Field: | 94 | 3.44 % |
| Concussion (Possible): | 286 | 10.45 % | Before School: | 46 | 1.68 % | Auditorium/Multipurpose: | 17 | 0.62 % |
| Contusion: | 111 | 4.06 % | Class Change: | 122 | 4.46 % | Bus Loading Area: | 17 | 0.62 % |
| Cut/Laceration/Puncture: | 261 | 9.54 % | Class Time: | 225 | 8.22 % | Cafeteria: | 50 | 1.83 % |
| Dental Injury: | 52 | 1.90 % | Lunch Period: | 77 | 2.81 % | Classroom: | 187 | 6.83 % |
| Dislocation (Possible): | 24 | 0.88 % | P.E. Class: | 420 | 15.35 % | Corridor/Hall: | 109 | 3.98 % |
| Eye Injury: | 39 | 1.43 % | Recess: | 359 | 13.12 % | Gymnasium/Pool: | 333 | 12.17 % |
| Fracture (Possible): | 284 | 10.38 % | Sci Lab/Fam & Consumer | | | Playground: | 363 | 13.27 % |
| Sprain/Strain/Tear (Possible): | 226 | 8.26 % | Sci & Tech ED Class: | 70 | 2.56 % | Restroom: | 38 | 1.39 % |
| Other: | 100 | 3.65 % | Other: | 45 | 1.64 % | School Bus/Public Bus: | 14 | 0.51 % |
| Grand Total Occurrences: | 1,399 | | Grand Total Occurrences: | 1,399 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 74 | 2.70 % |
| | | | | | | Sidewalk: | 5 | 0.18 % |
| | | | | | | Stairs/Ramp/Elevator: | 32 | 1.17 % |
| | | | | | | Street/Driveway/Parking: | 16 | 0.58 % |
| | | | | | | Other: | 50 | 1.83 % |
| | | | | | | Grand Total Occurrences: | 1,399 | |

Total Average Daily Enrollment: 71,481

Injury Occurrence Rate*: 3.83 %

Southcentral District

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|--------------|---------|--|--------------|---------|--|--------------|---------|
| Burn: | 103 | 1.07 % | After School: | 148 | 1.54 % | Athletic Field/Play Field: | 327 | 3.40 % |
| Concussion (Possible): | 822 | 8.55 % | Before School: | 234 | 2.43 % | Auditorium/Multipurpose: | 52 | 0.54 % |
| Contusion: | 352 | 3.66 % | Class Change: | 439 | 4.57 % | Bus Loading Area: | 46 | 0.48 % |
| Cut/Laceration/Puncture: | 908 | 9.45 % | Class Time: | 773 | 8.04 % | Cafeteria: | 154 | 1.60 % |
| Dental Injury: | 182 | 1.89 % | Lunch Period: | 196 | 2.04 % | Classroom: | 603 | 6.27 % |
| Dislocation (Possible): | 100 | 1.04 % | P.E. Class: | 1,387 | 14.43 % | Corridor/Hall: | 379 | 3.94 % |
| Eye Injury: | 157 | 1.63 % | Recess: | 1,248 | 12.98 % | Gymnasium/Pool: | 1,227 | 12.76 % |
| Fracture (Possible): | 1,070 | 11.13 % | Sci Lab/Fam & Consumer | | | Playground: | 1,234 | 12.84 % |
| Sprain/Strain/Tear (Possible): | 746 | 7.76 % | Sci & Tech ED Class: | 203 | 2.11 % | Restroom: | 84 | 0.87 % |
| Other: | 412 | 4.29 % | Other: | 224 | 2.33 % | School Bus/Public Bus: | 53 | 0.55 % |
| Grand Total Occurrences: | 4,852 | | Grand Total Occurrences: | 4,852 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 221 | 2.30 % |
| | | | | | | Sidewalk: | 32 | 0.33 % |
| | | | | | | Stairs/Ramp/Elevator: | 110 | 1.14 % |
| | | | | | | Street/Driveway/Parking: | 45 | 0.47 % |
| | | | | | | Other: | 285 | 2.96 % |
| | | | | | | Grand Total Occurrences: | 4,852 | |

Total Average Daily Enrollment: 251,986

Injury Occurrence Rate*: 3.81 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

ANTIETAM SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 3 | 16.67 % | Class Time: | 3 | 16.67 % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 5.56 % | Lunch Period: | 0 | - % | Classroom: | 3 | 16.67 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 4 | 22.22 % | Corridor/Hall: | 1 | 5.56 % |
| Eye Injury: | 0 | - % | Recess: | 1 | 5.56 % | Gymnasium/Pool: | 5 | 27.78 % |
| Fracture (Possible): | 2 | 11.11 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 1 | 5.56 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 2 | 11.11 % | Other: | 1 | 5.56 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 9 | | Grand Total Occurrences: | 9 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 9 | |

Total Average Daily Enrollment: 1,285
Injury Occurrence Rate*: 1.40 %

BOYERTOWN AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 0 | - % | After School: | 3 | 1.34 % | Athletic Field/Play Field: | 4 | 1.79 % |
| Concussion (Possible): | 26 | 11.61 % | Before School: | 5 | 2.23 % | Auditorium/Multipurpose: | 1 | 0.45 % |
| Contusion: | 12 | 5.36 % | Class Change: | 2 | 0.89 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 15 | 6.70 % | Class Time: | 15 | 6.70 % | Cafeteria: | 3 | 1.34 % |
| Dental Injury: | 3 | 1.34 % | Lunch Period: | 1 | 0.45 % | Classroom: | 14 | 6.25 % |
| Dislocation (Possible): | 6 | 2.68 % | P.E. Class: | 41 | 18.30 % | Corridor/Hall: | 5 | 2.23 % |
| Eye Injury: | 6 | 2.68 % | Recess: | 42 | 18.75 % | Gymnasium/Pool: | 39 | 17.41 % |
| Fracture (Possible): | 21 | 9.38 % | Sci Lab/Fam & Consumer | | | Playground: | 41 | 18.30 % |
| Sprain/Strain/Tear (Possible): | 22 | 9.82 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 1 | 0.45 % | Other: | 3 | 1.34 % | School Bus/Public Bus: | 1 | 0.45 % |
| Grand Total Occurrences: | 112 | | Grand Total Occurrences: | 112 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 1 | 0.45 % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 1.34 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 112 | |

Total Average Daily Enrollment: 7,375
Injury Occurrence Rate*: 3.04 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

BRANDYWINE HEIGHTS AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 2 | 3.57 % | Athletic Field/Play Field: | 2 | 3.57 % |
| Concussion (Possible): | 3 | 5.36 % | Before School: | 1 | 1.79 % | Auditorium/Multipurpose: | 1 | 1.79 % |
| Contusion: | 1 | 1.79 % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 7 | 12.50 % | Class Time: | 7 | 12.50 % | Cafeteria: | 2 | 3.57 % |
| Dental Injury: | 2 | 3.57 % | Lunch Period: | 1 | 1.79 % | Classroom: | 5 | 8.93 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 12 | 21.43 % | Corridor/Hall: | 2 | 3.57 % |
| Eye Injury: | 2 | 3.57 % | Recess: | 3 | 5.36 % | Gymnasium/Pool: | 12 | 21.43 % |
| Fracture (Possible): | 8 | 14.29 % | Sci Lab/Fam & Consumer | | | Playground: | 3 | 5.36 % |
| Sprain/Strain/Tear (Possible): | 1 | 1.79 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 4 | 7.14 % | Other: | 2 | 3.57 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 28 | | Grand Total Occurrences: | 28 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 1.79 % |
| | | | | | | Grand Total Occurrences: | 28 | |

Total Average Daily Enrollment: 1,603
Injury Occurrence Rate*: 3.49 %

CONRAD WEISER AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 5 | 4.81 % | After School: | 1 | 0.96 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 7 | 6.73 % | Before School: | 1 | 0.96 % | Auditorium/Multipurpose: | 1 | 0.96 % |
| Contusion: | 6 | 5.77 % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 6 | 5.77 % | Class Time: | 12 | 11.54 % | Cafeteria: | 4 | 3.85 % |
| Dental Injury: | 0 | - % | Lunch Period: | 4 | 3.85 % | Classroom: | 5 | 4.81 % |
| Dislocation (Possible): | 2 | 1.92 % | P.E. Class: | 22 | 21.15 % | Corridor/Hall: | 1 | 0.96 % |
| Eye Injury: | 3 | 2.88 % | Recess: | 7 | 6.73 % | Gymnasium/Pool: | 22 | 21.15 % |
| Fracture (Possible): | 18 | 17.31 % | Sci Lab/Fam & Consumer | | | Playground: | 7 | 6.73 % |
| Sprain/Strain/Tear (Possible): | 5 | 4.81 % | Sci & Tech ED Class: | 4 | 3.85 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 1 | 0.96 % | School Bus/Public Bus: | 1 | 0.96 % |
| Grand Total Occurrences: | 52 | | Grand Total Occurrences: | 52 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 5 | 3.85 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 6 | 5.77 % |
| | | | | | | Grand Total Occurrences: | 52 | |

Total Average Daily Enrollment: 2,750
Injury Occurrence Rate*: 3.78 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

DANIEL BOONE AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 0.77 % | Athletic Field/Play Field: | 4 | 3.08 % |
| Concussion (Possible): | 22 | 16.92 % | Before School: | 3 | 2.31 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 5 | 3.85 % | Class Change: | 5 | 3.85 % | Bus Loading Area: | 2 | 1.54 % |
| Cut/Laceration/Puncture: | 8 | 6.15 % | Class Time: | 7 | 5.38 % | Cafeteria: | 2 | 1.54 % |
| Dental Injury: | 1 | 0.77 % | Lunch Period: | 1 | 0.77 % | Classroom: | 10 | 7.69 % |
| Dislocation (Possible): | 1 | 0.77 % | P.E. Class: | 11 | 8.46 % | Corridor/Hall: | 2 | 1.54 % |
| Eye Injury: | 3 | 2.31 % | Recess: | 29 | 22.31 % | Gymnasium/Pool: | 10 | 7.69 % |
| Fracture (Possible): | 20 | 15.38 % | Sci Lab/Fam & Consumer | | | Playground: | 29 | 22.31 % |
| Sprain/Strain/Tear (Possible): | 3 | 2.31 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 0.77 % |
| Other: | 2 | 1.54 % | Other: | 8 | 6.15 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 65 | | Grand Total Occurrences: | 65 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 1 | 0.77 % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 2.31 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 0.77 % |
| | | | | | | Grand Total Occurrences: | 65 | |

Total Average Daily Enrollment: 3,723
Injury Occurrence Rate*: 3.49 %

EXETER TOWNSHIP SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 2 | 0.74 % | After School: | 9 | 3.33 % | Athletic Field/Play Field: | 6 | 2.22 % |
| Concussion (Possible): | 29 | 10.74 % | Before School: | 5 | 1.85 % | Auditorium/Multipurpose: | 1 | 0.37 % |
| Contusion: | 21 | 7.78 % | Class Change: | 10 | 3.70 % | Bus Loading Area: | 1 | 0.37 % |
| Cut/Laceration/Puncture: | 22 | 8.15 % | Class Time: | 21 | 7.78 % | Cafeteria: | 6 | 2.22 % |
| Dental Injury: | 4 | 1.48 % | Lunch Period: | 4 | 1.48 % | Classroom: | 19 | 7.04 % |
| Dislocation (Possible): | 2 | 0.74 % | P.E. Class: | 44 | 16.30 % | Corridor/Hall: | 14 | 5.19 % |
| Eye Injury: | 9 | 3.33 % | Recess: | 37 | 13.70 % | Gymnasium/Pool: | 34 | 12.59 % |
| Fracture (Possible): | 23 | 8.52 % | Sci Lab/Fam & Consumer | | | Playground: | 36 | 13.33 % |
| Sprain/Strain/Tear (Possible): | 17 | 6.30 % | Sci & Tech ED Class: | 3 | 1.11 % | Restroom: | 0 | - % |
| Other: | 6 | 2.22 % | Other: | 2 | 0.74 % | School Bus/Public Bus: | 2 | 0.74 % |
| Grand Total Occurrences: | 135 | | Grand Total Occurrences: | 135 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 5 | 1.11 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 4 | 1.48 % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.37 % |
| | | | | | | Other: | 6 | 2.22 % |
| | | | | | | Grand Total Occurrences: | 135 | |

Total Average Daily Enrollment: 4,274
Injury Occurrence Rate*: 6.32 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

FLEETWOOD AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 2 | 1.69 % |
| Concussion (Possible): | 13 | 11.02 % | Before School: | 2 | 1.69 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 0 | - % | Class Change: | 3 | 2.54 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 16 | 13.56 % | Class Time: | 14 | 11.86 % | Cafeteria: | 3 | 2.54 % |
| Dental Injury: | 5 | 4.24 % | Lunch Period: | 3 | 2.54 % | Classroom: | 9 | 7.63 % |
| Dislocation (Possible): | 1 | 0.85 % | P.E. Class: | 20 | 16.95 % | Corridor/Hall: | 2 | 1.69 % |
| Eye Injury: | 0 | - % | Recess: | 17 | 14.41 % | Gymnasium/Pool: | 19 | 16.10 % |
| Fracture (Possible): | 16 | 13.56 % | Sci Lab/Fam & Consumer | | | Playground: | 19 | 16.10 % |
| Sprain/Strain/Tear (Possible): | 6 | 5.08 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 2 | 1.69 % |
| Other: | 2 | 1.69 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 59 | | Grand Total Occurrences: | 59 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | - % |
| | | | | | | Sidewalk: | 1 | 0.85 % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 0.85 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 59 | |

Total Average Daily Enrollment: 2,723
Injury Occurrence Rate*: 4.33 %

GOVERNOR MIFFLIN SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 2 | 1.35 % | After School: | 5 | 3.38 % | Athletic Field/Play Field: | 3 | 2.03 % |
| Concussion (Possible): | 20 | 13.51 % | Before School: | 2 | 1.35 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 1 | 0.68 % | Class Change: | 9 | 6.08 % | Bus Loading Area: | 2 | 1.35 % |
| Cut/Laceration/Puncture: | 12 | 8.11 % | Class Time: | 4 | 2.70 % | Cafeteria: | 4 | 2.70 % |
| Dental Injury: | 6 | 4.05 % | Lunch Period: | 7 | 4.73 % | Classroom: | 7 | 4.73 % |
| Dislocation (Possible): | 2 | 1.35 % | P.E. Class: | 9 | 6.08 % | Corridor/Hall: | 4 | 2.70 % |
| Eye Injury: | 0 | - % | Recess: | 30 | 20.27 % | Gymnasium/Pool: | 9 | 6.08 % |
| Fracture (Possible): | 15 | 10.14 % | Sci Lab/Fam & Consumer | | | Playground: | 35 | 23.65 % |
| Sprain/Strain/Tear (Possible): | 11 | 7.43 % | Sci & Tech ED Class: | 1 | 0.68 % | Restroom: | 0 | - % |
| Other: | 5 | 3.38 % | Other: | 7 | 4.73 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 74 | | Grand Total Occurrences: | 74 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 0.68 % |
| | | | | | | Sidewalk: | 3 | 2.03 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 2 | 1.35 % |
| | | | | | | Other: | 4 | 2.70 % |
| | | | | | | Grand Total Occurrences: | 74 | |

Total Average Daily Enrollment: 4,451
Injury Occurrence Rate*: 3.33 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

HAMBURG AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 12 | 4.88 % | After School: | 4 | 1.63 % | Athletic Field/Play Field: | 9 | 3.66 % |
| Concussion (Possible): | 7 | 2.85 % | Before School: | 9 | 3.66 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 9 | 3.66 % | Class Change: | 12 | 4.88 % | Bus Loading Area: | 1 | 0.41 % |
| Cut/Laceration/Puncture: | 21 | 8.54 % | Class Time: | 9 | 3.66 % | Cafeteria: | 8 | 3.25 % |
| Dental Injury: | 5 | 2.03 % | Lunch Period: | 12 | 4.88 % | Classroom: | 15 | 6.10 % |
| Dislocation (Possible): | 4 | 1.63 % | P.E. Class: | 28 | 11.38 % | Corridor/Hall: | 15 | 6.10 % |
| Eye Injury: | 8 | 3.25 % | Recess: | 20 | 8.13 % | Gymnasium/Pool: | 19 | 7.72 % |
| Fracture (Possible): | 23 | 9.35 % | Sci Lab/Fam & Consumer | | | Playground: | 24 | 9.76 % |
| Sprain/Strain/Tear (Possible): | 22 | 8.94 % | Sci & Tech ED Class: | 16 | 6.50 % | Restroom: | 0 | - % |
| Other: | 12 | 4.88 % | Other: | 13 | 5.28 % | School Bus/Public Bus: | 5 | 2.03 % |
| Grand Total Occurrences: | 123 | | Grand Total Occurrences: | 123 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 16 | 6.50 % |
| | | | | | | Sidewalk: | 6 | 2.44 % |
| | | | | | | Stairs/Ramp/Elevator: | 4 | 1.63 % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.41 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 123 | |

Total Average Daily Enrollment: 2,323
Injury Occurrence Rate*: 10.59 %

I-LEAD CHARTER SCHOOL

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 1 | 50.00 % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 1 | 50.00 % | Class Time: | 1 | 50.00 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 1 | 50.00 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 1 | 50.00 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 1 | 50.00 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 2 | | Grand Total Occurrences: | 2 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 2 | |

Total Average Daily Enrollment: 324
Injury Occurrence Rate*: 0.62 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

KUTZTOWN AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 2.78 % | Athletic Field/Play Field: | 6 | 16.67 % |
| Concussion (Possible): | 5 | 13.89 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 4 | 11.11 % | Class Time: | 1 | 2.78 % | Cafeteria: | 2 | 5.56 % |
| Dental Injury: | 0 | - % | Lunch Period: | 2 | 5.56 % | Classroom: | 0 | - % |
| Dislocation (Possible): | 1 | 2.78 % | P.E. Class: | 13 | 36.11 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 1 | 2.78 % | Recess: | 1 | 2.78 % | Gymnasium/Pool: | 9 | 25.00 % |
| Fracture (Possible): | 3 | 8.33 % | Sci Lab/Fam & Consumer | | | Playground: | 1 | 2.78 % |
| Sprain/Strain/Tear (Possible): | 3 | 8.33 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 1 | 2.78 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 18 | | Grand Total Occurrences: | 18 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 18 | |

Total Average Daily Enrollment: 1,411
Injury Occurrence Rate*: 2.55 %

MUHLENBERG SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 2 | 0.57 % | After School: | 4 | 1.15 % | Athletic Field/Play Field: | 3 | 0.86 % |
| Concussion (Possible): | 37 | 10.63 % | Before School: | 4 | 1.15 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 30 | 8.62 % | Class Change: | 21 | 6.03 % | Bus Loading Area: | 1 | 0.29 % |
| Cut/Laceration/Puncture: | 21 | 6.03 % | Class Time: | 41 | 11.78 % | Cafeteria: | 6 | 1.72 % |
| Dental Injury: | 8 | 2.30 % | Lunch Period: | 15 | 4.31 % | Classroom: | 39 | 11.21 % |
| Dislocation (Possible): | 7 | 2.01 % | P.E. Class: | 68 | 19.54 % | Corridor/Hall: | 14 | 4.02 % |
| Eye Injury: | 6 | 1.72 % | Recess: | 11 | 3.16 % | Gymnasium/Pool: | 87 | 25.00 % |
| Fracture (Possible): | 31 | 8.91 % | Sci Lab/Fam & Consumer | | | Playground: | 4 | 1.15 % |
| Sprain/Strain/Tear (Possible): | 27 | 7.76 % | Sci & Tech ED Class: | 3 | 0.86 % | Restroom: | 2 | 0.57 % |
| Other: | 5 | 1.44 % | Other: | 7 | 2.01 % | School Bus/Public Bus: | 1 | 0.29 % |
| Grand Total Occurrences: | 174 | | Grand Total Occurrences: | 174 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 4 | 0.86 % |
| | | | | | | Sidewalk: | 2 | 0.57 % |
| | | | | | | Stairs/Ramp/Elevator: | 8 | 2.30 % |
| | | | | | | Street/Driveway/Parking: | 3 | 0.86 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 174 | |

Total Average Daily Enrollment: 3,818
Injury Occurrence Rate*: 9.12 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

OLEY VALLEY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 1.35 % | Athletic Field/Play Field: | 4 | 5.41 % |
| Concussion (Possible): | 3 | 4.05 % | Before School: | 1 | 1.35 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 2 | 2.70 % | Class Change: | 3 | 4.05 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 8 | 10.81 % | Class Time: | 5 | 6.76 % | Cafeteria: | 3 | 4.05 % |
| Dental Injury: | 0 | - % | Lunch Period: | 2 | 2.70 % | Classroom: | 6 | 8.11 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 11 | 14.86 % | Corridor/Hall: | 1 | 1.35 % |
| Eye Injury: | 5 | 6.76 % | Recess: | 11 | 14.86 % | Gymnasium/Pool: | 7 | 9.46 % |
| Fracture (Possible): | 18 | 24.32 % | Sci Lab/Fam & Consumer | | | Playground: | 10 | 13.51 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 1 | 1.35 % | Restroom: | 0 | - % |
| Other: | 1 | 1.35 % | Other: | 2 | 2.70 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 37 | | Grand Total Occurrences: | 37 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 1.35 % |
| | | | | | | Sidewalk: | 1 | 1.35 % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 1.35 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 3 | 4.05 % |
| | | | | | | Grand Total Occurrences: | 37 | |

Total Average Daily Enrollment: 1,695
Injury Occurrence Rate*: 4.37 %

READING SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 0 | - % | After School: | 6 | 2.63 % | Athletic Field/Play Field: | 1 | 0.44 % |
| Concussion (Possible): | 7 | 3.07 % | Before School: | 12 | 5.26 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 13 | 5.70 % | Class Change: | 12 | 5.26 % | Bus Loading Area: | 2 | 0.88 % |
| Cut/Laceration/Puncture: | 37 | 16.23 % | Class Time: | 13 | 5.70 % | Cafeteria: | 10 | 4.39 % |
| Dental Injury: | 7 | 3.07 % | Lunch Period: | 9 | 3.95 % | Classroom: | 12 | 5.26 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 39 | 17.11 % | Corridor/Hall: | 12 | 5.26 % |
| Eye Injury: | 4 | 1.75 % | Recess: | 15 | 6.58 % | Gymnasium/Pool: | 36 | 15.79 % |
| Fracture (Possible): | 21 | 9.21 % | Sci Lab/Fam & Consumer | | | Playground: | 14 | 6.14 % |
| Sprain/Strain/Tear (Possible): | 21 | 9.21 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 2 | 0.88 % |
| Other: | 4 | 1.75 % | Other: | 8 | 3.51 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 114 | | Grand Total Occurrences: | 114 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 7 | 3.07 % |
| | | | | | | Stairs/Ramp/Elevator: | 10 | 4.39 % |
| | | | | | | Street/Driveway/Parking: | 3 | 1.32 % |
| | | | | | | Other: | 5 | 2.19 % |
| | | | | | | Grand Total Occurrences: | 114 | |

Total Average Daily Enrollment: 18,431
Injury Occurrence Rate*: 1.24 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

SCHUYLKILL VALLEY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 1.72 % | Athletic Field/Play Field: | 3 | 5.17 % |
| Concussion (Possible): | 6 | 10.34 % | Before School: | 1 | 1.72 % | Auditorium/Multipurpose: | 1 | 1.72 % |
| Contusion: | 3 | 5.17 % | Class Change: | 5 | 8.62 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 9 | 15.52 % | Class Time: | 3 | 5.17 % | Cafeteria: | 1 | 1.72 % |
| Dental Injury: | 1 | 1.72 % | Lunch Period: | 0 | - % | Classroom: | 2 | 3.45 % |
| Dislocation (Possible): | 1 | 1.72 % | P.E. Class: | 9 | 15.52 % | Corridor/Hall: | 5 | 8.62 % |
| Eye Injury: | 1 | 1.72 % | Recess: | 6 | 10.34 % | Gymnasium/Pool: | 6 | 10.34 % |
| Fracture (Possible): | 3 | 5.17 % | Sci Lab/Fam & Consumer | | | Playground: | 6 | 10.34 % |
| Sprain/Strain/Tear (Possible): | 4 | 6.90 % | Sci & Tech ED Class: | 1 | 1.72 % | Restroom: | 0 | - % |
| Other: | 1 | 1.72 % | Other: | 3 | 5.17 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 29 | | Grand Total Occurrences: | 29 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 1.72 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 1.72 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 3 | 5.17 % |
| | | | | | | Grand Total Occurrences: | 29 | |

Total Average Daily Enrollment: 1,927
Injury Occurrence Rate*: 3.01 %

TULPEHOCKEN AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 1.16 % | Athletic Field/Play Field: | 5 | 5.81 % |
| Concussion (Possible): | 13 | 15.12 % | Before School: | 2 | 2.33 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 1 | 1.16 % | Bus Loading Area: | 2 | 2.33 % |
| Cut/Laceration/Puncture: | 7 | 8.14 % | Class Time: | 4 | 4.65 % | Cafeteria: | 6 | 6.98 % |
| Dental Injury: | 0 | - % | Lunch Period: | 6 | 6.98 % | Classroom: | 4 | 4.65 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 11 | 12.79 % | Corridor/Hall: | 4 | 4.65 % |
| Eye Injury: | 4 | 4.65 % | Recess: | 12 | 13.95 % | Gymnasium/Pool: | 7 | 8.14 % |
| Fracture (Possible): | 8 | 9.30 % | Sci Lab/Fam & Consumer | | | Playground: | 11 | 12.79 % |
| Sprain/Strain/Tear (Possible): | 10 | 11.63 % | Sci & Tech ED Class: | 3 | 3.49 % | Restroom: | 0 | - % |
| Other: | 1 | 1.16 % | Other: | 3 | 3.49 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 43 | | Grand Total Occurrences: | 43 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 3 | 3.49 % |
| | | | | | | Sidewalk: | 1 | 1.16 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 43 | |

Total Average Daily Enrollment: 1,554
Injury Occurrence Rate*: 5.53 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

TWIN VALLEY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 2 | 1.45 % | After School: | 0 | - % | Athletic Field/Play Field: | 4 | 2.90 % |
| Concussion (Possible): | 17 | 12.32 % | Before School: | 1 | 0.72 % | Auditorium/Multipurpose: | 1 | 0.72 % |
| Cotusion: | 27 | 19.57 % | Class Change: | 8 | 5.80 % | Bus Loading Area: | 1 | 0.72 % |
| Cut/Laceration/Puncture: | 8 | 5.80 % | Class Time: | 14 | 10.14 % | Cafeteria: | 2 | 1.45 % |
| Dental Injury: | 1 | 0.72 % | Lunch Period: | 3 | 2.17 % | Classroom: | 12 | 8.70 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 27 | 19.57 % | Corridor/Hall: | 8 | 5.80 % |
| Eye Injury: | 0 | - % | Recess: | 11 | 7.97 % | Gymnasium/Pool: | 24 | 17.39 % |
| Fracture (Possible): | 7 | 5.07 % | Sci Lab/Fam & Consumer | | | Playground: | 12 | 8.70 % |
| Sprain/Strain/Tear (Possible): | 2 | 1.45 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 0.72 % |
| Other: | 5 | 3.62 % | Other: | 5 | 3.62 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 69 | | Grand Total Occurrences: | 69 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 4 | 2.90 % |
| | | | | | | Grand Total Occurrences: | 69 | |

Total Average Daily Enrollment: 3,397
 Injury Occurrence Rate*: 4.06 %

WILSON SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 0 | - % | After School: | 1 | 0.39 % | Athletic Field/Play Field: | 12 | 4.72 % |
| Concussion (Possible): | 15 | 5.91 % | Before School: | 1 | 0.39 % | Auditorium/Multipurpose: | 1 | 0.39 % |
| Cotusion: | 25 | 9.84 % | Class Change: | 7 | 2.76 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 13 | 5.12 % | Class Time: | 22 | 8.66 % | Cafeteria: | 3 | 1.18 % |
| Dental Injury: | 8 | 3.15 % | Lunch Period: | 14 | 5.51 % | Classroom: | 14 | 5.51 % |
| Dislocation (Possible): | 6 | 2.36 % | P.E. Class: | 29 | 11.42 % | Corridor/Hall: | 9 | 3.54 % |
| Eye Injury: | 7 | 2.76 % | Recess: | 41 | 16.14 % | Gymnasium/Pool: | 31 | 12.20 % |
| Fracture (Possible): | 32 | 12.60 % | Sci Lab/Fam & Consumer | | | Playground: | 48 | 18.90 % |
| Sprain/Strain/Tear (Possible): | 16 | 6.30 % | Sci & Tech ED Class: | 2 | 0.79 % | Restroom: | 1 | 0.39 % |
| Other: | 5 | 1.97 % | Other: | 10 | 3.94 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 127 | | Grand Total Occurrences: | 127 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 4 | 0.79 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 0.79 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 0.79 % |
| | | | | | | Grand Total Occurrences: | 127 | |

Total Average Daily Enrollment: 6,196
 Injury Occurrence Rate*: 4.10 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
 Division of School Health

WYOMISSING AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 2 | 2.86 % | Athletic Field/Play Field: | 4 | 5.71 % |
| Concussion (Possible): | 2 | 2.86 % | Before School: | 2 | 2.86 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 8 | 11.43 % | Class Change: | 5 | 7.14 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 11 | 15.71 % | Class Time: | 2 | 2.86 % | Cafeteria: | 2 | 2.86 % |
| Dental Injury: | 2 | 2.86 % | Lunch Period: | 4 | 5.71 % | Classroom: | 1 | 1.43 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 10 | 14.29 % | Corridor/Hall: | 3 | 4.29 % |
| Eye Injury: | 1 | 1.43 % | Recess: | 8 | 11.43 % | Gymnasium/Pool: | 10 | 14.29 % |
| Fracture (Possible): | 2 | 2.86 % | Sci Lab/Fam & Consumer | | | Playground: | 8 | 11.43 % |
| Sprain/Strain/Tear (Possible): | 9 | 12.86 % | Sci & Tech ED Class: | 1 | 1.43 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 1 | 1.43 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 35 | | Grand Total Occurrences: | 35 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 1.43 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 1 | 1.43 % |
| | | | | | | Other: | 5 | 7.14 % |
| | | | | | | Grand Total Occurrences: | 35 | |

Total Average Daily Enrollment: 2,016
Injury Occurrence Rate*: 3.47 %

BERKS COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|--------------|---------|--|--------------|---------|--|--------------|---------|
| Burn: | 25 | 0.96 % | After School: | 42 | 1.61 % | Athletic Field/Play Field: | 73 | 2.80 % |
| Concussion (Possible): | 232 | 8.90 % | Before School: | 52 | 1.99 % | Auditorium/Multipurpose: | 7 | 0.27 % |
| Contusion: | 163 | 6.25 % | Class Change: | 103 | 3.95 % | Bus Loading Area: | 12 | 0.46 % |
| Cut/Laceration/Puncture: | 229 | 8.78 % | Class Time: | 198 | 7.59 % | Cafeteria: | 67 | 2.57 % |
| Dental Injury: | 54 | 2.07 % | Lunch Period: | 88 | 3.37 % | Classroom: | 178 | 6.83 % |
| Dislocation (Possible): | 33 | 1.27 % | P.E. Class: | 409 | 15.68 % | Corridor/Hall: | 102 | 3.91 % |
| Eye Injury: | 60 | 2.30 % | Recess: | 302 | 11.58 % | Gymnasium/Pool: | 386 | 14.80 % |
| Fracture (Possible): | 271 | 10.39 % | Sci Lab/Fam & Consumer | | | Playground: | 308 | 11.81 % |
| Sprain/Strain/Tear (Possible): | 180 | 6.90 % | Sci & Tech ED Class: | 35 | 1.34 % | Restroom: | 9 | 0.35 % |
| Other: | 58 | 2.22 % | Other: | 76 | 2.91 % | School Bus/Public Bus: | 10 | 0.38 % |
| Grand Total Occurrences: | 1,305 | | Grand Total Occurrences: | 1,305 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 42 | 1.61 % |
| | | | | | | Sidewalk: | 23 | 0.88 % |
| | | | | | | Stairs/Ramp/Elevator: | 37 | 1.42 % |
| | | | | | | Street/Driveway/Parking: | 11 | 0.42 % |
| | | | | | | Other: | 40 | 1.53 % |
| | | | | | | Grand Total Occurrences: | 1,305 | |

Total Average Daily Enrollment: 71,276
Injury Occurrence Rate*: 3.66 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

BENSALEM TOWNSHIP SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 1 | 0.32 % | After School: | 7 | 2.24 % | Athletic Field/Play Field: | 4 | 1.28 % |
| Concussion (Possible): | 16 | 5.13 % | Before School: | 5 | 1.60 % | Auditorium/Multipurpose: | 2 | 0.64 % |
| Contusion: | 9 | 2.88 % | Class Change: | 9 | 2.88 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 24 | 7.69 % | Class Time: | 32 | 10.26 % | Cafeteria: | 7 | 2.24 % |
| Dental Injury: | 9 | 2.88 % | Lunch Period: | 13 | 4.17 % | Classroom: | 24 | 7.69 % |
| Dislocation (Possible): | 2 | 0.64 % | P.E. Class: | 49 | 15.71 % | Corridor/Hall: | 11 | 3.53 % |
| Eye Injury: | 6 | 1.92 % | Recess: | 29 | 9.29 % | Gymnasium/Pool: | 48 | 15.38 % |
| Fracture (Possible): | 34 | 10.90 % | Sci Lab/Fam & Consumer | | | Playground: | 31 | 9.94 % |
| Sprain/Strain/Tear (Possible): | 29 | 9.29 % | Sci & Tech ED Class: | 2 | 0.64 % | Restroom: | 2 | 0.64 % |
| Other: | 26 | 8.33 % | Other: | 10 | 3.21 % | School Bus/Public Bus: | 2 | 0.64 % |
| Grand Total Occurrences: | 156 | | Grand Total Occurrences: | 156 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 4 | 0.64 % |
| | | | | | | Sidewalk: | 4 | 1.28 % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 0.64 % |
| | | | | | | Street/Driveway/Parking: | 2 | 0.64 % |
| | | | | | | Other: | 13 | 4.17 % |
| | | | | | | Grand Total Occurrences: | 156 | |

Total Average Daily Enrollment: 7,789

Injury Occurrence Rate*: 4.01 %

BRISTOL BOROUGH SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 2 | 7.14 % | Before School: | 1 | 3.57 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 2 | 7.14 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 7 | 25.00 % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 3.57 % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 3 | 10.71 % | Corridor/Hall: | 2 | 7.14 % |
| Eye Injury: | 1 | 3.57 % | Recess: | 8 | 28.57 % | Gymnasium/Pool: | 3 | 10.71 % |
| Fracture (Possible): | 3 | 10.71 % | Sci Lab/Fam & Consumer | | | Playground: | 8 | 28.57 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 14 | | Grand Total Occurrences: | 14 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 14 | |

Total Average Daily Enrollment: 1,382

Injury Occurrence Rate*: 2.03 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

BRISTOL TOWNSHIP SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 0 | - % | After School: | 6 | 2.10 % | Athletic Field/Play Field: | 10 | 3.50 % |
| Concussion (Possible): | 31 | 10.84 % | Before School: | 4 | 1.40 % | Auditorium/Multipurpose: | 5 | 1.75 % |
| Cotusion: | 2 | 0.70 % | Class Change: | 8 | 2.80 % | Bus Loading Area: | 3 | 1.05 % |
| Cut/Laceration/Puncture: | 18 | 6.29 % | Class Time: | 29 | 10.14 % | Cafeteria: | 3 | 1.05 % |
| Dental Injury: | 10 | 3.50 % | Lunch Period: | 1 | 0.35 % | Classroom: | 21 | 7.34 % |
| Dislocation (Possible): | 2 | 0.70 % | P.E. Class: | 37 | 12.94 % | Corridor/Hall: | 6 | 2.10 % |
| Eye Injury: | 8 | 2.80 % | Recess: | 52 | 18.18 % | Gymnasium/Pool: | 32 | 11.19 % |
| Fracture (Possible): | 41 | 14.34 % | Sci Lab/Fam & Consumer | | | Playground: | 50 | 17.48 % |
| Sprain/Strain/Tear (Possible): | 24 | 8.39 % | Sci & Tech ED Class: | 3 | 1.05 % | Restroom: | 2 | 0.70 % |
| Other: | 7 | 2.45 % | Other: | 3 | 1.05 % | School Bus/Public Bus: | 3 | 1.05 % |
| Grand Total Occurrences: | 143 | | Grand Total Occurrences: | 143 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 1.05 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 1.05 % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.35 % |
| | | | | | | Other: | 3 | 1.05 % |
| | | | | | | Grand Total Occurrences: | 143 | |

Total Average Daily Enrollment: 6,734

Injury Occurrence Rate*: 4.25 %

BUCKS COUNTY MONTESSORI CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|----------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 120 | 100.00 % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 100 | 83.33 % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 7 | 5.83 % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 10 | 8.33 % | P.E. Class: | 1 | 0.83 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 2 | 1.67 % | Recess: | 118 | 98.33 % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 1 | 0.83 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 1 | 0.83 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 120 | | Grand Total Occurrences: | 120 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 120 | |

Total Average Daily Enrollment: 199

Injury Occurrence Rate*: 60.30 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

BUCKS COUNTY TECHNICAL HIGH SCHOOL

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 4 | 7.02 % | After School: | 1 | 1.75 % | Athletic Field/Play Field: | 3 | 5.26 % |
| Concussion (Possible): | 7 | 12.28 % | Before School: | 2 | 3.51 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 1 | 1.75 % | Class Change: | 5 | 8.77 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 15 | 26.32 % | Class Time: | 3 | 5.26 % | Cafeteria: | 1 | 1.75 % |
| Dental Injury: | 2 | 3.51 % | Lunch Period: | 1 | 1.75 % | Classroom: | 3 | 5.26 % |
| Dislocation (Possible): | 1 | 1.75 % | P.E. Class: | 15 | 26.32 % | Corridor/Hall: | 5 | 8.77 % |
| Eye Injury: | 6 | 10.53 % | Recess: | 0 | - % | Gymnasium/Pool: | 12 | 21.05 % |
| Fracture (Possible): | 11 | 19.30 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 9 | 15.79 % | Sci & Tech ED Class: | 30 | 52.63 % | Restroom: | 0 | - % |
| Other: | 1 | 1.75 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 57 | | Grand Total Occurrences: | 57 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 29 | 52.63 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 1 | 1.75 % |
| | | | | | | Other: | 3 | 5.26 % |
| | | | | | | Grand Total Occurrences: | 57 | |

Total Average Daily Enrollment: 1,448
Injury Occurrence Rate*: 3.94 %

CENTENNIAL SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 4 | 2.70 % | After School: | 3 | 2.03 % | Athletic Field/Play Field: | 3 | 2.03 % |
| Concussion (Possible): | 10 | 6.76 % | Before School: | 3 | 2.03 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 10 | 6.76 % | Class Change: | 7 | 4.73 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 9 | 6.08 % | Class Time: | 4 | 2.70 % | Cafeteria: | 1 | 0.68 % |
| Dental Injury: | 4 | 2.70 % | Lunch Period: | 1 | 0.68 % | Classroom: | 1 | 0.68 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 24 | 16.22 % | Corridor/Hall: | 5 | 3.38 % |
| Eye Injury: | 4 | 2.70 % | Recess: | 30 | 20.27 % | Gymnasium/Pool: | 13 | 8.78 % |
| Fracture (Possible): | 8 | 5.41 % | Sci Lab/Fam & Consumer | | | Playground: | 33 | 22.30 % |
| Sprain/Strain/Tear (Possible): | 11 | 7.43 % | Sci & Tech ED Class: | 1 | 0.68 % | Restroom: | 0 | - % |
| Other: | 14 | 9.46 % | Other: | 1 | 0.68 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 74 | | Grand Total Occurrences: | 74 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 0.68 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 17 | 11.49 % |
| | | | | | | Grand Total Occurrences: | 74 | |

Total Average Daily Enrollment: 7,439
Injury Occurrence Rate*: 1.99 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

CENTER FOR STUDENT LEARNING CS AT

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 4 | 66.67 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 2 | 33.33 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 2 | 33.33 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 1 | 16.67 % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 2 | 33.33 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 5 | 83.33 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 6 | | Grand Total Occurrences: | 6 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 33.33 % |
| | | | | | | Grand Total Occurrences: | 6 | |

Total Average Daily Enrollment: 165
Injury Occurrence Rate*: 3.63 %

CENTRAL BUCKS SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 2 | 0.33 % | After School: | 16 | 2.66 % | Athletic Field/Play Field: | 23 | 3.82 % |
| Concussion (Possible): | 83 | 13.79 % | Before School: | 13 | 2.16 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 4 | 0.66 % | Class Change: | 13 | 2.16 % | Bus Loading Area: | 5 | 0.83 % |
| Cut/Laceration/Puncture: | 51 | 8.47 % | Class Time: | 72 | 11.96 % | Cafeteria: | 11 | 1.83 % |
| Dental Injury: | 11 | 1.83 % | Lunch Period: | 11 | 1.83 % | Classroom: | 38 | 6.31 % |
| Dislocation (Possible): | 4 | 0.66 % | P.E. Class: | 69 | 11.46 % | Corridor/Hall: | 12 | 1.99 % |
| Eye Injury: | 5 | 0.83 % | Recess: | 90 | 14.95 % | Gymnasium/Pool: | 76 | 12.62 % |
| Fracture (Possible): | 78 | 12.96 % | Sci Lab/Fam & Consumer | | | Playground: | 83 | 13.79 % |
| Sprain/Strain/Tear (Possible): | 30 | 4.98 % | Sci & Tech ED Class: | 2 | 0.33 % | Restroom: | 2 | 0.33 % |
| Other: | 33 | 5.48 % | Other: | 15 | 2.49 % | School Bus/Public Bus: | 6 | 1.00 % |
| Grand Total Occurrences: | 301 | | Grand Total Occurrences: | 301 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 7 | 0.33 % |
| | | | | | | Sidewalk: | 2 | 0.33 % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 0.50 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 33 | 5.48 % |
| | | | | | | Grand Total Occurrences: | 301 | |

Total Average Daily Enrollment: 21,091
Injury Occurrence Rate*: 2.85 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

COUNCIL ROCK SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 3 | 0.38 % | After School: | 25 | 3.13 % | Athletic Field/Play Field: | 35 | 4.38 % |
| Concussion (Possible): | 98 | 12.25 % | Before School: | 10 | 1.25 % | Auditorium/Multipurpose: | 7 | 0.88 % |
| Cotusion: | 32 | 4.00 % | Class Change: | 16 | 2.00 % | Bus Loading Area: | 5 | 0.63 % |
| Cut/Laceration/Puncture: | 53 | 6.63 % | Class Time: | 63 | 7.88 % | Cafeteria: | 16 | 2.00 % |
| Dental Injury: | 22 | 2.75 % | Lunch Period: | 17 | 2.13 % | Classroom: | 66 | 8.25 % |
| Dislocation (Possible): | 6 | 0.75 % | P.E. Class: | 14 | 1.75 % | Corridor/Hall: | 18 | 2.25 % |
| Eye Injury: | 20 | 2.50 % | Recess: | 131 | 16.38 % | Gymnasium/Pool: | 5 | 0.63 % |
| Fracture (Possible): | 84 | 10.50 % | Sci Lab/Fam & Consumer | | | Playground: | 76 | 9.50 % |
| Sprain/Strain/Tear (Possible): | 63 | 7.88 % | Sci & Tech ED Class: | 116 | 14.50 % | Restroom: | 141 | 17.63 % |
| Other: | 19 | 2.38 % | Other: | 8 | 1.00 % | School Bus/Public Bus: | 3 | 0.38 % |
| Grand Total Occurrences: | 400 | | Grand Total Occurrences: | 400 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 9 | 14.50 % |
| | | | | | | Sidewalk: | 6 | 0.75 % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 0.25 % |
| | | | | | | Street/Driveway/Parking: | 2 | 0.25 % |
| | | | | | | Other: | 9 | 1.13 % |
| | | | | | | Grand Total Occurrences: | 400 | |

Total Average Daily Enrollment: 12,884
Injury Occurrence Rate*: 6.21 %

MORRISVILLE BOROUGH SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 1 | 10.00 % | Class Time: | 3 | 30.00 % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 10.00 % | Lunch Period: | 1 | 10.00 % | Classroom: | 3 | 30.00 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 1 | 10.00 % |
| Eye Injury: | 0 | - % | Recess: | 1 | 10.00 % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 3 | 30.00 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 5 | | Grand Total Occurrences: | 5 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 1 | 10.00 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 5 | |

Total Average Daily Enrollment: 1,122
Injury Occurrence Rate*: 0.89 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

NESHAMINY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 0 | - % | After School: | 8 | 2.42 % | Athletic Field/Play Field: | 30 | 9.09 % |
| Concussion (Possible): | 31 | 9.39 % | Before School: | 12 | 3.64 % | Auditorium/Multipurpose: | 1 | 0.30 % |
| Contusion: | 8 | 2.42 % | Class Change: | 11 | 3.33 % | Bus Loading Area: | 1 | 0.30 % |
| Cut/Laceration/Puncture: | 24 | 7.27 % | Class Time: | 16 | 4.85 % | Cafeteria: | 5 | 1.52 % |
| Dental Injury: | 11 | 3.33 % | Lunch Period: | 10 | 3.03 % | Classroom: | 13 | 3.94 % |
| Dislocation (Possible): | 1 | 0.30 % | P.E. Class: | 59 | 17.88 % | Corridor/Hall: | 11 | 3.33 % |
| Eye Injury: | 0 | - % | Recess: | 47 | 14.24 % | Gymnasium/Pool: | 57 | 17.27 % |
| Fracture (Possible): | 45 | 13.64 % | Sci Lab/Fam & Consumer | | | Playground: | 33 | 10.00 % |
| Sprain/Strain/Tear (Possible): | 34 | 10.30 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 3 | 0.91 % |
| Other: | 11 | 3.33 % | Other: | 2 | 0.61 % | School Bus/Public Bus: | 3 | 0.91 % |
| Grand Total Occurrences: | 165 | | Grand Total Occurrences: | 165 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | - % |
| | | | | | | Sidewalk: | 1 | 0.30 % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 0.91 % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.30 % |
| | | | | | | Other: | 2 | 0.61 % |
| | | | | | | Grand Total Occurrences: | 165 | |

Total Average Daily Enrollment: 9,587
Injury Occurrence Rate*: 3.44 %

NEW HOPE-SOLEBURY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 1 | 8.33 % | Athletic Field/Play Field: | 2 | 16.67 % |
| Concussion (Possible): | 3 | 25.00 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 1 | 8.33 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 3 | 25.00 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 1 | 8.33 % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 2 | 16.67 % | Sci Lab/Fam & Consumer | | | Playground: | 2 | 16.67 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 1 | 8.33 % | Other: | 0 | - % | School Bus/Public Bus: | 1 | 8.33 % |
| Grand Total Occurrences: | 6 | | Grand Total Occurrences: | 6 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 8.33 % |
| | | | | | | Grand Total Occurrences: | 6 | |

Total Average Daily Enrollment: 1,569
Injury Occurrence Rate*: 0.76 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

PALISADES SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 4 | 11.11 % |
| Concussion (Possible): | 6 | 16.67 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 1 | 2.78 % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 2 | 5.56 % | Class Time: | 3 | 8.33 % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 2.78 % | Lunch Period: | 0 | - % | Classroom: | 1 | 2.78 % |
| Dislocation (Possible): | 1 | 2.78 % | P.E. Class: | 2 | 5.56 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 11 | 30.56 % | Gymnasium/Pool: | 3 | 8.33 % |
| Fracture (Possible): | 4 | 11.11 % | Sci Lab/Fam & Consumer | | | Playground: | 6 | 16.67 % |
| Sprain/Strain/Tear (Possible): | 4 | 11.11 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 2 | 5.56 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 18 | | Grand Total Occurrences: | 18 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 2.78 % |
| | | | | | | Grand Total Occurrences: | 18 | |

Total Average Daily Enrollment: 1,972
Injury Occurrence Rate*: 1.83 %

PENNRIDGE SCHOOL DISTRICT

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 1 | 0.33 % | After School: | 1 | 0.33 % | Athletic Field/Play Field: | 31 | 10.26 % |
| Concussion (Possible): | 77 | 25.50 % | Before School: | 4 | 1.32 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 5 | 1.66 % | Class Change: | 12 | 3.97 % | Bus Loading Area: | 1 | 0.33 % |
| Cut/Laceration/Puncture: | 12 | 3.97 % | Class Time: | 16 | 5.30 % | Cafeteria: | 4 | 1.32 % |
| Dental Injury: | 2 | 0.66 % | Lunch Period: | 4 | 1.32 % | Classroom: | 14 | 4.64 % |
| Dislocation (Possible): | 3 | 0.99 % | P.E. Class: | 71 | 23.51 % | Corridor/Hall: | 12 | 3.97 % |
| Eye Injury: | 4 | 1.32 % | Recess: | 29 | 9.60 % | Gymnasium/Pool: | 44 | 14.57 % |
| Fracture (Possible): | 28 | 9.27 % | Sci Lab/Fam & Consumer | | | Playground: | 30 | 9.93 % |
| Sprain/Strain/Tear (Possible): | 16 | 5.30 % | Sci & Tech ED Class: | 4 | 1.32 % | Restroom: | 0 | - % |
| Other: | 3 | 0.99 % | Other: | 10 | 3.31 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 151 | | Grand Total Occurrences: | 151 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 3 | 1.32 % |
| | | | | | | Sidewalk: | 1 | 0.33 % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 0.33 % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.33 % |
| | | | | | | Other: | 9 | 2.98 % |
| | | | | | | Grand Total Occurrences: | 151 | |

Total Average Daily Enrollment: 7,662
Injury Occurrence Rate*: 3.94 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

PENNSBURY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 0 | - % | After School: | 8 | 1.93 % | Athletic Field/Play Field: | 18 | 4.35 % |
| Concussion (Possible): | 52 | 12.56 % | Before School: | 9 | 2.17 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 2 | 0.48 % | Class Change: | 16 | 3.86 % | Bus Loading Area: | 3 | 0.72 % |
| Cut/Laceration/Puncture: | 32 | 7.73 % | Class Time: | 35 | 8.45 % | Cafeteria: | 4 | 0.97 % |
| Dental Injury: | 12 | 2.90 % | Lunch Period: | 2 | 0.48 % | Classroom: | 24 | 5.80 % |
| Dislocation (Possible): | 2 | 0.48 % | P.E. Class: | 78 | 18.84 % | Corridor/Hall: | 15 | 3.62 % |
| Eye Injury: | 19 | 4.59 % | Recess: | 48 | 11.59 % | Gymnasium/Pool: | 65 | 15.70 % |
| Fracture (Possible): | 47 | 11.35 % | Sci Lab/Fam & Consumer | | | Playground: | 53 | 12.80 % |
| Sprain/Strain/Tear (Possible): | 26 | 6.28 % | Sci & Tech ED Class: | 9 | 2.17 % | Restroom: | 4 | 0.97 % |
| Other: | 15 | 3.62 % | Other: | 2 | 0.48 % | School Bus/Public Bus: | 3 | 0.72 % |
| Grand Total Occurrences: | 207 | | Grand Total Occurrences: | 207 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 9 | 2.17 % |
| | | | | | | Sidewalk: | 3 | 0.72 % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 0.24 % |
| | | | | | | Street/Driveway/Parking: | 2 | 0.48 % |
| | | | | | | Other: | 3 | 0.72 % |
| | | | | | | Grand Total Occurrences: | 207 | |

Total Average Daily Enrollment: 11,608
Injury Occurrence Rate*: 3.57 %

QUAKERTOWN COMMUNITY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 1 | 0.49 % | After School: | 1 | 0.49 % | Athletic Field/Play Field: | 13 | 6.37 % |
| Concussion (Possible): | 22 | 10.78 % | Before School: | 6 | 2.94 % | Auditorium/Multipurpose: | 1 | 0.49 % |
| Cotusion: | 4 | 1.96 % | Class Change: | 8 | 3.92 % | Bus Loading Area: | 1 | 0.49 % |
| Cut/Laceration/Puncture: | 13 | 6.37 % | Class Time: | 10 | 4.90 % | Cafeteria: | 0 | - % |
| Dental Injury: | 3 | 1.47 % | Lunch Period: | 0 | - % | Classroom: | 12 | 5.88 % |
| Dislocation (Possible): | 5 | 2.45 % | P.E. Class: | 44 | 21.57 % | Corridor/Hall: | 8 | 3.92 % |
| Eye Injury: | 2 | 0.98 % | Recess: | 24 | 11.76 % | Gymnasium/Pool: | 35 | 17.16 % |
| Fracture (Possible): | 31 | 15.20 % | Sci Lab/Fam & Consumer | | | Playground: | 20 | 9.80 % |
| Sprain/Strain/Tear (Possible): | 18 | 8.82 % | Sci & Tech ED Class: | 2 | 0.98 % | Restroom: | 1 | 0.49 % |
| Other: | 3 | 1.47 % | Other: | 7 | 3.43 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 102 | | Grand Total Occurrences: | 102 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | 0.98 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 1.47 % |
| | | | | | | Street/Driveway/Parking: | 2 | 0.98 % |
| | | | | | | Other: | 6 | 2.94 % |
| | | | | | | Grand Total Occurrences: | 102 | |

Total Average Daily Enrollment: 5,854
Injury Occurrence Rate*: 3.48 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

SCHOOL LANE CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 2 | 22.22 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 2 | 22.22 % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 11.11 % | Lunch Period: | 0 | - % | Classroom: | 2 | 22.22 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 2 | 22.22 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 2 | 22.22 % | Recess: | 5 | 55.56 % | Gymnasium/Pool: | 2 | 22.22 % |
| Fracture (Possible): | 1 | 11.11 % | Sci Lab/Fam & Consumer | | | Playground: | 5 | 55.56 % |
| Sprain/Strain/Tear (Possible): | 3 | 33.33 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 9 | | Grand Total Occurrences: | 9 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 9 | |

Total Average Daily Enrollment: 642
Injury Occurrence Rate*: 1.40 %

BUCKS COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|--------------|---------|--|--------------|---------|--|--------------|---------|
| Burn: | 16 | 0.44 % | After School: | 77 | 2.09 % | Athletic Field/Play Field: | 296 | 8.05 % |
| Concussion (Possible): | 440 | 11.97 % | Before School: | 69 | 1.88 % | Auditorium/Multipurpose: | 17 | 0.46 % |
| Contusion: | 177 | 4.82 % | Class Change: | 107 | 2.91 % | Bus Loading Area: | 19 | 0.52 % |
| Cut/Laceration/Puncture: | 268 | 7.29 % | Class Time: | 293 | 7.97 % | Cafeteria: | 52 | 1.41 % |
| Dental Injury: | 90 | 2.45 % | Lunch Period: | 61 | 1.66 % | Classroom: | 224 | 6.09 % |
| Dislocation (Possible): | 37 | 1.01 % | P.E. Class: | 473 | 12.87 % | Corridor/Hall: | 106 | 2.88 % |
| Eye Injury: | 80 | 2.18 % | Recess: | 624 | 16.97 % | Gymnasium/Pool: | 395 | 10.75 % |
| Fracture (Possible): | 418 | 11.37 % | Sci Lab/Fam & Consumer | | | Playground: | 432 | 11.75 % |
| Sprain/Strain/Tear (Possible): | 267 | 7.26 % | Sci & Tech ED Class: | 169 | 4.60 % | Restroom: | 155 | 4.22 % |
| Other: | 141 | 3.84 % | Other: | 61 | 1.66 % | School Bus/Public Bus: | 21 | 0.57 % |
| Grand Total Occurrences: | 1,934 | | Grand Total Occurrences: | 1,934 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 67 | 1.82 % |
| | | | | | | Sidewalk: | 17 | 0.46 % |
| | | | | | | Stairs/Ramp/Elevator: | 18 | 0.49 % |
| | | | | | | Street/Driveway/Parking: | 13 | 0.35 % |
| | | | | | | Other: | 102 | 2.77 % |
| | | | | | | Grand Total Occurrences: | 1,934 | |

Total Average Daily Enrollment: 99,147
Injury Occurrence Rate*: 3.71 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

21ST CENTURY CYBER CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 0 | | Grand Total Occurrences: | 0 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 0 | |

Total Average Daily Enrollment: 827
Injury Occurrence Rate*: - %

ACHIEVEMENT HOUSE CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 0 | | Grand Total Occurrences: | 0 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 0 | |

Total Average Daily Enrollment: 860
Injury Occurrence Rate*: - %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

AGORA CYBER CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|----------|--|----------|----------|
| Burn: | 0 | - % | After School: | 5 | 100.00 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 3 | 60.00 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 2 | 40.00 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 5 | | Grand Total Occurrences: | 5 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 5 | 100.00 % |
| | | | | | | Grand Total Occurrences: | 5 | |

Total Average Daily Enrollment: 10,242
Injury Occurrence Rate*: 0.05 %

AVON GROVE CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 6.25 % | After School: | 0 | - % | Athletic Field/Play Field: | 1 | 6.25 % |
| Concussion (Possible): | 1 | 6.25 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 1 | 6.25 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 2 | 12.50 % | Class Time: | 7 | 43.75 % | Cafeteria: | 1 | 6.25 % |
| Dental Injury: | 0 | - % | Lunch Period: | 1 | 6.25 % | Classroom: | 2 | 12.50 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 1 | 6.25 % | Corridor/Hall: | 1 | 6.25 % |
| Eye Injury: | 0 | - % | Recess: | 6 | 37.50 % | Gymnasium/Pool: | 5 | 31.25 % |
| Fracture (Possible): | 10 | 62.50 % | Sci Lab/Fam & Consumer | | | Playground: | 6 | 37.50 % |
| Sprain/Strain/Tear (Possible): | 2 | 12.50 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 16 | | Grand Total Occurrences: | 16 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 16 | |

Total Average Daily Enrollment: 1,522
Injury Occurrence Rate*: 1.05 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

AVON GROVE SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 2 | 1.54 % | Athletic Field/Play Field: | 13 | 10.00 % |
| Concussion (Possible): | 16 | 12.31 % | Before School: | 5 | 3.85 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 1 | 0.77 % | Class Change: | 5 | 3.85 % | Bus Loading Area: | 1 | 0.77 % |
| Cut/Laceration/Puncture: | 20 | 15.38 % | Class Time: | 11 | 8.46 % | Cafeteria: | 4 | 3.08 % |
| Dental Injury: | 3 | 2.31 % | Lunch Period: | 5 | 3.85 % | Classroom: | 7 | 5.38 % |
| Dislocation (Possible): | 3 | 2.31 % | P.E. Class: | 18 | 13.85 % | Corridor/Hall: | 6 | 4.62 % |
| Eye Injury: | 1 | 0.77 % | Recess: | 16 | 12.31 % | Gymnasium/Pool: | 9 | 6.92 % |
| Fracture (Possible): | 19 | 14.62 % | Sci Lab/Fam & Consumer | | | Playground: | 16 | 12.31 % |
| Sprain/Strain/Tear (Possible): | 2 | 1.54 % | Sci & Tech ED Class: | 2 | 1.54 % | Restroom: | 1 | 0.77 % |
| Other: | 0 | - % | Other: | 1 | 0.77 % | School Bus/Public Bus: | 1 | 0.77 % |
| Grand Total Occurrences: | 65 | | Grand Total Occurrences: | 65 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | 1.54 % |
| | | | | | | Sidewalk: | 1 | 0.77 % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 1.54 % |
| | | | | | | Street/Driveway/Parking: | 2 | 1.54 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 65 | |

Total Average Daily Enrollment: 5,355
Injury Occurrence Rate*: 2.43 %

CENTER FOR ARTS & TECHNOLOGY-PICKERING

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 1 | 20.00 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 1 | 20.00 % | Class Time: | 2 | 40.00 % | Cafeteria: | 1 | 20.00 % |
| Dental Injury: | 0 | - % | Lunch Period: | 1 | 20.00 % | Classroom: | 1 | 20.00 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 1 | 20.00 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 2 | 40.00 % |
| Fracture (Possible): | 3 | 60.00 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 1 | 20.00 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 5 | | Grand Total Occurrences: | 5 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 20.00 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 5 | |

Total Average Daily Enrollment: 384
Injury Occurrence Rate*: 1.30 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

CHESTER CO FAMILY ACADEMY CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 0 | | Grand Total Occurrences: | 0 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 0 | |

Total Average Daily Enrollment: 56
Injury Occurrence Rate*: - %

COATESVILLE AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 0 | - % | After School: | 22 | 9.17 % | Athletic Field/Play Field: | 11 | 4.58 % |
| Concussion (Possible): | 24 | 10.00 % | Before School: | 5 | 2.08 % | Auditorium/Multipurpose: | 1 | 0.42 % |
| Contusion: | 8 | 3.33 % | Class Change: | 11 | 4.58 % | Bus Loading Area: | 2 | 0.83 % |
| Cut/Laceration/Puncture: | 22 | 9.17 % | Class Time: | 23 | 9.58 % | Cafeteria: | 10 | 4.17 % |
| Dental Injury: | 7 | 2.92 % | Lunch Period: | 8 | 3.33 % | Classroom: | 11 | 4.58 % |
| Dislocation (Possible): | 5 | 2.08 % | P.E. Class: | 36 | 15.00 % | Corridor/Hall: | 15 | 6.25 % |
| Eye Injury: | 4 | 1.67 % | Recess: | 11 | 4.58 % | Gymnasium/Pool: | 39 | 16.25 % |
| Fracture (Possible): | 20 | 8.33 % | Sci Lab/Fam & Consumer | | | Playground: | 14 | 5.83 % |
| Sprain/Strain/Tear (Possible): | 18 | 7.50 % | Sci & Tech ED Class: | 2 | 0.83 % | Restroom: | 1 | 0.42 % |
| Other: | 12 | 5.00 % | Other: | 2 | 0.83 % | School Bus/Public Bus: | 4 | 1.67 % |
| Grand Total Occurrences: | 120 | | Grand Total Occurrences: | 120 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | 0.83 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.42 % |
| | | | | | | Other: | 9 | 3.75 % |
| | | | | | | Grand Total Occurrences: | 120 | |

Total Average Daily Enrollment: 7,584
Injury Occurrence Rate*: 3.16 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

COLLEGIUM CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 3 | 20.00 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 1 | 6.67 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 7 | 46.67 % | Class Time: | 2 | 13.33 % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 6.67 % | Lunch Period: | 0 | - % | Classroom: | 2 | 13.33 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 4 | 26.67 % | Corridor/Hall: | 1 | 6.67 % |
| Eye Injury: | 0 | - % | Recess: | 8 | 53.33 % | Gymnasium/Pool: | 3 | 20.00 % |
| Fracture (Possible): | 4 | 26.67 % | Sci Lab/Fam & Consumer | | | Playground: | 8 | 53.33 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 6.67 % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 15 | | Grand Total Occurrences: | 15 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 15 | |

Total Average Daily Enrollment: 2,010

Injury Occurrence Rate*: 0.75 %

DOWNINGTOWN AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 1 | 0.43 % | After School: | 9 | 3.88 % | Athletic Field/Play Field: | 6 | 2.59 % |
| Concussion (Possible): | 28 | 12.07 % | Before School: | 13 | 5.60 % | Auditorium/Multipurpose: | 2 | 0.86 % |
| Contusion: | 2 | 0.86 % | Class Change: | 10 | 4.31 % | Bus Loading Area: | 1 | 0.43 % |
| Cut/Laceration/Puncture: | 19 | 8.19 % | Class Time: | 14 | 6.03 % | Cafeteria: | 6 | 2.59 % |
| Dental Injury: | 2 | 0.86 % | Lunch Period: | 6 | 2.59 % | Classroom: | 14 | 6.03 % |
| Dislocation (Possible): | 1 | 0.43 % | P.E. Class: | 22 | 9.48 % | Corridor/Hall: | 8 | 3.45 % |
| Eye Injury: | 4 | 1.72 % | Recess: | 37 | 15.95 % | Gymnasium/Pool: | 20 | 8.62 % |
| Fracture (Possible): | 19 | 8.19 % | Sci Lab/Fam & Consumer | | | Playground: | 36 | 15.52 % |
| Sprain/Strain/Tear (Possible): | 26 | 11.21 % | Sci & Tech ED Class: | 2 | 0.86 % | Restroom: | 1 | 0.43 % |
| Other: | 14 | 6.03 % | Other: | 3 | 1.29 % | School Bus/Public Bus: | 9 | 3.88 % |
| Grand Total Occurrences: | 116 | | Grand Total Occurrences: | 116 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 0.86 % |
| | | | | | | Sidewalk: | 2 | 0.86 % |
| | | | | | | Stairs/Ramp/Elevator: | 4 | 1.72 % |
| | | | | | | Street/Driveway/Parking: | 2 | 0.86 % |
| | | | | | | Other: | 4 | 1.72 % |
| | | | | | | Grand Total Occurrences: | 116 | |

Total Average Daily Enrollment: 15,691

Injury Occurrence Rate*: 1.48 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

GREAT VALLEY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 1 | 0.37 % | After School: | 2 | 0.74 % | Athletic Field/Play Field: | 21 | 7.78 % |
| Concussion (Possible): | 38 | 14.07 % | Before School: | 6 | 2.22 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 2 | 0.74 % | Class Change: | 19 | 7.04 % | Bus Loading Area: | 2 | 0.74 % |
| Cut/Laceration/Puncture: | 35 | 12.96 % | Class Time: | 29 | 10.74 % | Cafeteria: | 7 | 2.59 % |
| Dental Injury: | 4 | 1.48 % | Lunch Period: | 7 | 2.59 % | Classroom: | 23 | 8.52 % |
| Dislocation (Possible): | 1 | 0.37 % | P.E. Class: | 39 | 14.44 % | Corridor/Hall: | 11 | 4.07 % |
| Eye Injury: | 15 | 5.56 % | Recess: | 24 | 8.89 % | Gymnasium/Pool: | 28 | 10.37 % |
| Fracture (Possible): | 22 | 8.15 % | Sci Lab/Fam & Consumer | | | Playground: | 17 | 6.30 % |
| Sprain/Strain/Tear (Possible): | 15 | 5.56 % | Sci & Tech ED Class: | 7 | 2.59 % | Restroom: | 2 | 0.74 % |
| Other: | 2 | 0.74 % | Other: | 2 | 0.74 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 135 | | Grand Total Occurrences: | 135 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 10 | 2.59 % |
| | | | | | | Sidewalk: | 6 | 2.22 % |
| | | | | | | Stairs/Ramp/Elevator: | 7 | 2.59 % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.37 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 135 | |

Total Average Daily Enrollment: 5,046

Injury Occurrence Rate*: 5.35 %

KENNETT CONSOLIDATED SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 5 | 2.94 % | After School: | 26 | 15.29 % | Athletic Field/Play Field: | 27 | 15.88 % |
| Concussion (Possible): | 17 | 10.00 % | Before School: | 1 | 0.59 % | Auditorium/Multipurpose: | 4 | 2.35 % |
| Cotusion: | 11 | 6.47 % | Class Change: | 11 | 6.47 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 10 | 5.88 % | Class Time: | 20 | 11.76 % | Cafeteria: | 3 | 1.76 % |
| Dental Injury: | 4 | 2.35 % | Lunch Period: | 2 | 1.18 % | Classroom: | 14 | 8.24 % |
| Dislocation (Possible): | 1 | 0.59 % | P.E. Class: | 12 | 7.06 % | Corridor/Hall: | 1 | 0.59 % |
| Eye Injury: | 4 | 2.35 % | Recess: | 10 | 5.88 % | Gymnasium/Pool: | 16 | 9.41 % |
| Fracture (Possible): | 16 | 9.41 % | Sci Lab/Fam & Consumer | | | Playground: | 7 | 4.12 % |
| Sprain/Strain/Tear (Possible): | 16 | 9.41 % | Sci & Tech ED Class: | 2 | 1.18 % | Restroom: | 1 | 0.59 % |
| Other: | 1 | 0.59 % | Other: | 1 | 0.59 % | School Bus/Public Bus: | 1 | 0.59 % |
| Grand Total Occurrences: | 85 | | Grand Total Occurrences: | 85 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 1.18 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 10 | 5.88 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 85 | |

Total Average Daily Enrollment: 4,299

Injury Occurrence Rate*: 3.95 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

OCTORARA AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 0.88 % | After School: | 0 | - % | Athletic Field/Play Field: | 6 | 5.26 % |
| Concussion (Possible): | 11 | 9.65 % | Before School: | 2 | 1.75 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 2 | 1.75 % | Class Change: | 2 | 1.75 % | Bus Loading Area: | 1 | 0.88 % |
| Cut/Laceration/Puncture: | 6 | 5.26 % | Class Time: | 4 | 3.51 % | Cafeteria: | 1 | 0.88 % |
| Dental Injury: | 3 | 2.63 % | Lunch Period: | 3 | 2.63 % | Classroom: | 5 | 4.39 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 13 | 11.40 % | Corridor/Hall: | 2 | 1.75 % |
| Eye Injury: | 2 | 1.75 % | Recess: | 27 | 23.68 % | Gymnasium/Pool: | 11 | 9.65 % |
| Fracture (Possible): | 14 | 12.28 % | Sci Lab/Fam & Consumer | | | Playground: | 26 | 22.81 % |
| Sprain/Strain/Tear (Possible): | 13 | 11.40 % | Sci & Tech ED Class: | 1 | 0.88 % | Restroom: | 0 | - % |
| Other: | 5 | 4.39 % | Other: | 5 | 4.39 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 57 | | Grand Total Occurrences: | 57 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 0.88 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 0.88 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 3 | 2.63 % |
| | | | | | | Grand Total Occurrences: | 57 | |

Total Average Daily Enrollment: 2,868
Injury Occurrence Rate*: 3.97 %

OWEN J ROBERTS SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 0.54 % | After School: | 4 | 2.15 % | Athletic Field/Play Field: | 7 | 3.76 % |
| Concussion (Possible): | 19 | 10.22 % | Before School: | 3 | 1.61 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 6 | 3.23 % | Class Change: | 9 | 4.84 % | Bus Loading Area: | 3 | 1.61 % |
| Cut/Laceration/Puncture: | 15 | 8.06 % | Class Time: | 13 | 6.99 % | Cafeteria: | 4 | 2.15 % |
| Dental Injury: | 5 | 2.69 % | Lunch Period: | 4 | 2.15 % | Classroom: | 10 | 5.38 % |
| Dislocation (Possible): | 3 | 1.61 % | P.E. Class: | 28 | 15.05 % | Corridor/Hall: | 7 | 3.76 % |
| Eye Injury: | 3 | 1.61 % | Recess: | 31 | 16.67 % | Gymnasium/Pool: | 27 | 14.52 % |
| Fracture (Possible): | 23 | 12.37 % | Sci Lab/Fam & Consumer | | | Playground: | 22 | 11.83 % |
| Sprain/Strain/Tear (Possible): | 17 | 9.14 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 1 | 0.54 % | Other: | 1 | 0.54 % | School Bus/Public Bus: | 1 | 0.54 % |
| Grand Total Occurrences: | 93 | | Grand Total Occurrences: | 93 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 2 | 1.08 % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 1.61 % |
| | | | | | | Street/Driveway/Parking: | 5 | 2.69 % |
| | | | | | | Other: | 2 | 1.08 % |
| | | | | | | Grand Total Occurrences: | 93 | |

Total Average Daily Enrollment: 5,747
Injury Occurrence Rate*: 3.24 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

OXFORD AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 0.56 % | After School: | 1 | 0.56 % | Athletic Field/Play Field: | 6 | 3.33 % |
| Concussion (Possible): | 19 | 10.56 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 9 | 5.00 % | Class Change: | 3 | 1.67 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 15 | 8.33 % | Class Time: | 7 | 3.89 % | Cafeteria: | 1 | 0.56 % |
| Dental Injury: | 1 | 0.56 % | Lunch Period: | 2 | 1.11 % | Classroom: | 3 | 1.67 % |
| Dislocation (Possible): | 4 | 2.22 % | P.E. Class: | 26 | 14.44 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 2 | 1.11 % | Recess: | 49 | 27.22 % | Gymnasium/Pool: | 27 | 15.00 % |
| Fracture (Possible): | 13 | 7.22 % | Sci Lab/Fam & Consumer | | | Playground: | 47 | 26.11 % |
| Sprain/Strain/Tear (Possible): | 24 | 13.33 % | Sci & Tech ED Class: | 2 | 1.11 % | Restroom: | 0 | - % |
| Other: | 2 | 1.11 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 90 | | Grand Total Occurrences: | 90 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | 1.11 % |
| | | | | | | Sidewalk: | 2 | 1.11 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 1.11 % |
| | | | | | | Grand Total Occurrences: | 90 | |

Total Average Daily Enrollment: 4,344

Injury Occurrence Rate*: 4.14 %

PENNSYLVANIA LEADERSHIP CHARTER SCHOOL

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 2 | 40.00 % | Class Time: | 4 | 80.00 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 4 | 80.00 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 1 | 20.00 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 2 | 40.00 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 1 | 20.00 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 5 | | Grand Total Occurrences: | 5 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 20.00 % |
| | | | | | | Grand Total Occurrences: | 5 | |

Total Average Daily Enrollment: 2,376

Injury Occurrence Rate*: 0.21 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

PHOENIXVILLE AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 2 | 1.82 % | Athletic Field/Play Field: | 6 | 5.45 % |
| Concussion (Possible): | 14 | 12.73 % | Before School: | 2 | 1.82 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 5 | 4.55 % | Class Change: | 6 | 5.45 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 14 | 12.73 % | Class Time: | 8 | 7.27 % | Cafeteria: | 1 | 0.91 % |
| Dental Injury: | 2 | 1.82 % | Lunch Period: | 1 | 0.91 % | Classroom: | 1 | 0.91 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 19 | 17.27 % | Corridor/Hall: | 4 | 3.64 % |
| Eye Injury: | 1 | 0.91 % | Recess: | 15 | 13.64 % | Gymnasium/Pool: | 20 | 18.18 % |
| Fracture (Possible): | 12 | 10.91 % | Sci Lab/Fam & Consumer | | | Playground: | 14 | 12.73 % |
| Sprain/Strain/Tear (Possible): | 7 | 6.36 % | Sci & Tech ED Class: | 1 | 0.91 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 1 | 0.91 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 55 | | Grand Total Occurrences: | 55 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 0.91 % |
| | | | | | | Sidewalk: | 2 | 1.82 % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 2.73 % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.91 % |
| | | | | | | Other: | 2 | 1.82 % |
| | | | | | | Grand Total Occurrences: | 55 | |

Total Average Daily Enrollment: 3,926
Injury Occurrence Rate*: 2.80 %

RENAISSANCE ACADEMY CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 1 | 20.00 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 2 | 40.00 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 3 | 60.00 % | Gymnasium/Pool: | 2 | 40.00 % |
| Fracture (Possible): | 1 | 20.00 % | Sci Lab/Fam & Consumer | | | Playground: | 3 | 60.00 % |
| Sprain/Strain/Tear (Possible): | 3 | 60.00 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 5 | | Grand Total Occurrences: | 5 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 5 | |

Total Average Daily Enrollment: 981
Injury Occurrence Rate*: 0.51 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

SANKOFA ACADEMY CHARTER SCHOOL

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 4 | 57.14 % | Athletic Field/Play Field: | 2 | 28.57 % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 14.29 % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 4 | 57.14 % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 1 | 14.29 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 2 | 28.57 % | Gymnasium/Pool: | 5 | 71.43 % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 2 | 28.57 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 7 | | Grand Total Occurrences: | 7 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 7 | |

Total Average Daily Enrollment: 55
Injury Occurrence Rate*: 12.69 %

TREDYFFRIN-EASTTOWN SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 0 | - % | After School: | 8 | 3.05 % | Athletic Field/Play Field: | 13 | 4.96 % |
| Concussion (Possible): | 23 | 8.78 % | Before School: | 5 | 1.91 % | Auditorium/Multipurpose: | 1 | 0.38 % |
| Contusion: | 2 | 0.76 % | Class Change: | 5 | 1.91 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 22 | 8.40 % | Class Time: | 27 | 10.31 % | Cafeteria: | 7 | 2.67 % |
| Dental Injury: | 9 | 3.44 % | Lunch Period: | 12 | 4.58 % | Classroom: | 16 | 6.11 % |
| Dislocation (Possible): | 1 | 0.38 % | P.E. Class: | 20 | 7.63 % | Corridor/Hall: | 6 | 2.29 % |
| Eye Injury: | 12 | 4.58 % | Recess: | 49 | 18.70 % | Gymnasium/Pool: | 39 | 14.89 % |
| Fracture (Possible): | 37 | 14.12 % | Sci Lab/Fam & Consumer | | | Playground: | 41 | 15.65 % |
| Sprain/Strain/Tear (Possible): | 18 | 6.87 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 0.38 % |
| Other: | 7 | 2.67 % | Other: | 5 | 1.91 % | School Bus/Public Bus: | 3 | 1.15 % |
| Grand Total Occurrences: | 131 | | Grand Total Occurrences: | 131 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 4 | 1.53 % |
| | | | | | | Grand Total Occurrences: | 131 | |

Total Average Daily Enrollment: 7,769
Injury Occurrence Rate*: 3.37 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

UNIONVILLE-CHADDS FORD SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 0.61 % | After School: | 5 | 3.05 % | Athletic Field/Play Field: | 9 | 5.49 % |
| Concussion (Possible): | 16 | 9.76 % | Before School: | 1 | 0.61 % | Auditorium/Multipurpose: | 1 | 0.61 % |
| Cotusion: | 4 | 2.44 % | Class Change: | 5 | 3.05 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 13 | 7.93 % | Class Time: | 19 | 11.59 % | Cafeteria: | 4 | 2.44 % |
| Dental Injury: | 2 | 1.22 % | Lunch Period: | 2 | 1.22 % | Classroom: | 16 | 9.76 % |
| Dislocation (Possible): | 1 | 0.61 % | P.E. Class: | 31 | 18.90 % | Corridor/Hall: | 3 | 1.83 % |
| Eye Injury: | 12 | 7.32 % | Recess: | 18 | 10.98 % | Gymnasium/Pool: | 27 | 16.46 % |
| Fracture (Possible): | 18 | 10.98 % | Sci Lab/Fam & Consumer | | | Playground: | 17 | 10.37 % |
| Sprain/Strain/Tear (Possible): | 8 | 4.88 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 0.61 % |
| Other: | 7 | 4.27 % | Other: | 1 | 0.61 % | School Bus/Public Bus: | 1 | 0.61 % |
| Grand Total Occurrences: | 82 | | Grand Total Occurrences: | 82 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 1.22 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 82 | |

Total Average Daily Enrollment: 4,303
Injury Occurrence Rate*: 3.81 %

WEST CHESTER AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 1 | 0.19 % | After School: | 29 | 5.41 % | Athletic Field/Play Field: | 34 | 6.34 % |
| Concussion (Possible): | 63 | 11.75 % | Before School: | 16 | 2.99 % | Auditorium/Multipurpose: | 2 | 0.37 % |
| Cotusion: | 18 | 3.36 % | Class Change: | 16 | 2.99 % | Bus Loading Area: | 3 | 0.56 % |
| Cut/Laceration/Puncture: | 49 | 9.14 % | Class Time: | 44 | 8.21 % | Cafeteria: | 11 | 2.05 % |
| Dental Injury: | 16 | 2.99 % | Lunch Period: | 14 | 2.61 % | Classroom: | 33 | 6.16 % |
| Dislocation (Possible): | 1 | 0.19 % | P.E. Class: | 70 | 13.06 % | Corridor/Hall: | 11 | 2.05 % |
| Eye Injury: | 8 | 1.49 % | Recess: | 79 | 14.74 % | Gymnasium/Pool: | 57 | 10.63 % |
| Fracture (Possible): | 55 | 10.26 % | Sci Lab/Fam & Consumer | | | Playground: | 79 | 14.74 % |
| Sprain/Strain/Tear (Possible): | 57 | 10.63 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 6 | 1.12 % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 9 | 1.68 % |
| Grand Total Occurrences: | 268 | | Grand Total Occurrences: | 268 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 11 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 9 | 1.68 % |
| | | | | | | Street/Driveway/Parking: | 3 | 0.56 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 268 | |

Total Average Daily Enrollment: 13,940
Injury Occurrence Rate*: 3.85 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

CHESTER COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|--------------|---------|--|--------------|---------|--|--------------|---------|
| Burn: | 13 | 0.49 % | After School: | 119 | 4.49 % | Athletic Field/Play Field: | 162 | 6.11 % |
| Concussion (Possible): | 294 | 11.09 % | Before School: | 59 | 2.22 % | Auditorium/Multipurpose: | 11 | 0.41 % |
| Contusion: | 71 | 2.68 % | Class Change: | 104 | 3.92 % | Bus Loading Area: | 13 | 0.49 % |
| Cut/Laceration/Puncture: | 256 | 9.65 % | Class Time: | 234 | 8.82 % | Cafeteria: | 61 | 2.30 % |
| Dental Injury: | 59 | 2.22 % | Lunch Period: | 68 | 2.56 % | Classroom: | 162 | 6.11 % |
| Dislocation (Possible): | 21 | 0.79 % | P.E. Class: | 343 | 12.93 % | Corridor/Hall: | 76 | 2.87 % |
| Eye Injury: | 68 | 2.56 % | Recess: | 385 | 14.52 % | Gymnasium/Pool: | 337 | 12.71 % |
| Fracture (Possible): | 290 | 10.94 % | Sci Lab/Fam & Consumer | | | Playground: | 353 | 13.31 % |
| Sprain/Strain/Tear (Possible): | 232 | 8.75 % | Sci & Tech ED Class: | 20 | 0.75 % | Restroom: | 15 | 0.57 % |
| Other: | 51 | 1.92 % | Other: | 23 | 0.87 % | School Bus/Public Bus: | 29 | 1.09 % |
| Grand Total Occurrences: | 1,355 | | Grand Total Occurrences: | 1,355 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 33 | 1.24 % |
| | | | | | | Sidewalk: | 15 | 0.57 % |
| | | | | | | Stairs/Ramp/Elevator: | 41 | 1.55 % |
| | | | | | | Street/Driveway/Parking: | 15 | 0.57 % |
| | | | | | | Other: | 32 | 1.21 % |
| | | | | | | Grand Total Occurrences: | 1,355 | |

Total Average Daily Enrollment: 100,185
 Injury Occurrence Rate*: 2.65 %

CHESTER CHARTER SCHOOL FOR THE ARTS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 2 | 15.38 % |
| Concussion (Possible): | 5 | 38.46 % | Before School: | 2 | 15.38 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 3 | 23.08 % | Class Change: | 3 | 23.08 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 1 | 7.69 % | Class Time: | 2 | 15.38 % | Cafeteria: | 3 | 23.08 % |
| Dental Injury: | 1 | 7.69 % | Lunch Period: | 3 | 23.08 % | Classroom: | 2 | 15.38 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 1 | 7.69 % | Corridor/Hall: | 1 | 7.69 % |
| Eye Injury: | 0 | - % | Recess: | 2 | 15.38 % | Gymnasium/Pool: | 2 | 15.38 % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 3 | 23.08 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 3 | 23.08 % |
| Grand Total Occurrences: | 13 | | Grand Total Occurrences: | 13 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 13 | |

Total Average Daily Enrollment: 314
 Injury Occurrence Rate*: 4.14 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
 Division of School Health

CHESTER COMMUNITY CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 5 | 5.95 % | After School: | 3 | 3.57 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 23 | 27.38 % | Before School: | 11 | 13.10 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 0 | - % | Class Change: | 11 | 13.10 % | Bus Loading Area: | 4 | 4.76 % |
| Cut/Laceration/Puncture: | 19 | 22.62 % | Class Time: | 17 | 20.24 % | Cafeteria: | 3 | 3.57 % |
| Dental Injury: | 3 | 3.57 % | Lunch Period: | 2 | 2.38 % | Classroom: | 18 | 21.43 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 3 | 3.57 % | Corridor/Hall: | 6 | 7.14 % |
| Eye Injury: | 3 | 3.57 % | Recess: | 32 | 38.10 % | Gymnasium/Pool: | 6 | 7.14 % |
| Fracture (Possible): | 8 | 9.52 % | Sci Lab/Fam & Consumer | | | Playground: | 30 | 35.71 % |
| Sprain/Strain/Tear (Possible): | 15 | 17.86 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 2 | 2.38 % |
| Other: | 8 | 9.52 % | Other: | 5 | 5.95 % | School Bus/Public Bus: | 2 | 2.38 % |
| Grand Total Occurrences: | 84 | | Grand Total Occurrences: | 84 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 6 | 7.14 % |
| | | | | | | Street/Driveway/Parking: | 1 | 1.19 % |
| | | | | | | Other: | 6 | 7.14 % |
| | | | | | | Grand Total Occurrences: | 84 | |

Total Average Daily Enrollment: 3,049
Injury Occurrence Rate*: 2.75 %

CHESTER-UPLAND SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 2 | 2.56 % | After School: | 0 | - % | Athletic Field/Play Field: | 1 | 1.28 % |
| Concussion (Possible): | 9 | 11.54 % | Before School: | 2 | 2.56 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 3 | 3.85 % | Class Change: | 8 | 10.26 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 9 | 11.54 % | Class Time: | 10 | 12.82 % | Cafeteria: | 6 | 7.69 % |
| Dental Injury: | 0 | - % | Lunch Period: | 6 | 7.69 % | Classroom: | 9 | 11.54 % |
| Dislocation (Possible): | 1 | 1.28 % | P.E. Class: | 10 | 12.82 % | Corridor/Hall: | 8 | 10.26 % |
| Eye Injury: | 1 | 1.28 % | Recess: | 2 | 2.56 % | Gymnasium/Pool: | 9 | 11.54 % |
| Fracture (Possible): | 2 | 2.56 % | Sci Lab/Fam & Consumer | | | Playground: | 2 | 2.56 % |
| Sprain/Strain/Tear (Possible): | 7 | 8.97 % | Sci & Tech ED Class: | 1 | 1.28 % | Restroom: | 1 | 1.28 % |
| Other: | 5 | 6.41 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 39 | | Grand Total Occurrences: | 39 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | 1.28 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 1.28 % |
| | | | | | | Grand Total Occurrences: | 39 | |

Total Average Daily Enrollment: 2,472
Injury Occurrence Rate*: 3.16 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

CHICHESTER SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 3 | 1.50 % | After School: | 1 | 0.50 % | Athletic Field/Play Field: | 2 | 1.00 % |
| Concussion (Possible): | 21 | 10.50 % | Before School: | 2 | 1.00 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 22 | 11.00 % | Class Change: | 9 | 4.50 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 13 | 6.50 % | Class Time: | 19 | 9.50 % | Cafeteria: | 7 | 3.50 % |
| Dental Injury: | 3 | 1.50 % | Lunch Period: | 7 | 3.50 % | Classroom: | 16 | 8.00 % |
| Dislocation (Possible): | 1 | 0.50 % | P.E. Class: | 38 | 19.00 % | Corridor/Hall: | 7 | 3.50 % |
| Eye Injury: | 4 | 2.00 % | Recess: | 14 | 7.00 % | Gymnasium/Pool: | 40 | 20.00 % |
| Fracture (Possible): | 6 | 3.00 % | Sci Lab/Fam & Consumer | | | Playground: | 15 | 7.50 % |
| Sprain/Strain/Tear (Possible): | 16 | 8.00 % | Sci & Tech ED Class: | 6 | 3.00 % | Restroom: | 2 | 1.00 % |
| Other: | 11 | 5.50 % | Other: | 4 | 2.00 % | School Bus/Public Bus: | 2 | 1.00 % |
| Grand Total Occurrences: | 100 | | Grand Total Occurrences: | 100 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 6 | 3.00 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 1.00 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 0.50 % |
| | | | | | | Grand Total Occurrences: | 100 | |

Total Average Daily Enrollment: 3,357
Injury Occurrence Rate*: 5.96 %

GARNET VALLEY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 1 | 0.32 % | After School: | 27 | 8.71 % | Athletic Field/Play Field: | 29 | 9.35 % |
| Concussion (Possible): | 39 | 12.58 % | Before School: | 4 | 1.29 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 5 | 1.61 % | Class Change: | 11 | 3.55 % | Bus Loading Area: | 2 | 0.65 % |
| Cut/Laceration/Puncture: | 27 | 8.71 % | Class Time: | 36 | 11.61 % | Cafeteria: | 0 | - % |
| Dental Injury: | 9 | 2.90 % | Lunch Period: | 3 | 0.97 % | Classroom: | 20 | 6.45 % |
| Dislocation (Possible): | 2 | 0.65 % | P.E. Class: | 44 | 14.19 % | Corridor/Hall: | 14 | 4.52 % |
| Eye Injury: | 5 | 1.61 % | Recess: | 24 | 7.74 % | Gymnasium/Pool: | 48 | 15.48 % |
| Fracture (Possible): | 37 | 11.94 % | Sci Lab/Fam & Consumer | | | Playground: | 25 | 8.06 % |
| Sprain/Strain/Tear (Possible): | 12 | 3.87 % | Sci & Tech ED Class: | 4 | 1.29 % | Restroom: | 0 | - % |
| Other: | 18 | 5.81 % | Other: | 2 | 0.65 % | School Bus/Public Bus: | 1 | 0.32 % |
| Grand Total Occurrences: | 155 | | Grand Total Occurrences: | 155 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 5 | 1.29 % |
| | | | | | | Sidewalk: | 2 | 0.65 % |
| | | | | | | Stairs/Ramp/Elevator: | 4 | 1.29 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 5 | 1.61 % |
| | | | | | | Grand Total Occurrences: | 155 | |

Total Average Daily Enrollment: 5,177
Injury Occurrence Rate*: 5.99 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

HAVERFORD TOWNSHIP SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 0 | - % | After School: | 3 | 0.77 % | Athletic Field/Play Field: | 16 | 4.08 % |
| Concussion (Possible): | 55 | 14.03 % | Before School: | 6 | 1.53 % | Auditorium/Multipurpose: | 1 | 0.26 % |
| Cotusion: | 10 | 2.55 % | Class Change: | 8 | 2.04 % | Bus Loading Area: | 2 | 0.51 % |
| Cut/Laceration/Puncture: | 37 | 9.44 % | Class Time: | 37 | 9.44 % | Cafeteria: | 8 | 2.04 % |
| Dental Injury: | 9 | 2.30 % | Lunch Period: | 9 | 2.30 % | Classroom: | 30 | 7.65 % |
| Dislocation (Possible): | 4 | 1.02 % | P.E. Class: | 65 | 16.58 % | Corridor/Hall: | 8 | 2.04 % |
| Eye Injury: | 8 | 2.04 % | Recess: | 60 | 15.31 % | Gymnasium/Pool: | 64 | 16.33 % |
| Fracture (Possible): | 44 | 11.22 % | Sci Lab/Fam & Consumer | | | Playground: | 53 | 13.52 % |
| Sprain/Strain/Tear (Possible): | 21 | 5.36 % | Sci & Tech ED Class: | 2 | 0.51 % | Restroom: | 2 | 0.51 % |
| Other: | 8 | 2.04 % | Other: | 6 | 1.53 % | School Bus/Public Bus: | 1 | 0.26 % |
| Grand Total Occurrences: | 196 | | Grand Total Occurrences: | 196 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | 0.51 % |
| | | | | | | Sidewalk: | 1 | 0.26 % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 0.77 % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.26 % |
| | | | | | | Other: | 4 | 1.02 % |
| | | | | | | Grand Total Occurrences: | 196 | |

Total Average Daily Enrollment: 6,596
Injury Occurrence Rate*: 5.94 %

INTERBORO SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 1 | 0.49 % | After School: | 1 | 0.49 % | Athletic Field/Play Field: | 9 | 4.37 % |
| Concussion (Possible): | 35 | 16.99 % | Before School: | 5 | 2.43 % | Auditorium/Multipurpose: | 5 | 2.43 % |
| Cotusion: | 6 | 2.91 % | Class Change: | 15 | 7.28 % | Bus Loading Area: | 1 | 0.49 % |
| Cut/Laceration/Puncture: | 12 | 5.83 % | Class Time: | 19 | 9.22 % | Cafeteria: | 1 | 0.49 % |
| Dental Injury: | 0 | - % | Lunch Period: | 5 | 2.43 % | Classroom: | 16 | 7.77 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 35 | 16.99 % | Corridor/Hall: | 10 | 4.85 % |
| Eye Injury: | 6 | 2.91 % | Recess: | 21 | 10.19 % | Gymnasium/Pool: | 30 | 14.56 % |
| Fracture (Possible): | 12 | 5.83 % | Sci Lab/Fam & Consumer | | | Playground: | 18 | 8.74 % |
| Sprain/Strain/Tear (Possible): | 29 | 14.08 % | Sci & Tech ED Class: | 1 | 0.49 % | Restroom: | 1 | 0.49 % |
| Other: | 2 | 0.97 % | Other: | 1 | 0.49 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 103 | | Grand Total Occurrences: | 103 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | 0.49 % |
| | | | | | | Sidewalk: | 2 | 0.97 % |
| | | | | | | Stairs/Ramp/Elevator: | 6 | 2.91 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 0.97 % |
| | | | | | | Grand Total Occurrences: | 103 | |

Total Average Daily Enrollment: 3,373
Injury Occurrence Rate*: 6.11 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

MARPLE NEWTOWN SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 1 | 0.23 % | After School: | 7 | 1.62 % | Athletic Field/Play Field: | 12 | 2.78 % |
| Concussion (Possible): | 59 | 13.66 % | Before School: | 32 | 7.41 % | Auditorium/Multipurpose: | 1 | 0.23 % |
| Cotusion: | 25 | 5.79 % | Class Change: | 12 | 2.78 % | Bus Loading Area: | 4 | 0.93 % |
| Cut/Laceration/Puncture: | 31 | 7.18 % | Class Time: | 38 | 8.80 % | Cafeteria: | 10 | 2.31 % |
| Dental Injury: | 4 | 0.93 % | Lunch Period: | 13 | 3.01 % | Classroom: | 28 | 6.48 % |
| Dislocation (Possible): | 7 | 1.62 % | P.E. Class: | 69 | 15.97 % | Corridor/Hall: | 12 | 2.78 % |
| Eye Injury: | 8 | 1.85 % | Recess: | 38 | 8.80 % | Gymnasium/Pool: | 68 | 15.74 % |
| Fracture (Possible): | 30 | 6.94 % | Sci Lab/Fam & Consumer | | | Playground: | 41 | 9.49 % |
| Sprain/Strain/Tear (Possible): | 40 | 9.26 % | Sci & Tech ED Class: | 2 | 0.46 % | Restroom: | 4 | 0.93 % |
| Other: | 11 | 2.55 % | Other: | 5 | 1.16 % | School Bus/Public Bus: | 17 | 3.94 % |
| Grand Total Occurrences: | 216 | | Grand Total Occurrences: | 216 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 3 | 0.46 % |
| | | | | | | Sidewalk: | 4 | 0.93 % |
| | | | | | | Stairs/Ramp/Elevator: | 4 | 0.93 % |
| | | | | | | Street/Driveway/Parking: | 2 | 0.46 % |
| | | | | | | Other: | 6 | 1.39 % |
| | | | | | | Grand Total Occurrences: | 216 | |

Total Average Daily Enrollment: 7,205

Injury Occurrence Rate*: 6.00 %

PENN-DELCO SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 20 | 10.64 % | Athletic Field/Play Field: | 29 | 15.43 % |
| Concussion (Possible): | 35 | 18.62 % | Before School: | 1 | 0.53 % | Auditorium/Multipurpose: | 2 | 1.06 % |
| Cotusion: | 1 | 0.53 % | Class Change: | 9 | 4.79 % | Bus Loading Area: | 2 | 1.06 % |
| Cut/Laceration/Puncture: | 12 | 6.38 % | Class Time: | 6 | 3.19 % | Cafeteria: | 2 | 1.06 % |
| Dental Injury: | 1 | 0.53 % | Lunch Period: | 4 | 2.13 % | Classroom: | 4 | 2.13 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 21 | 11.17 % | Corridor/Hall: | 6 | 3.19 % |
| Eye Injury: | 0 | - % | Recess: | 26 | 13.83 % | Gymnasium/Pool: | 12 | 6.38 % |
| Fracture (Possible): | 24 | 12.77 % | Sci Lab/Fam & Consumer | | | Playground: | 27 | 14.36 % |
| Sprain/Strain/Tear (Possible): | 19 | 10.11 % | Sci & Tech ED Class: | 5 | 2.66 % | Restroom: | 1 | 0.53 % |
| Other: | 2 | 1.06 % | Other: | 2 | 1.06 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 94 | | Grand Total Occurrences: | 94 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 5 | 2.66 % |
| | | | | | | Sidewalk: | 1 | 0.53 % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 1.06 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 0.53 % |
| | | | | | | Grand Total Occurrences: | 94 | |

Total Average Daily Enrollment: 4,555

Injury Occurrence Rate*: 4.13 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

RADNOR TOWNSHIP SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 0.70 % | Athletic Field/Play Field: | 11 | 7.75 % |
| Concussion (Possible): | 25 | 17.61 % | Before School: | 2 | 1.41 % | Auditorium/Multipurpose: | 1 | 0.70 % |
| Cotusion: | 5 | 3.52 % | Class Change: | 7 | 4.93 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 8 | 5.63 % | Class Time: | 6 | 4.23 % | Cafeteria: | 2 | 1.41 % |
| Dental Injury: | 6 | 4.23 % | Lunch Period: | 8 | 5.63 % | Classroom: | 7 | 4.93 % |
| Dislocation (Possible): | 1 | 0.70 % | P.E. Class: | 17 | 11.97 % | Corridor/Hall: | 2 | 1.41 % |
| Eye Injury: | 2 | 1.41 % | Recess: | 26 | 18.31 % | Gymnasium/Pool: | 16 | 11.27 % |
| Fracture (Possible): | 16 | 11.27 % | Sci Lab/Fam & Consumer | | | Playground: | 24 | 16.90 % |
| Sprain/Strain/Tear (Possible): | 5 | 3.52 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 2 | 1.41 % |
| Other: | 3 | 2.11 % | Other: | 4 | 2.82 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 71 | | Grand Total Occurrences: | 71 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 1.41 % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.70 % |
| | | | | | | Other: | 3 | 2.11 % |
| | | | | | | Grand Total Occurrences: | 71 | |

Total Average Daily Enrollment: 5,590
Injury Occurrence Rate*: 2.54 %

RIDLEY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 5 | 1.33 % | After School: | 21 | 5.59 % | Athletic Field/Play Field: | 26 | 6.91 % |
| Concussion (Possible): | 32 | 8.51 % | Before School: | 10 | 2.66 % | Auditorium/Multipurpose: | 10 | 2.66 % |
| Cotusion: | 13 | 3.46 % | Class Change: | 17 | 4.52 % | Bus Loading Area: | 2 | 0.53 % |
| Cut/Laceration/Puncture: | 31 | 8.24 % | Class Time: | 22 | 5.85 % | Cafeteria: | 6 | 1.60 % |
| Dental Injury: | 5 | 1.33 % | Lunch Period: | 9 | 2.39 % | Classroom: | 23 | 6.12 % |
| Dislocation (Possible): | 10 | 2.66 % | P.E. Class: | 48 | 12.77 % | Corridor/Hall: | 17 | 4.52 % |
| Eye Injury: | 10 | 2.66 % | Recess: | 31 | 8.24 % | Gymnasium/Pool: | 42 | 11.17 % |
| Fracture (Possible): | 39 | 10.37 % | Sci Lab/Fam & Consumer | | | Playground: | 37 | 9.84 % |
| Sprain/Strain/Tear (Possible): | 36 | 9.57 % | Sci & Tech ED Class: | 17 | 4.52 % | Restroom: | 3 | 0.80 % |
| Other: | 7 | 1.86 % | Other: | 13 | 3.46 % | School Bus/Public Bus: | 2 | 0.53 % |
| Grand Total Occurrences: | 188 | | Grand Total Occurrences: | 188 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 8 | 4.52 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 2 | 0.53 % |
| | | | | | | Other: | 10 | 2.66 % |
| | | | | | | Grand Total Occurrences: | 188 | |

Total Average Daily Enrollment: 6,673
Injury Occurrence Rate*: 5.63 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

ROSE TREE MEDIA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 5 | 3.47 % | Athletic Field/Play Field: | 14 | 9.72 % |
| Concussion (Possible): | 22 | 15.28 % | Before School: | 1 | 0.69 % | Auditorium/Multipurpose: | 1 | 0.69 % |
| Cotusion: | 2 | 1.39 % | Class Change: | 6 | 4.17 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 8 | 5.56 % | Class Time: | 15 | 10.42 % | Cafeteria: | 1 | 0.69 % |
| Dental Injury: | 2 | 1.39 % | Lunch Period: | 1 | 0.69 % | Classroom: | 13 | 9.03 % |
| Dislocation (Possible): | 2 | 1.39 % | P.E. Class: | 20 | 13.89 % | Corridor/Hall: | 6 | 4.17 % |
| Eye Injury: | 3 | 2.08 % | Recess: | 19 | 13.19 % | Gymnasium/Pool: | 20 | 13.89 % |
| Fracture (Possible): | 19 | 13.19 % | Sci Lab/Fam & Consumer | | | Playground: | 10 | 6.94 % |
| Sprain/Strain/Tear (Possible): | 9 | 6.25 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 0.69 % |
| Other: | 5 | 3.47 % | Other: | 5 | 3.47 % | School Bus/Public Bus: | 1 | 0.69 % |
| Grand Total Occurrences: | 72 | | Grand Total Occurrences: | 72 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 1 | 0.69 % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 0.69 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 3 | 2.08 % |
| | | | | | | Grand Total Occurrences: | 72 | |

Total Average Daily Enrollment: 4,615
Injury Occurrence Rate*: 3.12 %

SOUTHEAST DELCO SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 0 | - % | After School: | 6 | 0.77 % | Athletic Field/Play Field: | 29 | 3.70 % |
| Concussion (Possible): | 58 | 7.40 % | Before School: | 32 | 4.08 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 54 | 6.89 % | Class Change: | 34 | 4.34 % | Bus Loading Area: | 2 | 0.26 % |
| Cut/Laceration/Puncture: | 115 | 14.67 % | Class Time: | 72 | 9.18 % | Cafeteria: | 38 | 4.85 % |
| Dental Injury: | 22 | 2.81 % | Lunch Period: | 36 | 4.59 % | Classroom: | 78 | 9.95 % |
| Dislocation (Possible): | 11 | 1.40 % | P.E. Class: | 31 | 3.95 % | Corridor/Hall: | 40 | 5.10 % |
| Eye Injury: | 22 | 2.81 % | Recess: | 177 | 22.58 % | Gymnasium/Pool: | 36 | 4.59 % |
| Fracture (Possible): | 23 | 2.93 % | Sci Lab/Fam & Consumer | | | Playground: | 140 | 17.86 % |
| Sprain/Strain/Tear (Possible): | 66 | 8.42 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 6 | 0.77 % |
| Other: | 21 | 2.68 % | Other: | 4 | 0.51 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 392 | | Grand Total Occurrences: | 392 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 18 | 2.30 % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 0.38 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 0.26 % |
| | | | | | | Grand Total Occurrences: | 392 | |

Total Average Daily Enrollment: 4,054
Injury Occurrence Rate*: 19.34 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

SPRINGFIELD SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 3 | 2.31 % | Athletic Field/Play Field: | 1 | 0.77 % |
| Concussion (Possible): | 9 | 6.92 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 1 | 0.77 % |
| Contusion: | 0 | - % | Class Change: | 1 | 0.77 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 15 | 11.54 % | Class Time: | 2 | 1.54 % | Cafeteria: | 1 | 0.77 % |
| Dental Injury: | 2 | 1.54 % | Lunch Period: | 1 | 0.77 % | Classroom: | 2 | 1.54 % |
| Dislocation (Possible): | 3 | 2.31 % | P.E. Class: | 23 | 17.69 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 6 | 4.62 % | Recess: | 32 | 24.62 % | Gymnasium/Pool: | 19 | 14.62 % |
| Fracture (Possible): | 9 | 6.92 % | Sci Lab/Fam & Consumer | | | Playground: | 34 | 26.15 % |
| Sprain/Strain/Tear (Possible): | 20 | 15.38 % | Sci & Tech ED Class: | 1 | 0.77 % | Restroom: | 0 | - % |
| Other: | 1 | 0.77 % | Other: | 2 | 1.54 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 65 | | Grand Total Occurrences: | 65 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 3 | 0.77 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 1.54 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 1.54 % |
| | | | | | | Grand Total Occurrences: | 65 | |

Total Average Daily Enrollment: 4,331
Injury Occurrence Rate*: 3.00 %

UPPER DARBY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 1 | 0.19 % | After School: | 16 | 3.09 % | Athletic Field/Play Field: | 25 | 4.83 % |
| Concussion (Possible): | 53 | 10.23 % | Before School: | 28 | 5.41 % | Auditorium/Multipurpose: | 4 | 0.77 % |
| Contusion: | 19 | 3.67 % | Class Change: | 43 | 8.30 % | Bus Loading Area: | 1 | 0.19 % |
| Cut/Laceration/Puncture: | 30 | 5.79 % | Class Time: | 47 | 9.07 % | Cafeteria: | 26 | 5.02 % |
| Dental Injury: | 10 | 1.93 % | Lunch Period: | 33 | 6.37 % | Classroom: | 25 | 4.83 % |
| Dislocation (Possible): | 6 | 1.16 % | P.E. Class: | 50 | 9.65 % | Corridor/Hall: | 42 | 8.11 % |
| Eye Injury: | 5 | 0.97 % | Recess: | 37 | 7.14 % | Gymnasium/Pool: | 44 | 8.49 % |
| Fracture (Possible): | 58 | 11.20 % | Sci Lab/Fam & Consumer | | | Playground: | 39 | 7.53 % |
| Sprain/Strain/Tear (Possible): | 73 | 14.09 % | Sci & Tech ED Class: | 4 | 0.77 % | Restroom: | 4 | 0.77 % |
| Other: | 4 | 0.77 % | Other: | 1 | 0.19 % | School Bus/Public Bus: | 5 | 0.97 % |
| Grand Total Occurrences: | 259 | | Grand Total Occurrences: | 259 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 5 | 0.77 % |
| | | | | | | Sidewalk: | 5 | 0.97 % |
| | | | | | | Stairs/Ramp/Elevator: | 24 | 4.63 % |
| | | | | | | Street/Driveway/Parking: | 7 | 1.35 % |
| | | | | | | Other: | 3 | 0.58 % |
| | | | | | | Grand Total Occurrences: | 259 | |

Total Average Daily Enrollment: 14,543
Injury Occurrence Rate*: 3.56 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

WALLINGFORD-SWARTHMORE SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 7 | 3.40 % |
| Concussion (Possible): | 27 | 13.11 % | Before School: | 7 | 3.40 % | Auditorium/Multipurpose: | 1 | 0.49 % |
| Cotusion: | 16 | 7.77 % | Class Change: | 6 | 2.91 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 18 | 8.74 % | Class Time: | 19 | 9.22 % | Cafeteria: | 7 | 3.40 % |
| Dental Injury: | 4 | 1.94 % | Lunch Period: | 22 | 10.68 % | Classroom: | 13 | 6.31 % |
| Dislocation (Possible): | 2 | 0.97 % | P.E. Class: | 26 | 12.62 % | Corridor/Hall: | 3 | 1.46 % |
| Eye Injury: | 8 | 3.88 % | Recess: | 17 | 8.25 % | Gymnasium/Pool: | 24 | 11.65 % |
| Fracture (Possible): | 9 | 4.37 % | Sci Lab/Fam & Consumer | | | Playground: | 22 | 10.68 % |
| Sprain/Strain/Tear (Possible): | 15 | 7.28 % | Sci & Tech ED Class: | 2 | 0.97 % | Restroom: | 1 | 0.49 % |
| Other: | 4 | 1.94 % | Other: | 4 | 1.94 % | School Bus/Public Bus: | 5 | 2.43 % |
| Grand Total Occurrences: | 103 | | Grand Total Occurrences: | 103 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 4 | 0.97 % |
| | | | | | | Sidewalk: | 1 | 0.49 % |
| | | | | | | Stairs/Ramp/Elevator: | 6 | 2.91 % |
| | | | | | | Street/Driveway/Parking: | 2 | 0.97 % |
| | | | | | | Other: | 7 | 3.40 % |
| | | | | | | Grand Total Occurrences: | 103 | |

Total Average Daily Enrollment: 3,872
Injury Occurrence Rate*: 5.32 %

WIDENER PARTNERSHIP CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 2 | 25.00 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 2 | 25.00 % | Cafeteria: | 0 | - % |
| Dental Injury: | 2 | 25.00 % | Lunch Period: | 0 | - % | Classroom: | 2 | 25.00 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 4 | 50.00 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 2 | 25.00 % | Gymnasium/Pool: | 4 | 50.00 % |
| Fracture (Possible): | 2 | 25.00 % | Sci Lab/Fam & Consumer | | | Playground: | 2 | 25.00 % |
| Sprain/Strain/Tear (Possible): | 1 | 12.50 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 1 | 12.50 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 8 | | Grand Total Occurrences: | 8 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 8 | |

Total Average Daily Enrollment: 362
Injury Occurrence Rate*: 2.21 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

WILLIAM PENN SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 3 | 1.40 % | After School: | 7 | 3.27 % | Athletic Field/Play Field: | 10 | 4.67 % |
| Concussion (Possible): | 23 | 10.75 % | Before School: | 7 | 3.27 % | Auditorium/Multipurpose: | 1 | 0.47 % |
| Contusion: | 3 | 1.40 % | Class Change: | 8 | 3.74 % | Bus Loading Area: | 3 | 1.40 % |
| Cut/Laceration/Puncture: | 30 | 14.02 % | Class Time: | 26 | 12.15 % | Cafeteria: | 3 | 1.40 % |
| Dental Injury: | 3 | 1.40 % | Lunch Period: | 2 | 0.93 % | Classroom: | 21 | 9.81 % |
| Dislocation (Possible): | 3 | 1.40 % | P.E. Class: | 23 | 10.75 % | Corridor/Hall: | 9 | 4.21 % |
| Eye Injury: | 6 | 2.80 % | Recess: | 23 | 10.75 % | Gymnasium/Pool: | 21 | 9.81 % |
| Fracture (Possible): | 16 | 7.48 % | Sci Lab/Fam & Consumer | | | Playground: | 22 | 10.28 % |
| Sprain/Strain/Tear (Possible): | 15 | 7.01 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 8 | 3.74 % |
| Other: | 5 | 2.34 % | Other: | 11 | 5.14 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 107 | | Grand Total Occurrences: | 107 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | - % |
| | | | | | | Sidewalk: | 4 | 1.87 % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 1.40 % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.47 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 107 | |

Total Average Daily Enrollment: 5,170
Injury Occurrence Rate*: 4.14 %

DELAWARE COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|--------------|---------|--|--------------|---------|--|--------------|---------|
| Burn: | 22 | 0.50 % | After School: | 121 | 2.73 % | Athletic Field/Play Field: | 223 | 5.04 % |
| Concussion (Possible): | 532 | 12.02 % | Before School: | 152 | 3.44 % | Auditorium/Multipurpose: | 28 | 0.63 % |
| Contusion: | 187 | 4.23 % | Class Change: | 208 | 4.70 % | Bus Loading Area: | 23 | 0.52 % |
| Cut/Laceration/Puncture: | 416 | 9.40 % | Class Time: | 395 | 8.93 % | Cafeteria: | 124 | 2.80 % |
| Dental Injury: | 86 | 1.94 % | Lunch Period: | 164 | 3.71 % | Classroom: | 327 | 7.39 % |
| Dislocation (Possible): | 53 | 1.20 % | P.E. Class: | 528 | 11.93 % | Corridor/Hall: | 191 | 4.32 % |
| Eye Injury: | 97 | 2.19 % | Recess: | 583 | 13.18 % | Gymnasium/Pool: | 505 | 11.41 % |
| Fracture (Possible): | 354 | 8.00 % | Sci Lab/Fam & Consumer | | | Playground: | 541 | 12.23 % |
| Sprain/Strain/Tear (Possible): | 402 | 9.08 % | Sci & Tech ED Class: | 45 | 1.02 % | Restroom: | 38 | 0.86 % |
| Other: | 116 | 2.62 % | Other: | 69 | 1.56 % | School Bus/Public Bus: | 39 | 0.88 % |
| Grand Total Occurrences: | 2,265 | | Grand Total Occurrences: | 2,265 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 46 | 1.04 % |
| | | | | | | Sidewalk: | 39 | 0.88 % |
| | | | | | | Stairs/Ramp/Elevator: | 68 | 1.54 % |
| | | | | | | Street/Driveway/Parking: | 17 | 0.38 % |
| | | | | | | Other: | 56 | 1.27 % |
| | | | | | | Grand Total Occurrences: | 2,265 | |

Total Average Daily Enrollment: 85,307
Injury Occurrence Rate*: 5.19 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

COCALICO SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 6 | 5.88 % |
| Concussion (Possible): | 17 | 16.67 % | Before School: | 2 | 1.96 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 2 | 1.96 % | Class Change: | 1 | 0.98 % | Bus Loading Area: | 1 | 0.98 % |
| Cut/Laceration/Puncture: | 7 | 6.86 % | Class Time: | 9 | 8.82 % | Cafeteria: | 1 | 0.98 % |
| Dental Injury: | 2 | 1.96 % | Lunch Period: | 1 | 0.98 % | Classroom: | 4 | 3.92 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 31 | 30.39 % | Corridor/Hall: | 5 | 4.90 % |
| Eye Injury: | 2 | 1.96 % | Recess: | 7 | 6.86 % | Gymnasium/Pool: | 23 | 22.55 % |
| Fracture (Possible): | 10 | 9.80 % | Sci Lab/Fam & Consumer | | | Playground: | 6 | 5.88 % |
| Sprain/Strain/Tear (Possible): | 10 | 9.80 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 0.98 % |
| Other: | 1 | 0.98 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 51 | | Grand Total Occurrences: | 51 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 0.98 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 1.96 % |
| | | | | | | Grand Total Occurrences: | 51 | |

Total Average Daily Enrollment: 3,168
Injury Occurrence Rate*: 3.22 %

COLUMBIA BOROUGH SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 3 | 2.54 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 4 | 3.39 % | Before School: | 5 | 4.24 % | Auditorium/Multipurpose: | 5 | 4.24 % |
| Contusion: | 8 | 6.78 % | Class Change: | 3 | 2.54 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 16 | 13.56 % | Class Time: | 16 | 13.56 % | Cafeteria: | 1 | 0.85 % |
| Dental Injury: | 2 | 1.69 % | Lunch Period: | 1 | 0.85 % | Classroom: | 13 | 11.02 % |
| Dislocation (Possible): | 1 | 0.85 % | P.E. Class: | 17 | 14.41 % | Corridor/Hall: | 5 | 4.24 % |
| Eye Injury: | 6 | 5.08 % | Recess: | 14 | 11.86 % | Gymnasium/Pool: | 14 | 11.86 % |
| Fracture (Possible): | 11 | 9.32 % | Sci Lab/Fam & Consumer | | | Playground: | 15 | 12.71 % |
| Sprain/Strain/Tear (Possible): | 4 | 3.39 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 7 | 5.93 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 59 | | Grand Total Occurrences: | 59 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 3 | 2.54 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 3 | 2.54 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 59 | |

Total Average Daily Enrollment: 1,470
Injury Occurrence Rate*: 8.03 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

CONESTOGA VALLEY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 0 | - % | After School: | 5 | 1.85 % | Athletic Field/Play Field: | 16 | 5.93 % |
| Concussion (Possible): | 29 | 10.74 % | Before School: | 2 | 0.74 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 9 | 3.33 % | Class Change: | 8 | 2.96 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 27 | 10.00 % | Class Time: | 11 | 4.07 % | Cafeteria: | 1 | 0.37 % |
| Dental Injury: | 6 | 2.22 % | Lunch Period: | 0 | - % | Classroom: | 14 | 5.19 % |
| Dislocation (Possible): | 2 | 0.74 % | P.E. Class: | 43 | 15.93 % | Corridor/Hall: | 3 | 1.11 % |
| Eye Injury: | 2 | 0.74 % | Recess: | 44 | 16.30 % | Gymnasium/Pool: | 45 | 16.67 % |
| Fracture (Possible): | 34 | 12.59 % | Sci Lab/Fam & Consumer | | | Playground: | 44 | 16.30 % |
| Sprain/Strain/Tear (Possible): | 21 | 7.78 % | Sci & Tech ED Class: | 11 | 4.07 % | Restroom: | 0 | - % |
| Other: | 5 | 1.85 % | Other: | 11 | 4.07 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 135 | | Grand Total Occurrences: | 135 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 4 | 4.07 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 4 | 1.48 % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.37 % |
| | | | | | | Other: | 3 | 1.11 % |
| | | | | | | Grand Total Occurrences: | 135 | |

Total Average Daily Enrollment: 5,615
Injury Occurrence Rate*: 4.81 %

DONEGAL SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 4 | 4.76 % |
| Concussion (Possible): | 12 | 14.29 % | Before School: | 3 | 3.57 % | Auditorium/Multipurpose: | 1 | 1.19 % |
| Cotusion: | 3 | 3.57 % | Class Change: | 5 | 5.95 % | Bus Loading Area: | 2 | 2.38 % |
| Cut/Laceration/Puncture: | 8 | 9.52 % | Class Time: | 4 | 4.76 % | Cafeteria: | 2 | 2.38 % |
| Dental Injury: | 1 | 1.19 % | Lunch Period: | 2 | 2.38 % | Classroom: | 3 | 3.57 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 13 | 15.48 % | Corridor/Hall: | 3 | 3.57 % |
| Eye Injury: | 3 | 3.57 % | Recess: | 9 | 10.71 % | Gymnasium/Pool: | 13 | 15.48 % |
| Fracture (Possible): | 3 | 3.57 % | Sci Lab/Fam & Consumer | | | Playground: | 9 | 10.71 % |
| Sprain/Strain/Tear (Possible): | 9 | 10.71 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 1.19 % |
| Other: | 3 | 3.57 % | Other: | 6 | 7.14 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 42 | | Grand Total Occurrences: | 42 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 2.38 % |
| | | | | | | Street/Driveway/Parking: | 1 | 1.19 % |
| | | | | | | Other: | 1 | 1.19 % |
| | | | | | | Grand Total Occurrences: | 42 | |

Total Average Daily Enrollment: 3,398
Injury Occurrence Rate*: 2.47 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

EASTERN LANCASTER COUNTY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 4 | 2.82 % |
| Concussion (Possible): | 4 | 2.82 % | Before School: | 7 | 4.93 % | Auditorium/Multipurpose: | 1 | 0.70 % |
| Contusion: | 1 | 0.70 % | Class Change: | 1 | 0.70 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 15 | 10.56 % | Class Time: | 15 | 10.56 % | Cafeteria: | 3 | 2.11 % |
| Dental Injury: | 4 | 2.82 % | Lunch Period: | 3 | 2.11 % | Classroom: | 8 | 5.63 % |
| Dislocation (Possible): | 2 | 1.41 % | P.E. Class: | 20 | 14.08 % | Corridor/Hall: | 2 | 1.41 % |
| Eye Injury: | 6 | 4.23 % | Recess: | 15 | 10.56 % | Gymnasium/Pool: | 25 | 17.61 % |
| Fracture (Possible): | 16 | 11.27 % | Sci Lab/Fam & Consumer | | | Playground: | 16 | 11.27 % |
| Sprain/Strain/Tear (Possible): | 13 | 9.15 % | Sci & Tech ED Class: | 1 | 0.70 % | Restroom: | 0 | - % |
| Other: | 10 | 7.04 % | Other: | 9 | 6.34 % | School Bus/Public Bus: | 4 | 2.82 % |
| Grand Total Occurrences: | 71 | | Grand Total Occurrences: | 71 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 0.70 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 0.70 % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.70 % |
| | | | | | | Other: | 5 | 3.52 % |
| | | | | | | Grand Total Occurrences: | 71 | |

Total Average Daily Enrollment: 3,998
Injury Occurrence Rate*: 3.55 %

ELIZABETHTOWN AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 0.65 % | After School: | 1 | 0.65 % | Athletic Field/Play Field: | 3 | 1.95 % |
| Concussion (Possible): | 6 | 3.90 % | Before School: | 2 | 1.30 % | Auditorium/Multipurpose: | 1 | 0.65 % |
| Contusion: | 9 | 5.84 % | Class Change: | 2 | 1.30 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 10 | 6.49 % | Class Time: | 11 | 7.14 % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 0.65 % | Lunch Period: | 2 | 1.30 % | Classroom: | 10 | 6.49 % |
| Dislocation (Possible): | 1 | 0.65 % | P.E. Class: | 31 | 20.13 % | Corridor/Hall: | 1 | 0.65 % |
| Eye Injury: | 1 | 0.65 % | Recess: | 24 | 15.58 % | Gymnasium/Pool: | 32 | 20.78 % |
| Fracture (Possible): | 8 | 5.19 % | Sci Lab/Fam & Consumer | | | Playground: | 20 | 12.99 % |
| Sprain/Strain/Tear (Possible): | 17 | 11.04 % | Sci & Tech ED Class: | 2 | 1.30 % | Restroom: | 3 | 1.95 % |
| Other: | 23 | 14.94 % | Other: | 2 | 1.30 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 77 | | Grand Total Occurrences: | 77 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 1.30 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 0.65 % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.65 % |
| | | | | | | Other: | 4 | 2.60 % |
| | | | | | | Grand Total Occurrences: | 77 | |

Total Average Daily Enrollment: 3,854
Injury Occurrence Rate*: 4.00 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

EPHRATA AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 0.78 % | After School: | 0 | - % | Athletic Field/Play Field: | 7 | 5.47 % |
| Concussion (Possible): | 5 | 3.91 % | Before School: | 3 | 2.34 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 11 | 8.59 % | Class Change: | 8 | 6.25 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 8 | 6.25 % | Class Time: | 6 | 4.69 % | Cafeteria: | 0 | - % |
| Dental Injury: | 3 | 2.34 % | Lunch Period: | 3 | 2.34 % | Classroom: | 3 | 2.34 % |
| Dislocation (Possible): | 2 | 1.56 % | P.E. Class: | 21 | 16.41 % | Corridor/Hall: | 8 | 6.25 % |
| Eye Injury: | 0 | - % | Recess: | 19 | 14.84 % | Gymnasium/Pool: | 22 | 17.19 % |
| Fracture (Possible): | 17 | 13.28 % | Sci Lab/Fam & Consumer | | | Playground: | 16 | 12.50 % |
| Sprain/Strain/Tear (Possible): | 17 | 13.28 % | Sci & Tech ED Class: | 2 | 1.56 % | Restroom: | 1 | 0.78 % |
| Other: | 0 | - % | Other: | 2 | 1.56 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 64 | | Grand Total Occurrences: | 64 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | 1.56 % |
| | | | | | | Sidewalk: | 1 | 0.78 % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 2.34 % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.78 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 64 | |

Total Average Daily Enrollment: 4,502
Injury Occurrence Rate*: 2.84 %

HEMPFIELD SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 0 | - % | After School: | 1 | 0.46 % | Athletic Field/Play Field: | 8 | 3.70 % |
| Concussion (Possible): | 14 | 6.48 % | Before School: | 1 | 0.46 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 7 | 3.24 % | Class Change: | 5 | 2.31 % | Bus Loading Area: | 1 | 0.46 % |
| Cut/Laceration/Puncture: | 23 | 10.65 % | Class Time: | 17 | 7.87 % | Cafeteria: | 2 | 0.93 % |
| Dental Injury: | 5 | 2.31 % | Lunch Period: | 2 | 0.93 % | Classroom: | 14 | 6.48 % |
| Dislocation (Possible): | 3 | 1.39 % | P.E. Class: | 43 | 19.91 % | Corridor/Hall: | 5 | 2.31 % |
| Eye Injury: | 6 | 2.78 % | Recess: | 35 | 16.20 % | Gymnasium/Pool: | 39 | 18.06 % |
| Fracture (Possible): | 10 | 4.63 % | Sci Lab/Fam & Consumer | | | Playground: | 35 | 16.20 % |
| Sprain/Strain/Tear (Possible): | 30 | 13.89 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 10 | 4.63 % | Other: | 4 | 1.85 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 108 | | Grand Total Occurrences: | 108 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 0.46 % |
| | | | | | | Street/Driveway/Parking: | 2 | 0.93 % |
| | | | | | | Other: | 1 | 0.46 % |
| | | | | | | Grand Total Occurrences: | 108 | |

Total Average Daily Enrollment: 7,263
Injury Occurrence Rate*: 2.97 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

LA ACADEMIA THE PARTNERSHIP CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|----------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 5 | 25.00 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 20 | 100.00 % | Class Time: | 4 | 20.00 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 4 | 20.00 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 5 | 25.00 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 6 | 30.00 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 20 | | Grand Total Occurrences: | 20 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 5 | 25.00 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 5 | 25.00 % |
| | | | | | | Other: | 6 | 30.00 % |
| | | | | | | Grand Total Occurrences: | 20 | |

Total Average Daily Enrollment: 192
Injury Occurrence Rate*: 10.42 %

LAMPETER-STRASBURG SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 2 | 1.52 % | After School: | 4 | 3.03 % | Athletic Field/Play Field: | 7 | 5.30 % |
| Concussion (Possible): | 26 | 19.70 % | Before School: | 2 | 1.52 % | Auditorium/Multipurpose: | 2 | 1.52 % |
| Cotusion: | 2 | 1.52 % | Class Change: | 3 | 2.27 % | Bus Loading Area: | 3 | 2.27 % |
| Cut/Laceration/Puncture: | 8 | 6.06 % | Class Time: | 8 | 6.06 % | Cafeteria: | 0 | - % |
| Dental Injury: | 3 | 2.27 % | Lunch Period: | 0 | - % | Classroom: | 6 | 4.55 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 25 | 18.94 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 2 | 1.52 % | Recess: | 15 | 11.36 % | Gymnasium/Pool: | 25 | 18.94 % |
| Fracture (Possible): | 16 | 12.12 % | Sci Lab/Fam & Consumer | | | Playground: | 12 | 9.09 % |
| Sprain/Strain/Tear (Possible): | 7 | 5.30 % | Sci & Tech ED Class: | 7 | 5.30 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 2 | 1.52 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 66 | | Grand Total Occurrences: | 66 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 7 | 5.30 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 0.76 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 3 | 2.27 % |
| | | | | | | Grand Total Occurrences: | 66 | |

Total Average Daily Enrollment: 3,216
Injury Occurrence Rate*: 4.10 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

LANCASTER SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 2 | 0.49 % | After School: | 4 | 0.99 % | Athletic Field/Play Field: | 7 | 1.72 % |
| Concussion (Possible): | 40 | 9.85 % | Before School: | 13 | 3.20 % | Auditorium/Multipurpose: | 1 | 0.25 % |
| Cotusion: | 15 | 3.69 % | Class Change: | 18 | 4.43 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 29 | 7.14 % | Class Time: | 25 | 6.16 % | Cafeteria: | 5 | 1.23 % |
| Dental Injury: | 14 | 3.45 % | Lunch Period: | 6 | 1.48 % | Classroom: | 24 | 5.91 % |
| Dislocation (Possible): | 5 | 1.23 % | P.E. Class: | 61 | 15.02 % | Corridor/Hall: | 12 | 2.96 % |
| Eye Injury: | 10 | 2.46 % | Recess: | 65 | 16.01 % | Gymnasium/Pool: | 55 | 13.55 % |
| Fracture (Possible): | 22 | 5.42 % | Sci Lab/Fam & Consumer | | | Playground: | 68 | 16.75 % |
| Sprain/Strain/Tear (Possible): | 60 | 14.78 % | Sci & Tech ED Class: | 3 | 0.74 % | Restroom: | 2 | 0.49 % |
| Other: | 6 | 1.48 % | Other: | 8 | 1.97 % | School Bus/Public Bus: | 1 | 0.25 % |
| Grand Total Occurrences: | 203 | | Grand Total Occurrences: | 203 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 3 | 0.74 % |
| | | | | | | Sidewalk: | 7 | 1.72 % |
| | | | | | | Stairs/Ramp/Elevator: | 12 | 2.96 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 6 | 1.48 % |
| | | | | | | Grand Total Occurrences: | 203 | |

Total Average Daily Enrollment: 11,322
Injury Occurrence Rate*: 3.59 %

MANHEIM CENTRAL SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 1.22 % | Athletic Field/Play Field: | 8 | 9.76 % |
| Concussion (Possible): | 6 | 7.32 % | Before School: | 2 | 2.44 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 2 | 2.44 % | Class Change: | 1 | 1.22 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 7 | 8.54 % | Class Time: | 6 | 7.32 % | Cafeteria: | 2 | 2.44 % |
| Dental Injury: | 2 | 2.44 % | Lunch Period: | 1 | 1.22 % | Classroom: | 7 | 8.54 % |
| Dislocation (Possible): | 1 | 1.22 % | P.E. Class: | 19 | 23.17 % | Corridor/Hall: | 1 | 1.22 % |
| Eye Injury: | 2 | 2.44 % | Recess: | 7 | 8.54 % | Gymnasium/Pool: | 11 | 13.41 % |
| Fracture (Possible): | 16 | 19.51 % | Sci Lab/Fam & Consumer | | | Playground: | 7 | 8.54 % |
| Sprain/Strain/Tear (Possible): | 5 | 6.10 % | Sci & Tech ED Class: | 1 | 1.22 % | Restroom: | 1 | 1.22 % |
| Other: | 0 | - % | Other: | 3 | 3.66 % | School Bus/Public Bus: | 2 | 2.44 % |
| Grand Total Occurrences: | 41 | | Grand Total Occurrences: | 41 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 1.22 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 1.22 % |
| | | | | | | Grand Total Occurrences: | 41 | |

Total Average Daily Enrollment: 3,243
Injury Occurrence Rate*: 2.53 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

MANHEIM TOWNSHIP SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 1 | 0.34 % | After School: | 7 | 2.38 % | Athletic Field/Play Field: | 19 | 6.46 % |
| Concussion (Possible): | 25 | 8.50 % | Before School: | 4 | 1.36 % | Auditorium/Multipurpose: | 2 | 0.68 % |
| Cotusion: | 15 | 5.10 % | Class Change: | 21 | 7.14 % | Bus Loading Area: | 1 | 0.34 % |
| Cut/Laceration/Puncture: | 30 | 10.20 % | Class Time: | 29 | 9.86 % | Cafeteria: | 4 | 1.36 % |
| Dental Injury: | 7 | 2.38 % | Lunch Period: | 6 | 2.04 % | Classroom: | 24 | 8.16 % |
| Dislocation (Possible): | 4 | 1.36 % | P.E. Class: | 33 | 11.22 % | Corridor/Hall: | 20 | 6.80 % |
| Eye Injury: | 8 | 2.72 % | Recess: | 41 | 13.95 % | Gymnasium/Pool: | 25 | 8.50 % |
| Fracture (Possible): | 15 | 5.10 % | Sci Lab/Fam & Consumer | | | Playground: | 42 | 14.29 % |
| Sprain/Strain/Tear (Possible): | 21 | 7.14 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 21 | 7.14 % | Other: | 6 | 2.04 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 147 | | Grand Total Occurrences: | 147 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 1.02 % |
| | | | | | | Street/Driveway/Parking: | 2 | 0.68 % |
| | | | | | | Other: | 5 | 1.70 % |
| | | | | | | Grand Total Occurrences: | 147 | |

Total Average Daily Enrollment: 6,522
Injury Occurrence Rate*: 4.51 %

PENN MANOR SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 3 | 1.81 % | Athletic Field/Play Field: | 2 | 1.20 % |
| Concussion (Possible): | 8 | 4.82 % | Before School: | 1 | 0.60 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 6 | 3.61 % | Class Change: | 5 | 3.01 % | Bus Loading Area: | 2 | 1.20 % |
| Cut/Laceration/Puncture: | 15 | 9.04 % | Class Time: | 21 | 12.65 % | Cafeteria: | 1 | 0.60 % |
| Dental Injury: | 3 | 1.81 % | Lunch Period: | 4 | 2.41 % | Classroom: | 15 | 9.04 % |
| Dislocation (Possible): | 1 | 0.60 % | P.E. Class: | 31 | 18.67 % | Corridor/Hall: | 5 | 3.01 % |
| Eye Injury: | 3 | 1.81 % | Recess: | 15 | 9.04 % | Gymnasium/Pool: | 33 | 19.88 % |
| Fracture (Possible): | 21 | 12.65 % | Sci Lab/Fam & Consumer | | | Playground: | 18 | 10.84 % |
| Sprain/Strain/Tear (Possible): | 20 | 12.05 % | Sci & Tech ED Class: | 1 | 0.60 % | Restroom: | 0 | - % |
| Other: | 6 | 3.61 % | Other: | 2 | 1.20 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 83 | | Grand Total Occurrences: | 83 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 3 | 0.60 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 1.20 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 1.20 % |
| | | | | | | Grand Total Occurrences: | 83 | |

Total Average Daily Enrollment: 5,256
Injury Occurrence Rate*: 3.16 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

PEQUEA VALLEY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 2.78 % | Athletic Field/Play Field: | 1 | 2.78 % |
| Concussion (Possible): | 5 | 13.89 % | Before School: | 1 | 2.78 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 2 | 5.56 % | Class Change: | 1 | 2.78 % | Bus Loading Area: | 2 | 5.56 % |
| Cut/Laceration/Puncture: | 2 | 5.56 % | Class Time: | 1 | 2.78 % | Cafeteria: | 1 | 2.78 % |
| Dental Injury: | 1 | 2.78 % | Lunch Period: | 1 | 2.78 % | Classroom: | 0 | - % |
| Dislocation (Possible): | 1 | 2.78 % | P.E. Class: | 7 | 19.44 % | Corridor/Hall: | 1 | 2.78 % |
| Eye Injury: | 1 | 2.78 % | Recess: | 6 | 16.67 % | Gymnasium/Pool: | 6 | 16.67 % |
| Fracture (Possible): | 2 | 5.56 % | Sci Lab/Fam & Consumer | | | Playground: | 5 | 13.89 % |
| Sprain/Strain/Tear (Possible): | 3 | 8.33 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 2.78 % |
| Other: | 1 | 2.78 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 18 | | Grand Total Occurrences: | 18 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 2.78 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 18 | |

Total Average Daily Enrollment: 2,224
Injury Occurrence Rate*: 1.62 %

SOLANCO SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 3 | 1.06 % | After School: | 5 | 1.76 % | Athletic Field/Play Field: | 16 | 5.63 % |
| Concussion (Possible): | 33 | 11.62 % | Before School: | 5 | 1.76 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 21 | 7.39 % | Class Change: | 18 | 6.34 % | Bus Loading Area: | 1 | 0.35 % |
| Cut/Laceration/Puncture: | 24 | 8.45 % | Class Time: | 24 | 8.45 % | Cafeteria: | 3 | 1.06 % |
| Dental Injury: | 4 | 1.41 % | Lunch Period: | 5 | 1.76 % | Classroom: | 13 | 4.58 % |
| Dislocation (Possible): | 4 | 1.41 % | P.E. Class: | 40 | 14.08 % | Corridor/Hall: | 24 | 8.45 % |
| Eye Injury: | 8 | 2.82 % | Recess: | 37 | 13.03 % | Gymnasium/Pool: | 46 | 16.20 % |
| Fracture (Possible): | 28 | 9.86 % | Sci Lab/Fam & Consumer | | | Playground: | 26 | 9.15 % |
| Sprain/Strain/Tear (Possible): | 11 | 3.87 % | Sci & Tech ED Class: | 6 | 2.11 % | Restroom: | 0 | - % |
| Other: | 6 | 2.11 % | Other: | 2 | 0.70 % | School Bus/Public Bus: | 1 | 0.35 % |
| Grand Total Occurrences: | 142 | | Grand Total Occurrences: | 142 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 6 | 2.11 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 0.70 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 4 | 1.41 % |
| | | | | | | Grand Total Occurrences: | 142 | |

Total Average Daily Enrollment: 3,684
Injury Occurrence Rate*: 7.71 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

WARWICK SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 10 | 6.33 % | Athletic Field/Play Field: | 8 | 5.06 % |
| Concussion (Possible): | 15 | 9.49 % | Before School: | 6 | 3.80 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 11 | 6.96 % | Class Change: | 6 | 3.80 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 15 | 9.49 % | Class Time: | 16 | 10.13 % | Cafeteria: | 1 | 0.63 % |
| Dental Injury: | 5 | 3.16 % | Lunch Period: | 1 | 0.63 % | Classroom: | 9 | 5.70 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 18 | 11.39 % | Corridor/Hall: | 8 | 5.06 % |
| Eye Injury: | 4 | 2.53 % | Recess: | 18 | 11.39 % | Gymnasium/Pool: | 26 | 16.46 % |
| Fracture (Possible): | 13 | 8.23 % | Sci Lab/Fam & Consumer | | | Playground: | 16 | 10.13 % |
| Sprain/Strain/Tear (Possible): | 13 | 8.23 % | Sci & Tech ED Class: | 3 | 1.90 % | Restroom: | 0 | - % |
| Other: | 3 | 1.90 % | Other: | 1 | 0.63 % | School Bus/Public Bus: | 2 | 1.27 % |
| Grand Total Occurrences: | 79 | | Grand Total Occurrences: | 79 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 3 | 1.90 % |
| | | | | | | Sidewalk: | 1 | 0.63 % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 1.27 % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.63 % |
| | | | | | | Other: | 2 | 1.27 % |
| | | | | | | Grand Total Occurrences: | 79 | |

Total Average Daily Enrollment: 5,105
Injury Occurrence Rate*: 3.09 %

LANCASTER COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|--------------|---------|--|--------------|---------|--|--------------|---------|
| Burn: | 10 | 0.36 % | After School: | 45 | 1.61 % | Athletic Field/Play Field: | 116 | 4.15 % |
| Concussion (Possible): | 249 | 8.92 % | Before School: | 64 | 2.29 % | Auditorium/Multipurpose: | 13 | 0.47 % |
| Contusion: | 124 | 4.44 % | Class Change: | 106 | 3.80 % | Bus Loading Area: | 13 | 0.47 % |
| Cut/Laceration/Puncture: | 264 | 9.46 % | Class Time: | 223 | 7.99 % | Cafeteria: | 27 | 0.97 % |
| Dental Injury: | 63 | 2.26 % | Lunch Period: | 38 | 1.36 % | Classroom: | 171 | 6.12 % |
| Dislocation (Possible): | 27 | 0.97 % | P.E. Class: | 453 | 16.22 % | Corridor/Hall: | 103 | 3.69 % |
| Eye Injury: | 64 | 2.29 % | Recess: | 371 | 13.29 % | Gymnasium/Pool: | 440 | 15.76 % |
| Fracture (Possible): | 242 | 8.67 % | Sci Lab/Fam & Consumer | | | Playground: | 355 | 12.71 % |
| Sprain/Strain/Tear (Possible): | 261 | 9.35 % | Sci & Tech ED Class: | 42 | 1.50 % | Restroom: | 10 | 0.36 % |
| Other: | 102 | 3.65 % | Other: | 64 | 2.29 % | School Bus/Public Bus: | 10 | 0.36 % |
| Grand Total Occurrences: | 1,406 | | Grand Total Occurrences: | 1,406 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 37 | 1.33 % |
| | | | | | | Sidewalk: | 12 | 0.43 % |
| | | | | | | Stairs/Ramp/Elevator: | 36 | 1.29 % |
| | | | | | | Street/Driveway/Parking: | 18 | 0.64 % |
| | | | | | | Other: | 45 | 1.61 % |
| | | | | | | Grand Total Occurrences: | 1,406 | |

Total Average Daily Enrollment: 74,032
Injury Occurrence Rate*: 3.77 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

ABINGTON SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 0 | - % | After School: | 13 | 3.57 % | Athletic Field/Play Field: | 15 | 4.12 % |
| Concussion (Possible): | 54 | 14.84 % | Before School: | 12 | 3.30 % | Auditorium/Multipurpose: | 3 | 0.82 % |
| Cotusion: | 16 | 4.40 % | Class Change: | 9 | 2.47 % | Bus Loading Area: | 1 | 0.27 % |
| Cut/Laceration/Puncture: | 31 | 8.52 % | Class Time: | 19 | 5.22 % | Cafeteria: | 10 | 2.75 % |
| Dental Injury: | 7 | 1.92 % | Lunch Period: | 15 | 4.12 % | Classroom: | 17 | 4.67 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 43 | 11.81 % | Corridor/Hall: | 9 | 2.47 % |
| Eye Injury: | 8 | 2.20 % | Recess: | 59 | 16.21 % | Gymnasium/Pool: | 37 | 10.16 % |
| Fracture (Possible): | 33 | 9.07 % | Sci Lab/Fam & Consumer | | | Playground: | 56 | 15.38 % |
| Sprain/Strain/Tear (Possible): | 27 | 7.42 % | Sci & Tech ED Class: | 2 | 0.55 % | Restroom: | 2 | 0.55 % |
| Other: | 6 | 1.65 % | Other: | 10 | 2.75 % | School Bus/Public Bus: | 6 | 1.65 % |
| Grand Total Occurrences: | 182 | | Grand Total Occurrences: | 182 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | 0.55 % |
| | | | | | | Sidewalk: | 2 | 0.55 % |
| | | | | | | Stairs/Ramp/Elevator: | 10 | 2.75 % |
| | | | | | | Street/Driveway/Parking: | 11 | 3.02 % |
| | | | | | | Other: | 3 | 0.82 % |
| | | | | | | Grand Total Occurrences: | 182 | |

Total Average Daily Enrollment: 9,378

Injury Occurrence Rate*: 3.88 %

CHELLENHAM TOWNSHIP SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 5 | 1.28 % | After School: | 21 | 5.38 % | Athletic Field/Play Field: | 65 | 16.67 % |
| Concussion (Possible): | 66 | 16.92 % | Before School: | 2 | 0.51 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 15 | 3.85 % | Class Change: | 13 | 3.33 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 18 | 4.62 % | Class Time: | 31 | 7.95 % | Cafeteria: | 8 | 2.05 % |
| Dental Injury: | 4 | 1.03 % | Lunch Period: | 16 | 4.10 % | Classroom: | 21 | 5.38 % |
| Dislocation (Possible): | 7 | 1.79 % | P.E. Class: | 57 | 14.62 % | Corridor/Hall: | 6 | 1.54 % |
| Eye Injury: | 6 | 1.54 % | Recess: | 42 | 10.77 % | Gymnasium/Pool: | 39 | 10.00 % |
| Fracture (Possible): | 23 | 5.90 % | Sci Lab/Fam & Consumer | | | Playground: | 23 | 5.90 % |
| Sprain/Strain/Tear (Possible): | 43 | 11.03 % | Sci & Tech ED Class: | 4 | 1.03 % | Restroom: | 4 | 1.03 % |
| Other: | 8 | 2.05 % | Other: | 9 | 2.31 % | School Bus/Public Bus: | 1 | 0.26 % |
| Grand Total Occurrences: | 195 | | Grand Total Occurrences: | 195 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 5 | 1.03 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 0.77 % |
| | | | | | | Street/Driveway/Parking: | 11 | 2.82 % |
| | | | | | | Other: | 9 | 2.31 % |
| | | | | | | Grand Total Occurrences: | 195 | |

Total Average Daily Enrollment: 5,799

Injury Occurrence Rate*: 6.73 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

COLONIAL SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 2 | 0.55 % | After School: | 5 | 1.38 % | Athletic Field/Play Field: | 38 | 10.50 % |
| Concussion (Possible): | 52 | 14.36 % | Before School: | 10 | 2.76 % | Auditorium/Multipurpose: | 1 | 0.28 % |
| Cotusion: | 12 | 3.31 % | Class Change: | 13 | 3.59 % | Bus Loading Area: | 2 | 0.55 % |
| Cut/Laceration/Puncture: | 20 | 5.52 % | Class Time: | 35 | 9.67 % | Cafeteria: | 4 | 1.10 % |
| Dental Injury: | 3 | 0.83 % | Lunch Period: | 9 | 2.49 % | Classroom: | 21 | 5.80 % |
| Dislocation (Possible): | 1 | 0.28 % | P.E. Class: | 63 | 17.40 % | Corridor/Hall: | 12 | 3.31 % |
| Eye Injury: | 9 | 2.49 % | Recess: | 43 | 11.88 % | Gymnasium/Pool: | 52 | 14.36 % |
| Fracture (Possible): | 35 | 9.67 % | Sci Lab/Fam & Consumer | | | Playground: | 25 | 6.91 % |
| Sprain/Strain/Tear (Possible): | 30 | 8.29 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 4 | 1.10 % |
| Other: | 17 | 4.70 % | Other: | 3 | 0.83 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 181 | | Grand Total Occurrences: | 181 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 3 | 0.83 % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 0.55 % |
| | | | | | | Street/Driveway/Parking: | 8 | 2.21 % |
| | | | | | | Other: | 9 | 2.49 % |
| | | | | | | Grand Total Occurrences: | 181 | |

Total Average Daily Enrollment: 6,207
Injury Occurrence Rate*: 5.83 %

HATBORO-HORSHAM SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 0 | - % | After School: | 5 | 2.14 % | Athletic Field/Play Field: | 8 | 3.42 % |
| Concussion (Possible): | 15 | 6.41 % | Before School: | 20 | 8.55 % | Auditorium/Multipurpose: | 2 | 0.85 % |
| Cotusion: | 12 | 5.13 % | Class Change: | 8 | 3.42 % | Bus Loading Area: | 14 | 5.98 % |
| Cut/Laceration/Puncture: | 12 | 5.13 % | Class Time: | 20 | 8.55 % | Cafeteria: | 6 | 2.56 % |
| Dental Injury: | 8 | 3.42 % | Lunch Period: | 3 | 1.28 % | Classroom: | 13 | 5.56 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 32 | 13.68 % | Corridor/Hall: | 9 | 3.85 % |
| Eye Injury: | 6 | 2.56 % | Recess: | 22 | 9.40 % | Gymnasium/Pool: | 28 | 11.97 % |
| Fracture (Possible): | 16 | 6.84 % | Sci Lab/Fam & Consumer | | | Playground: | 23 | 9.83 % |
| Sprain/Strain/Tear (Possible): | 19 | 8.12 % | Sci & Tech ED Class: | 1 | 0.43 % | Restroom: | 1 | 0.43 % |
| Other: | 29 | 12.39 % | Other: | 6 | 2.56 % | School Bus/Public Bus: | 2 | 0.85 % |
| Grand Total Occurrences: | 117 | | Grand Total Occurrences: | 117 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 0.43 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 1.28 % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.43 % |
| | | | | | | Other: | 6 | 2.56 % |
| | | | | | | Grand Total Occurrences: | 117 | |

Total Average Daily Enrollment: 5,015
Injury Occurrence Rate*: 4.67 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

JENKINTOWN SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 4.55 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 3 | 13.64 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 2 | 9.09 % | Class Time: | 1 | 4.55 % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 4.55 % | Lunch Period: | 0 | - % | Classroom: | 1 | 4.55 % |
| Dislocation (Possible): | 1 | 4.55 % | P.E. Class: | 5 | 22.73 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 3 | 13.64 % | Recess: | 4 | 18.18 % | Gymnasium/Pool: | 5 | 22.73 % |
| Fracture (Possible): | 1 | 4.55 % | Sci Lab/Fam & Consumer | | | Playground: | 4 | 18.18 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 11 | | Grand Total Occurrences: | 11 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 1 | 4.55 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 11 | |

Total Average Daily Enrollment: 614

Injury Occurrence Rate*: 3.58 %

LOWER MERION SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 22 | 4.78 % | After School: | 37 | 8.04 % | Athletic Field/Play Field: | 32 | 6.96 % |
| Concussion (Possible): | 57 | 12.39 % | Before School: | 8 | 1.74 % | Auditorium/Multipurpose: | 5 | 1.09 % |
| Contusion: | 23 | 5.00 % | Class Change: | 12 | 2.61 % | Bus Loading Area: | 2 | 0.43 % |
| Cut/Laceration/Puncture: | 39 | 8.48 % | Class Time: | 37 | 8.04 % | Cafeteria: | 2 | 0.43 % |
| Dental Injury: | 4 | 0.87 % | Lunch Period: | 2 | 0.43 % | Classroom: | 37 | 8.04 % |
| Dislocation (Possible): | 3 | 0.65 % | P.E. Class: | 53 | 11.52 % | Corridor/Hall: | 11 | 2.39 % |
| Eye Injury: | 10 | 2.17 % | Recess: | 57 | 12.39 % | Gymnasium/Pool: | 41 | 8.91 % |
| Fracture (Possible): | 31 | 6.74 % | Sci Lab/Fam & Consumer | | | Playground: | 46 | 10.00 % |
| Sprain/Strain/Tear (Possible): | 27 | 5.87 % | Sci & Tech ED Class: | 15 | 3.26 % | Restroom: | 4 | 0.87 % |
| Other: | 14 | 3.04 % | Other: | 9 | 1.96 % | School Bus/Public Bus: | 8 | 1.74 % |
| Grand Total Occurrences: | 230 | | Grand Total Occurrences: | 230 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 15 | 3.26 % |
| | | | | | | Sidewalk: | 3 | 0.65 % |
| | | | | | | Stairs/Ramp/Elevator: | 9 | 1.96 % |
| | | | | | | Street/Driveway/Parking: | 2 | 0.43 % |
| | | | | | | Other: | 13 | 2.83 % |
| | | | | | | Grand Total Occurrences: | 230 | |

Total Average Daily Enrollment: 12,596

Injury Occurrence Rate*: 3.65 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

LOWER MORELAND TOWNSHIP SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 2 | 0.71 % | After School: | 1 | 0.35 % | Athletic Field/Play Field: | 5 | 1.77 % |
| Concussion (Possible): | 46 | 16.31 % | Before School: | 1 | 0.35 % | Auditorium/Multipurpose: | 7 | 2.48 % |
| Contusion: | 2 | 0.71 % | Class Change: | 11 | 3.90 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 19 | 6.74 % | Class Time: | 17 | 6.03 % | Cafeteria: | 9 | 3.19 % |
| Dental Injury: | 2 | 0.71 % | Lunch Period: | 3 | 1.06 % | Classroom: | 15 | 5.32 % |
| Dislocation (Possible): | 6 | 2.13 % | P.E. Class: | 66 | 23.40 % | Corridor/Hall: | 9 | 3.19 % |
| Eye Injury: | 10 | 3.55 % | Recess: | 27 | 9.57 % | Gymnasium/Pool: | 61 | 21.63 % |
| Fracture (Possible): | 28 | 9.93 % | Sci Lab/Fam & Consumer | | | Playground: | 12 | 4.26 % |
| Sprain/Strain/Tear (Possible): | 21 | 7.45 % | Sci & Tech ED Class: | 9 | 3.19 % | Restroom: | 2 | 0.71 % |
| Other: | 5 | 1.77 % | Other: | 6 | 2.13 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 141 | | Grand Total Occurrences: | 141 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 9 | 3.19 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 5 | 1.77 % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.35 % |
| | | | | | | Other: | 6 | 2.13 % |
| | | | | | | Grand Total Occurrences: | 141 | |

Total Average Daily Enrollment: 2,721
Injury Occurrence Rate*: 10.36 %

METHACTON SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 2 | 1.82 % | Athletic Field/Play Field: | 5 | 4.55 % |
| Concussion (Possible): | 9 | 8.18 % | Before School: | 4 | 3.64 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 3 | 2.73 % | Class Change: | 3 | 2.73 % | Bus Loading Area: | 1 | 0.91 % |
| Cut/Laceration/Puncture: | 10 | 9.09 % | Class Time: | 11 | 10.00 % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 0.91 % | Lunch Period: | 0 | - % | Classroom: | 9 | 8.18 % |
| Dislocation (Possible): | 2 | 1.82 % | P.E. Class: | 23 | 20.91 % | Corridor/Hall: | 4 | 3.64 % |
| Eye Injury: | 8 | 7.27 % | Recess: | 7 | 6.36 % | Gymnasium/Pool: | 20 | 18.18 % |
| Fracture (Possible): | 12 | 10.91 % | Sci Lab/Fam & Consumer | | | Playground: | 8 | 7.27 % |
| Sprain/Strain/Tear (Possible): | 4 | 3.64 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 2 | 1.82 % |
| Other: | 6 | 5.45 % | Other: | 5 | 4.55 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 55 | | Grand Total Occurrences: | 55 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 0.91 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 5 | 4.55 % |
| | | | | | | Grand Total Occurrences: | 55 | |

Total Average Daily Enrollment: 5,030
Injury Occurrence Rate*: 2.19 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

NORRISTOWN AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 0.69 % | After School: | 2 | 1.39 % | Athletic Field/Play Field: | 11 | 7.64 % |
| Concussion (Possible): | 16 | 11.11 % | Before School: | 2 | 1.39 % | Auditorium/Multipurpose: | 2 | 1.39 % |
| Cotusion: | 4 | 2.78 % | Class Change: | 5 | 3.47 % | Bus Loading Area: | 1 | 0.69 % |
| Cut/Laceration/Puncture: | 12 | 8.33 % | Class Time: | 13 | 9.03 % | Cafeteria: | 5 | 3.47 % |
| Dental Injury: | 3 | 2.08 % | Lunch Period: | 3 | 2.08 % | Classroom: | 4 | 2.78 % |
| Dislocation (Possible): | 3 | 2.08 % | P.E. Class: | 22 | 15.28 % | Corridor/Hall: | 4 | 2.78 % |
| Eye Injury: | 2 | 1.39 % | Recess: | 25 | 17.36 % | Gymnasium/Pool: | 21 | 14.58 % |
| Fracture (Possible): | 20 | 13.89 % | Sci Lab/Fam & Consumer | | | Playground: | 18 | 12.50 % |
| Sprain/Strain/Tear (Possible): | 10 | 6.94 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 0.69 % |
| Other: | 1 | 0.69 % | Other: | 0 | - % | School Bus/Public Bus: | 2 | 1.39 % |
| Grand Total Occurrences: | 72 | | Grand Total Occurrences: | 72 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 1 | 0.69 % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 0.69 % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.69 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 72 | |

Total Average Daily Enrollment: 7,882

Injury Occurrence Rate*: 1.83 %

NORTH PENN SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 11 | 1.29 % | After School: | 11 | 1.29 % | Athletic Field/Play Field: | 10 | 1.17 % |
| Concussion (Possible): | 75 | 8.80 % | Before School: | 15 | 1.76 % | Auditorium/Multipurpose: | 3 | 0.35 % |
| Cotusion: | 27 | 3.17 % | Class Change: | 15 | 1.76 % | Bus Loading Area: | 3 | 0.35 % |
| Cut/Laceration/Puncture: | 65 | 7.63 % | Class Time: | 103 | 12.09 % | Cafeteria: | 24 | 2.82 % |
| Dental Injury: | 14 | 1.64 % | Lunch Period: | 28 | 3.29 % | Classroom: | 83 | 9.74 % |
| Dislocation (Possible): | 10 | 1.17 % | P.E. Class: | 86 | 10.09 % | Corridor/Hall: | 19 | 2.23 % |
| Eye Injury: | 23 | 2.70 % | Recess: | 131 | 15.38 % | Gymnasium/Pool: | 98 | 11.50 % |
| Fracture (Possible): | 96 | 11.27 % | Sci Lab/Fam & Consumer | | | Playground: | 139 | 16.31 % |
| Sprain/Strain/Tear (Possible): | 59 | 6.92 % | Sci & Tech ED Class: | 14 | 1.64 % | Restroom: | 2 | 0.23 % |
| Other: | 46 | 5.40 % | Other: | 23 | 2.70 % | School Bus/Public Bus: | 3 | 0.35 % |
| Grand Total Occurrences: | 426 | | Grand Total Occurrences: | 426 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 13 | 1.64 % |
| | | | | | | Sidewalk: | 3 | 0.35 % |
| | | | | | | Stairs/Ramp/Elevator: | 6 | 0.70 % |
| | | | | | | Street/Driveway/Parking: | 5 | 0.59 % |
| | | | | | | Other: | 15 | 1.76 % |
| | | | | | | Grand Total Occurrences: | 426 | |

Total Average Daily Enrollment: 15,749

Injury Occurrence Rate*: 5.41 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

PENNSYLVANIA VIRTUAL CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 0 | | Grand Total Occurrences: | 0 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 0 | |

Total Average Daily Enrollment: 3,105
Injury Occurrence Rate*: - %

PERKIOMEN VALLEY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 1 | 0.14 % | After School: | 12 | 1.64 % | Athletic Field/Play Field: | 8 | 1.09 % |
| Concussion (Possible): | 52 | 7.10 % | Before School: | 74 | 10.11 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 43 | 5.87 % | Class Change: | 28 | 3.83 % | Bus Loading Area: | 5 | 0.68 % |
| Cut/Laceration/Puncture: | 54 | 7.38 % | Class Time: | 93 | 12.70 % | Cafeteria: | 20 | 2.73 % |
| Dental Injury: | 14 | 1.91 % | Lunch Period: | 18 | 2.46 % | Classroom: | 88 | 12.02 % |
| Dislocation (Possible): | 1 | 0.14 % | P.E. Class: | 62 | 8.47 % | Corridor/Hall: | 37 | 5.05 % |
| Eye Injury: | 8 | 1.09 % | Recess: | 67 | 9.15 % | Gymnasium/Pool: | 55 | 7.51 % |
| Fracture (Possible): | 50 | 6.83 % | Sci Lab/Fam & Consumer | | | Playground: | 64 | 8.74 % |
| Sprain/Strain/Tear (Possible): | 34 | 4.64 % | Sci & Tech ED Class: | 1 | 0.14 % | Restroom: | 4 | 0.55 % |
| Other: | 109 | 14.89 % | Other: | 11 | 1.50 % | School Bus/Public Bus: | 68 | 9.29 % |
| Grand Total Occurrences: | 366 | | Grand Total Occurrences: | 366 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 0.14 % |
| | | | | | | Sidewalk: | 1 | 0.14 % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 0.14 % |
| | | | | | | Street/Driveway/Parking: | 3 | 0.41 % |
| | | | | | | Other: | 11 | 1.50 % |
| | | | | | | Grand Total Occurrences: | 366 | |

Total Average Daily Enrollment: 6,611
Injury Occurrence Rate*: 11.07 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

POTTSGROVE SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 0.54 % | Athletic Field/Play Field: | 16 | 8.70 % |
| Concussion (Possible): | 16 | 8.70 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 2 | 1.09 % |
| Cotusion: | 10 | 5.43 % | Class Change: | 8 | 4.35 % | Bus Loading Area: | 1 | 0.54 % |
| Cut/Laceration/Puncture: | 13 | 7.07 % | Class Time: | 33 | 17.93 % | Cafeteria: | 4 | 2.17 % |
| Dental Injury: | 4 | 2.17 % | Lunch Period: | 4 | 2.17 % | Classroom: | 11 | 5.98 % |
| Dislocation (Possible): | 2 | 1.09 % | P.E. Class: | 14 | 7.61 % | Corridor/Hall: | 5 | 2.72 % |
| Eye Injury: | 4 | 2.17 % | Recess: | 28 | 15.22 % | Gymnasium/Pool: | 14 | 7.61 % |
| Fracture (Possible): | 12 | 6.52 % | Sci Lab/Fam & Consumer | | | Playground: | 28 | 15.22 % |
| Sprain/Strain/Tear (Possible): | 4 | 2.17 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 3 | 1.63 % |
| Other: | 27 | 14.67 % | Other: | 4 | 2.17 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 92 | | Grand Total Occurrences: | 92 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 1 | 0.54 % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 0.54 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 6 | 3.26 % |
| | | | | | | Grand Total Occurrences: | 92 | |

Total Average Daily Enrollment: 3,388

Injury Occurrence Rate*: 5.43 %

POTTSTOWN SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 3 | 3.06 % | After School: | 2 | 2.04 % | Athletic Field/Play Field: | 1 | 1.02 % |
| Concussion (Possible): | 14 | 14.29 % | Before School: | 1 | 1.02 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 0 | - % | Class Change: | 3 | 3.06 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 8 | 8.16 % | Class Time: | 4 | 4.08 % | Cafeteria: | 1 | 1.02 % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 4 | 4.08 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 21 | 21.43 % | Corridor/Hall: | 3 | 3.06 % |
| Eye Injury: | 1 | 1.02 % | Recess: | 17 | 17.35 % | Gymnasium/Pool: | 20 | 20.41 % |
| Fracture (Possible): | 11 | 11.22 % | Sci Lab/Fam & Consumer | | | Playground: | 16 | 16.33 % |
| Sprain/Strain/Tear (Possible): | 8 | 8.16 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 4 | 4.08 % | Other: | 1 | 1.02 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 49 | | Grand Total Occurrences: | 49 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 1.02 % |
| | | | | | | Street/Driveway/Parking: | 1 | 1.02 % |
| | | | | | | Other: | 2 | 2.04 % |
| | | | | | | Grand Total Occurrences: | 49 | |

Total Average Daily Enrollment: 3,538

Injury Occurrence Rate*: 2.77 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

Souderton Area SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 2 | 0.75 % | After School: | 10 | 3.73 % | Athletic Field/Play Field: | 15 | 5.60 % |
| Concussion (Possible): | 30 | 11.19 % | Before School: | 2 | 0.75 % | Auditorium/Multipurpose: | 2 | 0.75 % |
| Cotusion: | 7 | 2.61 % | Class Change: | 8 | 2.99 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 20 | 7.46 % | Class Time: | 18 | 6.72 % | Cafeteria: | 4 | 1.49 % |
| Dental Injury: | 9 | 3.36 % | Lunch Period: | 4 | 1.49 % | Classroom: | 15 | 5.60 % |
| Dislocation (Possible): | 1 | 0.37 % | P.E. Class: | 41 | 15.30 % | Corridor/Hall: | 3 | 1.12 % |
| Eye Injury: | 4 | 1.49 % | Recess: | 47 | 17.54 % | Gymnasium/Pool: | 37 | 13.81 % |
| Fracture (Possible): | 29 | 10.82 % | Sci Lab/Fam & Consumer | | | Playground: | 46 | 17.16 % |
| Sprain/Strain/Tear (Possible): | 18 | 6.72 % | Sci & Tech ED Class: | 2 | 0.75 % | Restroom: | 0 | - % |
| Other: | 14 | 5.22 % | Other: | 2 | 0.75 % | School Bus/Public Bus: | 1 | 0.37 % |
| Grand Total Occurrences: | 134 | | Grand Total Occurrences: | 134 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 3 | 0.75 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 5 | 1.87 % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.37 % |
| | | | | | | Other: | 2 | 0.75 % |
| | | | | | | Grand Total Occurrences: | 134 | |

Total Average Daily Enrollment: 6,705

Injury Occurrence Rate*: 4.00 %

Souderton CS Collaborative

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 2 | 66.67 % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 1 | 33.33 % | Class Time: | 2 | 66.67 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 1 | 33.33 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 1 | 33.33 % | Other: | 1 | 33.33 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 3 | | Grand Total Occurrences: | 3 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 33.33 % |
| | | | | | | Grand Total Occurrences: | 3 | |

Total Average Daily Enrollment: 197

Injury Occurrence Rate*: 1.52 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

SPRINGFIELD TOWNSHIP SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 19 | 14.84 % | Athletic Field/Play Field: | 18 | 14.06 % |
| Concussion (Possible): | 25 | 19.53 % | Before School: | 2 | 1.56 % | Auditorium/Multipurpose: | 1 | 0.78 % |
| Contusion: | 0 | - % | Class Change: | 2 | 1.56 % | Bus Loading Area: | 1 | 0.78 % |
| Cut/Laceration/Puncture: | 15 | 11.72 % | Class Time: | 10 | 7.81 % | Cafeteria: | 0 | - % |
| Dental Injury: | 3 | 2.34 % | Lunch Period: | 2 | 1.56 % | Classroom: | 7 | 5.47 % |
| Dislocation (Possible): | 2 | 1.56 % | P.E. Class: | 8 | 6.25 % | Corridor/Hall: | 1 | 0.78 % |
| Eye Injury: | 0 | - % | Recess: | 19 | 14.84 % | Gymnasium/Pool: | 11 | 8.59 % |
| Fracture (Possible): | 8 | 6.25 % | Sci Lab/Fam & Consumer | | | Playground: | 20 | 15.63 % |
| Sprain/Strain/Tear (Possible): | 8 | 6.25 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 2 | 1.56 % |
| Other: | 3 | 2.34 % | Other: | 2 | 1.56 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 64 | | Grand Total Occurrences: | 64 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 1 | 0.78 % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 0.78 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 0.78 % |
| | | | | | | Grand Total Occurrences: | 64 | |

Total Average Daily Enrollment: 4,457
Injury Occurrence Rate*: 2.87 %

SPRING-FORD AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 3 | 1.19 % | After School: | 12 | 4.76 % | Athletic Field/Play Field: | 19 | 7.54 % |
| Concussion (Possible): | 26 | 10.32 % | Before School: | 3 | 1.19 % | Auditorium/Multipurpose: | 1 | 0.40 % |
| Contusion: | 3 | 1.19 % | Class Change: | 4 | 1.59 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 12 | 4.76 % | Class Time: | 16 | 6.35 % | Cafeteria: | 1 | 0.40 % |
| Dental Injury: | 9 | 3.57 % | Lunch Period: | 0 | - % | Classroom: | 14 | 5.56 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 27 | 10.71 % | Corridor/Hall: | 2 | 0.79 % |
| Eye Injury: | 5 | 1.98 % | Recess: | 54 | 21.43 % | Gymnasium/Pool: | 25 | 9.92 % |
| Fracture (Possible): | 43 | 17.06 % | Sci Lab/Fam & Consumer | | | Playground: | 50 | 19.84 % |
| Sprain/Strain/Tear (Possible): | 13 | 5.16 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 3 | 1.19 % |
| Other: | 12 | 4.76 % | Other: | 10 | 3.97 % | School Bus/Public Bus: | 2 | 0.79 % |
| Grand Total Occurrences: | 126 | | Grand Total Occurrences: | 126 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 0.79 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 7 | 2.78 % |
| | | | | | | Grand Total Occurrences: | 126 | |

Total Average Daily Enrollment: 8,695
Injury Occurrence Rate*: 2.90 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

UPPER DUBLIN SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 1 | 0.25 % | After School: | 23 | 5.72 % | Athletic Field/Play Field: | 9 | 2.24 % |
| Concussion (Possible): | 31 | 7.71 % | Before School: | 9 | 2.24 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 13 | 3.23 % | Class Change: | 4 | 1.00 % | Bus Loading Area: | 1 | 0.25 % |
| Cut/Laceration/Puncture: | 38 | 9.45 % | Class Time: | 18 | 4.48 % | Cafeteria: | 7 | 1.74 % |
| Dental Injury: | 14 | 3.48 % | Lunch Period: | 12 | 2.99 % | Classroom: | 15 | 3.73 % |
| Dislocation (Possible): | 2 | 0.50 % | P.E. Class: | 46 | 11.44 % | Corridor/Hall: | 4 | 1.00 % |
| Eye Injury: | 7 | 1.74 % | Recess: | 86 | 21.39 % | Gymnasium/Pool: | 29 | 7.21 % |
| Fracture (Possible): | 19 | 4.73 % | Sci Lab/Fam & Consumer | | | Playground: | 70 | 17.41 % |
| Sprain/Strain/Tear (Possible): | 76 | 18.91 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 3 | 0.75 % |
| Other: | 0 | - % | Other: | 3 | 0.75 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 201 | | Grand Total Occurrences: | 201 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 4 | 1.00 % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 0.25 % |
| | | | | | | Street/Driveway/Parking: | 29 | 7.21 % |
| | | | | | | Other: | 29 | 7.21 % |
| | | | | | | Grand Total Occurrences: | 201 | |

Total Average Daily Enrollment: 5,240
Injury Occurrence Rate*: 7.67 %

UPPER MERION AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 2.08 % | Athletic Field/Play Field: | 2 | 4.17 % |
| Concussion (Possible): | 2 | 4.17 % | Before School: | 1 | 2.08 % | Auditorium/Multipurpose: | 1 | 2.08 % |
| Cotusion: | 2 | 4.17 % | Class Change: | 5 | 10.42 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 10 | 20.83 % | Class Time: | 4 | 8.33 % | Cafeteria: | 4 | 8.33 % |
| Dental Injury: | 1 | 2.08 % | Lunch Period: | 2 | 4.17 % | Classroom: | 2 | 4.17 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 2 | 4.17 % | Corridor/Hall: | 4 | 8.33 % |
| Eye Injury: | 0 | - % | Recess: | 8 | 16.67 % | Gymnasium/Pool: | 1 | 2.08 % |
| Fracture (Possible): | 4 | 8.33 % | Sci Lab/Fam & Consumer | | | Playground: | 7 | 14.58 % |
| Sprain/Strain/Tear (Possible): | 3 | 6.25 % | Sci & Tech ED Class: | 1 | 2.08 % | Restroom: | 0 | - % |
| Other: | 2 | 4.17 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 24 | | Grand Total Occurrences: | 24 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 2.08 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 2.08 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 2.08 % |
| | | | | | | Grand Total Occurrences: | 24 | |

Total Average Daily Enrollment: 4,353
Injury Occurrence Rate*: 1.10 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

UPPER MORELAND TOWNSHIP SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 3 | 2.31 % | After School: | 2 | 1.54 % | Athletic Field/Play Field: | 7 | 5.38 % |
| Concussion (Possible): | 20 | 15.38 % | Before School: | 5 | 3.85 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 6 | 4.62 % | Class Change: | 3 | 2.31 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 12 | 9.23 % | Class Time: | 12 | 9.23 % | Cafeteria: | 5 | 3.85 % |
| Dental Injury: | 0 | - % | Lunch Period: | 4 | 3.08 % | Classroom: | 8 | 6.15 % |
| Dislocation (Possible): | 1 | 0.77 % | P.E. Class: | 17 | 13.08 % | Corridor/Hall: | 4 | 3.08 % |
| Eye Injury: | 3 | 2.31 % | Recess: | 18 | 13.85 % | Gymnasium/Pool: | 12 | 9.23 % |
| Fracture (Possible): | 11 | 8.46 % | Sci Lab/Fam & Consumer | | | Playground: | 18 | 13.85 % |
| Sprain/Strain/Tear (Possible): | 2 | 1.54 % | Sci & Tech ED Class: | 1 | 0.77 % | Restroom: | 2 | 1.54 % |
| Other: | 7 | 5.38 % | Other: | 3 | 2.31 % | School Bus/Public Bus: | 2 | 1.54 % |
| Grand Total Occurrences: | 65 | | Grand Total Occurrences: | 65 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | 0.77 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 2.31 % |
| | | | | | | Street/Driveway/Parking: | 2 | 1.54 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 65 | |

Total Average Daily Enrollment: 3,410
Injury Occurrence Rate*: 3.81 %

UPPER PERKIOMEN SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 0.82 % | After School: | 13 | 10.66 % | Athletic Field/Play Field: | 19 | 15.57 % |
| Concussion (Possible): | 18 | 14.75 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 0.82 % | Class Change: | 4 | 3.28 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 9 | 7.38 % | Class Time: | 4 | 3.28 % | Cafeteria: | 5 | 4.10 % |
| Dental Injury: | 4 | 3.28 % | Lunch Period: | 5 | 4.10 % | Classroom: | 4 | 3.28 % |
| Dislocation (Possible): | 2 | 1.64 % | P.E. Class: | 18 | 14.75 % | Corridor/Hall: | 5 | 4.10 % |
| Eye Injury: | 2 | 1.64 % | Recess: | 10 | 8.20 % | Gymnasium/Pool: | 19 | 15.57 % |
| Fracture (Possible): | 13 | 10.66 % | Sci Lab/Fam & Consumer | | | Playground: | 4 | 3.28 % |
| Sprain/Strain/Tear (Possible): | 6 | 4.92 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 5 | 4.10 % | Other: | 7 | 5.74 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 61 | | Grand Total Occurrences: | 61 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 1 | 0.82 % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 1.64 % |
| | | | | | | Street/Driveway/Parking: | 2 | 1.64 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 61 | |

Total Average Daily Enrollment: 3,148
Injury Occurrence Rate*: 3.88 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

WISSAHICKON SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 0 | - % | After School: | 1 | 0.48 % | Athletic Field/Play Field: | 7 | 3.33 % |
| Concussion (Possible): | 22 | 10.48 % | Before School: | 4 | 1.90 % | Auditorium/Multipurpose: | 3 | 1.43 % |
| Contusion: | 4 | 1.90 % | Class Change: | 9 | 4.29 % | Bus Loading Area: | 2 | 0.95 % |
| Cut/Laceration/Puncture: | 20 | 9.52 % | Class Time: | 17 | 8.10 % | Cafeteria: | 3 | 1.43 % |
| Dental Injury: | 7 | 3.33 % | Lunch Period: | 2 | 0.95 % | Classroom: | 11 | 5.24 % |
| Dislocation (Possible): | 1 | 0.48 % | P.E. Class: | 44 | 20.95 % | Corridor/Hall: | 11 | 5.24 % |
| Eye Injury: | 6 | 2.86 % | Recess: | 23 | 10.95 % | Gymnasium/Pool: | 45 | 21.43 % |
| Fracture (Possible): | 22 | 10.48 % | Sci Lab/Fam & Consumer | | | Playground: | 16 | 7.62 % |
| Sprain/Strain/Tear (Possible): | 14 | 6.67 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 9 | 4.29 % | Other: | 5 | 2.38 % | School Bus/Public Bus: | 1 | 0.48 % |
| Grand Total Occurrences: | 105 | | Grand Total Occurrences: | 105 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 1 | 0.48 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.48 % |
| | | | | | | Other: | 4 | 1.90 % |
| | | | | | | Grand Total Occurrences: | 105 | |

Total Average Daily Enrollment: 5,820
Injury Occurrence Rate*: 3.61 %

MONTGOMERY COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|--------------|---------|--|--------------|---------|--|--------------|---------|
| Burn: | 57 | 0.98 % | After School: | 194 | 3.35 % | Athletic Field/Play Field: | 312 | 5.38 % |
| Concussion (Possible): | 649 | 11.20 % | Before School: | 175 | 3.02 % | Auditorium/Multipurpose: | 33 | 0.57 % |
| Contusion: | 203 | 3.50 % | Class Change: | 167 | 2.88 % | Bus Loading Area: | 34 | 0.59 % |
| Cut/Laceration/Puncture: | 440 | 7.59 % | Class Time: | 518 | 8.94 % | Cafeteria: | 122 | 2.10 % |
| Dental Injury: | 112 | 1.93 % | Lunch Period: | 132 | 2.28 % | Classroom: | 400 | 6.90 % |
| Dislocation (Possible): | 45 | 0.78 % | P.E. Class: | 750 | 12.94 % | Corridor/Hall: | 162 | 2.79 % |
| Eye Injury: | 125 | 2.16 % | Recess: | 794 | 13.70 % | Gymnasium/Pool: | 670 | 11.56 % |
| Fracture (Possible): | 517 | 8.92 % | Sci Lab/Fam & Consumer | | | Playground: | 693 | 11.95 % |
| Sprain/Strain/Tear (Possible): | 427 | 7.37 % | Sci & Tech ED Class: | 50 | 0.86 % | Restroom: | 39 | 0.67 % |
| Other: | 325 | 5.61 % | Other: | 120 | 2.07 % | School Bus/Public Bus: | 96 | 1.66 % |
| Grand Total Occurrences: | 2,900 | | Grand Total Occurrences: | 2,900 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 50 | 0.86 % |
| | | | | | | Sidewalk: | 22 | 0.38 % |
| | | | | | | Stairs/Ramp/Elevator: | 58 | 1.00 % |
| | | | | | | Street/Driveway/Parking: | 79 | 1.36 % |
| | | | | | | Other: | 130 | 2.24 % |
| | | | | | | Grand Total Occurrences: | 2,900 | |

Total Average Daily Enrollment: 129,659
Injury Occurrence Rate*: 4.47 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

ACHIEVING COMMUNITY TRANSFORMATION

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 0 | | Grand Total Occurrences: | 0 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 0 | |

Total Average Daily Enrollment: 89
Injury Occurrence Rate*: - %

AD PRIMA CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 5.88 % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 1 | 5.88 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 6 | 35.29 % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 2 | 11.76 % | Cafeteria: | 0 | - % |
| Dental Injury: | 2 | 11.76 % | Lunch Period: | 2 | 11.76 % | Classroom: | 2 | 11.76 % |
| Dislocation (Possible): | 1 | 5.88 % | P.E. Class: | 13 | 76.47 % | Corridor/Hall: | 2 | 11.76 % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 13 | 76.47 % |
| Fracture (Possible): | 2 | 11.76 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 4 | 23.53 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 17 | | Grand Total Occurrences: | 17 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 17 | |

Total Average Daily Enrollment: 427
Injury Occurrence Rate*: 3.98 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

ALLIANCE FOR PROGRESS CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 1 | 16.67 % | Before School: | 1 | 16.67 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 1 | 16.67 % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 16.67 % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 1 | 16.67 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 3 | 50.00 % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 3 | 50.00 % | Sci Lab/Fam & Consumer | | | Playground: | 4 | 66.67 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 1 | 16.67 % | School Bus/Public Bus: | 1 | 16.67 % |
| Grand Total Occurrences: | 6 | | Grand Total Occurrences: | 6 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 16.67 % |
| | | | | | | Grand Total Occurrences: | 6 | |

Total Average Daily Enrollment: 395
Injury Occurrence Rate*: 1.52 %

ANTONIA PANTOJA COMMUNITY CHARTER

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 1 | 0.39 % | After School: | 7 | 2.75 % | Athletic Field/Play Field: | 9 | 3.53 % |
| Concussion (Possible): | 3 | 1.18 % | Before School: | 21 | 8.24 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 75 | 29.41 % | Class Change: | 10 | 3.92 % | Bus Loading Area: | 6 | 2.35 % |
| Cut/Laceration/Puncture: | 125 | 49.02 % | Class Time: | 30 | 11.76 % | Cafeteria: | 20 | 7.84 % |
| Dental Injury: | 5 | 1.96 % | Lunch Period: | 20 | 7.84 % | Classroom: | 12 | 4.71 % |
| Dislocation (Possible): | 5 | 1.96 % | P.E. Class: | 26 | 10.20 % | Corridor/Hall: | 29 | 11.37 % |
| Eye Injury: | 3 | 1.18 % | Recess: | 109 | 42.75 % | Gymnasium/Pool: | 4 | 1.57 % |
| Fracture (Possible): | 5 | 1.96 % | Sci Lab/Fam & Consumer | | | Playground: | 95 | 37.25 % |
| Sprain/Strain/Tear (Possible): | 10 | 3.92 % | Sci & Tech ED Class: | 15 | 5.88 % | Restroom: | 6 | 2.35 % |
| Other: | 23 | 9.02 % | Other: | 17 | 6.67 % | School Bus/Public Bus: | 12 | 4.71 % |
| Grand Total Occurrences: | 255 | | Grand Total Occurrences: | 255 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 20 | 5.88 % |
| | | | | | | Sidewalk: | 7 | 2.75 % |
| | | | | | | Stairs/Ramp/Elevator: | 6 | 2.35 % |
| | | | | | | Street/Driveway/Parking: | 14 | 5.49 % |
| | | | | | | Other: | 15 | 5.88 % |
| | | | | | | Grand Total Occurrences: | 255 | |

Total Average Daily Enrollment: 699
Injury Occurrence Rate*: 36.48 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

ARISE ACADEMY CHARTER HIGH SCHOOL

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 0 | | Grand Total Occurrences: | 0 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 0 | |

Total Average Daily Enrollment: 158
Injury Occurrence Rate*: - %

ASPIRA BILINGUAL CYBER CHARTER SCHOOL

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 0 | | Grand Total Occurrences: | 0 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 0 | |

Total Average Daily Enrollment: 132
Injury Occurrence Rate*: - %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

BELMONT ACADEMY CHARTER SCHOOL

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 0 | | Grand Total Occurrences: | 0 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 0 | |

Total Average Daily Enrollment: 111
Injury Occurrence Rate*: - %

BELMONT CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 1 | 14.29 % | After School: | 1 | 14.29 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 1 | 14.29 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 6 | 85.71 % | Class Change: | 0 | - % | Bus Loading Area: | 1 | 14.29 % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 1 | 14.29 % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 1 | 14.29 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 5 | 71.43 % | Gymnasium/Pool: | 1 | 14.29 % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 2 | 28.57 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 7 | | Grand Total Occurrences: | 7 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 1 | 14.29 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 7 | |

Total Average Daily Enrollment: 453
Injury Occurrence Rate*: 1.55 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

BOYS LATIN OF PHILADELPHIA CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|----------|--|----------|----------|--|----------|----------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 1 | 100.00 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 1 | 100.00 % |
| Dislocation (Possible): | 1 | 100.00 % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 1 | | Grand Total Occurrences: | 1 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 1 | |

Total Average Daily Enrollment: 468
Injury Occurrence Rate*: 0.21 %

CHARTER HIGH SCHOOL FOR ARCHITECTURE

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|----------|--|----------|----------|--|----------|----------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 2 | 100.00 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 2 | 100.00 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 2 | 100.00 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 2 | | Grand Total Occurrences: | 2 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 2 | |

Total Average Daily Enrollment: 589
Injury Occurrence Rate*: 0.34 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

CHRISTOPHER COLUMBUS CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 0 | | Grand Total Occurrences: | 0 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 0 | |

Total Average Daily Enrollment: 871
Injury Occurrence Rate*: - %

COMMUNITY ACADEMY OF PHILADELPHIA CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 1 | 33.33 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 2 | 66.67 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 2 | 66.67 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 1 | 33.33 % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 1 | 33.33 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 2 | 66.67 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 3 | | Grand Total Occurrences: | 3 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 3 | |

Total Average Daily Enrollment: 1,119
Injury Occurrence Rate*: 0.27 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

DELAWARE VALLEY CHARTER HIGH SCHOOL

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 6.25 % | After School: | 1 | 6.25 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 4 | 25.00 % | Before School: | 4 | 25.00 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 6.25 % | Class Change: | 2 | 12.50 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 4 | 25.00 % | Class Time: | 4 | 25.00 % | Cafeteria: | 1 | 6.25 % |
| Dental Injury: | 0 | - % | Lunch Period: | 1 | 6.25 % | Classroom: | 3 | 18.75 % |
| Dislocation (Possible): | 1 | 6.25 % | P.E. Class: | 3 | 18.75 % | Corridor/Hall: | 2 | 12.50 % |
| Eye Injury: | 1 | 6.25 % | Recess: | 0 | - % | Gymnasium/Pool: | 5 | 31.25 % |
| Fracture (Possible): | 2 | 12.50 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 2 | 12.50 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 1 | 6.25 % | School Bus/Public Bus: | 1 | 6.25 % |
| Grand Total Occurrences: | 16 | | Grand Total Occurrences: | 16 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 3 | 18.75 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 6.25 % |
| | | | | | | Grand Total Occurrences: | 16 | |

Total Average Daily Enrollment: 630
Injury Occurrence Rate*: 2.54 %

DISCOVERY CHARTER SCHOOL

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 0 | | Grand Total Occurrences: | 0 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 0 | |

Total Average Daily Enrollment: 719
Injury Occurrence Rate*: - %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

EASTERN UNIVERSITY ACADEMY CHARTER

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|----------|--|----------|----------|--|----------|----------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 1 | 100.00 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 1 | 100.00 % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 1 | | Grand Total Occurrences: | 1 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 1 | 100.00 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 1 | |

Total Average Daily Enrollment: 353
Injury Occurrence Rate*: 0.28 %

EDUCATION PLUS ACADEMY CYBER CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 0 | | Grand Total Occurrences: | 0 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 0 | |

Total Average Daily Enrollment: 243
Injury Occurrence Rate*: - %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

EUGENIO MARIA DE HOSTOS CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 2 | 11.76 % | Athletic Field/Play Field: | 4 | 23.53 % |
| Concussion (Possible): | 3 | 17.65 % | Before School: | 2 | 11.76 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 4 | 23.53 % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 4 | 23.53 % | Class Time: | 3 | 17.65 % | Cafeteria: | 1 | 5.88 % |
| Dental Injury: | 0 | - % | Lunch Period: | 2 | 11.76 % | Classroom: | 2 | 11.76 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 3 | 17.65 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 1 | 5.88 % | Recess: | 4 | 23.53 % | Gymnasium/Pool: | 4 | 23.53 % |
| Fracture (Possible): | 1 | 5.88 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 4 | 23.53 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 1 | 5.88 % | School Bus/Public Bus: | 1 | 5.88 % |
| Grand Total Occurrences: | 17 | | Grand Total Occurrences: | 17 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 1 | 5.88 % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 17.65 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 5.88 % |
| | | | | | | Grand Total Occurrences: | 17 | |

Total Average Daily Enrollment: 449
Injury Occurrence Rate*: 3.79 %

FIRST PHILA CS FOR LITERACY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 2 | 10.53 % | Athletic Field/Play Field: | 6 | 31.58 % |
| Concussion (Possible): | 6 | 31.58 % | Before School: | 2 | 10.53 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 2 | 10.53 % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 5.26 % | Lunch Period: | 7 | 36.84 % | Classroom: | 0 | - % |
| Dislocation (Possible): | 3 | 15.79 % | P.E. Class: | 5 | 26.32 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 3 | 15.79 % | Gymnasium/Pool: | 6 | 31.58 % |
| Fracture (Possible): | 5 | 26.32 % | Sci Lab/Fam & Consumer | | | Playground: | 5 | 26.32 % |
| Sprain/Strain/Tear (Possible): | 2 | 10.53 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 19 | | Grand Total Occurrences: | 19 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 10.53 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 19 | |

Total Average Daily Enrollment: 958
Injury Occurrence Rate*: 1.98 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

FOLK ARTS-CULTURAL TREASURES CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 0 | | Grand Total Occurrences: | 0 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 0 | |

Total Average Daily Enrollment: 479
Injury Occurrence Rate*: - %

FRANKLIN TOWNE CHARTER ELEMENTARY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 1 | 14.29 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 3 | 42.86 % | Class Time: | 1 | 14.29 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 1 | 14.29 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 2 | 28.57 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 3 | 42.86 % | Gymnasium/Pool: | 2 | 28.57 % |
| Fracture (Possible): | 4 | 57.14 % | Sci Lab/Fam & Consumer | | | Playground: | 3 | 42.86 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 7 | | Grand Total Occurrences: | 7 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 14.29 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 7 | |

Total Average Daily Enrollment: 868
Injury Occurrence Rate*: 0.81 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

FRANKLIN TOWNE CHS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 3 | 13.04 % |
| Concussion (Possible): | 6 | 26.09 % | Before School: | 6 | 26.09 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 4.35 % | Class Change: | 5 | 21.74 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 2 | 8.70 % | Class Time: | 2 | 8.70 % | Cafeteria: | 1 | 4.35 % |
| Dental Injury: | 1 | 4.35 % | Lunch Period: | 0 | - % | Classroom: | 1 | 4.35 % |
| Dislocation (Possible): | 1 | 4.35 % | P.E. Class: | 7 | 30.43 % | Corridor/Hall: | 4 | 17.39 % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 7 | 30.43 % |
| Fracture (Possible): | 3 | 13.04 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 9 | 39.13 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 3 | 13.04 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 23 | | Grand Total Occurrences: | 23 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 7 | 30.43 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 23 | |

Total Average Daily Enrollment: 1,101
Injury Occurrence Rate*: 2.09 %

FREIRE CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 3.70 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 2 | 7.41 % | Before School: | 2 | 7.41 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 5 | 18.52 % | Class Change: | 4 | 14.81 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 4 | 14.81 % | Class Time: | 4 | 14.81 % | Cafeteria: | 4 | 14.81 % |
| Dental Injury: | 3 | 11.11 % | Lunch Period: | 4 | 14.81 % | Classroom: | 3 | 11.11 % |
| Dislocation (Possible): | 2 | 7.41 % | P.E. Class: | 8 | 29.63 % | Corridor/Hall: | 4 | 14.81 % |
| Eye Injury: | 1 | 3.70 % | Recess: | 0 | - % | Gymnasium/Pool: | 8 | 29.63 % |
| Fracture (Possible): | 2 | 7.41 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 8 | 29.63 % | Sci & Tech ED Class: | 4 | 14.81 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 27 | | Grand Total Occurrences: | 27 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 4 | 14.81 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 4 | 14.81 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 27 | |

Total Average Daily Enrollment: 898
Injury Occurrence Rate*: 3.01 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

GLOBAL LEADERSHIP ACADEMY CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 1 | 14.29 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 5 | 71.43 % | Class Change: | 0 | - % | Bus Loading Area: | 1 | 14.29 % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 1 | 14.29 % |
| Dental Injury: | 0 | - % | Lunch Period: | 1 | 14.29 % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 3 | 42.86 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 1 | 14.29 % | Gymnasium/Pool: | 3 | 42.86 % |
| Fracture (Possible): | 1 | 14.29 % | Sci Lab/Fam & Consumer | | | Playground: | 1 | 14.29 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 1 | 14.29 % | Other: | 1 | 14.29 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 7 | | Grand Total Occurrences: | 7 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 14.29 % |
| | | | | | | Grand Total Occurrences: | 7 | |

Total Average Daily Enrollment: 687
Injury Occurrence Rate*: 1.02 %

GREEN WOODS CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 8 | 2.41 % | After School: | 4 | 1.20 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 35 | 10.54 % | Before School: | 25 | 7.53 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 7 | 2.11 % | Class Change: | 22 | 6.63 % | Bus Loading Area: | 25 | 7.53 % |
| Cut/Laceration/Puncture: | 226 | 68.07 % | Class Time: | 42 | 12.65 % | Cafeteria: | 52 | 15.66 % |
| Dental Injury: | 2 | 0.60 % | Lunch Period: | 52 | 15.66 % | Classroom: | 42 | 12.65 % |
| Dislocation (Possible): | 8 | 2.41 % | P.E. Class: | 35 | 10.54 % | Corridor/Hall: | 22 | 6.63 % |
| Eye Injury: | 1 | 0.30 % | Recess: | 150 | 45.18 % | Gymnasium/Pool: | 35 | 10.54 % |
| Fracture (Possible): | 12 | 3.61 % | Sci Lab/Fam & Consumer | | | Playground: | 150 | 45.18 % |
| Sprain/Strain/Tear (Possible): | 33 | 9.94 % | Sci & Tech ED Class: | 2 | 0.60 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 332 | | Grand Total Occurrences: | 332 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | 0.60 % |
| | | | | | | Sidewalk: | 2 | 0.60 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 0.60 % |
| | | | | | | Grand Total Occurrences: | 332 | |

Total Average Daily Enrollment: 392
Injury Occurrence Rate*: 84.80 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

HARDY WILLIAMS ACADEMY CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 0 | | Grand Total Occurrences: | 0 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 0 | |

Total Average Daily Enrollment: 931
Injury Occurrence Rate*: - %

IMANI EDUCATION CIRCLE CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 0 | | Grand Total Occurrences: | 0 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 0 | |

Total Average Daily Enrollment: 415
Injury Occurrence Rate*: - %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

IMHOTEP INSTITUTE CHS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 2 | 18.18 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 6 | 54.55 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 5 | 45.45 % | Cafeteria: | 2 | 18.18 % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 3 | 27.27 % |
| Dislocation (Possible): | 3 | 27.27 % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 6 | 54.55 % |
| Fracture (Possible): | 2 | 18.18 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 2 | 18.18 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 2 | 18.18 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 11 | | Grand Total Occurrences: | 11 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 11 | |

Total Average Daily Enrollment: 688
Injury Occurrence Rate*: 1.60 %

INDEPENDENCE CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 2 | 66.67 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 1 | 33.33 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 1 | 33.33 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 2 | 66.67 % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 1 | 33.33 % | Sci Lab/Fam & Consumer | | | Playground: | 2 | 66.67 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 3 | | Grand Total Occurrences: | 3 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 3 | |

Total Average Daily Enrollment: 812
Injury Occurrence Rate*: 0.37 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

JOHN B. STETSON CHARTER SCHOOL

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 8 | 10.81 % | After School: | 31 | 41.89 % | Athletic Field/Play Field: | 5 | 6.76 % |
| Concussion (Possible): | 6 | 8.11 % | Before School: | 7 | 9.46 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 11 | 14.86 % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 22 | 29.73 % | Class Time: | 12 | 16.22 % | Cafeteria: | 1 | 1.35 % |
| Dental Injury: | 0 | - % | Lunch Period: | 1 | 1.35 % | Classroom: | 8 | 10.81 % |
| Dislocation (Possible): | 1 | 1.35 % | P.E. Class: | 20 | 27.03 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 3 | 4.05 % | Recess: | 0 | - % | Gymnasium/Pool: | 20 | 27.03 % |
| Fracture (Possible): | 7 | 9.46 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 14 | 18.92 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 4 | 5.41 % |
| Other: | 2 | 2.70 % | Other: | 3 | 4.05 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 74 | | Grand Total Occurrences: | 74 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 4 | 5.41 % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 1.35 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 31 | 41.89 % |
| | | | | | | Grand Total Occurrences: | 74 | |

Total Average Daily Enrollment: 706

Injury Occurrence Rate*: 10.48 %

KHEPERA CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 0 | | Grand Total Occurrences: | 0 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 0 | |

Total Average Daily Enrollment: 443

Injury Occurrence Rate*: - %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

KIPP PHILADELPHIA CHARTER SCHOOL

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 0 | | Grand Total Occurrences: | 0 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 0 | |

Total Average Daily Enrollment: 945
Injury Occurrence Rate*: - %

KIPP WEST PHILADELPHIA PREPARATORY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 0 | | Grand Total Occurrences: | 0 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 0 | |

Total Average Daily Enrollment: 380
Injury Occurrence Rate*: - %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

LABORATORY CS OF COMMUNICATION AND

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 0 | | Grand Total Occurrences: | 0 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 0 | |

Total Average Daily Enrollment: 436
Injury Occurrence Rate*: - %

MARIANA BRACETTI ACADEMY CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 9.09 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 1 | 9.09 % | Before School: | 2 | 18.18 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 2 | 18.18 % | Class Change: | 1 | 9.09 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 2 | 18.18 % | Class Time: | 6 | 54.55 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 1 | 9.09 % | P.E. Class: | 1 | 9.09 % | Corridor/Hall: | 3 | 27.27 % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 4 | 36.36 % |
| Fracture (Possible): | 3 | 27.27 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 2 | 18.18 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 11 | | Grand Total Occurrences: | 11 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 9.09 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 3 | 27.27 % |
| | | | | | | Grand Total Occurrences: | 11 | |

Total Average Daily Enrollment: 1,189
Injury Occurrence Rate*: 0.92 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

MARITIME ACADEMY CHARTER SCHOOL

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 7 | 10.94 % | After School: | 2 | 3.13 % | Athletic Field/Play Field: | 31 | 48.44 % |
| Concussion (Possible): | 16 | 25.00 % | Before School: | 4 | 6.25 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 3 | 4.69 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 9 | 14.06 % | Class Time: | 12 | 18.75 % | Cafeteria: | 10 | 15.63 % |
| Dental Injury: | 0 | - % | Lunch Period: | 7 | 10.94 % | Classroom: | 6 | 9.38 % |
| Dislocation (Possible): | 1 | 1.56 % | P.E. Class: | 16 | 25.00 % | Corridor/Hall: | 3 | 4.69 % |
| Eye Injury: | 3 | 4.69 % | Recess: | 15 | 23.44 % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 10 | 15.63 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 14 | 21.88 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 1.56 % |
| Other: | 4 | 6.25 % | Other: | 5 | 7.81 % | School Bus/Public Bus: | 1 | 1.56 % |
| Grand Total Occurrences: | 64 | | Grand Total Occurrences: | 64 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 3 | 4.69 % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 1.56 % |
| | | | | | | Street/Driveway/Parking: | 1 | 1.56 % |
| | | | | | | Other: | 7 | 10.94 % |
| | | | | | | Grand Total Occurrences: | 64 | |

Total Average Daily Enrollment: 799
Injury Occurrence Rate*: 8.01 %

MASTERY CHARTER HIGH SCHOOL

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 7 | 9.21 % | After School: | 2 | 2.63 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 1 | 1.32 % | Before School: | 10 | 13.16 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 3 | 3.95 % | Class Change: | 6 | 7.89 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 26 | 34.21 % | Class Time: | 15 | 19.74 % | Cafeteria: | 22 | 28.95 % |
| Dental Injury: | 1 | 1.32 % | Lunch Period: | 12 | 15.79 % | Classroom: | 15 | 19.74 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 20 | 26.32 % | Corridor/Hall: | 4 | 5.26 % |
| Eye Injury: | 3 | 3.95 % | Recess: | 11 | 14.47 % | Gymnasium/Pool: | 20 | 26.32 % |
| Fracture (Possible): | 1 | 1.32 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 1 | 1.32 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 33 | 43.42 % | Other: | 0 | - % | School Bus/Public Bus: | 2 | 2.63 % |
| Grand Total Occurrences: | 76 | | Grand Total Occurrences: | 76 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 2 | 2.63 % |
| | | | | | | Stairs/Ramp/Elevator: | 4 | 5.26 % |
| | | | | | | Street/Driveway/Parking: | 4 | 5.26 % |
| | | | | | | Other: | 3 | 3.95 % |
| | | | | | | Grand Total Occurrences: | 76 | |

Total Average Daily Enrollment: 530
Injury Occurrence Rate*: 14.34 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

MASTERY CHARTER SCHOOL - CLEVELAND

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|----------|--|----------|----------|--|----------|----------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 1 | 100.00 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 1 | 100.00 % |
| Fracture (Possible): | 1 | 100.00 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 1 | | Grand Total Occurrences: | 1 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 1 | |

Total Average Daily Enrollment: 687
Injury Occurrence Rate*: 0.15 %

MASTERY CHARTER SCHOOL - PICKETT CAMPUS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 0 | | Grand Total Occurrences: | 0 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 0 | |

Total Average Daily Enrollment: 726
Injury Occurrence Rate*: - %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

MASTERY CHARTER SCHOOL - SHOEMAKER

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|----------|--|----------|----------|--|----------|----------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 1 | 100.00 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 1 | 100.00 % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 1 | 100.00 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 1 | | Grand Total Occurrences: | 1 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 1 | |

Total Average Daily Enrollment: 717
Injury Occurrence Rate*: 0.14 %

MASTERY CHARTER SCHOOL - THOMAS CAMPUS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|----------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 1 | 50.00 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 1 | 50.00 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 1 | 50.00 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 1 | 50.00 % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 2 | 100.00 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 2 | | Grand Total Occurrences: | 2 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 2 | |

Total Average Daily Enrollment: 628
Injury Occurrence Rate*: 0.32 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

MASTERY CHARTER SCHOOL HARRITY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|----------|--|----------|----------|--|----------|----------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 1 | 100.00 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 1 | 100.00 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 1 | 100.00 % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 1 | | Grand Total Occurrences: | 1 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 1 | |

Total Average Daily Enrollment: 855
Injury Occurrence Rate*: 0.12 %

MASTERY CHARTER SCHOOL MANN

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|----------|--|----------|----------|--|----------|----------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 1 | 100.00 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 1 | 100.00 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 1 | 100.00 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 1 | | Grand Total Occurrences: | 1 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 1 | |

Total Average Daily Enrollment: 540
Injury Occurrence Rate*: 0.19 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

MASTERY CHARTER SCHOOL SMEDLEY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|----------|--|----------|----------|--|----------|----------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 1 | 100.00 % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 1 | 100.00 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 1 | | Grand Total Occurrences: | 1 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 100.00 % |
| | | | | | | Grand Total Occurrences: | 1 | |

Total Average Daily Enrollment: 724

Injury Occurrence Rate*: 0.14 %

MASTERY CS-CLYMER ELEMENTARY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 0 | | Grand Total Occurrences: | 0 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 0 | |

Total Average Daily Enrollment: 519

Injury Occurrence Rate*: - %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

MASTERY CS-GRATZ CAMPUS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 0 | | Grand Total Occurrences: | 0 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 0 | |

Total Average Daily Enrollment: 1,111
Injury Occurrence Rate*: - %

MATH CIVICS AND SCIENCES CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 5 | 29.41 % | Athletic Field/Play Field: | 2 | 11.76 % |
| Concussion (Possible): | 1 | 5.88 % | Before School: | 3 | 17.65 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 3 | 17.65 % | Class Change: | 2 | 11.76 % | Bus Loading Area: | 2 | 11.76 % |
| Cut/Laceration/Puncture: | 1 | 5.88 % | Class Time: | 3 | 17.65 % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 5.88 % | Lunch Period: | 4 | 23.53 % | Classroom: | 2 | 11.76 % |
| Dislocation (Possible): | 4 | 23.53 % | P.E. Class: | 0 | - % | Corridor/Hall: | 2 | 11.76 % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 2 | 11.76 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 5 | 29.41 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 3 | 17.65 % |
| Grand Total Occurrences: | 17 | | Grand Total Occurrences: | 17 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 4 | 23.53 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 2 | 11.76 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 17 | |

Total Average Daily Enrollment: 702
Injury Occurrence Rate*: 2.42 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

MATH SCI & TECH COMMUNITY CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 2.50 % | After School: | 16 | 40.00 % | Athletic Field/Play Field: | 2 | 5.00 % |
| Concussion (Possible): | 2 | 5.00 % | Before School: | 1 | 2.50 % | Auditorium/Multipurpose: | 1 | 2.50 % |
| Contusion: | 2 | 5.00 % | Class Change: | 6 | 15.00 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 7 | 17.50 % | Class Time: | 4 | 10.00 % | Cafeteria: | 2 | 5.00 % |
| Dental Injury: | 1 | 2.50 % | Lunch Period: | 2 | 5.00 % | Classroom: | 2 | 5.00 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 3 | 7.50 % | Corridor/Hall: | 2 | 5.00 % |
| Eye Injury: | 0 | - % | Recess: | 7 | 17.50 % | Gymnasium/Pool: | 12 | 30.00 % |
| Fracture (Possible): | 5 | 12.50 % | Sci Lab/Fam & Consumer | | | Playground: | 9 | 22.50 % |
| Sprain/Strain/Tear (Possible): | 11 | 27.50 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 2.50 % |
| Other: | 11 | 27.50 % | Other: | 1 | 2.50 % | School Bus/Public Bus: | 1 | 2.50 % |
| Grand Total Occurrences: | 40 | | Grand Total Occurrences: | 40 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 4 | 10.00 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 4 | 10.00 % |
| | | | | | | Grand Total Occurrences: | 40 | |

Total Average Daily Enrollment: 1,311
Injury Occurrence Rate*: 3.05 %

MEMPHIS STREET ACADEMY CHARTER SCHOOL

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|--------------|---------|--|--------------|---------|--|--------------|---------|
| Burn: | 16 | 1.54 % | After School: | 12 | 1.15 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 205 | 19.67 % | Before School: | 25 | 2.40 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 303 | 29.08 % | Class Change: | 152 | 14.59 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 213 | 20.44 % | Class Time: | 128 | 12.28 % | Cafeteria: | 223 | 21.40 % |
| Dental Injury: | 3 | 0.29 % | Lunch Period: | 223 | 21.40 % | Classroom: | 97 | 9.31 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 315 | 30.23 % | Corridor/Hall: | 142 | 13.63 % |
| Eye Injury: | 6 | 0.58 % | Recess: | 186 | 17.85 % | Gymnasium/Pool: | 315 | 30.23 % |
| Fracture (Possible): | 16 | 1.54 % | Sci Lab/Fam & Consumer | | | Playground: | 186 | 17.85 % |
| Sprain/Strain/Tear (Possible): | 280 | 26.87 % | Sci & Tech ED Class: | 1 | 0.10 % | Restroom: | 7 | 0.67 % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 1,042 | | Grand Total Occurrences: | 1,042 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 0.10 % |
| | | | | | | Sidewalk: | 12 | 1.15 % |
| | | | | | | Stairs/Ramp/Elevator: | 46 | 4.41 % |
| | | | | | | Street/Driveway/Parking: | 13 | 1.25 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 1,042 | |

Total Average Daily Enrollment: 815
Injury Occurrence Rate*: 127.85 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

MULTI-CULTURAL ACADEMY CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 4.17 % | After School: | 1 | 4.17 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 1 | 4.17 % | Before School: | 3 | 12.50 % | Auditorium/Multipurpose: | 2 | 8.33 % |
| Cotusion: | 2 | 8.33 % | Class Change: | 4 | 16.67 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 11 | 45.83 % | Class Time: | 9 | 37.50 % | Cafeteria: | 2 | 8.33 % |
| Dental Injury: | 2 | 8.33 % | Lunch Period: | 2 | 8.33 % | Classroom: | 10 | 41.67 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 5 | 20.83 % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 1 | 4.17 % |
| Sprain/Strain/Tear (Possible): | 5 | 20.83 % | Sci & Tech ED Class: | 1 | 4.17 % | Restroom: | 0 | - % |
| Other: | 2 | 8.33 % | Other: | 4 | 16.67 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 24 | | Grand Total Occurrences: | 24 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | 4.17 % |
| | | | | | | Sidewalk: | 2 | 8.33 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 8.33 % |
| | | | | | | Grand Total Occurrences: | 24 | |

Total Average Daily Enrollment: 236
 Injury Occurrence Rate*: 10.15 %

NEW FOUNDATIONS CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 4.55 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 1 | 4.55 % | Auditorium/Multipurpose: | 3 | 13.64 % |
| Cotusion: | 3 | 13.64 % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 4 | 18.18 % | Class Time: | 4 | 18.18 % | Cafeteria: | 3 | 13.64 % |
| Dental Injury: | 1 | 4.55 % | Lunch Period: | 3 | 13.64 % | Classroom: | 1 | 4.55 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 7 | 31.82 % | Corridor/Hall: | 1 | 4.55 % |
| Eye Injury: | 0 | - % | Recess: | 6 | 27.27 % | Gymnasium/Pool: | 7 | 31.82 % |
| Fracture (Possible): | 5 | 22.73 % | Sci Lab/Fam & Consumer | | | Playground: | 6 | 27.27 % |
| Sprain/Strain/Tear (Possible): | 8 | 36.36 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 1 | 4.55 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 22 | | Grand Total Occurrences: | 22 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 4.55 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 22 | |

Total Average Daily Enrollment: 1,060
 Injury Occurrence Rate*: 2.07 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
 Division of School Health

NEW MEDIA TECHNOLOGY CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|----------|--|----------|----------|--|----------|----------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 1 | 100.00 % | Class Time: | 0 | - % | Cafeteria: | 1 | 100.00 % |
| Dental Injury: | 0 | - % | Lunch Period: | 1 | 100.00 % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 1 | | Grand Total Occurrences: | 1 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 1 | |

Total Average Daily Enrollment: 390
Injury Occurrence Rate*: 0.26 %

NORTHWOOD ACADEMY CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 1 | 9.09 % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 1 | 9.09 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 2 | 18.18 % | Class Time: | 0 | - % | Cafeteria: | 1 | 9.09 % |
| Dental Injury: | 2 | 18.18 % | Lunch Period: | 1 | 9.09 % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 7 | 63.64 % | Corridor/Hall: | 1 | 9.09 % |
| Eye Injury: | 0 | - % | Recess: | 1 | 9.09 % | Gymnasium/Pool: | 7 | 63.64 % |
| Fracture (Possible): | 4 | 36.36 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 3 | 27.27 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 1 | 9.09 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 11 | | Grand Total Occurrences: | 11 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 9.09 % |
| | | | | | | Grand Total Occurrences: | 11 | |

Total Average Daily Enrollment: 789
Injury Occurrence Rate*: 1.39 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

NUEVA ESPERANZA ACADEMY CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 0 | | Grand Total Occurrences: | 0 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 0 | |

Total Average Daily Enrollment: 757
Injury Occurrence Rate*: - %

OLNEY CHARTER HIGH SCHOOL

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 19 | 4.92 % | After School: | 37 | 9.59 % | Athletic Field/Play Field: | 12 | 3.11 % |
| Concussion (Possible): | 5 | 1.30 % | Before School: | 50 | 12.95 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 108 | 27.98 % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 47 | 12.18 % | Class Time: | 120 | 31.09 % | Cafeteria: | 14 | 3.63 % |
| Dental Injury: | 0 | - % | Lunch Period: | 24 | 6.22 % | Classroom: | 103 | 26.68 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 62 | 16.06 % | Corridor/Hall: | 3 | 0.78 % |
| Eye Injury: | 4 | 1.04 % | Recess: | 0 | - % | Gymnasium/Pool: | 62 | 16.06 % |
| Fracture (Possible): | 12 | 3.11 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 35 | 9.07 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 5 | 1.30 % |
| Other: | 156 | 40.41 % | Other: | 93 | 24.09 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 386 | | Grand Total Occurrences: | 386 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 9 | 2.33 % |
| | | | | | | Stairs/Ramp/Elevator: | 23 | 5.96 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 155 | 40.16 % |
| | | | | | | Grand Total Occurrences: | 386 | |

Total Average Daily Enrollment: 1,860
Injury Occurrence Rate*: 20.75 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

PAN AMERICAN ACADEMY CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 2 | 15.38 % | Before School: | 8 | 61.54 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 7.69 % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 3 | 23.08 % | Class Time: | 1 | 7.69 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 1 | 7.69 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 1 | 7.69 % |
| Eye Injury: | 1 | 7.69 % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 2 | 15.38 % | Sci Lab/Fam & Consumer | | | Playground: | 2 | 15.38 % |
| Sprain/Strain/Tear (Possible): | 4 | 30.77 % | Sci & Tech ED Class: | 1 | 7.69 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 3 | 23.08 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 13 | | Grand Total Occurrences: | 13 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 7.69 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 3 | 23.08 % |
| | | | | | | Other: | 5 | 38.46 % |
| | | | | | | Grand Total Occurrences: | 13 | |

Total Average Daily Enrollment: 724

Injury Occurrence Rate*: 1.80 %

PEOPLE FOR PEOPLE CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 2 | 50.00 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 25.00 % | Class Change: | 1 | 25.00 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 1 | 25.00 % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 25.00 % | Lunch Period: | 0 | - % | Classroom: | 1 | 25.00 % |
| Dislocation (Possible): | 1 | 25.00 % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 1 | 25.00 % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 25.00 % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 4 | | Grand Total Occurrences: | 4 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 50.00 % |
| | | | | | | Grand Total Occurrences: | 4 | |

Total Average Daily Enrollment: 542

Injury Occurrence Rate*: 0.74 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

PHILADELPHIA ACADEMY CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 6.25 % | Athletic Field/Play Field: | 9 | 56.25 % |
| Concussion (Possible): | 7 | 43.75 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 5 | 31.25 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 10 | 62.50 % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 4 | 25.00 % | Sci Lab/Fam & Consumer | | | Playground: | 7 | 43.75 % |
| Sprain/Strain/Tear (Possible): | 5 | 31.25 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 16 | | Grand Total Occurrences: | 16 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 16 | |

Total Average Daily Enrollment: 1,190
Injury Occurrence Rate*: 1.34 %

PHILADELPHIA CITY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|--------------|---------|--|--------------|---------|--|--------------|---------|
| Burn: | 15 | 0.46 % | After School: | 8 | 0.25 % | Athletic Field/Play Field: | 23 | 0.71 % |
| Concussion (Possible): | 111 | 3.42 % | Before School: | 36 | 1.11 % | Auditorium/Multipurpose: | 9 | 0.28 % |
| Cotusion: | 155 | 4.78 % | Class Change: | 130 | 4.01 % | Bus Loading Area: | 2 | 0.06 % |
| Cut/Laceration/Puncture: | 267 | 8.24 % | Class Time: | 478 | 14.74 % | Cafeteria: | 55 | 1.70 % |
| Dental Injury: | 93 | 2.87 % | Lunch Period: | 39 | 1.20 % | Classroom: | 476 | 14.68 % |
| Dislocation (Possible): | 11 | 0.34 % | P.E. Class: | 227 | 7.00 % | Corridor/Hall: | 130 | 4.01 % |
| Eye Injury: | 88 | 2.71 % | Recess: | 210 | 6.48 % | Gymnasium/Pool: | 225 | 6.94 % |
| Fracture (Possible): | 97 | 2.99 % | Sci Lab/Fam & Consumer | | | Playground: | 330 | 10.18 % |
| Sprain/Strain/Tear (Possible): | 88 | 2.71 % | Sci & Tech ED Class: | 19 | 0.59 % | Restroom: | 20 | 0.62 % |
| Other: | 696 | 21.47 % | Other: | 474 | 14.62 % | School Bus/Public Bus: | 4 | 0.12 % |
| Grand Total Occurrences: | 1,621 | | Grand Total Occurrences: | 1,621 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 19 | 0.59 % |
| | | | | | | Sidewalk: | 7 | 0.22 % |
| | | | | | | Stairs/Ramp/Elevator: | 54 | 1.67 % |
| | | | | | | Street/Driveway/Parking: | 19 | 0.59 % |
| | | | | | | Other: | 248 | 7.65 % |
| | | | | | | Grand Total Occurrences: | 1,621 | |

Total Average Daily Enrollment: 169,725
Injury Occurrence Rate*: 1.91 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

PHILADELPHIA ELECTRICAL & TECH CHS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|----------|--|----------|----------|--|----------|----------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 2 | 100.00 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 2 | 100.00 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 2 | 100.00 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 2 | | Grand Total Occurrences: | 2 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 2 | |

Total Average Daily Enrollment: 627
Injury Occurrence Rate*: 0.32 %

PHILADELPHIA HARAMBEE INST CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 4 | 9.09 % | Athletic Field/Play Field: | 4 | 9.09 % |
| Concussion (Possible): | 0 | - % | Before School: | 2 | 4.55 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 1 | 2.27 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 10 | 22.73 % | Class Time: | 8 | 18.18 % | Cafeteria: | 7 | 15.91 % |
| Dental Injury: | 2 | 4.55 % | Lunch Period: | 8 | 18.18 % | Classroom: | 7 | 15.91 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 10 | 22.73 % | Corridor/Hall: | 2 | 4.55 % |
| Eye Injury: | 5 | 11.36 % | Recess: | 10 | 22.73 % | Gymnasium/Pool: | 10 | 22.73 % |
| Fracture (Possible): | 2 | 4.55 % | Sci Lab/Fam & Consumer | | | Playground: | 10 | 22.73 % |
| Sprain/Strain/Tear (Possible): | 25 | 56.82 % | Sci & Tech ED Class: | 1 | 2.27 % | Restroom: | 1 | 2.27 % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 2 | 4.55 % |
| Grand Total Occurrences: | 44 | | Grand Total Occurrences: | 44 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | 2.27 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 2.27 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 44 | |

Total Average Daily Enrollment: 507
Injury Occurrence Rate*: 8.68 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

PHILADELPHIA MONTESSORI CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|----------|--|----------|----------|--|----------|----------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 1 | 100.00 % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 1 | 100.00 % | Sci Lab/Fam & Consumer | | | Playground: | 1 | 100.00 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 1 | | Grand Total Occurrences: | 1 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 1 | |

Total Average Daily Enrollment: 171
 Injury Occurrence Rate*: 0.58 %

PHILADELPHIA PERFORMING ARTS CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 25 | 6.17 % | After School: | 25 | 6.17 % | Athletic Field/Play Field: | 20 | 4.94 % |
| Concussion (Possible): | 10 | 2.47 % | Before School: | 20 | 4.94 % | Auditorium/Multipurpose: | 35 | 8.64 % |
| Contusion: | 100 | 24.69 % | Class Change: | 45 | 11.11 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 75 | 18.52 % | Class Time: | 40 | 9.88 % | Cafeteria: | 75 | 18.52 % |
| Dental Injury: | 40 | 9.88 % | Lunch Period: | 70 | 17.28 % | Classroom: | 30 | 7.41 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 50 | 12.35 % | Corridor/Hall: | 45 | 11.11 % |
| Eye Injury: | 65 | 16.05 % | Recess: | 95 | 23.46 % | Gymnasium/Pool: | 50 | 12.35 % |
| Fracture (Possible): | 10 | 2.47 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 30 | 7.41 % | Sci & Tech ED Class: | 20 | 4.94 % | Restroom: | 65 | 16.05 % |
| Other: | 50 | 12.35 % | Other: | 40 | 9.88 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 405 | | Grand Total Occurrences: | 405 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 30 | 4.94 % |
| | | | | | | Sidewalk: | 20 | 4.94 % |
| | | | | | | Stairs/Ramp/Elevator: | 25 | 6.17 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 10 | 2.47 % |
| | | | | | | Grand Total Occurrences: | 405 | |

Total Average Daily Enrollment: 1,053
 Injury Occurrence Rate*: 38.46 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
 Division of School Health

PLANET ABACUS CHARTER SCHOOL

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 0 | | Grand Total Occurrences: | 0 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 0 | |

Total Average Daily Enrollment: 417
Injury Occurrence Rate*: - %

PREPARATORY CS OF MATHEMATICS, SCIENCE,

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 6 | 9.23 % | After School: | 18 | 27.69 % | Athletic Field/Play Field: | 11 | 16.92 % |
| Concussion (Possible): | 4 | 6.15 % | Before School: | 15 | 23.08 % | Auditorium/Multipurpose: | 3 | 4.62 % |
| Contusion: | 2 | 3.08 % | Class Change: | 2 | 3.08 % | Bus Loading Area: | 3 | 4.62 % |
| Cut/Laceration/Puncture: | 28 | 43.08 % | Class Time: | 5 | 7.69 % | Cafeteria: | 6 | 9.23 % |
| Dental Injury: | 0 | - % | Lunch Period: | 6 | 9.23 % | Classroom: | 5 | 7.69 % |
| Dislocation (Possible): | 1 | 1.54 % | P.E. Class: | 11 | 16.92 % | Corridor/Hall: | 6 | 9.23 % |
| Eye Injury: | 1 | 1.54 % | Recess: | 0 | - % | Gymnasium/Pool: | 11 | 16.92 % |
| Fracture (Possible): | 4 | 6.15 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 19 | 29.23 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 3 | 4.62 % |
| Other: | 0 | - % | Other: | 8 | 12.31 % | School Bus/Public Bus: | 5 | 7.69 % |
| Grand Total Occurrences: | 65 | | Grand Total Occurrences: | 65 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 5 | 7.69 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 7 | 10.77 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 65 | |

Total Average Daily Enrollment: 573
Injury Occurrence Rate*: 11.35 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

RICHARD ALLEN PREPARATORY CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 1 | 25.00 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 1 | 25.00 % | Cafeteria: | 1 | 25.00 % |
| Dental Injury: | 0 | - % | Lunch Period: | 1 | 25.00 % | Classroom: | 1 | 25.00 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 2 | 50.00 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 1 | 25.00 % |
| Fracture (Possible): | 1 | 25.00 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 1 | 25.00 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 1 | 25.00 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 4 | | Grand Total Occurrences: | 4 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 25.00 % |
| | | | | | | Grand Total Occurrences: | 4 | |

Total Average Daily Enrollment: 474

Injury Occurrence Rate*: 0.84 %

RUSSELL BYERS CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|----------|--|----------|----------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 2 | 22.22 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 1 | 11.11 % | Recess: | 9 | 100.00 % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 3 | 33.33 % | Sci Lab/Fam & Consumer | | | Playground: | 9 | 100.00 % |
| Sprain/Strain/Tear (Possible): | 3 | 33.33 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 9 | | Grand Total Occurrences: | 9 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 9 | |

Total Average Daily Enrollment: 477

Injury Occurrence Rate*: 1.88 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

SANKOFA FREEDOM ACADEMY CHARTER

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 2 | 15.38 % | Athletic Field/Play Field: | 3 | 23.08 % |
| Concussion (Possible): | 1 | 7.69 % | Before School: | 2 | 15.38 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 7.69 % | Class Change: | 2 | 15.38 % | Bus Loading Area: | 2 | 15.38 % |
| Cut/Laceration/Puncture: | 2 | 15.38 % | Class Time: | 3 | 23.08 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 2 | 15.38 % |
| Dislocation (Possible): | 2 | 15.38 % | P.E. Class: | 0 | - % | Corridor/Hall: | 1 | 7.69 % |
| Eye Injury: | 0 | - % | Recess: | 4 | 30.77 % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 1 | 7.69 % | Sci Lab/Fam & Consumer | | | Playground: | 2 | 15.38 % |
| Sprain/Strain/Tear (Possible): | 6 | 46.15 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 1 | 7.69 % |
| Grand Total Occurrences: | 13 | | Grand Total Occurrences: | 13 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 7.69 % |
| | | | | | | Street/Driveway/Parking: | 1 | 7.69 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 13 | |

Total Average Daily Enrollment: 553

Injury Occurrence Rate*: 2.35 %

SOUTHWEST LEADERSHIP ACADEMY CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 0 | | Grand Total Occurrences: | 0 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 0 | |

Total Average Daily Enrollment: 427

Injury Occurrence Rate*: - %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

TACONY ACADEMY CHARTER SCHOOL

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 10.00 % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 2 | 20.00 % | Before School: | 1 | 10.00 % | Auditorium/Multipurpose: | 3 | 30.00 % |
| Contusion: | 0 | - % | Class Change: | 3 | 30.00 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 3 | 30.00 % | Class Time: | 1 | 10.00 % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 10.00 % | Lunch Period: | 2 | 20.00 % | Classroom: | 2 | 20.00 % |
| Dislocation (Possible): | 1 | 10.00 % | P.E. Class: | 2 | 20.00 % | Corridor/Hall: | 2 | 20.00 % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 2 | 20.00 % | Sci & Tech ED Class: | 1 | 10.00 % | Restroom: | 1 | 10.00 % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 10 | | Grand Total Occurrences: | 10 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 10.00 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 10.00 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 10 | |

Total Average Daily Enrollment: 904
Injury Occurrence Rate*: 1.11 %

TRUEBRIGHT SCIENCE ACADEMY CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 0 | | Grand Total Occurrences: | 0 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 0 | |

Total Average Daily Enrollment: 356
Injury Occurrence Rate*: - %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

UNIVERSAL AUDENRIED CHARTER HIGH

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|----------|--|----------|----------|--|----------|----------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 1 | 100.00 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 100.00 % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 1 | 100.00 % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 1 | | Grand Total Occurrences: | 1 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 1 | |

Total Average Daily Enrollment: 593
Injury Occurrence Rate*: 0.17 %

UNIVERSAL BLUFORD CHARTER SCHOOL

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 1 | 12.50 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 1 | 12.50 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 3 | 37.50 % | Class Time: | 1 | 12.50 % | Cafeteria: | 2 | 25.00 % |
| Dental Injury: | 2 | 25.00 % | Lunch Period: | 2 | 25.00 % | Classroom: | 1 | 12.50 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 1 | 12.50 % |
| Eye Injury: | 1 | 12.50 % | Recess: | 4 | 50.00 % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 4 | 50.00 % |
| Sprain/Strain/Tear (Possible): | 1 | 12.50 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 8 | | Grand Total Occurrences: | 8 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 8 | |

Total Average Daily Enrollment: 538
Injury Occurrence Rate*: 1.49 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

UNIVERSAL DAROFF CHARTER SCHOOL

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 2 | 25.00 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 1 | 12.50 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 4 | 50.00 % | Class Time: | 1 | 12.50 % | Cafeteria: | 1 | 12.50 % |
| Dental Injury: | 0 | - % | Lunch Period: | 1 | 12.50 % | Classroom: | 2 | 25.00 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 3 | 37.50 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 1 | 12.50 % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 2 | 25.00 % | Sci Lab/Fam & Consumer | | | Playground: | 3 | 37.50 % |
| Sprain/Strain/Tear (Possible): | 1 | 12.50 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 8 | | Grand Total Occurrences: | 8 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 1 | 12.50 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 12.50 % |
| | | | | | | Grand Total Occurrences: | 8 | |

Total Average Daily Enrollment: 607
Injury Occurrence Rate*: 1.32 %

UNIVERSAL INSTITUTE CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 1 | 16.67 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 1 | 16.67 % | Class Time: | 1 | 16.67 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 1 | 16.67 % |
| Dislocation (Possible): | 2 | 33.33 % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 5 | 83.33 % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 1 | 16.67 % | Sci Lab/Fam & Consumer | | | Playground: | 5 | 83.33 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 1 | 16.67 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 6 | | Grand Total Occurrences: | 6 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 6 | |

Total Average Daily Enrollment: 683
Injury Occurrence Rate*: 0.88 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

UNIVERSAL VARE CHARTER SCHOOL

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 2 | 33.33 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 1 | 16.67 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 1 | 16.67 % | Class Time: | 2 | 33.33 % | Cafeteria: | 1 | 16.67 % |
| Dental Injury: | 1 | 16.67 % | Lunch Period: | 1 | 16.67 % | Classroom: | 2 | 33.33 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 2 | 33.33 % | Corridor/Hall: | 1 | 16.67 % |
| Eye Injury: | 1 | 16.67 % | Recess: | 0 | - % | Gymnasium/Pool: | 2 | 33.33 % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 1 | 16.67 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 6 | | Grand Total Occurrences: | 6 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 6 | |

Total Average Daily Enrollment: 387

Injury Occurrence Rate*: 1.55 %

WAKISHA CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|----------|--|----------|----------|--|----------|----------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 1 | 100.00 % | Class Time: | 1 | 100.00 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 1 | 100.00 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 1 | | Grand Total Occurrences: | 1 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 1 | |

Total Average Daily Enrollment: 353

Injury Occurrence Rate*: 0.28 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

WALTER D. PALMER LEADERSHIP LEARNING

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 2 | 40.00 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 20.00 % | Class Change: | 1 | 20.00 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 1 | 20.00 % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 2 | 40.00 % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 3 | 60.00 % | Sci Lab/Fam & Consumer | | | Playground: | 2 | 40.00 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 5 | | Grand Total Occurrences: | 5 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 1 | 20.00 % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 20.00 % |
| | | | | | | Street/Driveway/Parking: | 1 | 20.00 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 5 | |

Total Average Daily Enrollment: 1,052
Injury Occurrence Rate*: 0.48 %

WEST OAK LANE CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 4.00 % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 3 | 12.00 % | Before School: | 3 | 12.00 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 2 | 8.00 % | Class Change: | 3 | 12.00 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 7 | 28.00 % | Class Time: | 6 | 24.00 % | Cafeteria: | 3 | 12.00 % |
| Dental Injury: | 2 | 8.00 % | Lunch Period: | 2 | 8.00 % | Classroom: | 5 | 20.00 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 9 | 36.00 % | Corridor/Hall: | 4 | 16.00 % |
| Eye Injury: | 0 | - % | Recess: | 2 | 8.00 % | Gymnasium/Pool: | 9 | 36.00 % |
| Fracture (Possible): | 2 | 8.00 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 4 | 16.00 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 3 | 12.00 % |
| Other: | 4 | 16.00 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 25 | | Grand Total Occurrences: | 25 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 1 | 4.00 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 25 | |

Total Average Daily Enrollment: 905
Injury Occurrence Rate*: 2.76 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

WEST PHILA. ACHIEVEMENT CES

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 1 | 33.33 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 1 | 33.33 % |
| Cut/Laceration/Puncture: | 2 | 66.67 % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 1 | 33.33 % |
| Eye Injury: | 0 | - % | Recess: | 1 | 33.33 % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 1 | 33.33 % | Sci Lab/Fam & Consumer | | | Playground: | 1 | 33.33 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 1 | 33.33 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 3 | | Grand Total Occurrences: | 3 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 3 | |

Total Average Daily Enrollment: 619
Injury Occurrence Rate*: 0.49 %

WISSAHICKON CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 2 | 11.76 % | Athletic Field/Play Field: | 4 | 23.53 % |
| Concussion (Possible): | 3 | 17.65 % | Before School: | 2 | 11.76 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 5.88 % | Class Change: | 1 | 5.88 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 3 | 17.65 % | Class Time: | 5 | 29.41 % | Cafeteria: | 1 | 5.88 % |
| Dental Injury: | 0 | - % | Lunch Period: | 2 | 11.76 % | Classroom: | 3 | 17.65 % |
| Dislocation (Possible): | 2 | 11.76 % | P.E. Class: | 0 | - % | Corridor/Hall: | 3 | 17.65 % |
| Eye Injury: | 0 | - % | Recess: | 5 | 29.41 % | Gymnasium/Pool: | 3 | 17.65 % |
| Fracture (Possible): | 5 | 29.41 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 3 | 17.65 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 17 | | Grand Total Occurrences: | 17 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 1 | 5.88 % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 5.88 % |
| | | | | | | Street/Driveway/Parking: | 1 | 5.88 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 17 | |

Total Average Daily Enrollment: 447
Injury Occurrence Rate*: 3.80 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

WORLD COMMUNICATIONS CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 0 | | Grand Total Occurrences: | 0 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 0 | |

Total Average Daily Enrollment: 542
Injury Occurrence Rate*: - %

YOUNG SCHOLARS CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 0 | | Grand Total Occurrences: | 0 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 0 | |

Total Average Daily Enrollment: 246
Injury Occurrence Rate*: - %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

YOUNG SCHOLARS FREDERICK DOUGLAS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|----------|--|----------|----------|--|----------|----------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 1 | 100.00 % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 1 | 100.00 % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 1 | 100.00 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 1 | | Grand Total Occurrences: | 1 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 1 | |

Total Average Daily Enrollment: 759
Injury Occurrence Rate*: 0.13 %

PHILADELPHIA COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|--------------|---------|--|--------------|---------|--|--------------|---------|
| Burn: | 119 | 1.85 % | After School: | 191 | 2.97 % | Athletic Field/Play Field: | 149 | 2.31 % |
| Concussion (Possible): | 457 | 7.10 % | Before School: | 263 | 4.09 % | Auditorium/Multipurpose: | 56 | 0.87 % |
| Contusion: | 811 | 12.60 % | Class Change: | 419 | 6.51 % | Bus Loading Area: | 43 | 0.67 % |
| Cut/Laceration/Puncture: | 1,129 | 17.54 % | Class Time: | 970 | 15.07 % | Cafeteria: | 514 | 7.98 % |
| Dental Injury: | 169 | 2.63 % | Lunch Period: | 503 | 7.81 % | Classroom: | 864 | 13.42 % |
| Dislocation (Possible): | 52 | 0.81 % | P.E. Class: | 882 | 13.70 % | Corridor/Hall: | 427 | 6.63 % |
| Eye Injury: | 191 | 2.97 % | Recess: | 867 | 13.47 % | Gymnasium/Pool: | 856 | 13.30 % |
| Fracture (Possible): | 249 | 3.87 % | Sci Lab/Fam & Consumer | | | Playground: | 842 | 13.08 % |
| Sprain/Strain/Tear (Possible): | 646 | 10.03 % | Sci & Tech ED Class: | 65 | 1.01 % | Restroom: | 118 | 1.83 % |
| Other: | 994 | 15.44 % | Other: | 657 | 10.21 % | School Bus/Public Bus: | 34 | 0.53 % |
| Grand Total Occurrences: | 4,817 | | Grand Total Occurrences: | 4,817 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 78 | 1.21 % |
| | | | | | | Sidewalk: | 85 | 1.32 % |
| | | | | | | Stairs/Ramp/Elevator: | 188 | 2.92 % |
| | | | | | | Street/Driveway/Parking: | 68 | 1.06 % |
| | | | | | | Other: | 495 | 7.69 % |
| | | | | | | Grand Total Occurrences: | 4,817 | |

Total Average Daily Enrollment: 222,440
Injury Occurrence Rate*: 2.89 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

BLUE MOUNTAIN SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 1.16 % | Athletic Field/Play Field: | 2 | 2.33 % |
| Concussion (Possible): | 6 | 6.98 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 3 | 3.49 % | Class Change: | 0 | - % | Bus Loading Area: | 2 | 2.33 % |
| Cut/Laceration/Puncture: | 8 | 9.30 % | Class Time: | 6 | 6.98 % | Cafeteria: | 2 | 2.33 % |
| Dental Injury: | 2 | 2.33 % | Lunch Period: | 1 | 1.16 % | Classroom: | 4 | 4.65 % |
| Dislocation (Possible): | 3 | 3.49 % | P.E. Class: | 27 | 31.40 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 1 | 1.16 % | Recess: | 7 | 8.14 % | Gymnasium/Pool: | 24 | 27.91 % |
| Fracture (Possible): | 12 | 13.95 % | Sci Lab/Fam & Consumer | | | Playground: | 7 | 8.14 % |
| Sprain/Strain/Tear (Possible): | 8 | 9.30 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 1 | 1.16 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 43 | | Grand Total Occurrences: | 43 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 1.16 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 1.16 % |
| | | | | | | Grand Total Occurrences: | 43 | |

Total Average Daily Enrollment: 2,914
Injury Occurrence Rate*: 2.95 %

GILLINGHAM CHARTER SCHOOL

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 2 | 2.99 % | Athletic Field/Play Field: | 2 | 2.99 % |
| Concussion (Possible): | 4 | 5.97 % | Before School: | 4 | 5.97 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 26 | 38.81 % | Class Change: | 1 | 1.49 % | Bus Loading Area: | 4 | 5.97 % |
| Cut/Laceration/Puncture: | 16 | 23.88 % | Class Time: | 6 | 8.96 % | Cafeteria: | 0 | - % |
| Dental Injury: | 2 | 2.99 % | Lunch Period: | 21 | 31.34 % | Classroom: | 6 | 8.96 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 16 | 23.88 % | Corridor/Hall: | 3 | 4.48 % |
| Eye Injury: | 3 | 4.48 % | Recess: | 17 | 25.37 % | Gymnasium/Pool: | 16 | 23.88 % |
| Fracture (Possible): | 1 | 1.49 % | Sci Lab/Fam & Consumer | | | Playground: | 28 | 41.79 % |
| Sprain/Strain/Tear (Possible): | 15 | 22.39 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 67 | | Grand Total Occurrences: | 67 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 8 | 11.94 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 67 | |

Total Average Daily Enrollment: 198
Injury Occurrence Rate*: 33.86 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

MAHANAY AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 2 | 1.18 % | Athletic Field/Play Field: | 3 | 1.76 % |
| Concussion (Possible): | 3 | 1.76 % | Before School: | 6 | 3.53 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 30 | 17.65 % | Class Change: | 8 | 4.71 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 14 | 8.24 % | Class Time: | 33 | 19.41 % | Cafeteria: | 2 | 1.18 % |
| Dental Injury: | 0 | - % | Lunch Period: | 1 | 0.59 % | Classroom: | 22 | 12.94 % |
| Dislocation (Possible): | 1 | 0.59 % | P.E. Class: | 10 | 5.88 % | Corridor/Hall: | 10 | 5.88 % |
| Eye Injury: | 2 | 1.18 % | Recess: | 19 | 11.18 % | Gymnasium/Pool: | 25 | 14.71 % |
| Fracture (Possible): | 1 | 0.59 % | Sci Lab/Fam & Consumer | | | Playground: | 4 | 2.35 % |
| Sprain/Strain/Tear (Possible): | 4 | 2.35 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 5 | 2.94 % |
| Other: | 30 | 17.65 % | Other: | 6 | 3.53 % | School Bus/Public Bus: | 5 | 2.94 % |
| Grand Total Occurrences: | 85 | | Grand Total Occurrences: | 85 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 5 | 2.94 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 4 | 2.35 % |
| | | | | | | Grand Total Occurrences: | 85 | |

Total Average Daily Enrollment: 990
Injury Occurrence Rate*: 17.18 %

MINERSVILLE AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 1.32 % | Athletic Field/Play Field: | 3 | 3.95 % |
| Concussion (Possible): | 8 | 10.53 % | Before School: | 4 | 5.26 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 8 | 10.53 % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 7 | 9.21 % | Class Time: | 0 | - % | Cafeteria: | 1 | 1.32 % |
| Dental Injury: | 1 | 1.32 % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 27 | 35.53 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 5 | 6.58 % | Gymnasium/Pool: | 27 | 35.53 % |
| Fracture (Possible): | 6 | 7.89 % | Sci Lab/Fam & Consumer | | | Playground: | 2 | 2.63 % |
| Sprain/Strain/Tear (Possible): | 8 | 10.53 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 1 | 1.32 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 38 | | Grand Total Occurrences: | 38 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 5 | 6.58 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 38 | |

Total Average Daily Enrollment: 1,354
Injury Occurrence Rate*: 5.61 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

NORTH SCHUYLKILL SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 6.25 % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 3 | 18.75 % | Class Time: | 2 | 12.50 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 2 | 12.50 % |
| Dislocation (Possible): | 1 | 6.25 % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 6 | 37.50 % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 3 | 18.75 % | Sci Lab/Fam & Consumer | | | Playground: | 6 | 37.50 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 8 | | Grand Total Occurrences: | 8 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 8 | |

Total Average Daily Enrollment: 1,966

Injury Occurrence Rate*: 0.81 %

PINE GROVE AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 1 | 5.56 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 5.56 % | Class Change: | 1 | 5.56 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 3 | 16.67 % | Class Time: | 6 | 33.33 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 2 | 11.11 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 1 | 5.56 % | Corridor/Hall: | 3 | 16.67 % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 4 | 22.22 % |
| Fracture (Possible): | 2 | 11.11 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 2 | 11.11 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 1 | 5.56 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 9 | | Grand Total Occurrences: | 9 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 9 | |

Total Average Daily Enrollment: 1,578

Injury Occurrence Rate*: 1.14 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

POTTSVILLE AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 1.67 % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 5 | 8.33 % | Before School: | 2 | 3.33 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 3 | 5.00 % | Class Change: | 2 | 3.33 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 4 | 6.67 % | Class Time: | 8 | 13.33 % | Cafeteria: | 1 | 1.67 % |
| Dental Injury: | 0 | - % | Lunch Period: | 2 | 3.33 % | Classroom: | 5 | 8.33 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 10 | 16.67 % | Corridor/Hall: | 3 | 5.00 % |
| Eye Injury: | 0 | - % | Recess: | 4 | 6.67 % | Gymnasium/Pool: | 12 | 20.00 % |
| Fracture (Possible): | 6 | 10.00 % | Sci Lab/Fam & Consumer | | | Playground: | 4 | 6.67 % |
| Sprain/Strain/Tear (Possible): | 7 | 11.67 % | Sci & Tech ED Class: | 1 | 1.67 % | Restroom: | 0 | - % |
| Other: | 4 | 6.67 % | Other: | 1 | 1.67 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 30 | | Grand Total Occurrences: | 30 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | 1.67 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 3.33 % |
| | | | | | | Street/Driveway/Parking: | 1 | 1.67 % |
| | | | | | | Other: | 2 | 3.33 % |
| | | | | | | Grand Total Occurrences: | 30 | |

Total Average Daily Enrollment: 3,157
Injury Occurrence Rate*: 1.90 %

SAINT CLAIR AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 2 | 11.11 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 5.56 % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 2 | 11.11 % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 1 | 5.56 % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 1 | 5.56 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 2 | 11.11 % | Other: | 9 | 50.00 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 9 | | Grand Total Occurrences: | 9 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 9 | 50.00 % |
| | | | | | | Grand Total Occurrences: | 9 | |

Total Average Daily Enrollment: 598
Injury Occurrence Rate*: 3.01 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

SCHUYLKILL HAVEN AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 1 | 0.43 % | After School: | 3 | 1.30 % | Athletic Field/Play Field: | 9 | 3.91 % |
| Concussion (Possible): | 44 | 19.13 % | Before School: | 31 | 13.48 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 19 | 8.26 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 9 | 3.91 % | Class Time: | 8 | 3.48 % | Cafeteria: | 1 | 0.43 % |
| Dental Injury: | 3 | 1.30 % | Lunch Period: | 1 | 0.43 % | Classroom: | 7 | 3.04 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 17 | 7.39 % | Corridor/Hall: | 9 | 3.91 % |
| Eye Injury: | 5 | 2.17 % | Recess: | 33 | 14.35 % | Gymnasium/Pool: | 18 | 7.83 % |
| Fracture (Possible): | 5 | 2.17 % | Sci Lab/Fam & Consumer | | | Playground: | 29 | 12.61 % |
| Sprain/Strain/Tear (Possible): | 13 | 5.65 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 2 | 0.87 % |
| Other: | 35 | 15.22 % | Other: | 3 | 1.30 % | School Bus/Public Bus: | 25 | 10.87 % |
| Grand Total Occurrences: | 115 | | Grand Total Occurrences: | 115 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 1 | 0.43 % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 1.30 % |
| | | | | | | Street/Driveway/Parking: | 10 | 4.35 % |
| | | | | | | Other: | 1 | 0.43 % |
| | | | | | | Grand Total Occurrences: | 115 | |

Total Average Daily Enrollment: 1,273
Injury Occurrence Rate*: 18.06 %

SHENANDOAH VALLEY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 1 | 10.00 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 1 | 10.00 % |
| Cut/Laceration/Puncture: | 1 | 10.00 % | Class Time: | 1 | 10.00 % | Cafeteria: | 1 | 10.00 % |
| Dental Injury: | 0 | - % | Lunch Period: | 1 | 10.00 % | Classroom: | 1 | 10.00 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 2 | 20.00 % | Gymnasium/Pool: | 1 | 10.00 % |
| Fracture (Possible): | 3 | 30.00 % | Sci Lab/Fam & Consumer | | | Playground: | 1 | 10.00 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 1 | 10.00 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 5 | | Grand Total Occurrences: | 5 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 5 | |

Total Average Daily Enrollment: 1,304
Injury Occurrence Rate*: 0.77 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

TAMAQUA AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 1 | 1.22 % |
| Concussion (Possible): | 7 | 8.54 % | Before School: | 4 | 4.88 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 4 | 4.88 % | Class Change: | 6 | 7.32 % | Bus Loading Area: | 1 | 1.22 % |
| Cut/Laceration/Puncture: | 5 | 6.10 % | Class Time: | 6 | 7.32 % | Cafeteria: | 1 | 1.22 % |
| Dental Injury: | 2 | 2.44 % | Lunch Period: | 0 | - % | Classroom: | 7 | 8.54 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 12 | 14.63 % | Corridor/Hall: | 4 | 4.88 % |
| Eye Injury: | 5 | 6.10 % | Recess: | 7 | 8.54 % | Gymnasium/Pool: | 10 | 12.20 % |
| Fracture (Possible): | 12 | 14.63 % | Sci Lab/Fam & Consumer | | | Playground: | 8 | 9.76 % |
| Sprain/Strain/Tear (Possible): | 5 | 6.10 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 3 | 3.66 % |
| Other: | 1 | 1.22 % | Other: | 6 | 7.32 % | School Bus/Public Bus: | 2 | 2.44 % |
| Grand Total Occurrences: | 41 | | Grand Total Occurrences: | 41 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 1 | 1.22 % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 2.44 % |
| | | | | | | Street/Driveway/Parking: | 1 | 1.22 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 41 | |

Total Average Daily Enrollment: 2,558
Injury Occurrence Rate*: 3.21 %

TRI-VALLEY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 2 | 6.25 % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 1 | 3.13 % | Before School: | 1 | 3.13 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 3 | 9.38 % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 5 | 15.63 % | Class Time: | 4 | 12.50 % | Cafeteria: | 1 | 3.13 % |
| Dental Injury: | 1 | 3.13 % | Lunch Period: | 1 | 3.13 % | Classroom: | 3 | 9.38 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 6 | 18.75 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 1 | 3.13 % | Recess: | 0 | - % | Gymnasium/Pool: | 6 | 18.75 % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 3 | 9.38 % | Sci & Tech ED Class: | 4 | 12.50 % | Restroom: | 1 | 3.13 % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 1 | 3.13 % |
| Grand Total Occurrences: | 16 | | Grand Total Occurrences: | 16 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 4 | 12.50 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 16 | |

Total Average Daily Enrollment: 894
Injury Occurrence Rate*: 3.58 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

WILLIAMS VALLEY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 3 | 12.50 % | Before School: | 1 | 4.17 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 1 | 4.17 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 1 | 4.17 % | Class Time: | 1 | 4.17 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 1 | 4.17 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 5 | 20.83 % | Corridor/Hall: | 2 | 8.33 % |
| Eye Injury: | 1 | 4.17 % | Recess: | 3 | 12.50 % | Gymnasium/Pool: | 5 | 20.83 % |
| Fracture (Possible): | 3 | 12.50 % | Sci Lab/Fam & Consumer | | | Playground: | 3 | 12.50 % |
| Sprain/Strain/Tear (Possible): | 1 | 4.17 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 3 | 12.50 % | Other: | 1 | 4.17 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 12 | | Grand Total Occurrences: | 12 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 4.17 % |
| | | | | | | Grand Total Occurrences: | 12 | |

Total Average Daily Enrollment: 1,073
Injury Occurrence Rate*: 2.24 %

SCHUYLKILL COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 4 | 0.45 % | After School: | 10 | 1.12 % | Athletic Field/Play Field: | 20 | 2.25 % |
| Concussion (Possible): | 84 | 9.45 % | Before School: | 53 | 5.96 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 80 | 9.00 % | Class Change: | 38 | 4.27 % | Bus Loading Area: | 8 | 0.90 % |
| Cut/Laceration/Puncture: | 78 | 8.77 % | Class Time: | 81 | 9.11 % | Cafeteria: | 10 | 1.12 % |
| Dental Injury: | 11 | 1.24 % | Lunch Period: | 28 | 3.15 % | Classroom: | 60 | 6.75 % |
| Dislocation (Possible): | 5 | 0.56 % | P.E. Class: | 131 | 14.74 % | Corridor/Hall: | 34 | 3.82 % |
| Eye Injury: | 19 | 2.14 % | Recess: | 103 | 11.59 % | Gymnasium/Pool: | 148 | 16.65 % |
| Fracture (Possible): | 54 | 6.07 % | Sci Lab/Fam & Consumer | | | Playground: | 92 | 10.35 % |
| Sprain/Strain/Tear (Possible): | 67 | 7.54 % | Sci & Tech ED Class: | 5 | 0.56 % | Restroom: | 11 | 1.24 % |
| Other: | 76 | 8.55 % | Other: | 29 | 3.26 % | School Bus/Public Bus: | 33 | 3.71 % |
| Grand Total Occurrences: | 478 | | Grand Total Occurrences: | 478 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 4 | 0.45 % |
| | | | | | | Sidewalk: | 7 | 0.79 % |
| | | | | | | Stairs/Ramp/Elevator: | 13 | 1.46 % |
| | | | | | | Street/Driveway/Parking: | 20 | 2.25 % |
| | | | | | | Other: | 18 | 2.02 % |
| | | | | | | Grand Total Occurrences: | 478 | |

Total Average Daily Enrollment: 19,857
Injury Occurrence Rate*: 4.48 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

Southeastern District

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|---------------|---------|--|---------------|---------|--|---------------|---------|
| Burn: | 266 | 0.91 % | After School: | 799 | 2.73 % | Athletic Field/Play Field: | 1,351 | 4.61 % |
| Concussion (Possible): | 2,937 | 10.03 % | Before School: | 887 | 3.03 % | Auditorium/Multipurpose: | 165 | 0.56 % |
| Cotusion: | 1,816 | 6.20 % | Class Change: | 1,252 | 4.28 % | Bus Loading Area: | 165 | 0.56 % |
| Cut/Laceration/Puncture: | 3,080 | 10.52 % | Class Time: | 2,912 | 9.95 % | Cafeteria: | 977 | 3.34 % |
| Dental Injury: | 644 | 2.20 % | Lunch Period: | 1,082 | 3.70 % | Classroom: | 2,386 | 8.15 % |
| Dislocation (Possible): | 273 | 0.93 % | P.E. Class: | 3,969 | 13.56 % | Corridor/Hall: | 1,201 | 4.10 % |
| Eye Injury: | 704 | 2.40 % | Recess: | 4,029 | 13.76 % | Gymnasium/Pool: | 3,737 | 12.76 % |
| Fracture (Possible): | 2,395 | 8.18 % | Sci Lab/Fam & Consumer | | | Playground: | 3,616 | 12.35 % |
| Sprain/Strain/Tear (Possible): | 2,482 | 8.48 % | Sci & Tech ED Class: | 431 | 1.47 % | Restroom: | 395 | 1.35 % |
| Other: | 1,863 | 6.36 % | Other: | 1,099 | 3.75 % | School Bus/Public Bus: | 272 | 0.93 % |
| Grand Total Occurrences: | 16,460 | | Grand Total Occurrences: | 16,460 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 357 | 1.22 % |
| | | | | | | Sidewalk: | 220 | 0.75 % |
| | | | | | | Stairs/Ramp/Elevator: | 459 | 1.57 % |
| | | | | | | Street/Driveway/Parking: | 241 | 0.82 % |
| | | | | | | Other: | 918 | 3.14 % |
| | | | | | | Grand Total Occurrences: | 16,460 | |

Total Average Daily Enrollment: 801,903
 Injury Occurrence Rate*: 3.65 %

ACADEMY CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|----------|--|----------|----------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 2 | 50.00 % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 4 | 100.00 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 4 | 100.00 % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 2 | 50.00 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 4 | | Grand Total Occurrences: | 4 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 4 | |

Total Average Daily Enrollment: 201
 Injury Occurrence Rate*: 1.99 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
 Division of School Health

ALLEGHENY VALLEY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 3 | 15.00 % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 7 | 35.00 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 7 | 35.00 % |
| Fracture (Possible): | 4 | 20.00 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 3 | 15.00 % | Sci & Tech ED Class: | 3 | 15.00 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 10 | | Grand Total Occurrences: | 10 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 3 | 15.00 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 10 | |

Total Average Daily Enrollment: 1,129
Injury Occurrence Rate*: 1.77 %

AVONWORTH SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 2 | 4.55 % |
| Concussion (Possible): | 2 | 4.55 % | Before School: | 1 | 2.27 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 1 | 2.27 % | Bus Loading Area: | 1 | 2.27 % |
| Cut/Laceration/Puncture: | 2 | 4.55 % | Class Time: | 6 | 13.64 % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 2.27 % | Lunch Period: | 2 | 4.55 % | Classroom: | 3 | 6.82 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 6 | 13.64 % | Corridor/Hall: | 2 | 4.55 % |
| Eye Injury: | 1 | 2.27 % | Recess: | 6 | 13.64 % | Gymnasium/Pool: | 7 | 15.91 % |
| Fracture (Possible): | 9 | 20.45 % | Sci Lab/Fam & Consumer | | | Playground: | 7 | 15.91 % |
| Sprain/Strain/Tear (Possible): | 7 | 15.91 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 22 | | Grand Total Occurrences: | 22 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 22 | |

Total Average Daily Enrollment: 1,762
Injury Occurrence Rate*: 2.50 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

BALDWIN-WHITEHALL SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 0.64 % | Athletic Field/Play Field: | 3 | 1.92 % |
| Concussion (Possible): | 12 | 7.69 % | Before School: | 2 | 1.28 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 10 | 6.41 % | Class Change: | 5 | 3.21 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 19 | 12.18 % | Class Time: | 22 | 14.10 % | Cafeteria: | 3 | 1.92 % |
| Dental Injury: | 0 | - % | Lunch Period: | 3 | 1.92 % | Classroom: | 13 | 8.33 % |
| Dislocation (Possible): | 1 | 0.64 % | P.E. Class: | 37 | 23.72 % | Corridor/Hall: | 8 | 5.13 % |
| Eye Injury: | 5 | 3.21 % | Recess: | 1 | 0.64 % | Gymnasium/Pool: | 39 | 25.00 % |
| Fracture (Possible): | 11 | 7.05 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 15 | 9.62 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 5 | 3.21 % | Other: | 7 | 4.49 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 78 | | Grand Total Occurrences: | 78 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 4 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 2 | 1.28 % |
| | | | | | | Other: | 6 | 3.85 % |
| | | | | | | Grand Total Occurrences: | 78 | |

Total Average Daily Enrollment: 4,886
Injury Occurrence Rate*: 3.19 %

BETHEL PARK SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 0.59 % | After School: | 2 | 1.18 % | Athletic Field/Play Field: | 3 | 1.76 % |
| Concussion (Possible): | 22 | 12.94 % | Before School: | 4 | 2.35 % | Auditorium/Multipurpose: | 1 | 0.59 % |
| Cotusion: | 8 | 4.71 % | Class Change: | 8 | 4.71 % | Bus Loading Area: | 3 | 1.76 % |
| Cut/Laceration/Puncture: | 17 | 10.00 % | Class Time: | 13 | 7.65 % | Cafeteria: | 3 | 1.76 % |
| Dental Injury: | 1 | 0.59 % | Lunch Period: | 3 | 1.76 % | Classroom: | 12 | 7.06 % |
| Dislocation (Possible): | 1 | 0.59 % | P.E. Class: | 34 | 20.00 % | Corridor/Hall: | 5 | 2.94 % |
| Eye Injury: | 4 | 2.35 % | Recess: | 19 | 11.18 % | Gymnasium/Pool: | 33 | 19.41 % |
| Fracture (Possible): | 19 | 11.18 % | Sci Lab/Fam & Consumer | | | Playground: | 16 | 9.41 % |
| Sprain/Strain/Tear (Possible): | 6 | 3.53 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 6 | 3.53 % | Other: | 2 | 1.18 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 85 | | Grand Total Occurrences: | 85 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | - % |
| | | | | | | Sidewalk: | 1 | 0.59 % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 0.59 % |
| | | | | | | Street/Driveway/Parking: | 3 | 1.76 % |
| | | | | | | Other: | 3 | 1.76 % |
| | | | | | | Grand Total Occurrences: | 85 | |

Total Average Daily Enrollment: 5,240
Injury Occurrence Rate*: 3.24 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

BRENTWOOD BOROUGH SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 2.00 % | After School: | 0 | - % | Athletic Field/Play Field: | 2 | 4.00 % |
| Concussion (Possible): | 9 | 18.00 % | Before School: | 2 | 4.00 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 1 | 2.00 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 6 | 12.00 % | Class Time: | 3 | 6.00 % | Cafeteria: | 1 | 2.00 % |
| Dental Injury: | 0 | - % | Lunch Period: | 2 | 4.00 % | Classroom: | 4 | 8.00 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 6 | 12.00 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 1 | 2.00 % | Recess: | 10 | 20.00 % | Gymnasium/Pool: | 6 | 12.00 % |
| Fracture (Possible): | 4 | 8.00 % | Sci Lab/Fam & Consumer | | | Playground: | 8 | 16.00 % |
| Sprain/Strain/Tear (Possible): | 2 | 4.00 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 2 | 4.00 % | Other: | 1 | 2.00 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 25 | | Grand Total Occurrences: | 25 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | - % |
| | | | | | | Sidewalk: | 1 | 2.00 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 4.00 % |
| | | | | | | Grand Total Occurrences: | 25 | |

Total Average Daily Enrollment: 1,326
Injury Occurrence Rate*: 3.77 %

CAREER CONNECTIONS CHS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 8.33 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 2 | 16.67 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 8.33 % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 3 | 25.00 % | Class Time: | 8 | 66.67 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 9 | 75.00 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 3 | 25.00 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 1 | 8.33 % | Recess: | 0 | - % | Gymnasium/Pool: | 3 | 25.00 % |
| Fracture (Possible): | 2 | 16.67 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 3 | 25.00 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 12 | | Grand Total Occurrences: | 12 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 12 | |

Total Average Daily Enrollment: 241
Injury Occurrence Rate*: 4.99 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

CARLYNTON SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 11 | 3.82 % | After School: | 2 | 0.69 % | Athletic Field/Play Field: | 5 | 1.74 % |
| Concussion (Possible): | 4 | 1.39 % | Before School: | 6 | 2.08 % | Auditorium/Multipurpose: | 2 | 0.69 % |
| Cotusion: | 56 | 19.44 % | Class Change: | 2 | 0.69 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 29 | 10.07 % | Class Time: | 10 | 3.47 % | Cafeteria: | 4 | 1.39 % |
| Dental Injury: | 3 | 1.04 % | Lunch Period: | 4 | 1.39 % | Classroom: | 10 | 3.47 % |
| Dislocation (Possible): | 1 | 0.35 % | P.E. Class: | 104 | 36.11 % | Corridor/Hall: | 10 | 3.47 % |
| Eye Injury: | 2 | 0.69 % | Recess: | 10 | 3.47 % | Gymnasium/Pool: | 89 | 30.90 % |
| Fracture (Possible): | 19 | 6.60 % | Sci Lab/Fam & Consumer | | | Playground: | 11 | 3.82 % |
| Sprain/Strain/Tear (Possible): | 19 | 6.60 % | Sci & Tech ED Class: | 6 | 2.08 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 2 | 0.69 % |
| Grand Total Occurrences: | 144 | | Grand Total Occurrences: | 144 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 6 | 2.08 % |
| | | | | | | Sidewalk: | 1 | 0.35 % |
| | | | | | | Stairs/Ramp/Elevator: | 4 | 1.39 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 144 | |

Total Average Daily Enrollment: 1,720
Injury Occurrence Rate*: 16.75 %

CHARTIERS VALLEY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 0.74 % | Athletic Field/Play Field: | 5 | 3.68 % |
| Concussion (Possible): | 18 | 13.24 % | Before School: | 3 | 2.21 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 9 | 6.62 % | Class Change: | 6 | 4.41 % | Bus Loading Area: | 1 | 0.74 % |
| Cut/Laceration/Puncture: | 13 | 9.56 % | Class Time: | 19 | 13.97 % | Cafeteria: | 3 | 2.21 % |
| Dental Injury: | 5 | 3.68 % | Lunch Period: | 3 | 2.21 % | Classroom: | 19 | 13.97 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 13 | 9.56 % | Corridor/Hall: | 4 | 2.94 % |
| Eye Injury: | 0 | - % | Recess: | 18 | 13.24 % | Gymnasium/Pool: | 13 | 9.56 % |
| Fracture (Possible): | 10 | 7.35 % | Sci Lab/Fam & Consumer | | | Playground: | 12 | 8.82 % |
| Sprain/Strain/Tear (Possible): | 6 | 4.41 % | Sci & Tech ED Class: | 2 | 1.47 % | Restroom: | 1 | 0.74 % |
| Other: | 7 | 5.15 % | Other: | 3 | 2.21 % | School Bus/Public Bus: | 2 | 1.47 % |
| Grand Total Occurrences: | 68 | | Grand Total Occurrences: | 68 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | 1.47 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 2.21 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 3 | 2.21 % |
| | | | | | | Grand Total Occurrences: | 68 | |

Total Average Daily Enrollment: 3,729
Injury Occurrence Rate*: 3.65 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

CITY CHARTER HIGH SCHOOL

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 0 | | Grand Total Occurrences: | 0 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 0 | |

Total Average Daily Enrollment: 618
Injury Occurrence Rate*: - %

CLAIRTON CITY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 2 | 5.56 % | Athletic Field/Play Field: | 2 | 5.56 % |
| Concussion (Possible): | 8 | 22.22 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 6 | 16.67 % | Cafeteria: | 1 | 2.78 % |
| Dental Injury: | 0 | - % | Lunch Period: | 1 | 2.78 % | Classroom: | 4 | 11.11 % |
| Dislocation (Possible): | 1 | 2.78 % | P.E. Class: | 4 | 11.11 % | Corridor/Hall: | 1 | 2.78 % |
| Eye Injury: | 2 | 5.56 % | Recess: | 5 | 13.89 % | Gymnasium/Pool: | 5 | 13.89 % |
| Fracture (Possible): | 3 | 8.33 % | Sci Lab/Fam & Consumer | | | Playground: | 3 | 8.33 % |
| Sprain/Strain/Tear (Possible): | 2 | 5.56 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 2.78 % |
| Other: | 2 | 5.56 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 18 | | Grand Total Occurrences: | 18 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 1 | 2.78 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 18 | |

Total Average Daily Enrollment: 748
Injury Occurrence Rate*: 4.81 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

CORNELL SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 3 | 10.00 % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 2 | 6.67 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 0 | - % | Class Change: | 1 | 3.33 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 3 | 10.00 % | Class Time: | 3 | 10.00 % | Cafeteria: | 1 | 3.33 % |
| Dental Injury: | 0 | - % | Lunch Period: | 1 | 3.33 % | Classroom: | 5 | 16.67 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 4 | 13.33 % | Corridor/Hall: | 1 | 3.33 % |
| Eye Injury: | 1 | 3.33 % | Recess: | 3 | 10.00 % | Gymnasium/Pool: | 3 | 10.00 % |
| Fracture (Possible): | 2 | 6.67 % | Sci Lab/Fam & Consumer | | | Playground: | 2 | 6.67 % |
| Sprain/Strain/Tear (Possible): | 4 | 13.33 % | Sci & Tech ED Class: | 3 | 10.00 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 15 | | Grand Total Occurrences: | 15 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 3 | 10.00 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 15 | |

Total Average Daily Enrollment: 617

Injury Occurrence Rate*: 4.86 %

DEER LAKES SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 8 | 11.43 % |
| Concussion (Possible): | 8 | 11.43 % | Before School: | 1 | 1.43 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 1 | 1.43 % | Class Change: | 1 | 1.43 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 7 | 10.00 % | Class Time: | 2 | 2.86 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 8 | 11.43 % |
| Dislocation (Possible): | 1 | 1.43 % | P.E. Class: | 24 | 34.29 % | Corridor/Hall: | 1 | 1.43 % |
| Eye Injury: | 1 | 1.43 % | Recess: | 5 | 7.14 % | Gymnasium/Pool: | 12 | 17.14 % |
| Fracture (Possible): | 10 | 14.29 % | Sci Lab/Fam & Consumer | | | Playground: | 4 | 5.71 % |
| Sprain/Strain/Tear (Possible): | 6 | 8.57 % | Sci & Tech ED Class: | 1 | 1.43 % | Restroom: | 0 | - % |
| Other: | 1 | 1.43 % | Other: | 1 | 1.43 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 35 | | Grand Total Occurrences: | 35 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 1.43 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 1.43 % |
| | | | | | | Grand Total Occurrences: | 35 | |

Total Average Daily Enrollment: 1,899

Injury Occurrence Rate*: 3.69 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

EAST ALLEGHENY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 3 | 7.50 % | Athletic Field/Play Field: | 5 | 12.50 % |
| Concussion (Possible): | 5 | 12.50 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 2 | 5.00 % | Class Change: | 1 | 2.50 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 1 | 2.50 % | Class Time: | 3 | 7.50 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 3 | 7.50 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 8 | 20.00 % | Corridor/Hall: | 1 | 2.50 % |
| Eye Injury: | 2 | 5.00 % | Recess: | 4 | 10.00 % | Gymnasium/Pool: | 8 | 20.00 % |
| Fracture (Possible): | 5 | 12.50 % | Sci Lab/Fam & Consumer | | | Playground: | 2 | 5.00 % |
| Sprain/Strain/Tear (Possible): | 5 | 12.50 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 1 | 2.50 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 20 | | Grand Total Occurrences: | 20 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 2.50 % |
| | | | | | | Grand Total Occurrences: | 20 | |

Total Average Daily Enrollment: 1,745

Injury Occurrence Rate*: 2.29 %

ELIZABETH FORWARD SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 2.27 % | After School: | 2 | 4.55 % | Athletic Field/Play Field: | 4 | 9.09 % |
| Concussion (Possible): | 4 | 9.09 % | Before School: | 1 | 2.27 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 7 | 15.91 % | Class Change: | 7 | 15.91 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 1 | 2.27 % | Class Time: | 5 | 11.36 % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 2.27 % | Lunch Period: | 0 | - % | Classroom: | 3 | 6.82 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 3 | 6.82 % | Corridor/Hall: | 3 | 6.82 % |
| Eye Injury: | 1 | 2.27 % | Recess: | 4 | 9.09 % | Gymnasium/Pool: | 1 | 2.27 % |
| Fracture (Possible): | 3 | 6.82 % | Sci Lab/Fam & Consumer | | | Playground: | 4 | 9.09 % |
| Sprain/Strain/Tear (Possible): | 4 | 9.09 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 2.27 % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 22 | | Grand Total Occurrences: | 22 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | - % |
| | | | | | | Sidewalk: | 3 | 6.82 % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 2.27 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 22 | |

Total Average Daily Enrollment: 2,373

Injury Occurrence Rate*: 1.85 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

ENVIRONMENTAL CHARTER SCHOOL AT FRICK

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 1 | 25.00 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 1 | 25.00 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 1 | 25.00 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 1 | 25.00 % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 1 | 25.00 % |
| Eye Injury: | 0 | - % | Recess: | 2 | 50.00 % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 2 | 50.00 % | Sci Lab/Fam & Consumer | | | Playground: | 3 | 75.00 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 4 | | Grand Total Occurrences: | 4 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 4 | |

Total Average Daily Enrollment: 521

Injury Occurrence Rate*: 0.77 %

FOX CHAPEL AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 0.52 % | After School: | 18 | 9.28 % | Athletic Field/Play Field: | 21 | 10.82 % |
| Concussion (Possible): | 26 | 13.40 % | Before School: | 3 | 1.55 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 6 | 3.09 % | Class Change: | 2 | 1.03 % | Bus Loading Area: | 1 | 0.52 % |
| Cut/Laceration/Puncture: | 14 | 7.22 % | Class Time: | 21 | 10.82 % | Cafeteria: | 2 | 1.03 % |
| Dental Injury: | 2 | 1.03 % | Lunch Period: | 2 | 1.03 % | Classroom: | 17 | 8.76 % |
| Dislocation (Possible): | 1 | 0.52 % | P.E. Class: | 23 | 11.86 % | Corridor/Hall: | 2 | 1.03 % |
| Eye Injury: | 6 | 3.09 % | Recess: | 25 | 12.89 % | Gymnasium/Pool: | 23 | 11.86 % |
| Fracture (Possible): | 18 | 9.28 % | Sci Lab/Fam & Consumer | | | Playground: | 23 | 11.86 % |
| Sprain/Strain/Tear (Possible): | 18 | 9.28 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 0.52 % |
| Other: | 5 | 2.58 % | Other: | 3 | 1.55 % | School Bus/Public Bus: | 1 | 0.52 % |
| Grand Total Occurrences: | 97 | | Grand Total Occurrences: | 97 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | - % |
| | | | | | | Sidewalk: | 1 | 0.52 % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 1.03 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 1.03 % |
| | | | | | | Grand Total Occurrences: | 97 | |

Total Average Daily Enrollment: 5,352

Injury Occurrence Rate*: 3.62 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

GATEWAY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 0.89 % | After School: | 3 | 2.68 % | Athletic Field/Play Field: | 2 | 1.79 % |
| Concussion (Possible): | 7 | 6.25 % | Before School: | 1 | 0.89 % | Auditorium/Multipurpose: | 1 | 0.89 % |
| Contusion: | 6 | 5.36 % | Class Change: | 8 | 7.14 % | Bus Loading Area: | 1 | 0.89 % |
| Cut/Laceration/Puncture: | 6 | 5.36 % | Class Time: | 6 | 5.36 % | Cafeteria: | 0 | - % |
| Dental Injury: | 4 | 3.57 % | Lunch Period: | 0 | - % | Classroom: | 6 | 5.36 % |
| Dislocation (Possible): | 1 | 0.89 % | P.E. Class: | 13 | 11.61 % | Corridor/Hall: | 7 | 6.25 % |
| Eye Injury: | 3 | 2.68 % | Recess: | 23 | 20.54 % | Gymnasium/Pool: | 12 | 10.71 % |
| Fracture (Possible): | 17 | 15.18 % | Sci Lab/Fam & Consumer | | | Playground: | 23 | 20.54 % |
| Sprain/Strain/Tear (Possible): | 9 | 8.04 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 2 | 1.79 % | Other: | 2 | 1.79 % | School Bus/Public Bus: | 1 | 0.89 % |
| Grand Total Occurrences: | 56 | | Grand Total Occurrences: | 56 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 3 | 2.68 % |
| | | | | | | Grand Total Occurrences: | 56 | |

Total Average Daily Enrollment: 3,988
Injury Occurrence Rate*: 2.81 %

HAMPTON TOWNSHIP SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 0.72 % | Athletic Field/Play Field: | 7 | 5.07 % |
| Concussion (Possible): | 18 | 13.04 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 4 | 2.90 % | Class Change: | 5 | 3.62 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 9 | 6.52 % | Class Time: | 12 | 8.70 % | Cafeteria: | 2 | 1.45 % |
| Dental Injury: | 7 | 5.07 % | Lunch Period: | 3 | 2.17 % | Classroom: | 11 | 7.97 % |
| Dislocation (Possible): | 5 | 3.62 % | P.E. Class: | 25 | 18.12 % | Corridor/Hall: | 3 | 2.17 % |
| Eye Injury: | 3 | 2.17 % | Recess: | 19 | 13.77 % | Gymnasium/Pool: | 24 | 17.39 % |
| Fracture (Possible): | 18 | 13.04 % | Sci Lab/Fam & Consumer | | | Playground: | 16 | 11.59 % |
| Sprain/Strain/Tear (Possible): | 3 | 2.17 % | Sci & Tech ED Class: | 3 | 2.17 % | Restroom: | 0 | - % |
| Other: | 2 | 1.45 % | Other: | 1 | 0.72 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 69 | | Grand Total Occurrences: | 69 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 3 | 2.17 % |
| | | | | | | Sidewalk: | 2 | 1.45 % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 0.72 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 69 | |

Total Average Daily Enrollment: 3,652
Injury Occurrence Rate*: 3.78 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

HIGHLANDS SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 4 | 6.25 % | Athletic Field/Play Field: | 3 | 4.69 % |
| Concussion (Possible): | 11 | 17.19 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 2 | 3.13 % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 6 | 9.38 % | Class Time: | 6 | 9.38 % | Cafeteria: | 1 | 1.56 % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 6 | 9.38 % |
| Dislocation (Possible): | 1 | 1.56 % | P.E. Class: | 9 | 14.06 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 12 | 18.75 % | Gymnasium/Pool: | 11 | 17.19 % |
| Fracture (Possible): | 3 | 4.69 % | Sci Lab/Fam & Consumer | | | Playground: | 8 | 12.50 % |
| Sprain/Strain/Tear (Possible): | 8 | 12.50 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 1 | 1.56 % | Other: | 1 | 1.56 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 32 | | Grand Total Occurrences: | 32 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 1.56 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 3.13 % |
| | | | | | | Grand Total Occurrences: | 32 | |

Total Average Daily Enrollment: 2,863
Injury Occurrence Rate*: 2.24 %

KEYSTONE OAKS SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 1.02 % | Athletic Field/Play Field: | 4 | 4.08 % |
| Concussion (Possible): | 16 | 16.33 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 4 | 4.08 % | Class Change: | 3 | 3.06 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 7 | 7.14 % | Class Time: | 12 | 12.24 % | Cafeteria: | 2 | 2.04 % |
| Dental Injury: | 2 | 2.04 % | Lunch Period: | 2 | 2.04 % | Classroom: | 6 | 6.12 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 9 | 9.18 % | Corridor/Hall: | 2 | 2.04 % |
| Eye Injury: | 2 | 2.04 % | Recess: | 19 | 19.39 % | Gymnasium/Pool: | 15 | 15.31 % |
| Fracture (Possible): | 14 | 14.29 % | Sci Lab/Fam & Consumer | | | Playground: | 15 | 15.31 % |
| Sprain/Strain/Tear (Possible): | 2 | 2.04 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 2 | 2.04 % | Other: | 3 | 3.06 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 49 | | Grand Total Occurrences: | 49 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 1.02 % |
| | | | | | | Street/Driveway/Parking: | 1 | 1.02 % |
| | | | | | | Other: | 2 | 2.04 % |
| | | | | | | Grand Total Occurrences: | 49 | |

Total Average Daily Enrollment: 2,378
Injury Occurrence Rate*: 4.12 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

MANCHESTER ACADEMIC CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 21 | 29.17 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 10 | 13.89 % |
| Contusion: | 17 | 23.61 % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 18 | 25.00 % | Class Time: | 21 | 29.17 % | Cafeteria: | 10 | 13.89 % |
| Dental Injury: | 2 | 2.78 % | Lunch Period: | 10 | 13.89 % | Classroom: | 21 | 29.17 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 31 | 43.06 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 10 | 13.89 % | Gymnasium/Pool: | 31 | 43.06 % |
| Fracture (Possible): | 3 | 4.17 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 11 | 15.28 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 72 | | Grand Total Occurrences: | 72 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 72 | |

Total Average Daily Enrollment: 249

Injury Occurrence Rate*: 28.92 %

MCKEESPORT AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 3 | 3.95 % | After School: | 0 | - % | Athletic Field/Play Field: | 2 | 2.63 % |
| Concussion (Possible): | 5 | 6.58 % | Before School: | 1 | 1.32 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 3 | 3.95 % | Class Change: | 1 | 1.32 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 6 | 7.89 % | Class Time: | 8 | 10.53 % | Cafeteria: | 0 | - % |
| Dental Injury: | 2 | 2.63 % | Lunch Period: | 5 | 6.58 % | Classroom: | 8 | 10.53 % |
| Dislocation (Possible): | 2 | 2.63 % | P.E. Class: | 5 | 6.58 % | Corridor/Hall: | 2 | 2.63 % |
| Eye Injury: | 3 | 3.95 % | Recess: | 7 | 9.21 % | Gymnasium/Pool: | 9 | 11.84 % |
| Fracture (Possible): | 1 | 1.32 % | Sci Lab/Fam & Consumer | | | Playground: | 10 | 13.16 % |
| Sprain/Strain/Tear (Possible): | 13 | 17.11 % | Sci & Tech ED Class: | 2 | 2.63 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 9 | 11.84 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 38 | | Grand Total Occurrences: | 38 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | 2.63 % |
| | | | | | | Sidewalk: | 2 | 2.63 % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 2.63 % |
| | | | | | | Street/Driveway/Parking: | 1 | 1.32 % |
| | | | | | | Other: | 2 | 2.63 % |
| | | | | | | Grand Total Occurrences: | 38 | |

Total Average Daily Enrollment: 4,039

Injury Occurrence Rate*: 1.88 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

MONTOUR SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 0.94 % | Athletic Field/Play Field: | 3 | 2.83 % |
| Concussion (Possible): | 7 | 6.60 % | Before School: | 3 | 2.83 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 5 | 4.72 % | Class Change: | 2 | 1.89 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 15 | 14.15 % | Class Time: | 13 | 12.26 % | Cafeteria: | 1 | 0.94 % |
| Dental Injury: | 2 | 1.89 % | Lunch Period: | 6 | 5.66 % | Classroom: | 12 | 11.32 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 15 | 14.15 % | Corridor/Hall: | 2 | 1.89 % |
| Eye Injury: | 6 | 5.66 % | Recess: | 13 | 12.26 % | Gymnasium/Pool: | 13 | 12.26 % |
| Fracture (Possible): | 6 | 5.66 % | Sci Lab/Fam & Consumer | | | Playground: | 15 | 14.15 % |
| Sprain/Strain/Tear (Possible): | 10 | 9.43 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 2 | 1.89 % | Other: | 0 | - % | School Bus/Public Bus: | 3 | 2.83 % |
| Grand Total Occurrences: | 53 | | Grand Total Occurrences: | 53 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | - % |
| | | | | | | Sidewalk: | 2 | 1.89 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.94 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 53 | |

Total Average Daily Enrollment: 3,296
Injury Occurrence Rate*: 3.22 %

MOON AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 7 | 2.16 % | After School: | 3 | 0.93 % | Athletic Field/Play Field: | 32 | 9.88 % |
| Concussion (Possible): | 38 | 11.73 % | Before School: | 6 | 1.85 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 14 | 4.32 % | Class Change: | 18 | 5.56 % | Bus Loading Area: | 5 | 1.54 % |
| Cut/Laceration/Puncture: | 39 | 12.04 % | Class Time: | 28 | 8.64 % | Cafeteria: | 11 | 3.40 % |
| Dental Injury: | 3 | 0.93 % | Lunch Period: | 9 | 2.78 % | Classroom: | 24 | 7.41 % |
| Dislocation (Possible): | 5 | 1.54 % | P.E. Class: | 57 | 17.59 % | Corridor/Hall: | 17 | 5.25 % |
| Eye Injury: | 4 | 1.23 % | Recess: | 22 | 6.79 % | Gymnasium/Pool: | 10 | 3.09 % |
| Fracture (Possible): | 10 | 3.09 % | Sci Lab/Fam & Consumer | | | Playground: | 15 | 4.63 % |
| Sprain/Strain/Tear (Possible): | 41 | 12.65 % | Sci & Tech ED Class: | 15 | 4.63 % | Restroom: | 7 | 2.16 % |
| Other: | 1 | 0.31 % | Other: | 4 | 1.23 % | School Bus/Public Bus: | 2 | 0.62 % |
| Grand Total Occurrences: | 162 | | Grand Total Occurrences: | 162 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 15 | 4.63 % |
| | | | | | | Sidewalk: | 2 | 0.62 % |
| | | | | | | Stairs/Ramp/Elevator: | 12 | 3.70 % |
| | | | | | | Street/Driveway/Parking: | 3 | 0.93 % |
| | | | | | | Other: | 7 | 2.16 % |
| | | | | | | Grand Total Occurrences: | 162 | |

Total Average Daily Enrollment: 4,279
Injury Occurrence Rate*: 7.57 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

MT LEBANON SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 1 | 0.28 % | After School: | 5 | 1.40 % | Athletic Field/Play Field: | 7 | 1.96 % |
| Concussion (Possible): | 47 | 13.13 % | Before School: | 8 | 2.23 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 7 | 1.96 % | Class Change: | 19 | 5.31 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 27 | 7.54 % | Class Time: | 24 | 6.70 % | Cafeteria: | 3 | 0.84 % |
| Dental Injury: | 13 | 3.63 % | Lunch Period: | 13 | 3.63 % | Classroom: | 19 | 5.31 % |
| Dislocation (Possible): | 3 | 0.84 % | P.E. Class: | 45 | 12.57 % | Corridor/Hall: | 19 | 5.31 % |
| Eye Injury: | 8 | 2.23 % | Recess: | 63 | 17.60 % | Gymnasium/Pool: | 44 | 12.29 % |
| Fracture (Possible): | 40 | 11.17 % | Sci Lab/Fam & Consumer | | | Playground: | 73 | 20.39 % |
| Sprain/Strain/Tear (Possible): | 20 | 5.59 % | Sci & Tech ED Class: | 2 | 0.56 % | Restroom: | 2 | 0.56 % |
| Other: | 13 | 3.63 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 179 | | Grand Total Occurrences: | 179 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | 0.56 % |
| | | | | | | Sidewalk: | 7 | 1.96 % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 0.56 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 0.28 % |
| | | | | | | Grand Total Occurrences: | 179 | |

Total Average Daily Enrollment: 5,216
Injury Occurrence Rate*: 6.86 %

NORTH ALLEGHENY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 0.96 % | After School: | 1 | 0.96 % | Athletic Field/Play Field: | 6 | 5.77 % |
| Concussion (Possible): | 9 | 8.65 % | Before School: | 1 | 0.96 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 0 | - % | Class Change: | 1 | 0.96 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 8 | 7.69 % | Class Time: | 1 | 0.96 % | Cafeteria: | 1 | 0.96 % |
| Dental Injury: | 2 | 1.92 % | Lunch Period: | 2 | 1.92 % | Classroom: | 8 | 7.69 % |
| Dislocation (Possible): | 1 | 0.96 % | P.E. Class: | 21 | 20.19 % | Corridor/Hall: | 2 | 1.92 % |
| Eye Injury: | 4 | 3.85 % | Recess: | 14 | 13.46 % | Gymnasium/Pool: | 16 | 15.38 % |
| Fracture (Possible): | 16 | 15.38 % | Sci Lab/Fam & Consumer | | | Playground: | 14 | 13.46 % |
| Sprain/Strain/Tear (Possible): | 9 | 8.65 % | Sci & Tech ED Class: | 1 | 0.96 % | Restroom: | 0 | - % |
| Other: | 2 | 1.92 % | Other: | 10 | 9.62 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 52 | | Grand Total Occurrences: | 52 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | 0.96 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.96 % |
| | | | | | | Other: | 4 | 3.85 % |
| | | | | | | Grand Total Occurrences: | 52 | |

Total Average Daily Enrollment: 8,818
Injury Occurrence Rate*: 1.18 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

NORTH HILLS SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 0 | - % | After School: | 3 | 1.23 % | Athletic Field/Play Field: | 25 | 10.25 % |
| Concussion (Possible): | 12 | 4.92 % | Before School: | 1 | 0.41 % | Auditorium/Multipurpose: | 4 | 1.64 % |
| Cotusion: | 25 | 10.25 % | Class Change: | 9 | 3.69 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 23 | 9.43 % | Class Time: | 13 | 5.33 % | Cafeteria: | 3 | 1.23 % |
| Dental Injury: | 5 | 2.05 % | Lunch Period: | 7 | 2.87 % | Classroom: | 9 | 3.69 % |
| Dislocation (Possible): | 2 | 0.82 % | P.E. Class: | 56 | 22.95 % | Corridor/Hall: | 14 | 5.74 % |
| Eye Injury: | 2 | 0.82 % | Recess: | 29 | 11.89 % | Gymnasium/Pool: | 33 | 13.52 % |
| Fracture (Possible): | 33 | 13.52 % | Sci Lab/Fam & Consumer | | | Playground: | 27 | 11.07 % |
| Sprain/Strain/Tear (Possible): | 18 | 7.38 % | Sci & Tech ED Class: | 4 | 1.64 % | Restroom: | 0 | - % |
| Other: | 2 | 0.82 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 122 | | Grand Total Occurrences: | 122 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 4 | 1.64 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 0.82 % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.41 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 122 | |

Total Average Daily Enrollment: 4,935
Injury Occurrence Rate*: 4.94 %

NORTHGATE SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 5 | 9.62 % | Athletic Field/Play Field: | 2 | 3.85 % |
| Concussion (Possible): | 4 | 7.69 % | Before School: | 2 | 3.85 % | Auditorium/Multipurpose: | 1 | 1.92 % |
| Cotusion: | 3 | 5.77 % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 5 | 9.62 % | Class Time: | 1 | 1.92 % | Cafeteria: | 2 | 3.85 % |
| Dental Injury: | 1 | 1.92 % | Lunch Period: | 2 | 3.85 % | Classroom: | 2 | 3.85 % |
| Dislocation (Possible): | 2 | 3.85 % | P.E. Class: | 11 | 21.15 % | Corridor/Hall: | 3 | 5.77 % |
| Eye Injury: | 2 | 3.85 % | Recess: | 4 | 7.69 % | Gymnasium/Pool: | 7 | 13.46 % |
| Fracture (Possible): | 4 | 7.69 % | Sci Lab/Fam & Consumer | | | Playground: | 4 | 7.69 % |
| Sprain/Strain/Tear (Possible): | 5 | 9.62 % | Sci & Tech ED Class: | 1 | 1.92 % | Restroom: | 1 | 1.92 % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 26 | | Grand Total Occurrences: | 26 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 1.92 % |
| | | | | | | Sidewalk: | 1 | 1.92 % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 1.92 % |
| | | | | | | Street/Driveway/Parking: | 1 | 1.92 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 26 | |

Total Average Daily Enrollment: 1,311
Injury Occurrence Rate*: 3.97 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

NORTHSIDE URBAN PATHWAYS CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 1 | 33.33 % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 1 | 33.33 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 1 | 33.33 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 1 | 33.33 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 1 | 33.33 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 33.33 % |
| Other: | 0 | - % | Other: | 1 | 33.33 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 3 | | Grand Total Occurrences: | 3 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 33.33 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 33.33 % |
| | | | | | | Grand Total Occurrences: | 3 | |

Total Average Daily Enrollment: 311
Injury Occurrence Rate*: 0.97 %

PA LEARNERS ONLINE REGIONAL CYBER CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 0 | | Grand Total Occurrences: | 0 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 0 | |

Total Average Daily Enrollment: 280
Injury Occurrence Rate*: - %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

PENN HILLS CHARTER SCHOOL FOR

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 0 | | Grand Total Occurrences: | 0 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 0 | |

Total Average Daily Enrollment: 343
Injury Occurrence Rate*: - %

PENN HILLS SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 3 | 5.00 % | Athletic Field/Play Field: | 2 | 3.33 % |
| Concussion (Possible): | 9 | 15.00 % | Before School: | 2 | 3.33 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 4 | 6.67 % | Class Change: | 2 | 3.33 % | Bus Loading Area: | 3 | 5.00 % |
| Cut/Laceration/Puncture: | 7 | 11.67 % | Class Time: | 3 | 5.00 % | Cafeteria: | 1 | 1.67 % |
| Dental Injury: | 2 | 3.33 % | Lunch Period: | 3 | 5.00 % | Classroom: | 0 | - % |
| Dislocation (Possible): | 1 | 1.67 % | P.E. Class: | 7 | 11.67 % | Corridor/Hall: | 2 | 3.33 % |
| Eye Injury: | 1 | 1.67 % | Recess: | 9 | 15.00 % | Gymnasium/Pool: | 7 | 11.67 % |
| Fracture (Possible): | 2 | 3.33 % | Sci Lab/Fam & Consumer | | | Playground: | 9 | 15.00 % |
| Sprain/Strain/Tear (Possible): | 4 | 6.67 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 2 | 3.33 % |
| Other: | 0 | - % | Other: | 1 | 1.67 % | School Bus/Public Bus: | 1 | 1.67 % |
| Grand Total Occurrences: | 30 | | Grand Total Occurrences: | 30 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 2 | 3.33 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 1.67 % |
| | | | | | | Grand Total Occurrences: | 30 | |

Total Average Daily Enrollment: 3,435
Injury Occurrence Rate*: 1.75 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

PENNSYLVANIA DISTANCE LEARNING CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 0 | | Grand Total Occurrences: | 0 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 0 | |

Total Average Daily Enrollment: 355
Injury Occurrence Rate*: - %

PINE-RICHLAND SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 2 | 1.28 % | After School: | 0 | - % | Athletic Field/Play Field: | 8 | 5.13 % |
| Concussion (Possible): | 24 | 15.38 % | Before School: | 4 | 2.56 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 3 | 1.92 % | Class Change: | 10 | 6.41 % | Bus Loading Area: | 1 | 0.64 % |
| Cut/Laceration/Puncture: | 12 | 7.69 % | Class Time: | 22 | 14.10 % | Cafeteria: | 0 | - % |
| Dental Injury: | 2 | 1.28 % | Lunch Period: | 1 | 0.64 % | Classroom: | 4 | 2.56 % |
| Dislocation (Possible): | 3 | 1.92 % | P.E. Class: | 15 | 9.62 % | Corridor/Hall: | 10 | 6.41 % |
| Eye Injury: | 2 | 1.28 % | Recess: | 25 | 16.03 % | Gymnasium/Pool: | 24 | 15.38 % |
| Fracture (Possible): | 25 | 16.03 % | Sci Lab/Fam & Consumer | | | Playground: | 27 | 17.31 % |
| Sprain/Strain/Tear (Possible): | 4 | 2.56 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 1 | 0.64 % | Other: | 1 | 0.64 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 78 | | Grand Total Occurrences: | 78 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 1.28 % |
| | | | | | | Street/Driveway/Parking: | 2 | 1.28 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 78 | |

Total Average Daily Enrollment: 5,194
Injury Occurrence Rate*: 3.00 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

PITTSBURGH SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|--------------|---------|--|--------------|---------|--|--------------|---------|
| Burn: | 28 | 0.84 % | After School: | 28 | 0.84 % | Athletic Field/Play Field: | 59 | 1.76 % |
| Concussion (Possible): | 155 | 4.63 % | Before School: | 40 | 1.19 % | Auditorium/Multipurpose: | 20 | 0.60 % |
| Cotusion: | 85 | 2.54 % | Class Change: | 205 | 6.12 % | Bus Loading Area: | 8 | 0.24 % |
| Cut/Laceration/Puncture: | 227 | 6.78 % | Class Time: | 206 | 6.15 % | Cafeteria: | 105 | 3.13 % |
| Dental Injury: | 65 | 1.94 % | Lunch Period: | 125 | 3.73 % | Classroom: | 195 | 5.82 % |
| Dislocation (Possible): | 29 | 0.87 % | P.E. Class: | 312 | 9.31 % | Corridor/Hall: | 205 | 6.12 % |
| Eye Injury: | 38 | 1.13 % | Recess: | 276 | 8.24 % | Gymnasium/Pool: | 309 | 9.22 % |
| Fracture (Possible): | 138 | 4.12 % | Sci Lab/Fam & Consumer | | | Playground: | 282 | 8.42 % |
| Sprain/Strain/Tear (Possible): | 780 | 23.28 % | Sci & Tech ED Class: | 17 | 0.51 % | Restroom: | 93 | 2.78 % |
| Other: | 130 | 3.88 % | Other: | 466 | 13.91 % | School Bus/Public Bus: | 43 | 1.28 % |
| Grand Total Occurrences: | 1,675 | | Grand Total Occurrences: | 1,675 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 17 | 0.51 % |
| | | | | | | Sidewalk: | 39 | 1.16 % |
| | | | | | | Stairs/Ramp/Elevator: | 122 | 3.64 % |
| | | | | | | Street/Driveway/Parking: | 39 | 1.16 % |
| | | | | | | Other: | 139 | 4.15 % |
| | | | | | | Grand Total Occurrences: | 1,675 | |

Total Average Daily Enrollment: 31,598
Injury Occurrence Rate*: 10.60 %

PLUM BOROUGH SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 0 | - % | After School: | 2 | 0.63 % | Athletic Field/Play Field: | 4 | 1.26 % |
| Concussion (Possible): | 41 | 12.89 % | Before School: | 4 | 1.26 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 12 | 3.77 % | Class Change: | 7 | 2.20 % | Bus Loading Area: | 1 | 0.31 % |
| Cut/Laceration/Puncture: | 15 | 4.72 % | Class Time: | 26 | 8.18 % | Cafeteria: | 3 | 0.94 % |
| Dental Injury: | 13 | 4.09 % | Lunch Period: | 4 | 1.26 % | Classroom: | 16 | 5.03 % |
| Dislocation (Possible): | 2 | 0.63 % | P.E. Class: | 36 | 11.32 % | Corridor/Hall: | 6 | 1.89 % |
| Eye Injury: | 11 | 3.46 % | Recess: | 67 | 21.07 % | Gymnasium/Pool: | 42 | 13.21 % |
| Fracture (Possible): | 23 | 7.23 % | Sci Lab/Fam & Consumer | | | Playground: | 63 | 19.81 % |
| Sprain/Strain/Tear (Possible): | 37 | 11.64 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 2 | 0.63 % |
| Other: | 5 | 1.57 % | Other: | 13 | 4.09 % | School Bus/Public Bus: | 2 | 0.63 % |
| Grand Total Occurrences: | 159 | | Grand Total Occurrences: | 159 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 0.63 % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.31 % |
| | | | | | | Other: | 15 | 4.72 % |
| | | | | | | Grand Total Occurrences: | 159 | |

Total Average Daily Enrollment: 4,071
Injury Occurrence Rate*: 7.81 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

PROPEL CHARTER SCHOOL - BRADDOCK HILLS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|----------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 4 | 100.00 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 2 | 50.00 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 2 | 50.00 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 2 | 50.00 % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 2 | 50.00 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 4 | | Grand Total Occurrences: | 4 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 4 | |

Total Average Daily Enrollment: 556
Injury Occurrence Rate*: 0.72 %

PROPEL CS - PITCAIRN

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 1 | 33.33 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 33.33 % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 2 | 66.67 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 1 | 33.33 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 1 | 33.33 % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 2 | 66.67 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 1 | 33.33 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 3 | | Grand Total Occurrences: | 3 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 3 | |

Total Average Daily Enrollment: 257
Injury Occurrence Rate*: 1.17 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

PROPEL CS-EAST

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 1 | 16.67 % | Before School: | 1 | 16.67 % | Auditorium/Multipurpose: | 2 | 33.33 % |
| Contusion: | 2 | 33.33 % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 1 | 16.67 % | Class Time: | 2 | 33.33 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 3 | 50.00 % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 2 | 33.33 % | Sci Lab/Fam & Consumer | | | Playground: | 1 | 16.67 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 2 | 33.33 % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 1 | 16.67 % |
| Grand Total Occurrences: | 6 | | Grand Total Occurrences: | 6 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 6 | |

Total Average Daily Enrollment: 406
Injury Occurrence Rate*: 1.48 %

PROPEL CS-HOMESTEAD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|----------|--|----------|----------|--|----------|----------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 1 | 100.00 % | Other: | 1 | 100.00 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 1 | | Grand Total Occurrences: | 1 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 1 | 100.00 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 1 | |

Total Average Daily Enrollment: 576
Injury Occurrence Rate*: 0.17 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

PROPEL CS-MCKEESPORT

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 1 | 33.33 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 1 | 33.33 % |
| Dental Injury: | 0 | - % | Lunch Period: | 2 | 66.67 % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 1 | 33.33 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 2 | 66.67 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 3 | | Grand Total Occurrences: | 3 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 66.67 % |
| | | | | | | Grand Total Occurrences: | 3 | |

Total Average Daily Enrollment: 371
Injury Occurrence Rate*: 0.81 %

PROPEL CS-MONTOUR

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 1 | 33.33 % | Before School: | 1 | 33.33 % | Auditorium/Multipurpose: | 1 | 33.33 % |
| Contusion: | 0 | - % | Class Change: | 2 | 66.67 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 1 | 33.33 % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 1 | 33.33 % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 1 | 33.33 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 3 | | Grand Total Occurrences: | 3 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 1 | 33.33 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 3 | |

Total Average Daily Enrollment: 400
Injury Occurrence Rate*: 0.75 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

PROPEL CS-NORTHSIDE

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 0 | | Grand Total Occurrences: | 0 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 0 | |

Total Average Daily Enrollment: 237
Injury Occurrence Rate*: - %

QUAKER VALLEY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 2.08 % | Athletic Field/Play Field: | 6 | 12.50 % |
| Concussion (Possible): | 9 | 18.75 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 1 | 2.08 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 9 | 18.75 % | Class Time: | 4 | 8.33 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 2 | 4.17 % | Classroom: | 4 | 8.33 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 6 | 12.50 % | Corridor/Hall: | 2 | 4.17 % |
| Eye Injury: | 0 | - % | Recess: | 8 | 16.67 % | Gymnasium/Pool: | 3 | 6.25 % |
| Fracture (Possible): | 3 | 6.25 % | Sci Lab/Fam & Consumer | | | Playground: | 5 | 10.42 % |
| Sprain/Strain/Tear (Possible): | 2 | 4.17 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 1 | 2.08 % | Other: | 2 | 4.17 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 24 | | Grand Total Occurrences: | 24 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 2.08 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 4.17 % |
| | | | | | | Grand Total Occurrences: | 24 | |

Total Average Daily Enrollment: 2,884
Injury Occurrence Rate*: 1.66 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

RIVERVIEW SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 3.33 % | Athletic Field/Play Field: | 2 | 6.67 % |
| Concussion (Possible): | 3 | 10.00 % | Before School: | 1 | 3.33 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 3.33 % | Class Change: | 2 | 6.67 % | Bus Loading Area: | 1 | 3.33 % |
| Cut/Laceration/Puncture: | 3 | 10.00 % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 1 | 3.33 % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 5 | 16.67 % | Corridor/Hall: | 2 | 6.67 % |
| Eye Injury: | 0 | - % | Recess: | 4 | 13.33 % | Gymnasium/Pool: | 4 | 13.33 % |
| Fracture (Possible): | 5 | 16.67 % | Sci Lab/Fam & Consumer | | | Playground: | 4 | 13.33 % |
| Sprain/Strain/Tear (Possible): | 3 | 10.00 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 1 | 3.33 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 15 | | Grand Total Occurrences: | 15 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 6.67 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 15 | |

Total Average Daily Enrollment: 1,236
Injury Occurrence Rate*: 2.43 %

SHALER AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 1 | 0.38 % | After School: | 3 | 1.14 % | Athletic Field/Play Field: | 20 | 7.58 % |
| Concussion (Possible): | 31 | 11.74 % | Before School: | 4 | 1.52 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 15 | 5.68 % | Class Change: | 16 | 6.06 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 19 | 7.20 % | Class Time: | 10 | 3.79 % | Cafeteria: | 7 | 2.65 % |
| Dental Injury: | 6 | 2.27 % | Lunch Period: | 9 | 3.41 % | Classroom: | 9 | 3.41 % |
| Dislocation (Possible): | 6 | 2.27 % | P.E. Class: | 72 | 27.27 % | Corridor/Hall: | 12 | 4.55 % |
| Eye Injury: | 0 | - % | Recess: | 14 | 5.30 % | Gymnasium/Pool: | 51 | 19.32 % |
| Fracture (Possible): | 18 | 6.82 % | Sci Lab/Fam & Consumer | | | Playground: | 14 | 5.30 % |
| Sprain/Strain/Tear (Possible): | 28 | 10.61 % | Sci & Tech ED Class: | 3 | 1.14 % | Restroom: | 3 | 1.14 % |
| Other: | 8 | 3.03 % | Other: | 1 | 0.38 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 132 | | Grand Total Occurrences: | 132 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 4 | 1.14 % |
| | | | | | | Sidewalk: | 1 | 0.38 % |
| | | | | | | Stairs/Ramp/Elevator: | 8 | 3.03 % |
| | | | | | | Street/Driveway/Parking: | 2 | 0.76 % |
| | | | | | | Other: | 1 | 0.38 % |
| | | | | | | Grand Total Occurrences: | 132 | |

Total Average Daily Enrollment: 4,829
Injury Occurrence Rate*: 5.47 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

SOUTH ALLEGHENY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 1.04 % | After School: | 1 | 1.04 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 16 | 16.67 % | Before School: | 3 | 3.13 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 9 | 9.38 % | Class Change: | 6 | 6.25 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 4 | 4.17 % | Class Time: | 13 | 13.54 % | Cafeteria: | 5 | 5.21 % |
| Dental Injury: | 0 | - % | Lunch Period: | 4 | 4.17 % | Classroom: | 11 | 11.46 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 9 | 9.38 % | Corridor/Hall: | 4 | 4.17 % |
| Eye Injury: | 3 | 3.13 % | Recess: | 2 | 2.08 % | Gymnasium/Pool: | 15 | 15.63 % |
| Fracture (Possible): | 6 | 6.25 % | Sci Lab/Fam & Consumer | | | Playground: | 3 | 3.13 % |
| Sprain/Strain/Tear (Possible): | 4 | 4.17 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 4 | 4.17 % |
| Other: | 5 | 5.21 % | Other: | 10 | 10.42 % | School Bus/Public Bus: | 3 | 3.13 % |
| Grand Total Occurrences: | 48 | | Grand Total Occurrences: | 48 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 1.04 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 1.04 % |
| | | | | | | Grand Total Occurrences: | 48 | |

Total Average Daily Enrollment: 1,513
Injury Occurrence Rate*: 6.35 %

SOUTH FAYETTE TOWNSHIP SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 1 | 1.52 % |
| Concussion (Possible): | 5 | 7.58 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 1 | 1.52 % | Class Change: | 2 | 3.03 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 8 | 12.12 % | Class Time: | 2 | 3.03 % | Cafeteria: | 1 | 1.52 % |
| Dental Injury: | 4 | 6.06 % | Lunch Period: | 1 | 1.52 % | Classroom: | 1 | 1.52 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 11 | 16.67 % | Corridor/Hall: | 3 | 4.55 % |
| Eye Injury: | 0 | - % | Recess: | 12 | 18.18 % | Gymnasium/Pool: | 11 | 16.67 % |
| Fracture (Possible): | 7 | 10.61 % | Sci Lab/Fam & Consumer | | | Playground: | 12 | 18.18 % |
| Sprain/Strain/Tear (Possible): | 4 | 6.06 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 4 | 6.06 % | Other: | 5 | 7.58 % | School Bus/Public Bus: | 1 | 1.52 % |
| Grand Total Occurrences: | 33 | | Grand Total Occurrences: | 33 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 1 | 1.52 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 3.03 % |
| | | | | | | Grand Total Occurrences: | 33 | |

Total Average Daily Enrollment: 2,707
Injury Occurrence Rate*: 2.44 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

SOUTH PARK SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 3.57 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 4 | 14.29 % | Before School: | 2 | 7.14 % | Auditorium/Multipurpose: | 1 | 3.57 % |
| Contusion: | 2 | 7.14 % | Class Change: | 1 | 3.57 % | Bus Loading Area: | 1 | 3.57 % |
| Cut/Laceration/Puncture: | 1 | 3.57 % | Class Time: | 3 | 10.71 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 2 | 7.14 % |
| Eye Injury: | 0 | - % | Recess: | 7 | 25.00 % | Gymnasium/Pool: | 1 | 3.57 % |
| Fracture (Possible): | 6 | 21.43 % | Sci Lab/Fam & Consumer | | | Playground: | 8 | 28.57 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 1 | 3.57 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 14 | | Grand Total Occurrences: | 14 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 1 | 3.57 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 14 | |

Total Average Daily Enrollment: 1,976
Injury Occurrence Rate*: 1.42 %

SPECTRUM CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 0 | | Grand Total Occurrences: | 0 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 0 | |

Total Average Daily Enrollment: 34
Injury Occurrence Rate*: - %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

STEEL VALLEY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 3 | 6.25 % | Before School: | 3 | 6.25 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 5 | 10.42 % | Class Change: | 2 | 4.17 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 8 | 16.67 % | Class Time: | 4 | 8.33 % | Cafeteria: | 5 | 10.42 % |
| Dental Injury: | 1 | 2.08 % | Lunch Period: | 5 | 10.42 % | Classroom: | 2 | 4.17 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 6 | 12.50 % | Corridor/Hall: | 3 | 6.25 % |
| Eye Injury: | 1 | 2.08 % | Recess: | 3 | 6.25 % | Gymnasium/Pool: | 6 | 12.50 % |
| Fracture (Possible): | 3 | 6.25 % | Sci Lab/Fam & Consumer | | | Playground: | 4 | 8.33 % |
| Sprain/Strain/Tear (Possible): | 2 | 4.17 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 1 | 2.08 % | Other: | 1 | 2.08 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 24 | | Grand Total Occurrences: | 24 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 2 | 4.17 % |
| | | | | | | Other: | 2 | 4.17 % |
| | | | | | | Grand Total Occurrences: | 24 | |

Total Average Daily Enrollment: 1,915
Injury Occurrence Rate*: 2.51 %

STO-ROX SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 5 | 17.86 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 7 | 25.00 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 4 | 14.29 % | Class Time: | 6 | 21.43 % | Cafeteria: | 1 | 3.57 % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 5 | 17.86 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 1 | 3.57 % | Corridor/Hall: | 7 | 25.00 % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 1 | 3.57 % |
| Fracture (Possible): | 4 | 14.29 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 1 | 3.57 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 14 | | Grand Total Occurrences: | 14 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 14 | |

Total Average Daily Enrollment: 1,321
Injury Occurrence Rate*: 2.12 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

UPPER SAINT CLAIR SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 0.88 % | Athletic Field/Play Field: | 8 | 7.02 % |
| Concussion (Possible): | 10 | 8.77 % | Before School: | 1 | 0.88 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 6 | 5.26 % | Class Change: | 3 | 2.63 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 17 | 14.91 % | Class Time: | 8 | 7.02 % | Cafeteria: | 1 | 0.88 % |
| Dental Injury: | 0 | - % | Lunch Period: | 2 | 1.75 % | Classroom: | 7 | 6.14 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 15 | 13.16 % | Corridor/Hall: | 3 | 2.63 % |
| Eye Injury: | 1 | 0.88 % | Recess: | 20 | 17.54 % | Gymnasium/Pool: | 12 | 10.53 % |
| Fracture (Possible): | 11 | 9.65 % | Sci Lab/Fam & Consumer | | | Playground: | 16 | 14.04 % |
| Sprain/Strain/Tear (Possible): | 11 | 9.65 % | Sci & Tech ED Class: | 1 | 0.88 % | Restroom: | 0 | - % |
| Other: | 1 | 0.88 % | Other: | 6 | 5.26 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 57 | | Grand Total Occurrences: | 57 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 0.88 % |
| | | | | | | Sidewalk: | 1 | 0.88 % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 1.75 % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.88 % |
| | | | | | | Other: | 5 | 4.39 % |
| | | | | | | Grand Total Occurrences: | 57 | |

Total Average Daily Enrollment: 4,731
Injury Occurrence Rate*: 2.41 %

URBAN LEAGUE OF GREATER PITTSBURGH CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|----------|--|----------|----------|--|----------|----------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 1 | 100.00 % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 1 | 100.00 % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 1 | 100.00 % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 1 | | Grand Total Occurrences: | 1 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 1 | |

Total Average Daily Enrollment: 204
Injury Occurrence Rate*: 0.49 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

URBAN PATHWAYS K-5 COLLEGE CHARTER

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|----------|--|----------|----------|--|----------|----------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 1 | 100.00 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 1 | 100.00 % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 1 | 100.00 % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 1 | | Grand Total Occurrences: | 1 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 1 | |

Total Average Daily Enrollment: 200
Injury Occurrence Rate*: 0.50 %

WEST ALLEGHENY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 4 | 3.85 % | Athletic Field/Play Field: | 1 | 0.96 % |
| Concussion (Possible): | 15 | 14.42 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 2 | 1.92 % |
| Contusion: | 1 | 0.96 % | Class Change: | 1 | 0.96 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 9 | 8.65 % | Class Time: | 9 | 8.65 % | Cafeteria: | 1 | 0.96 % |
| Dental Injury: | 0 | - % | Lunch Period: | 4 | 3.85 % | Classroom: | 7 | 6.73 % |
| Dislocation (Possible): | 5 | 4.81 % | P.E. Class: | 20 | 19.23 % | Corridor/Hall: | 2 | 1.92 % |
| Eye Injury: | 1 | 0.96 % | Recess: | 11 | 10.58 % | Gymnasium/Pool: | 22 | 21.15 % |
| Fracture (Possible): | 14 | 13.46 % | Sci Lab/Fam & Consumer | | | Playground: | 13 | 12.50 % |
| Sprain/Strain/Tear (Possible): | 3 | 2.88 % | Sci & Tech ED Class: | 1 | 0.96 % | Restroom: | 0 | - % |
| Other: | 4 | 3.85 % | Other: | 2 | 1.92 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 52 | | Grand Total Occurrences: | 52 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 0.96 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.96 % |
| | | | | | | Other: | 2 | 1.92 % |
| | | | | | | Grand Total Occurrences: | 52 | |

Total Average Daily Enrollment: 3,205
Injury Occurrence Rate*: 3.25 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

WEST JEFFERSON HILLS SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 5 | 3.16 % | Athletic Field/Play Field: | 2 | 1.27 % |
| Concussion (Possible): | 12 | 7.59 % | Before School: | 4 | 2.53 % | Auditorium/Multipurpose: | 1 | 0.63 % |
| Contusion: | 6 | 3.80 % | Class Change: | 8 | 5.06 % | Bus Loading Area: | 2 | 1.27 % |
| Cut/Laceration/Puncture: | 19 | 12.03 % | Class Time: | 24 | 15.19 % | Cafeteria: | 1 | 0.63 % |
| Dental Injury: | 1 | 0.63 % | Lunch Period: | 0 | - % | Classroom: | 20 | 12.66 % |
| Dislocation (Possible): | 2 | 1.27 % | P.E. Class: | 28 | 17.72 % | Corridor/Hall: | 9 | 5.70 % |
| Eye Injury: | 1 | 0.63 % | Recess: | 9 | 5.70 % | Gymnasium/Pool: | 34 | 21.52 % |
| Fracture (Possible): | 12 | 7.59 % | Sci Lab/Fam & Consumer | | | Playground: | 4 | 2.53 % |
| Sprain/Strain/Tear (Possible): | 16 | 10.13 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 0.63 % |
| Other: | 10 | 6.33 % | Other: | 1 | 0.63 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 79 | | Grand Total Occurrences: | 79 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | - % |
| | | | | | | Sidewalk: | 1 | 0.63 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 3 | 1.90 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 79 | |

Total Average Daily Enrollment: 3,023

Injury Occurrence Rate*: 5.23 %

WEST MIFFLIN AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 3 | 1.76 % | After School: | 4 | 2.35 % | Athletic Field/Play Field: | 4 | 2.35 % |
| Concussion (Possible): | 22 | 12.94 % | Before School: | 7 | 4.12 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 5 | 2.94 % | Class Change: | 2 | 1.18 % | Bus Loading Area: | 2 | 1.18 % |
| Cut/Laceration/Puncture: | 9 | 5.29 % | Class Time: | 19 | 11.18 % | Cafeteria: | 1 | 0.59 % |
| Dental Injury: | 3 | 1.76 % | Lunch Period: | 2 | 1.18 % | Classroom: | 5 | 2.94 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 28 | 16.47 % | Corridor/Hall: | 1 | 0.59 % |
| Eye Injury: | 2 | 1.18 % | Recess: | 20 | 11.76 % | Gymnasium/Pool: | 38 | 22.35 % |
| Fracture (Possible): | 20 | 11.76 % | Sci Lab/Fam & Consumer | | | Playground: | 20 | 11.76 % |
| Sprain/Strain/Tear (Possible): | 18 | 10.59 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 2 | 1.18 % |
| Other: | 3 | 1.76 % | Other: | 3 | 1.76 % | School Bus/Public Bus: | 3 | 1.76 % |
| Grand Total Occurrences: | 85 | | Grand Total Occurrences: | 85 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 3 | - % |
| | | | | | | Sidewalk: | 1 | 0.59 % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 1.18 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 3 | 1.76 % |
| | | | | | | Grand Total Occurrences: | 85 | |

Total Average Daily Enrollment: 3,262

Injury Occurrence Rate*: 5.21 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

WILKINSBURG BOROUGH SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 3 | 12.50 % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 2 | 8.33 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 0 | - % | Class Change: | 2 | 8.33 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 4 | 16.67 % | Class Time: | 2 | 8.33 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 3 | 12.50 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 3 | 12.50 % | Corridor/Hall: | 2 | 8.33 % |
| Eye Injury: | 0 | - % | Recess: | 5 | 20.83 % | Gymnasium/Pool: | 2 | 8.33 % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 5 | 20.83 % |
| Sprain/Strain/Tear (Possible): | 3 | 12.50 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 12 | | Grand Total Occurrences: | 12 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 12 | |

Total Average Daily Enrollment: 1,279
Injury Occurrence Rate*: 1.88 %

WOODLAND HILLS SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 0 | - % | After School: | 1 | 0.38 % | Athletic Field/Play Field: | 10 | 3.76 % |
| Concussion (Possible): | 24 | 9.02 % | Before School: | 2 | 0.75 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 22 | 8.27 % | Class Change: | 9 | 3.38 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 11 | 4.14 % | Class Time: | 14 | 5.26 % | Cafeteria: | 7 | 2.63 % |
| Dental Injury: | 4 | 1.50 % | Lunch Period: | 7 | 2.63 % | Classroom: | 11 | 4.14 % |
| Dislocation (Possible): | 6 | 2.26 % | P.E. Class: | 57 | 21.43 % | Corridor/Hall: | 8 | 3.01 % |
| Eye Injury: | 6 | 2.26 % | Recess: | 37 | 13.91 % | Gymnasium/Pool: | 48 | 18.05 % |
| Fracture (Possible): | 19 | 7.14 % | Sci Lab/Fam & Consumer | | | Playground: | 32 | 12.03 % |
| Sprain/Strain/Tear (Possible): | 37 | 13.91 % | Sci & Tech ED Class: | 5 | 1.88 % | Restroom: | 8 | 3.01 % |
| Other: | 4 | 1.50 % | Other: | 1 | 0.38 % | School Bus/Public Bus: | 2 | 0.75 % |
| Grand Total Occurrences: | 133 | | Grand Total Occurrences: | 133 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | 1.88 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 1.13 % |
| | | | | | | Street/Driveway/Parking: | 4 | 1.50 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 133 | |

Total Average Daily Enrollment: 4,755
Injury Occurrence Rate*: 5.59 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

YOUNG SCHOLARS OF WESTERN

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|----------|--|----------|----------|--|----------|----------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 1 | 100.00 % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 1 | 100.00 % | Sci Lab/Fam & Consumer | | | Playground: | 1 | 100.00 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 1 | | Grand Total Occurrences: | 1 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 1 | |

Total Average Daily Enrollment: 181
Injury Occurrence Rate*: 0.55 %

ALLEGHENY COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|--------------|---------|--|--------------|---------|--|--------------|---------|
| Burn: | 70 | 0.83 % | After School: | 115 | 1.37 % | Athletic Field/Play Field: | 281 | 3.35 % |
| Concussion (Possible): | 716 | 8.52 % | Before School: | 126 | 1.50 % | Auditorium/Multipurpose: | 46 | 0.55 % |
| Contusion: | 370 | 4.40 % | Class Change: | 392 | 4.67 % | Bus Loading Area: | 31 | 0.37 % |
| Cut/Laceration/Puncture: | 680 | 8.10 % | Class Time: | 647 | 7.70 % | Cafeteria: | 194 | 2.31 % |
| Dental Injury: | 157 | 1.87 % | Lunch Period: | 252 | 3.00 % | Classroom: | 545 | 6.49 % |
| Dislocation (Possible): | 82 | 0.98 % | P.E. Class: | 1,209 | 14.39 % | Corridor/Hall: | 395 | 4.70 % |
| Eye Injury: | 131 | 1.56 % | Recess: | 884 | 10.52 % | Gymnasium/Pool: | 1,108 | 13.19 % |
| Fracture (Possible): | 609 | 7.25 % | Sci Lab/Fam & Consumer | | | Playground: | 842 | 10.02 % |
| Sprain/Strain/Tear (Possible): | 1,209 | 14.39 % | Sci & Tech ED Class: | 70 | 0.83 % | Restroom: | 132 | 1.57 % |
| Other: | 235 | 2.80 % | Other: | 564 | 6.71 % | School Bus/Public Bus: | 67 | 0.80 % |
| Grand Total Occurrences: | 4,259 | | Grand Total Occurrences: | 4,259 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 82 | 0.98 % |
| | | | | | | Sidewalk: | 70 | 0.83 % |
| | | | | | | Stairs/Ramp/Elevator: | 179 | 2.13 % |
| | | | | | | Street/Driveway/Parking: | 72 | 0.86 % |
| | | | | | | Other: | 215 | 2.56 % |
| | | | | | | Grand Total Occurrences: | 4,259 | |

Total Average Daily Enrollment: 166,773
Injury Occurrence Rate*: 5.04 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

APOLLO-RIDGE SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 7 | 15.91 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 3 | 6.82 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 3 | 6.82 % | Class Time: | 2 | 4.55 % | Cafeteria: | 1 | 2.27 % |
| Dental Injury: | 0 | - % | Lunch Period: | 1 | 2.27 % | Classroom: | 2 | 4.55 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 9 | 20.45 % | Corridor/Hall: | 3 | 6.82 % |
| Eye Injury: | 4 | 9.09 % | Recess: | 6 | 13.64 % | Gymnasium/Pool: | 9 | 20.45 % |
| Fracture (Possible): | 4 | 9.09 % | Sci Lab/Fam & Consumer | | | Playground: | 6 | 13.64 % |
| Sprain/Strain/Tear (Possible): | 2 | 4.55 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 2 | 4.55 % | Other: | 1 | 2.27 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 22 | | Grand Total Occurrences: | 22 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 2.27 % |
| | | | | | | Grand Total Occurrences: | 22 | |

Total Average Daily Enrollment: 1,331
Injury Occurrence Rate*: 3.30 %

ARMSTRONG SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 3 | 1.70 % |
| Concussion (Possible): | 20 | 11.36 % | Before School: | 5 | 2.84 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 14 | 7.95 % | Class Change: | 9 | 5.11 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 10 | 5.68 % | Class Time: | 47 | 26.70 % | Cafeteria: | 5 | 2.84 % |
| Dental Injury: | 1 | 0.57 % | Lunch Period: | 4 | 2.27 % | Classroom: | 8 | 4.55 % |
| Dislocation (Possible): | 6 | 3.41 % | P.E. Class: | 10 | 5.68 % | Corridor/Hall: | 8 | 4.55 % |
| Eye Injury: | 3 | 1.70 % | Recess: | 11 | 6.25 % | Gymnasium/Pool: | 41 | 23.30 % |
| Fracture (Possible): | 17 | 9.66 % | Sci Lab/Fam & Consumer | | | Playground: | 11 | 6.25 % |
| Sprain/Strain/Tear (Possible): | 5 | 2.84 % | Sci & Tech ED Class: | 1 | 0.57 % | Restroom: | 2 | 1.14 % |
| Other: | 12 | 6.82 % | Other: | 1 | 0.57 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 88 | | Grand Total Occurrences: | 88 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 4 | 0.57 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 1.70 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 3 | 1.70 % |
| | | | | | | Grand Total Occurrences: | 88 | |

Total Average Daily Enrollment: 5,470
Injury Occurrence Rate*: 3.22 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

FREEPORT AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 4 | 3.92 % | Athletic Field/Play Field: | 2 | 1.96 % |
| Concussion (Possible): | 15 | 14.71 % | Before School: | 1 | 0.98 % | Auditorium/Multipurpose: | 1 | 0.98 % |
| Contusion: | 1 | 0.98 % | Class Change: | 7 | 6.86 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 7 | 6.86 % | Class Time: | 5 | 4.90 % | Cafeteria: | 3 | 2.94 % |
| Dental Injury: | 1 | 0.98 % | Lunch Period: | 2 | 1.96 % | Classroom: | 4 | 3.92 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 21 | 20.59 % | Corridor/Hall: | 3 | 2.94 % |
| Eye Injury: | 1 | 0.98 % | Recess: | 7 | 6.86 % | Gymnasium/Pool: | 22 | 21.57 % |
| Fracture (Possible): | 16 | 15.69 % | Sci Lab/Fam & Consumer | | | Playground: | 5 | 4.90 % |
| Sprain/Strain/Tear (Possible): | 8 | 7.84 % | Sci & Tech ED Class: | 3 | 2.94 % | Restroom: | 0 | - % |
| Other: | 2 | 1.96 % | Other: | 1 | 0.98 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 51 | | Grand Total Occurrences: | 51 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 3 | 2.94 % |
| | | | | | | Sidewalk: | 1 | 0.98 % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 2.94 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 4 | 3.92 % |
| | | | | | | Grand Total Occurrences: | 51 | |

Total Average Daily Enrollment: 2,143
Injury Occurrence Rate*: 4.76 %

LEECHBURG AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 5 | 1.80 % | After School: | 7 | 2.52 % | Athletic Field/Play Field: | 3 | 1.08 % |
| Concussion (Possible): | 19 | 6.83 % | Before School: | 9 | 3.24 % | Auditorium/Multipurpose: | 4 | 1.44 % |
| Contusion: | 28 | 10.07 % | Class Change: | 8 | 2.88 % | Bus Loading Area: | 3 | 1.08 % |
| Cut/Laceration/Puncture: | 19 | 6.83 % | Class Time: | 14 | 5.04 % | Cafeteria: | 9 | 3.24 % |
| Dental Injury: | 2 | 0.72 % | Lunch Period: | 10 | 3.60 % | Classroom: | 14 | 5.04 % |
| Dislocation (Possible): | 1 | 0.36 % | P.E. Class: | 37 | 13.31 % | Corridor/Hall: | 6 | 2.16 % |
| Eye Injury: | 10 | 3.60 % | Recess: | 49 | 17.63 % | Gymnasium/Pool: | 37 | 13.31 % |
| Fracture (Possible): | 8 | 2.88 % | Sci Lab/Fam & Consumer | | | Playground: | 49 | 17.63 % |
| Sprain/Strain/Tear (Possible): | 47 | 16.91 % | Sci & Tech ED Class: | 5 | 1.80 % | Restroom: | 2 | 0.72 % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 2 | 0.72 % |
| Grand Total Occurrences: | 139 | | Grand Total Occurrences: | 139 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 5 | 1.80 % |
| | | | | | | Sidewalk: | 3 | 1.08 % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 0.72 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 139 | |

Total Average Daily Enrollment: 830
Injury Occurrence Rate*: 33.49 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

LENAPE AVTS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 6.25 % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 5 | 31.25 % | Before School: | 1 | 6.25 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 4 | 25.00 % | Class Change: | 0 | - % | Bus Loading Area: | 1 | 6.25 % |
| Cut/Laceration/Puncture: | 1 | 6.25 % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 1 | 6.25 % | P.E. Class: | 9 | 56.25 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 9 | 56.25 % |
| Fracture (Possible): | 1 | 6.25 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 3 | 18.75 % | Sci & Tech ED Class: | 6 | 37.50 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 16 | | Grand Total Occurrences: | 16 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 6 | 37.50 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 16 | |

Total Average Daily Enrollment: 532
Injury Occurrence Rate*: 3.01 %

ARMSTRONG COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 6 | 0.97 % | After School: | 11 | 1.79 % | Athletic Field/Play Field: | 8 | 1.30 % |
| Concussion (Possible): | 66 | 10.71 % | Before School: | 16 | 2.60 % | Auditorium/Multipurpose: | 5 | 0.81 % |
| Contusion: | 47 | 7.63 % | Class Change: | 27 | 4.38 % | Bus Loading Area: | 4 | 0.65 % |
| Cut/Laceration/Puncture: | 40 | 6.49 % | Class Time: | 68 | 11.04 % | Cafeteria: | 18 | 2.92 % |
| Dental Injury: | 4 | 0.65 % | Lunch Period: | 17 | 2.76 % | Classroom: | 28 | 4.55 % |
| Dislocation (Possible): | 8 | 1.30 % | P.E. Class: | 86 | 13.96 % | Corridor/Hall: | 20 | 3.25 % |
| Eye Injury: | 18 | 2.92 % | Recess: | 73 | 11.85 % | Gymnasium/Pool: | 118 | 19.16 % |
| Fracture (Possible): | 46 | 7.47 % | Sci Lab/Fam & Consumer | | | Playground: | 71 | 11.53 % |
| Sprain/Strain/Tear (Possible): | 65 | 10.55 % | Sci & Tech ED Class: | 15 | 2.44 % | Restroom: | 4 | 0.65 % |
| Other: | 16 | 2.60 % | Other: | 3 | 0.49 % | School Bus/Public Bus: | 2 | 0.32 % |
| Grand Total Occurrences: | 316 | | Grand Total Occurrences: | 316 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 18 | 2.92 % |
| | | | | | | Sidewalk: | 4 | 0.65 % |
| | | | | | | Stairs/Ramp/Elevator: | 8 | 1.30 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 8 | 1.30 % |
| | | | | | | Grand Total Occurrences: | 316 | |

Total Average Daily Enrollment: 10,306
Injury Occurrence Rate*: 5.98 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

ALIQIPPA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 1.79 % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 5 | 8.93 % | Before School: | 1 | 1.79 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 5 | 8.93 % | Class Change: | 0 | - % | Bus Loading Area: | 1 | 1.79 % |
| Cut/Laceration/Puncture: | 7 | 12.50 % | Class Time: | 7 | 12.50 % | Cafeteria: | 0 | - % |
| Dental Injury: | 2 | 3.57 % | Lunch Period: | 0 | - % | Classroom: | 1 | 1.79 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 2 | 3.57 % | Corridor/Hall: | 1 | 1.79 % |
| Eye Injury: | 1 | 1.79 % | Recess: | 18 | 32.14 % | Gymnasium/Pool: | 5 | 8.93 % |
| Fracture (Possible): | 4 | 7.14 % | Sci Lab/Fam & Consumer | | | Playground: | 18 | 32.14 % |
| Sprain/Strain/Tear (Possible): | 3 | 5.36 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 28 | | Grand Total Occurrences: | 28 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 28 | |

Total Average Daily Enrollment: 1,160
Injury Occurrence Rate*: 4.83 %

AMBRIDGE AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 1 | 2.50 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 5 | 12.50 % | Class Change: | 5 | 12.50 % | Bus Loading Area: | 1 | 2.50 % |
| Cut/Laceration/Puncture: | 4 | 10.00 % | Class Time: | 12 | 30.00 % | Cafeteria: | 3 | 7.50 % |
| Dental Injury: | 1 | 2.50 % | Lunch Period: | 0 | - % | Classroom: | 10 | 25.00 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 1 | 2.50 % | Gymnasium/Pool: | 1 | 2.50 % |
| Fracture (Possible): | 2 | 5.00 % | Sci Lab/Fam & Consumer | | | Playground: | 3 | 7.50 % |
| Sprain/Strain/Tear (Possible): | 6 | 15.00 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 1 | 2.50 % | Other: | 2 | 5.00 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 20 | | Grand Total Occurrences: | 20 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 2.50 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 2.50 % |
| | | | | | | Grand Total Occurrences: | 20 | |

Total Average Daily Enrollment: 2,728
Injury Occurrence Rate*: 1.47 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

BADEN ACADEMY CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 1 | 50.00 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 1 | 50.00 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 1 | 50.00 % | Class Time: | 1 | 50.00 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 1 | 50.00 % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 50.00 % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 2 | | Grand Total Occurrences: | 2 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 2 | |

Total Average Daily Enrollment: 218
Injury Occurrence Rate*: 0.92 %

BEAVER AREA ACADEMIC CHARTER SCHOOL

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 1 | 25.00 % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 1 | 25.00 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 3 | 75.00 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 3 | 75.00 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 2 | 50.00 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 1 | 25.00 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 4 | | Grand Total Occurrences: | 4 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 25.00 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 4 | |

Total Average Daily Enrollment: 99
Injury Occurrence Rate*: 4.04 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

BEAVER AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 2.50 % | After School: | 0 | - % | Athletic Field/Play Field: | 6 | 15.00 % |
| Concussion (Possible): | 4 | 10.00 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 6 | 15.00 % | Class Time: | 4 | 10.00 % | Cafeteria: | 1 | 2.50 % |
| Dental Injury: | 0 | - % | Lunch Period: | 1 | 2.50 % | Classroom: | 2 | 5.00 % |
| Dislocation (Possible): | 1 | 2.50 % | P.E. Class: | 6 | 15.00 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 1 | 2.50 % | Recess: | 5 | 12.50 % | Gymnasium/Pool: | 5 | 12.50 % |
| Fracture (Possible): | 6 | 15.00 % | Sci Lab/Fam & Consumer | | | Playground: | 5 | 12.50 % |
| Sprain/Strain/Tear (Possible): | 1 | 2.50 % | Sci & Tech ED Class: | 3 | 7.50 % | Restroom: | 1 | 2.50 % |
| Other: | 0 | - % | Other: | 1 | 2.50 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 20 | | Grand Total Occurrences: | 20 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | 7.50 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 20 | |

Total Average Daily Enrollment: 2,340
Injury Occurrence Rate*: 1.71 %

BIG BEAVER FALLS AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 2 | 1.92 % |
| Concussion (Possible): | 10 | 9.62 % | Before School: | 2 | 1.92 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 7 | 6.73 % | Class Change: | 4 | 3.85 % | Bus Loading Area: | 1 | 0.96 % |
| Cut/Laceration/Puncture: | 9 | 8.65 % | Class Time: | 8 | 7.69 % | Cafeteria: | 3 | 2.88 % |
| Dental Injury: | 1 | 0.96 % | Lunch Period: | 5 | 4.81 % | Classroom: | 7 | 6.73 % |
| Dislocation (Possible): | 6 | 5.77 % | P.E. Class: | 16 | 15.38 % | Corridor/Hall: | 7 | 6.73 % |
| Eye Injury: | 4 | 3.85 % | Recess: | 13 | 12.50 % | Gymnasium/Pool: | 17 | 16.35 % |
| Fracture (Possible): | 6 | 5.77 % | Sci Lab/Fam & Consumer | | | Playground: | 12 | 11.54 % |
| Sprain/Strain/Tear (Possible): | 9 | 8.65 % | Sci & Tech ED Class: | 2 | 1.92 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 2 | 1.92 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 52 | | Grand Total Occurrences: | 52 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | 1.92 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.96 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 52 | |

Total Average Daily Enrollment: 1,801
Injury Occurrence Rate*: 5.78 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

BLACKHAWK SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 1.72 % | After School: | 0 | - % | Athletic Field/Play Field: | 4 | 6.90 % |
| Concussion (Possible): | 3 | 5.17 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 1.72 % | Class Change: | 2 | 3.45 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 5 | 8.62 % | Class Time: | 4 | 6.90 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 4 | 6.90 % |
| Dislocation (Possible): | 3 | 5.17 % | P.E. Class: | 14 | 24.14 % | Corridor/Hall: | 1 | 1.72 % |
| Eye Injury: | 2 | 3.45 % | Recess: | 6 | 10.34 % | Gymnasium/Pool: | 11 | 18.97 % |
| Fracture (Possible): | 12 | 20.69 % | Sci Lab/Fam & Consumer | | | Playground: | 5 | 8.62 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 2 | 3.45 % | Restroom: | 0 | - % |
| Other: | 2 | 3.45 % | Other: | 1 | 1.72 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 29 | | Grand Total Occurrences: | 29 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | 3.45 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 1.72 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 1.72 % |
| | | | | | | Grand Total Occurrences: | 29 | |

Total Average Daily Enrollment: 2,598
Injury Occurrence Rate*: 2.23 %

CENTRAL VALLEY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 4 | 2.17 % | After School: | 0 | - % | Athletic Field/Play Field: | 5 | 2.72 % |
| Concussion (Possible): | 21 | 11.41 % | Before School: | 11 | 5.98 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 21 | 11.41 % | Class Change: | 10 | 5.43 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 9 | 4.89 % | Class Time: | 0 | - % | Cafeteria: | 1 | 0.54 % |
| Dental Injury: | 0 | - % | Lunch Period: | 2 | 1.09 % | Classroom: | 13 | 7.07 % |
| Dislocation (Possible): | 2 | 1.09 % | P.E. Class: | 8 | 4.35 % | Corridor/Hall: | 19 | 10.33 % |
| Eye Injury: | 4 | 2.17 % | Recess: | 61 | 33.15 % | Gymnasium/Pool: | 35 | 19.02 % |
| Fracture (Possible): | 25 | 13.59 % | Sci Lab/Fam & Consumer | | | Playground: | 2 | 1.09 % |
| Sprain/Strain/Tear (Possible): | 5 | 2.72 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 2 | 1.09 % |
| Other: | 1 | 0.54 % | Other: | 0 | - % | School Bus/Public Bus: | 5 | 2.72 % |
| Grand Total Occurrences: | 92 | | Grand Total Occurrences: | 92 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 6 | 3.26 % |
| | | | | | | Street/Driveway/Parking: | 2 | 1.09 % |
| | | | | | | Other: | 2 | 1.09 % |
| | | | | | | Grand Total Occurrences: | 92 | |

Total Average Daily Enrollment: 2,410
Injury Occurrence Rate*: 7.64 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

FREEDOM AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 1.52 % | Athletic Field/Play Field: | 4 | 6.06 % |
| Concussion (Possible): | 4 | 6.06 % | Before School: | 1 | 1.52 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 4 | 6.06 % | Class Change: | 3 | 4.55 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 8 | 12.12 % | Class Time: | 3 | 4.55 % | Cafeteria: | 2 | 3.03 % |
| Dental Injury: | 0 | - % | Lunch Period: | 1 | 1.52 % | Classroom: | 2 | 3.03 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 15 | 22.73 % | Corridor/Hall: | 4 | 6.06 % |
| Eye Injury: | 0 | - % | Recess: | 6 | 9.09 % | Gymnasium/Pool: | 14 | 21.21 % |
| Fracture (Possible): | 10 | 15.15 % | Sci Lab/Fam & Consumer | | | Playground: | 4 | 6.06 % |
| Sprain/Strain/Tear (Possible): | 7 | 10.61 % | Sci & Tech ED Class: | 2 | 3.03 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 1 | 1.52 % | School Bus/Public Bus: | 1 | 1.52 % |
| Grand Total Occurrences: | 33 | | Grand Total Occurrences: | 33 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | 3.03 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 33 | |

Total Average Daily Enrollment: 1,496
Injury Occurrence Rate*: 4.41 %

HOPEWELL AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 2.08 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 3 | 6.25 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 1 | 2.08 % | Class Change: | 1 | 2.08 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 1 | 2.08 % | Class Time: | 3 | 6.25 % | Cafeteria: | 1 | 2.08 % |
| Dental Injury: | 0 | - % | Lunch Period: | 3 | 6.25 % | Classroom: | 2 | 4.17 % |
| Dislocation (Possible): | 2 | 4.17 % | P.E. Class: | 13 | 27.08 % | Corridor/Hall: | 2 | 4.17 % |
| Eye Injury: | 1 | 2.08 % | Recess: | 3 | 6.25 % | Gymnasium/Pool: | 14 | 29.17 % |
| Fracture (Possible): | 8 | 16.67 % | Sci Lab/Fam & Consumer | | | Playground: | 4 | 8.33 % |
| Sprain/Strain/Tear (Possible): | 6 | 12.50 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 2.08 % |
| Other: | 2 | 4.17 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 24 | | Grand Total Occurrences: | 24 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 24 | |

Total Average Daily Enrollment: 2,371
Injury Occurrence Rate*: 2.02 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

LINCOLN PARK PERFORMING ARTS CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 3 | 60.00 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 1 | 20.00 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 4 | 80.00 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 4 | 80.00 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 1 | 20.00 % |
| Eye Injury: | 1 | 20.00 % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 1 | 20.00 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 5 | | Grand Total Occurrences: | 5 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 5 | |

Total Average Daily Enrollment: 593
Injury Occurrence Rate*: 0.84 %

MIDLAND BOROUGH SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 16.67 % | Class Change: | 1 | 16.67 % | Bus Loading Area: | 1 | 16.67 % |
| Cut/Laceration/Puncture: | 1 | 16.67 % | Class Time: | 2 | 33.33 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 2 | 33.33 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 1 | 16.67 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 3 | | Grand Total Occurrences: | 3 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 3 | |

Total Average Daily Enrollment: 326
Injury Occurrence Rate*: 1.84 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

NEW BRIGHTON AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 1 | 3.33 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 5 | 16.67 % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 3 | 10.00 % | Class Time: | 4 | 13.33 % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 3.33 % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 2 | 6.67 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 6 | 20.00 % | Gymnasium/Pool: | 2 | 6.67 % |
| Fracture (Possible): | 3 | 10.00 % | Sci Lab/Fam & Consumer | | | Playground: | 6 | 20.00 % |
| Sprain/Strain/Tear (Possible): | 2 | 6.67 % | Sci & Tech ED Class: | 2 | 6.67 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 1 | 3.33 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 15 | | Grand Total Occurrences: | 15 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | 6.67 % |
| | | | | | | Sidewalk: | 4 | 13.33 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 3.33 % |
| | | | | | | Grand Total Occurrences: | 15 | |

Total Average Daily Enrollment: 1,561

Injury Occurrence Rate*: 1.92 %

PENNSYLVANIA CYBER CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 0 | - % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 0 | - % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 0 | | Grand Total Occurrences: | 0 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 0 | |

Total Average Daily Enrollment: 10,919

Injury Occurrence Rate*: - %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

RIVERSIDE BEAVER COUNTY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 1.56 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 2 | 3.13 % | Before School: | 1 | 1.56 % | Auditorium/Multipurpose: | 1 | 1.56 % |
| Cotusion: | 0 | - % | Class Change: | 3 | 4.69 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 16 | 25.00 % | Class Time: | 10 | 15.63 % | Cafeteria: | 2 | 3.13 % |
| Dental Injury: | 2 | 3.13 % | Lunch Period: | 2 | 3.13 % | Classroom: | 3 | 4.69 % |
| Dislocation (Possible): | 1 | 1.56 % | P.E. Class: | 7 | 10.94 % | Corridor/Hall: | 3 | 4.69 % |
| Eye Injury: | 1 | 1.56 % | Recess: | 5 | 7.81 % | Gymnasium/Pool: | 10 | 15.63 % |
| Fracture (Possible): | 8 | 12.50 % | Sci Lab/Fam & Consumer | | | Playground: | 5 | 7.81 % |
| Sprain/Strain/Tear (Possible): | 2 | 3.13 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 3 | 4.69 % | School Bus/Public Bus: | 1 | 1.56 % |
| Grand Total Occurrences: | 32 | | Grand Total Occurrences: | 32 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 3 | - % |
| | | | | | | Sidewalk: | 1 | 1.56 % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 1.56 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 3.13 % |
| | | | | | | Grand Total Occurrences: | 32 | |

Total Average Daily Enrollment: 1,497

Injury Occurrence Rate*: 4.28 %

ROCHESTER AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 3 | 8.33 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 5 | 13.89 % | Class Change: | 1 | 2.78 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 4 | 11.11 % | Class Time: | 2 | 5.56 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 2 | 5.56 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 6 | 16.67 % | Corridor/Hall: | 1 | 2.78 % |
| Eye Injury: | 0 | - % | Recess: | 8 | 22.22 % | Gymnasium/Pool: | 6 | 16.67 % |
| Fracture (Possible): | 2 | 5.56 % | Sci Lab/Fam & Consumer | | | Playground: | 8 | 22.22 % |
| Sprain/Strain/Tear (Possible): | 3 | 8.33 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 1 | 2.78 % | Other: | 1 | 2.78 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 18 | | Grand Total Occurrences: | 18 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 2.78 % |
| | | | | | | Grand Total Occurrences: | 18 | |

Total Average Daily Enrollment: 790

Injury Occurrence Rate*: 4.55 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

SOUTH SIDE AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 9 | 10.47 % | Athletic Field/Play Field: | 11 | 12.79 % |
| Concussion (Possible): | 16 | 18.60 % | Before School: | 1 | 1.16 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 1 | 1.16 % | Bus Loading Area: | 1 | 1.16 % |
| Cut/Laceration/Puncture: | 7 | 8.14 % | Class Time: | 4 | 4.65 % | Cafeteria: | 1 | 1.16 % |
| Dental Injury: | 1 | 1.16 % | Lunch Period: | 1 | 1.16 % | Classroom: | 3 | 3.49 % |
| Dislocation (Possible): | 3 | 3.49 % | P.E. Class: | 17 | 19.77 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 3 | 3.49 % | Recess: | 9 | 10.47 % | Gymnasium/Pool: | 16 | 18.60 % |
| Fracture (Possible): | 6 | 6.98 % | Sci Lab/Fam & Consumer | | | Playground: | 9 | 10.47 % |
| Sprain/Strain/Tear (Possible): | 6 | 6.98 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 1.16 % |
| Other: | 1 | 1.16 % | Other: | 1 | 1.16 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 43 | | Grand Total Occurrences: | 43 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 1.16 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 43 | |

Total Average Daily Enrollment: 1,145
Injury Occurrence Rate*: 7.51 %

WESTERN BEAVER COUNTY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 3 | 8.82 % | Athletic Field/Play Field: | 3 | 8.82 % |
| Concussion (Possible): | 6 | 17.65 % | Before School: | 2 | 5.88 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 1 | 2.94 % | Bus Loading Area: | 1 | 2.94 % |
| Cut/Laceration/Puncture: | 1 | 2.94 % | Class Time: | 2 | 5.88 % | Cafeteria: | 2 | 5.88 % |
| Dental Injury: | 0 | - % | Lunch Period: | 1 | 2.94 % | Classroom: | 3 | 8.82 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 5 | 14.71 % | Corridor/Hall: | 1 | 2.94 % |
| Eye Injury: | 0 | - % | Recess: | 3 | 8.82 % | Gymnasium/Pool: | 5 | 14.71 % |
| Fracture (Possible): | 6 | 17.65 % | Sci Lab/Fam & Consumer | | | Playground: | 2 | 5.88 % |
| Sprain/Strain/Tear (Possible): | 2 | 5.88 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 2 | 5.88 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 17 | | Grand Total Occurrences: | 17 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 17 | |

Total Average Daily Enrollment: 665
Injury Occurrence Rate*: 5.12 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

BEAVER COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 8 | 0.93 % | After School: | 16 | 1.85 % | Athletic Field/Play Field: | 35 | 4.06 % |
| Concussion (Possible): | 84 | 9.73 % | Before School: | 19 | 2.20 % | Auditorium/Multipurpose: | 1 | 0.12 % |
| Contusion: | 55 | 6.37 % | Class Change: | 33 | 3.82 % | Bus Loading Area: | 6 | 0.70 % |
| Cut/Laceration/Puncture: | 82 | 9.50 % | Class Time: | 73 | 8.46 % | Cafeteria: | 16 | 1.85 % |
| Dental Injury: | 8 | 0.93 % | Lunch Period: | 16 | 1.85 % | Classroom: | 61 | 7.07 % |
| Dislocation (Possible): | 18 | 2.09 % | P.E. Class: | 111 | 12.86 % | Corridor/Hall: | 40 | 4.63 % |
| Eye Injury: | 18 | 2.09 % | Recess: | 144 | 16.69 % | Gymnasium/Pool: | 142 | 16.45 % |
| Fracture (Possible): | 101 | 11.70 % | Sci Lab/Fam & Consumer | | | Playground: | 83 | 9.62 % |
| Sprain/Strain/Tear (Possible): | 52 | 6.03 % | Sci & Tech ED Class: | 12 | 1.39 % | Restroom: | 6 | 0.70 % |
| Other: | 11 | 1.27 % | Other: | 13 | 1.51 % | School Bus/Public Bus: | 7 | 0.81 % |
| Grand Total Occurrences: | 437 | | Grand Total Occurrences: | 437 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 14 | 1.62 % |
| | | | | | | Sidewalk: | 5 | 0.58 % |
| | | | | | | Stairs/Ramp/Elevator: | 10 | 1.16 % |
| | | | | | | Street/Driveway/Parking: | 3 | 0.35 % |
| | | | | | | Other: | 8 | 0.93 % |
| | | | | | | Grand Total Occurrences: | 437 | |

Total Average Daily Enrollment: 34,717

Injury Occurrence Rate*: 2.49 %

BUTLER AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 4 | 1.31 % | After School: | 7 | 2.29 % | Athletic Field/Play Field: | 2 | 0.65 % |
| Concussion (Possible): | 17 | 5.56 % | Before School: | 7 | 2.29 % | Auditorium/Multipurpose: | 1 | 0.33 % |
| Contusion: | 26 | 8.50 % | Class Change: | 14 | 4.58 % | Bus Loading Area: | 1 | 0.33 % |
| Cut/Laceration/Puncture: | 21 | 6.86 % | Class Time: | 17 | 5.56 % | Cafeteria: | 5 | 1.63 % |
| Dental Injury: | 3 | 0.98 % | Lunch Period: | 7 | 2.29 % | Classroom: | 16 | 5.23 % |
| Dislocation (Possible): | 3 | 0.98 % | P.E. Class: | 48 | 15.69 % | Corridor/Hall: | 10 | 3.27 % |
| Eye Injury: | 1 | 0.33 % | Recess: | 46 | 15.03 % | Gymnasium/Pool: | 46 | 15.03 % |
| Fracture (Possible): | 32 | 10.46 % | Sci Lab/Fam & Consumer | | | Playground: | 46 | 15.03 % |
| Sprain/Strain/Tear (Possible): | 30 | 9.80 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 5 | 1.63 % |
| Other: | 16 | 5.23 % | Other: | 7 | 2.29 % | School Bus/Public Bus: | 3 | 0.98 % |
| Grand Total Occurrences: | 153 | | Grand Total Occurrences: | 153 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | - % |
| | | | | | | Sidewalk: | 1 | 0.33 % |
| | | | | | | Stairs/Ramp/Elevator: | 8 | 2.61 % |
| | | | | | | Street/Driveway/Parking: | 3 | 0.98 % |
| | | | | | | Other: | 5 | 1.63 % |
| | | | | | | Grand Total Occurrences: | 153 | |

Total Average Daily Enrollment: 7,701

Injury Occurrence Rate*: 3.97 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

KARNS CITY AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 5 | 8.93 % |
| Concussion (Possible): | 4 | 7.14 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 7 | 12.50 % | Class Change: | 4 | 7.14 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 2 | 3.57 % | Class Time: | 3 | 5.36 % | Cafeteria: | 1 | 1.79 % |
| Dental Injury: | 1 | 1.79 % | Lunch Period: | 1 | 1.79 % | Classroom: | 4 | 7.14 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 17 | 30.36 % | Corridor/Hall: | 4 | 7.14 % |
| Eye Injury: | 0 | - % | Recess: | 2 | 3.57 % | Gymnasium/Pool: | 13 | 23.21 % |
| Fracture (Possible): | 12 | 21.43 % | Sci Lab/Fam & Consumer | | | Playground: | 1 | 1.79 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 2 | 3.57 % | Other: | 1 | 1.79 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 28 | | Grand Total Occurrences: | 28 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 28 | |

Total Average Daily Enrollment: 1,512
Injury Occurrence Rate*: 3.70 %

MARS AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 2 | 3.57 % | Athletic Field/Play Field: | 3 | 5.36 % |
| Concussion (Possible): | 2 | 3.57 % | Before School: | 2 | 3.57 % | Auditorium/Multipurpose: | 1 | 1.79 % |
| Contusion: | 6 | 10.71 % | Class Change: | 4 | 7.14 % | Bus Loading Area: | 1 | 1.79 % |
| Cut/Laceration/Puncture: | 7 | 12.50 % | Class Time: | 6 | 10.71 % | Cafeteria: | 1 | 1.79 % |
| Dental Injury: | 1 | 1.79 % | Lunch Period: | 0 | - % | Classroom: | 7 | 12.50 % |
| Dislocation (Possible): | 1 | 1.79 % | P.E. Class: | 6 | 10.71 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 1 | 1.79 % | Recess: | 8 | 14.29 % | Gymnasium/Pool: | 5 | 8.93 % |
| Fracture (Possible): | 4 | 7.14 % | Sci Lab/Fam & Consumer | | | Playground: | 5 | 8.93 % |
| Sprain/Strain/Tear (Possible): | 6 | 10.71 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 2 | 3.57 % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 28 | | Grand Total Occurrences: | 28 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 1 | 1.79 % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 1.79 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 1.79 % |
| | | | | | | Grand Total Occurrences: | 28 | |

Total Average Daily Enrollment: 3,444
Injury Occurrence Rate*: 1.63 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

MONITEAU SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 6 | 4.11 % | After School: | 9 | 6.16 % | Athletic Field/Play Field: | 9 | 6.16 % |
| Concussion (Possible): | 8 | 5.48 % | Before School: | 6 | 4.11 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 11 | 7.53 % | Class Change: | 7 | 4.79 % | Bus Loading Area: | 2 | 1.37 % |
| Cut/Laceration/Puncture: | 19 | 13.01 % | Class Time: | 3 | 2.05 % | Cafeteria: | 7 | 4.79 % |
| Dental Injury: | 2 | 1.37 % | Lunch Period: | 7 | 4.79 % | Classroom: | 3 | 2.05 % |
| Dislocation (Possible): | 3 | 2.05 % | P.E. Class: | 14 | 9.59 % | Corridor/Hall: | 7 | 4.79 % |
| Eye Injury: | 4 | 2.74 % | Recess: | 6 | 4.11 % | Gymnasium/Pool: | 14 | 9.59 % |
| Fracture (Possible): | 8 | 5.48 % | Sci Lab/Fam & Consumer | | | Playground: | 6 | 4.11 % |
| Sprain/Strain/Tear (Possible): | 9 | 6.16 % | Sci & Tech ED Class: | 17 | 11.64 % | Restroom: | 3 | 2.05 % |
| Other: | 3 | 2.05 % | Other: | 4 | 2.74 % | School Bus/Public Bus: | 2 | 1.37 % |
| Grand Total Occurrences: | 73 | | Grand Total Occurrences: | 73 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 17 | 11.64 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 3 | 2.05 % |
| | | | | | | Grand Total Occurrences: | 73 | |

Total Average Daily Enrollment: 1,411
Injury Occurrence Rate*: 10.35 %

SENECA VALLEY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 0.58 % | Athletic Field/Play Field: | 4 | 2.33 % |
| Concussion (Possible): | 15 | 8.72 % | Before School: | 1 | 0.58 % | Auditorium/Multipurpose: | 1 | 0.58 % |
| Cotusion: | 12 | 6.98 % | Class Change: | 5 | 2.91 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 20 | 11.63 % | Class Time: | 35 | 20.35 % | Cafeteria: | 3 | 1.74 % |
| Dental Injury: | 2 | 1.16 % | Lunch Period: | 4 | 2.33 % | Classroom: | 30 | 17.44 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 18 | 10.47 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 4 | 2.33 % | Recess: | 21 | 12.21 % | Gymnasium/Pool: | 20 | 11.63 % |
| Fracture (Possible): | 22 | 12.79 % | Sci Lab/Fam & Consumer | | | Playground: | 21 | 12.21 % |
| Sprain/Strain/Tear (Possible): | 3 | 1.74 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 2 | 1.16 % |
| Other: | 8 | 4.65 % | Other: | 1 | 0.58 % | School Bus/Public Bus: | 1 | 0.58 % |
| Grand Total Occurrences: | 86 | | Grand Total Occurrences: | 86 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 1 | 0.58 % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 1.16 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 0.58 % |
| | | | | | | Grand Total Occurrences: | 86 | |

Total Average Daily Enrollment: 7,333
Injury Occurrence Rate*: 2.35 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

SLIPPERY ROCK AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 1 | 1.19 % |
| Concussion (Possible): | 3 | 3.57 % | Before School: | 1 | 1.19 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 0 | - % | Class Change: | 4 | 4.76 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 11 | 13.10 % | Class Time: | 15 | 17.86 % | Cafeteria: | 1 | 1.19 % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 6 | 7.14 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 9 | 10.71 % | Corridor/Hall: | 2 | 2.38 % |
| Eye Injury: | 0 | - % | Recess: | 13 | 15.48 % | Gymnasium/Pool: | 13 | 15.48 % |
| Fracture (Possible): | 12 | 14.29 % | Sci Lab/Fam & Consumer | | | Playground: | 13 | 15.48 % |
| Sprain/Strain/Tear (Possible): | 15 | 17.86 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 1.19 % |
| Other: | 1 | 1.19 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 42 | | Grand Total Occurrences: | 42 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 3.57 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 1.19 % |
| | | | | | | Grand Total Occurrences: | 42 | |

Total Average Daily Enrollment: 2,312
Injury Occurrence Rate*: 3.63 %

SOUTH BUTLER COUNTY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 20 | 8.13 % | After School: | 5 | 2.03 % | Athletic Field/Play Field: | 8 | 3.25 % |
| Concussion (Possible): | 18 | 7.32 % | Before School: | 16 | 6.50 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 9 | 3.66 % | Class Change: | 8 | 3.25 % | Bus Loading Area: | 2 | 0.81 % |
| Cut/Laceration/Puncture: | 31 | 12.60 % | Class Time: | 18 | 7.32 % | Cafeteria: | 5 | 2.03 % |
| Dental Injury: | 2 | 0.81 % | Lunch Period: | 6 | 2.44 % | Classroom: | 19 | 7.72 % |
| Dislocation (Possible): | 2 | 0.81 % | P.E. Class: | 21 | 8.54 % | Corridor/Hall: | 8 | 3.25 % |
| Eye Injury: | 2 | 0.81 % | Recess: | 13 | 5.28 % | Gymnasium/Pool: | 20 | 8.13 % |
| Fracture (Possible): | 16 | 6.50 % | Sci Lab/Fam & Consumer | | | Playground: | 13 | 5.28 % |
| Sprain/Strain/Tear (Possible): | 21 | 8.54 % | Sci & Tech ED Class: | 21 | 8.54 % | Restroom: | 0 | - % |
| Other: | 2 | 0.81 % | Other: | 15 | 6.10 % | School Bus/Public Bus: | 3 | 1.22 % |
| Grand Total Occurrences: | 123 | | Grand Total Occurrences: | 123 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 21 | 8.54 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 4 | 1.63 % |
| | | | | | | Street/Driveway/Parking: | 4 | 1.63 % |
| | | | | | | Other: | 16 | 6.50 % |
| | | | | | | Grand Total Occurrences: | 123 | |

Total Average Daily Enrollment: 2,934
Injury Occurrence Rate*: 8.39 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

BUTLER COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 30 | 2.81 % | After School: | 24 | 2.25 % | Athletic Field/Play Field: | 32 | 3.00 % |
| Concussion (Possible): | 67 | 6.29 % | Before School: | 33 | 3.10 % | Auditorium/Multipurpose: | 3 | 0.28 % |
| Contusion: | 71 | 6.66 % | Class Change: | 46 | 4.32 % | Bus Loading Area: | 6 | 0.56 % |
| Cut/Laceration/Puncture: | 111 | 10.41 % | Class Time: | 97 | 9.10 % | Cafeteria: | 23 | 2.16 % |
| Dental Injury: | 11 | 1.03 % | Lunch Period: | 25 | 2.35 % | Classroom: | 85 | 7.97 % |
| Dislocation (Possible): | 9 | 0.84 % | P.E. Class: | 133 | 12.48 % | Corridor/Hall: | 31 | 2.91 % |
| Eye Injury: | 12 | 1.13 % | Recess: | 109 | 10.23 % | Gymnasium/Pool: | 131 | 12.29 % |
| Fracture (Possible): | 106 | 9.94 % | Sci Lab/Fam & Consumer | | | Playground: | 105 | 9.85 % |
| Sprain/Strain/Tear (Possible): | 84 | 7.88 % | Sci & Tech ED Class: | 38 | 3.56 % | Restroom: | 13 | 1.22 % |
| Other: | 32 | 3.00 % | Other: | 28 | 2.63 % | School Bus/Public Bus: | 9 | 0.84 % |
| Grand Total Occurrences: | 533 | | Grand Total Occurrences: | 533 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 40 | 3.75 % |
| | | | | | | Sidewalk: | 3 | 0.28 % |
| | | | | | | Stairs/Ramp/Elevator: | 18 | 1.69 % |
| | | | | | | Street/Driveway/Parking: | 7 | 0.66 % |
| | | | | | | Other: | 27 | 2.53 % |
| | | | | | | Grand Total Occurrences: | 533 | |

Total Average Daily Enrollment: 26,646

Injury Occurrence Rate*: 4.00 %

BLACKLICK VALLEY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 9 | 20.45 % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 6 | 13.64 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 5 | 11.36 % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 6 | 13.64 % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 1 | 2.27 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 8 | 18.18 % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 2 | 4.55 % | Sci Lab/Fam & Consumer | | | Playground: | 9 | 20.45 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 7 | 15.91 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 22 | | Grand Total Occurrences: | 22 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 7 | 15.91 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 6 | 13.64 % |
| | | | | | | Grand Total Occurrences: | 22 | |

Total Average Daily Enrollment: 629

Injury Occurrence Rate*: 6.99 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

CAMBRIA HEIGHTS SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 1.35 % | Athletic Field/Play Field: | 7 | 9.46 % |
| Concussion (Possible): | 5 | 6.76 % | Before School: | 2 | 2.70 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 2 | 2.70 % | Class Change: | 3 | 4.05 % | Bus Loading Area: | 1 | 1.35 % |
| Cut/Laceration/Puncture: | 4 | 5.41 % | Class Time: | 4 | 5.41 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 2 | 2.70 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 18 | 24.32 % | Corridor/Hall: | 1 | 1.35 % |
| Eye Injury: | 2 | 2.70 % | Recess: | 5 | 6.76 % | Gymnasium/Pool: | 14 | 18.92 % |
| Fracture (Possible): | 9 | 12.16 % | Sci Lab/Fam & Consumer | | | Playground: | 2 | 2.70 % |
| Sprain/Strain/Tear (Possible): | 11 | 14.86 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 1.35 % |
| Other: | 4 | 5.41 % | Other: | 4 | 5.41 % | School Bus/Public Bus: | 1 | 1.35 % |
| Grand Total Occurrences: | 37 | | Grand Total Occurrences: | 37 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 2 | 2.70 % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 4.05 % |
| | | | | | | Street/Driveway/Parking: | 2 | 2.70 % |
| | | | | | | Other: | 1 | 1.35 % |
| | | | | | | Grand Total Occurrences: | 37 | |

Total Average Daily Enrollment: 1,515

Injury Occurrence Rate*: 4.88 %

CENTRAL CAMBRIA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 6 | 5.45 % | Athletic Field/Play Field: | 6 | 5.45 % |
| Concussion (Possible): | 15 | 13.64 % | Before School: | 13 | 11.82 % | Auditorium/Multipurpose: | 3 | 2.73 % |
| Contusion: | 3 | 2.73 % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 9 | 8.18 % | Class Time: | 4 | 3.64 % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 0.91 % | Lunch Period: | 2 | 1.82 % | Classroom: | 4 | 3.64 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 13 | 11.82 % | Corridor/Hall: | 2 | 1.82 % |
| Eye Injury: | 5 | 4.55 % | Recess: | 14 | 12.73 % | Gymnasium/Pool: | 13 | 11.82 % |
| Fracture (Possible): | 13 | 11.82 % | Sci Lab/Fam & Consumer | | | Playground: | 14 | 12.73 % |
| Sprain/Strain/Tear (Possible): | 8 | 7.27 % | Sci & Tech ED Class: | 3 | 2.73 % | Restroom: | 0 | - % |
| Other: | 1 | 0.91 % | Other: | 0 | - % | School Bus/Public Bus: | 8 | 7.27 % |
| Grand Total Occurrences: | 55 | | Grand Total Occurrences: | 55 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 3 | 2.73 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 1.82 % |
| | | | | | | Grand Total Occurrences: | 55 | |

Total Average Daily Enrollment: 2,293

Injury Occurrence Rate*: 4.80 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

CONEMAUGH VALLEY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 3 | 3.66 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 4 | 4.88 % | Class Change: | 4 | 4.88 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 5 | 6.10 % | Class Time: | 1 | 1.22 % | Cafeteria: | 5 | 6.10 % |
| Dental Injury: | 2 | 2.44 % | Lunch Period: | 5 | 6.10 % | Classroom: | 0 | - % |
| Dislocation (Possible): | 10 | 12.20 % | P.E. Class: | 15 | 18.29 % | Corridor/Hall: | 4 | 4.88 % |
| Eye Injury: | 1 | 1.22 % | Recess: | 4 | 4.88 % | Gymnasium/Pool: | 15 | 18.29 % |
| Fracture (Possible): | 4 | 4.88 % | Sci Lab/Fam & Consumer | | | Playground: | 4 | 4.88 % |
| Sprain/Strain/Tear (Possible): | 5 | 6.10 % | Sci & Tech ED Class: | 6 | 7.32 % | Restroom: | 0 | - % |
| Other: | 7 | 8.54 % | Other: | 6 | 7.32 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 41 | | Grand Total Occurrences: | 41 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 6 | 7.32 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 1.22 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 6 | 7.32 % |
| | | | | | | Grand Total Occurrences: | 41 | |

Total Average Daily Enrollment: 814
Injury Occurrence Rate*: 10.07 %

FERNDAL AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 2.78 % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 3 | 8.33 % | Before School: | 1 | 2.78 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 3 | 8.33 % | Class Change: | 1 | 2.78 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 3 | 8.33 % | Class Time: | 0 | - % | Cafeteria: | 2 | 5.56 % |
| Dental Injury: | 1 | 2.78 % | Lunch Period: | 2 | 5.56 % | Classroom: | 0 | - % |
| Dislocation (Possible): | 3 | 8.33 % | P.E. Class: | 6 | 16.67 % | Corridor/Hall: | 1 | 2.78 % |
| Eye Injury: | 1 | 2.78 % | Recess: | 6 | 16.67 % | Gymnasium/Pool: | 6 | 16.67 % |
| Fracture (Possible): | 1 | 2.78 % | Sci Lab/Fam & Consumer | | | Playground: | 6 | 16.67 % |
| Sprain/Strain/Tear (Possible): | 2 | 5.56 % | Sci & Tech ED Class: | 2 | 5.56 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 1 | 2.78 % |
| Grand Total Occurrences: | 18 | | Grand Total Occurrences: | 18 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | 5.56 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 18 | |

Total Average Daily Enrollment: 753
Injury Occurrence Rate*: 4.78 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

FOREST HILLS SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 4 | 2.94 % | Athletic Field/Play Field: | 4 | 2.94 % |
| Concussion (Possible): | 10 | 7.35 % | Before School: | 2 | 1.47 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 8 | 5.88 % | Class Change: | 3 | 2.21 % | Bus Loading Area: | 1 | 0.74 % |
| Cut/Laceration/Puncture: | 8 | 5.88 % | Class Time: | 13 | 9.56 % | Cafeteria: | 1 | 0.74 % |
| Dental Injury: | 1 | 0.74 % | Lunch Period: | 1 | 0.74 % | Classroom: | 8 | 5.88 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 20 | 14.71 % | Corridor/Hall: | 5 | 3.68 % |
| Eye Injury: | 4 | 2.94 % | Recess: | 23 | 16.91 % | Gymnasium/Pool: | 16 | 11.76 % |
| Fracture (Possible): | 11 | 8.09 % | Sci Lab/Fam & Consumer | | | Playground: | 24 | 17.65 % |
| Sprain/Strain/Tear (Possible): | 22 | 16.18 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 4 | 2.94 % | Other: | 2 | 1.47 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 68 | | Grand Total Occurrences: | 68 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 4 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 2 | 1.47 % |
| | | | | | | Other: | 3 | 2.21 % |
| | | | | | | Grand Total Occurrences: | 68 | |

Total Average Daily Enrollment: 1,900
Injury Occurrence Rate*: 7.16 %

GREATER JOHNSTOWN SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 2 | 1.18 % | After School: | 2 | 1.18 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 9 | 5.29 % | Before School: | 6 | 3.53 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 7 | 4.12 % | Class Change: | 4 | 2.35 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 21 | 12.35 % | Class Time: | 12 | 7.06 % | Cafeteria: | 4 | 2.35 % |
| Dental Injury: | 2 | 1.18 % | Lunch Period: | 3 | 1.76 % | Classroom: | 10 | 5.88 % |
| Dislocation (Possible): | 1 | 0.59 % | P.E. Class: | 9 | 5.29 % | Corridor/Hall: | 4 | 2.35 % |
| Eye Injury: | 8 | 4.71 % | Recess: | 12 | 7.06 % | Gymnasium/Pool: | 9 | 5.29 % |
| Fracture (Possible): | 23 | 13.53 % | Sci Lab/Fam & Consumer | | | Playground: | 13 | 7.65 % |
| Sprain/Strain/Tear (Possible): | 7 | 4.12 % | Sci & Tech ED Class: | 11 | 6.47 % | Restroom: | 1 | 0.59 % |
| Other: | 5 | 2.94 % | Other: | 26 | 15.29 % | School Bus/Public Bus: | 1 | 0.59 % |
| Grand Total Occurrences: | 85 | | Grand Total Occurrences: | 85 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 12 | 6.47 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 1.18 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 29 | 17.06 % |
| | | | | | | Grand Total Occurrences: | 85 | |

Total Average Daily Enrollment: 3,506
Injury Occurrence Rate*: 4.85 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

NORTHERN CAMBRIA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 5.00 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 2 | 10.00 % | Class Time: | 1 | 5.00 % | Cafeteria: | 0 | - % |
| Dental Injury: | 3 | 15.00 % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 6 | 30.00 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 1 | 5.00 % | Recess: | 2 | 10.00 % | Gymnasium/Pool: | 6 | 30.00 % |
| Fracture (Possible): | 1 | 5.00 % | Sci Lab/Fam & Consumer | | | Playground: | 2 | 10.00 % |
| Sprain/Strain/Tear (Possible): | 3 | 15.00 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 5.00 % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 10 | | Grand Total Occurrences: | 10 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 1 | 5.00 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 10 | |

Total Average Daily Enrollment: 1,248

Injury Occurrence Rate*: 1.60 %

PENN CAMBRIA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 10 | 13.51 % | Before School: | 4 | 5.41 % | Auditorium/Multipurpose: | 1 | 1.35 % |
| Contusion: | 1 | 1.35 % | Class Change: | 1 | 1.35 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 3 | 4.05 % | Class Time: | 6 | 8.11 % | Cafeteria: | 1 | 1.35 % |
| Dental Injury: | 1 | 1.35 % | Lunch Period: | 4 | 5.41 % | Classroom: | 5 | 6.76 % |
| Dislocation (Possible): | 1 | 1.35 % | P.E. Class: | 13 | 17.57 % | Corridor/Hall: | 2 | 2.70 % |
| Eye Injury: | 1 | 1.35 % | Recess: | 4 | 5.41 % | Gymnasium/Pool: | 13 | 17.57 % |
| Fracture (Possible): | 6 | 8.11 % | Sci Lab/Fam & Consumer | | | Playground: | 6 | 8.11 % |
| Sprain/Strain/Tear (Possible): | 7 | 9.46 % | Sci & Tech ED Class: | 1 | 1.35 % | Restroom: | 0 | - % |
| Other: | 7 | 9.46 % | Other: | 4 | 5.41 % | School Bus/Public Bus: | 2 | 2.70 % |
| Grand Total Occurrences: | 37 | | Grand Total Occurrences: | 37 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 1.35 % |
| | | | | | | Sidewalk: | 1 | 1.35 % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 2.70 % |
| | | | | | | Street/Driveway/Parking: | 1 | 1.35 % |
| | | | | | | Other: | 2 | 2.70 % |
| | | | | | | Grand Total Occurrences: | 37 | |

Total Average Daily Enrollment: 1,958

Injury Occurrence Rate*: 3.78 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

PORTAGE AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 3 | 7.89 % | Athletic Field/Play Field: | 7 | 18.42 % |
| Concussion (Possible): | 3 | 7.89 % | Before School: | 1 | 2.63 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 2.63 % | Class Change: | 1 | 2.63 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 2 | 5.26 % | Class Time: | 2 | 5.26 % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 2.63 % | Lunch Period: | 1 | 2.63 % | Classroom: | 2 | 5.26 % |
| Dislocation (Possible): | 1 | 2.63 % | P.E. Class: | 4 | 10.53 % | Corridor/Hall: | 1 | 2.63 % |
| Eye Injury: | 0 | - % | Recess: | 6 | 15.79 % | Gymnasium/Pool: | 3 | 7.89 % |
| Fracture (Possible): | 6 | 15.79 % | Sci Lab/Fam & Consumer | | | Playground: | 6 | 15.79 % |
| Sprain/Strain/Tear (Possible): | 5 | 13.16 % | Sci & Tech ED Class: | 1 | 2.63 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 19 | | Grand Total Occurrences: | 19 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | 2.63 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 19 | |

Total Average Daily Enrollment: 910
Injury Occurrence Rate*: 4.18 %

RICHLAND SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 2 | 3.57 % | Athletic Field/Play Field: | 4 | 7.14 % |
| Concussion (Possible): | 5 | 8.93 % | Before School: | 2 | 3.57 % | Auditorium/Multipurpose: | 4 | 7.14 % |
| Contusion: | 3 | 5.36 % | Class Change: | 3 | 5.36 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 5 | 8.93 % | Class Time: | 3 | 5.36 % | Cafeteria: | 1 | 1.79 % |
| Dental Injury: | 2 | 3.57 % | Lunch Period: | 1 | 1.79 % | Classroom: | 2 | 3.57 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 11 | 19.64 % | Corridor/Hall: | 2 | 3.57 % |
| Eye Injury: | 1 | 1.79 % | Recess: | 2 | 3.57 % | Gymnasium/Pool: | 8 | 14.29 % |
| Fracture (Possible): | 5 | 8.93 % | Sci Lab/Fam & Consumer | | | Playground: | 2 | 3.57 % |
| Sprain/Strain/Tear (Possible): | 7 | 12.50 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 1.79 % |
| Other: | 0 | - % | Other: | 4 | 7.14 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 28 | | Grand Total Occurrences: | 28 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 3.57 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 3.57 % |
| | | | | | | Grand Total Occurrences: | 28 | |

Total Average Daily Enrollment: 1,837
Injury Occurrence Rate*: 3.05 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

WESTMONT HILLTOP SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 5 | 5.68 % | Before School: | 2 | 2.27 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 9 | 10.23 % | Class Change: | 11 | 12.50 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 7 | 7.95 % | Class Time: | 8 | 9.09 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 8 | 9.09 % |
| Dislocation (Possible): | 1 | 1.14 % | P.E. Class: | 15 | 17.05 % | Corridor/Hall: | 6 | 6.82 % |
| Eye Injury: | 2 | 2.27 % | Recess: | 5 | 5.68 % | Gymnasium/Pool: | 15 | 17.05 % |
| Fracture (Possible): | 4 | 4.55 % | Sci Lab/Fam & Consumer | | | Playground: | 5 | 5.68 % |
| Sprain/Strain/Tear (Possible): | 6 | 6.82 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 10 | 11.36 % | Other: | 3 | 3.41 % | School Bus/Public Bus: | 1 | 1.14 % |
| Grand Total Occurrences: | 44 | | Grand Total Occurrences: | 44 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 4 | 4.55 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 5 | 5.68 % |
| | | | | | | Grand Total Occurrences: | 44 | |

Total Average Daily Enrollment: 2,127
Injury Occurrence Rate*: 4.14 %

CAMBRIA COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 12 | 1.16 % | After School: | 25 | 2.41 % | Athletic Field/Play Field: | 34 | 3.28 % |
| Concussion (Possible): | 83 | 8.00 % | Before School: | 52 | 5.01 % | Auditorium/Multipurpose: | 11 | 1.06 % |
| Contusion: | 49 | 4.72 % | Class Change: | 31 | 2.99 % | Bus Loading Area: | 2 | 0.19 % |
| Cut/Laceration/Puncture: | 84 | 8.09 % | Class Time: | 58 | 5.59 % | Cafeteria: | 14 | 1.35 % |
| Dental Injury: | 15 | 1.45 % | Lunch Period: | 21 | 2.02 % | Classroom: | 45 | 4.34 % |
| Dislocation (Possible): | 17 | 1.64 % | P.E. Class: | 144 | 13.87 % | Corridor/Hall: | 30 | 2.89 % |
| Eye Injury: | 31 | 2.99 % | Recess: | 105 | 10.12 % | Gymnasium/Pool: | 131 | 12.62 % |
| Fracture (Possible): | 98 | 9.44 % | Sci Lab/Fam & Consumer | | | Playground: | 107 | 10.31 % |
| Sprain/Strain/Tear (Possible): | 91 | 8.77 % | Sci & Tech ED Class: | 34 | 3.28 % | Restroom: | 4 | 0.39 % |
| Other: | 39 | 3.76 % | Other: | 49 | 4.72 % | School Bus/Public Bus: | 22 | 2.12 % |
| Grand Total Occurrences: | 519 | | Grand Total Occurrences: | 519 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 38 | 3.66 % |
| | | | | | | Sidewalk: | 4 | 0.39 % |
| | | | | | | Stairs/Ramp/Elevator: | 14 | 1.35 % |
| | | | | | | Street/Driveway/Parking: | 5 | 0.48 % |
| | | | | | | Other: | 58 | 5.59 % |
| | | | | | | Grand Total Occurrences: | 519 | |

Total Average Daily Enrollment: 21,782
Injury Occurrence Rate*: 4.77 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

ALBERT GALLATIN AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 2 | 0.93 % | After School: | 1 | 0.47 % | Athletic Field/Play Field: | 9 | 4.21 % |
| Concussion (Possible): | 39 | 18.22 % | Before School: | 15 | 7.01 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 19 | 8.88 % | Class Change: | 5 | 2.34 % | Bus Loading Area: | 3 | 1.40 % |
| Cut/Laceration/Puncture: | 10 | 4.67 % | Class Time: | 20 | 9.35 % | Cafeteria: | 14 | 6.54 % |
| Dental Injury: | 0 | - % | Lunch Period: | 6 | 2.80 % | Classroom: | 17 | 7.94 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 30 | 14.02 % | Corridor/Hall: | 5 | 2.34 % |
| Eye Injury: | 2 | 0.93 % | Recess: | 28 | 13.08 % | Gymnasium/Pool: | 11 | 5.14 % |
| Fracture (Possible): | 9 | 4.21 % | Sci Lab/Fam & Consumer | | | Playground: | 29 | 13.55 % |
| Sprain/Strain/Tear (Possible): | 14 | 6.54 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 2 | 0.93 % |
| Other: | 12 | 5.61 % | Other: | 2 | 0.93 % | School Bus/Public Bus: | 11 | 5.14 % |
| Grand Total Occurrences: | 107 | | Grand Total Occurrences: | 107 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.47 % |
| | | | | | | Other: | 4 | 1.87 % |
| | | | | | | Grand Total Occurrences: | 107 | |

Total Average Daily Enrollment: 3,576
Injury Occurrence Rate*: 5.98 %

BROWNSVILLE AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 1 | 1.72 % |
| Concussion (Possible): | 7 | 12.07 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 2 | 3.45 % |
| Cotusion: | 0 | - % | Class Change: | 6 | 10.34 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 4 | 6.90 % | Class Time: | 7 | 12.07 % | Cafeteria: | 4 | 6.90 % |
| Dental Injury: | 0 | - % | Lunch Period: | 2 | 3.45 % | Classroom: | 3 | 5.17 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 7 | 12.07 % | Corridor/Hall: | 5 | 8.62 % |
| Eye Injury: | 1 | 1.72 % | Recess: | 4 | 6.90 % | Gymnasium/Pool: | 4 | 6.90 % |
| Fracture (Possible): | 11 | 18.97 % | Sci Lab/Fam & Consumer | | | Playground: | 7 | 12.07 % |
| Sprain/Strain/Tear (Possible): | 3 | 5.17 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 1.72 % |
| Other: | 3 | 5.17 % | Other: | 3 | 5.17 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 29 | | Grand Total Occurrences: | 29 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 1 | 1.72 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 1.72 % |
| | | | | | | Grand Total Occurrences: | 29 | |

Total Average Daily Enrollment: 1,646
Injury Occurrence Rate*: 3.52 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

CONNELLSVILLE AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 1 | 0.45 % | After School: | 0 | - % | Athletic Field/Play Field: | 15 | 6.76 % |
| Concussion (Possible): | 15 | 6.76 % | Before School: | 6 | 2.70 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 11 | 4.95 % | Class Change: | 13 | 5.86 % | Bus Loading Area: | 1 | 0.45 % |
| Cut/Laceration/Puncture: | 17 | 7.66 % | Class Time: | 15 | 6.76 % | Cafeteria: | 10 | 4.50 % |
| Dental Injury: | 5 | 2.25 % | Lunch Period: | 10 | 4.50 % | Classroom: | 9 | 4.05 % |
| Dislocation (Possible): | 8 | 3.60 % | P.E. Class: | 38 | 17.12 % | Corridor/Hall: | 8 | 3.60 % |
| Eye Injury: | 9 | 4.05 % | Recess: | 13 | 5.86 % | Gymnasium/Pool: | 28 | 12.61 % |
| Fracture (Possible): | 9 | 4.05 % | Sci Lab/Fam & Consumer | | | Playground: | 13 | 5.86 % |
| Sprain/Strain/Tear (Possible): | 24 | 10.81 % | Sci & Tech ED Class: | 13 | 5.86 % | Restroom: | 2 | 0.90 % |
| Other: | 12 | 5.41 % | Other: | 3 | 1.35 % | School Bus/Public Bus: | 2 | 0.90 % |
| Grand Total Occurrences: | 111 | | Grand Total Occurrences: | 111 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 13 | 5.86 % |
| | | | | | | Sidewalk: | 2 | 0.90 % |
| | | | | | | Stairs/Ramp/Elevator: | 4 | 1.80 % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.45 % |
| | | | | | | Other: | 3 | 1.35 % |
| | | | | | | Grand Total Occurrences: | 111 | |

Total Average Daily Enrollment: 5,224
Injury Occurrence Rate*: 4.25 %

FRAZIER SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 5 | 4.24 % | After School: | 0 | - % | Athletic Field/Play Field: | 34 | 28.81 % |
| Concussion (Possible): | 0 | - % | Before School: | 2 | 1.69 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 10 | 8.47 % | Bus Loading Area: | 2 | 1.69 % |
| Cut/Laceration/Puncture: | 15 | 12.71 % | Class Time: | 0 | - % | Cafeteria: | 2 | 1.69 % |
| Dental Injury: | 1 | 0.85 % | Lunch Period: | 2 | 1.69 % | Classroom: | 0 | - % |
| Dislocation (Possible): | 1 | 0.85 % | P.E. Class: | 34 | 28.81 % | Corridor/Hall: | 5 | 4.24 % |
| Eye Injury: | 4 | 3.39 % | Recess: | 5 | 4.24 % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 9 | 7.63 % | Sci Lab/Fam & Consumer | | | Playground: | 5 | 4.24 % |
| Sprain/Strain/Tear (Possible): | 24 | 20.34 % | Sci & Tech ED Class: | 5 | 4.24 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 1 | 0.85 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 59 | | Grand Total Occurrences: | 59 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 5 | 4.24 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 5 | 4.24 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 0.85 % |
| | | | | | | Grand Total Occurrences: | 59 | |

Total Average Daily Enrollment: 1,166
Injury Occurrence Rate*: 10.12 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

LAUREL HIGHLANDS SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 2 | 1.12 % | After School: | 3 | 1.69 % | Athletic Field/Play Field: | 3 | 1.69 % |
| Concussion (Possible): | 28 | 15.73 % | Before School: | 5 | 2.81 % | Auditorium/Multipurpose: | 3 | 1.69 % |
| Cotusion: | 3 | 1.69 % | Class Change: | 13 | 7.30 % | Bus Loading Area: | 1 | 0.56 % |
| Cut/Laceration/Puncture: | 11 | 6.18 % | Class Time: | 14 | 7.87 % | Cafeteria: | 11 | 6.18 % |
| Dental Injury: | 0 | - % | Lunch Period: | 10 | 5.62 % | Classroom: | 15 | 8.43 % |
| Dislocation (Possible): | 5 | 2.81 % | P.E. Class: | 29 | 16.29 % | Corridor/Hall: | 9 | 5.06 % |
| Eye Injury: | 13 | 7.30 % | Recess: | 9 | 5.06 % | Gymnasium/Pool: | 26 | 14.61 % |
| Fracture (Possible): | 13 | 7.30 % | Sci Lab/Fam & Consumer | | | Playground: | 7 | 3.93 % |
| Sprain/Strain/Tear (Possible): | 8 | 4.49 % | Sci & Tech ED Class: | 5 | 2.81 % | Restroom: | 1 | 0.56 % |
| Other: | 6 | 3.37 % | Other: | 1 | 0.56 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 89 | | Grand Total Occurrences: | 89 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 8 | 2.81 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 0.56 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 4 | 2.25 % |
| | | | | | | Grand Total Occurrences: | 89 | |

Total Average Daily Enrollment: 3,258
Injury Occurrence Rate*: 5.46 %

UNIONTOWN AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 2 | 1.96 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 11 | 10.78 % | Before School: | 3 | 2.94 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 6 | 5.88 % | Class Change: | 5 | 4.90 % | Bus Loading Area: | 1 | 0.98 % |
| Cut/Laceration/Puncture: | 8 | 7.84 % | Class Time: | 8 | 7.84 % | Cafeteria: | 6 | 5.88 % |
| Dental Injury: | 1 | 0.98 % | Lunch Period: | 0 | - % | Classroom: | 6 | 5.88 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 5 | 4.90 % | Corridor/Hall: | 7 | 6.86 % |
| Eye Injury: | 2 | 1.96 % | Recess: | 15 | 14.71 % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 10 | 9.80 % | Sci Lab/Fam & Consumer | | | Playground: | 16 | 15.69 % |
| Sprain/Strain/Tear (Possible): | 9 | 8.82 % | Sci & Tech ED Class: | 11 | 10.78 % | Restroom: | 10 | 9.80 % |
| Other: | 4 | 3.92 % | Other: | 2 | 1.96 % | School Bus/Public Bus: | 1 | 0.98 % |
| Grand Total Occurrences: | 51 | | Grand Total Occurrences: | 51 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | 10.78 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.98 % |
| | | | | | | Other: | 3 | 2.94 % |
| | | | | | | Grand Total Occurrences: | 51 | |

Total Average Daily Enrollment: 3,058
Injury Occurrence Rate*: 3.34 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

FAYETTE COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 10 | 1.12 % | After School: | 6 | 0.67 % | Athletic Field/Play Field: | 62 | 6.95 % |
| Concussion (Possible): | 100 | 11.21 % | Before School: | 31 | 3.48 % | Auditorium/Multipurpose: | 5 | 0.56 % |
| Contusion: | 39 | 4.37 % | Class Change: | 52 | 5.83 % | Bus Loading Area: | 8 | 0.90 % |
| Cut/Laceration/Puncture: | 65 | 7.29 % | Class Time: | 64 | 7.17 % | Cafeteria: | 47 | 5.27 % |
| Dental Injury: | 7 | 0.78 % | Lunch Period: | 30 | 3.36 % | Classroom: | 50 | 5.61 % |
| Dislocation (Possible): | 14 | 1.57 % | P.E. Class: | 143 | 16.03 % | Corridor/Hall: | 39 | 4.37 % |
| Eye Injury: | 31 | 3.48 % | Recess: | 74 | 8.30 % | Gymnasium/Pool: | 69 | 7.74 % |
| Fracture (Possible): | 61 | 6.84 % | Sci Lab/Fam & Consumer | | | Playground: | 77 | 8.63 % |
| Sprain/Strain/Tear (Possible): | 82 | 9.19 % | Sci & Tech ED Class: | 34 | 3.81 % | Restroom: | 16 | 1.79 % |
| Other: | 37 | 4.15 % | Other: | 12 | 1.35 % | School Bus/Public Bus: | 14 | 1.57 % |
| Grand Total Occurrences: | 446 | | Grand Total Occurrences: | 446 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 27 | 3.03 % |
| | | | | | | Sidewalk: | 3 | 0.34 % |
| | | | | | | Stairs/Ramp/Elevator: | 10 | 1.12 % |
| | | | | | | Street/Driveway/Parking: | 3 | 0.34 % |
| | | | | | | Other: | 16 | 1.79 % |
| | | | | | | Grand Total Occurrences: | 446 | |

Total Average Daily Enrollment: 17,929

Injury Occurrence Rate*: 4.98 %

CARMICHAELS AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 2.50 % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 4 | 10.00 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 4 | 10.00 % |
| Contusion: | 4 | 10.00 % | Class Change: | 4 | 10.00 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 8 | 20.00 % | Class Time: | 2 | 5.00 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 2 | 5.00 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 6 | 15.00 % | Corridor/Hall: | 4 | 10.00 % |
| Eye Injury: | 0 | - % | Recess: | 8 | 20.00 % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 3 | 7.50 % | Sci Lab/Fam & Consumer | | | Playground: | 8 | 20.00 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 20 | | Grand Total Occurrences: | 20 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 5.00 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 20 | |

Total Average Daily Enrollment: 1,090

Injury Occurrence Rate*: 3.67 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

CENTRAL GREENE SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 7 | 7.14 % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 8 | 8.16 % | Before School: | 1 | 1.02 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 6 | 6.12 % | Class Change: | 2 | 2.04 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 10 | 10.20 % | Class Time: | 4 | 4.08 % | Cafeteria: | 0 | - % |
| Dental Injury: | 3 | 3.06 % | Lunch Period: | 0 | - % | Classroom: | 4 | 4.08 % |
| Dislocation (Possible): | 7 | 7.14 % | P.E. Class: | 17 | 17.35 % | Corridor/Hall: | 3 | 3.06 % |
| Eye Injury: | 1 | 1.02 % | Recess: | 13 | 13.27 % | Gymnasium/Pool: | 17 | 17.35 % |
| Fracture (Possible): | 6 | 6.12 % | Sci Lab/Fam & Consumer | | | Playground: | 13 | 13.27 % |
| Sprain/Strain/Tear (Possible): | 1 | 1.02 % | Sci & Tech ED Class: | 12 | 12.24 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 49 | | Grand Total Occurrences: | 49 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 12 | 12.24 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 49 | |

Total Average Daily Enrollment: 1,849
Injury Occurrence Rate*: 5.30 %

JEFFERSON-MORGAN SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 4 | 5.88 % | Before School: | 1 | 1.47 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 10 | 14.71 % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 1 | 1.47 % | Class Time: | 4 | 5.88 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 4 | 5.88 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 16 | 23.53 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 2 | 2.94 % | Recess: | 12 | 17.65 % | Gymnasium/Pool: | 17 | 25.00 % |
| Fracture (Possible): | 6 | 8.82 % | Sci Lab/Fam & Consumer | | | Playground: | 12 | 17.65 % |
| Sprain/Strain/Tear (Possible): | 11 | 16.18 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 1 | 1.47 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 34 | | Grand Total Occurrences: | 34 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 1 | 1.47 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 34 | |

Total Average Daily Enrollment: 779
Injury Occurrence Rate*: 8.72 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

SOUTHEASTERN GREENE SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 2 | 12.50 % |
| Concussion (Possible): | 0 | - % | Before School: | 1 | 6.25 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 2 | 12.50 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 6.25 % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 3 | 18.75 % | Corridor/Hall: | 2 | 12.50 % |
| Eye Injury: | 0 | - % | Recess: | 2 | 12.50 % | Gymnasium/Pool: | 3 | 18.75 % |
| Fracture (Possible): | 1 | 6.25 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 3 | 18.75 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 3 | 18.75 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 8 | | Grand Total Occurrences: | 8 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 1 | 6.25 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 8 | |

Total Average Daily Enrollment: 579
Injury Occurrence Rate*: 2.76 %

WEST GREENE SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 2 | 1.10 % | After School: | 0 | - % | Athletic Field/Play Field: | 12 | 6.59 % |
| Concussion (Possible): | 5 | 2.75 % | Before School: | 5 | 2.75 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 11 | 6.04 % | Class Change: | 4 | 2.20 % | Bus Loading Area: | 1 | 0.55 % |
| Cut/Laceration/Puncture: | 13 | 7.14 % | Class Time: | 5 | 2.75 % | Cafeteria: | 0 | - % |
| Dental Injury: | 2 | 1.10 % | Lunch Period: | 4 | 2.20 % | Classroom: | 4 | 2.20 % |
| Dislocation (Possible): | 2 | 1.10 % | P.E. Class: | 47 | 25.82 % | Corridor/Hall: | 5 | 2.75 % |
| Eye Injury: | 0 | - % | Recess: | 24 | 13.19 % | Gymnasium/Pool: | 47 | 25.82 % |
| Fracture (Possible): | 12 | 6.59 % | Sci Lab/Fam & Consumer | | | Playground: | 8 | 4.40 % |
| Sprain/Strain/Tear (Possible): | 44 | 24.18 % | Sci & Tech ED Class: | 2 | 1.10 % | Restroom: | 3 | 1.65 % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 91 | | Grand Total Occurrences: | 91 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 1.10 % |
| | | | | | | Sidewalk: | 2 | 1.10 % |
| | | | | | | Stairs/Ramp/Elevator: | 8 | 4.40 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 91 | |

Total Average Daily Enrollment: 710
Injury Occurrence Rate*: 25.65 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

GREENE COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 10 | 2.48 % | After School: | 0 | - % | Athletic Field/Play Field: | 14 | 3.47 % |
| Concussion (Possible): | 21 | 5.20 % | Before School: | 8 | 1.98 % | Auditorium/Multipurpose: | 4 | 0.99 % |
| Contusion: | 31 | 7.67 % | Class Change: | 12 | 2.97 % | Bus Loading Area: | 1 | 0.25 % |
| Cut/Laceration/Puncture: | 32 | 7.92 % | Class Time: | 15 | 3.71 % | Cafeteria: | 0 | - % |
| Dental Injury: | 6 | 1.49 % | Lunch Period: | 4 | 0.99 % | Classroom: | 14 | 3.47 % |
| Dislocation (Possible): | 9 | 2.23 % | P.E. Class: | 89 | 22.03 % | Corridor/Hall: | 14 | 3.47 % |
| Eye Injury: | 3 | 0.74 % | Recess: | 59 | 14.60 % | Gymnasium/Pool: | 84 | 20.79 % |
| Fracture (Possible): | 28 | 6.93 % | Sci Lab/Fam & Consumer | | | Playground: | 41 | 10.15 % |
| Sprain/Strain/Tear (Possible): | 59 | 14.60 % | Sci & Tech ED Class: | 14 | 3.47 % | Restroom: | 3 | 0.74 % |
| Other: | 3 | 0.74 % | Other: | 1 | 0.25 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 202 | | Grand Total Occurrences: | 202 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 13 | 3.22 % |
| | | | | | | Sidewalk: | 3 | 0.74 % |
| | | | | | | Stairs/Ramp/Elevator: | 10 | 2.48 % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.25 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 202 | |

Total Average Daily Enrollment: 5,007

Injury Occurrence Rate*: 8.07 %

BLAIRSVILLE-SALTSBURG SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 2 | 4.35 % |
| Concussion (Possible): | 1 | 2.17 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 4 | 8.70 % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 2 | 4.35 % | Class Time: | 4 | 8.70 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 3 | 6.52 % |
| Dislocation (Possible): | 1 | 2.17 % | P.E. Class: | 13 | 28.26 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 1 | 2.17 % | Recess: | 5 | 10.87 % | Gymnasium/Pool: | 13 | 28.26 % |
| Fracture (Possible): | 12 | 26.09 % | Sci Lab/Fam & Consumer | | | Playground: | 4 | 8.70 % |
| Sprain/Strain/Tear (Possible): | 2 | 4.35 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 1 | 2.17 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 23 | | Grand Total Occurrences: | 23 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 1 | 2.17 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 23 | |

Total Average Daily Enrollment: 1,673

Injury Occurrence Rate*: 2.75 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

HOMER-CENTER SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 2 | 3.85 % |
| Concussion (Possible): | 4 | 7.69 % | Before School: | 2 | 3.85 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 2 | 3.85 % | Class Change: | 1 | 1.92 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 2 | 3.85 % | Class Time: | 1 | 1.92 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 1 | 1.92 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 16 | 30.77 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 2 | 3.85 % | Recess: | 5 | 9.62 % | Gymnasium/Pool: | 13 | 25.00 % |
| Fracture (Possible): | 7 | 13.46 % | Sci Lab/Fam & Consumer | | | Playground: | 5 | 9.62 % |
| Sprain/Strain/Tear (Possible): | 8 | 15.38 % | Sci & Tech ED Class: | 1 | 1.92 % | Restroom: | 0 | - % |
| Other: | 1 | 1.92 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 26 | | Grand Total Occurrences: | 26 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 1.92 % |
| | | | | | | Sidewalk: | 2 | 3.85 % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 1.92 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 1.92 % |
| | | | | | | Grand Total Occurrences: | 26 | |

Total Average Daily Enrollment: 840
Injury Occurrence Rate*: 6.19 %

INDIANA AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 32 | 16.67 % | Athletic Field/Play Field: | 32 | 16.67 % |
| Concussion (Possible): | 21 | 10.94 % | Before School: | 2 | 1.04 % | Auditorium/Multipurpose: | 2 | 1.04 % |
| Contusion: | 7 | 3.65 % | Class Change: | 6 | 3.13 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 10 | 5.21 % | Class Time: | 6 | 3.13 % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 0.52 % | Lunch Period: | 1 | 0.52 % | Classroom: | 4 | 2.08 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 25 | 13.02 % | Corridor/Hall: | 4 | 2.08 % |
| Eye Injury: | 3 | 1.56 % | Recess: | 24 | 12.50 % | Gymnasium/Pool: | 22 | 11.46 % |
| Fracture (Possible): | 20 | 10.42 % | Sci Lab/Fam & Consumer | | | Playground: | 25 | 13.02 % |
| Sprain/Strain/Tear (Possible): | 29 | 15.10 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 5 | 2.60 % | Other: | 0 | - % | School Bus/Public Bus: | 1 | 0.52 % |
| Grand Total Occurrences: | 96 | | Grand Total Occurrences: | 96 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 1.04 % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.52 % |
| | | | | | | Other: | 2 | 1.04 % |
| | | | | | | Grand Total Occurrences: | 96 | |

Total Average Daily Enrollment: 2,844
Injury Occurrence Rate*: 6.75 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

MARION CENTER AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 1.79 % | Athletic Field/Play Field: | 1 | 1.79 % |
| Concussion (Possible): | 3 | 5.36 % | Before School: | 3 | 5.36 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 2 | 3.57 % | Class Change: | 3 | 5.36 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 9 | 16.07 % | Class Time: | 5 | 8.93 % | Cafeteria: | 3 | 5.36 % |
| Dental Injury: | 2 | 3.57 % | Lunch Period: | 0 | - % | Classroom: | 3 | 5.36 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 5 | 8.93 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 10 | 17.86 % | Gymnasium/Pool: | 5 | 8.93 % |
| Fracture (Possible): | 5 | 8.93 % | Sci Lab/Fam & Consumer | | | Playground: | 10 | 17.86 % |
| Sprain/Strain/Tear (Possible): | 6 | 10.71 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 1 | 1.79 % | Other: | 1 | 1.79 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 28 | | Grand Total Occurrences: | 28 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 1.79 % |
| | | | | | | Street/Driveway/Parking: | 1 | 1.79 % |
| | | | | | | Other: | 4 | 7.14 % |
| | | | | | | Grand Total Occurrences: | 28 | |

Total Average Daily Enrollment: 1,337
Injury Occurrence Rate*: 4.19 %

PENNS MANOR AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 1.43 % | Athletic Field/Play Field: | 3 | 4.29 % |
| Concussion (Possible): | 7 | 10.00 % | Before School: | 1 | 1.43 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 5 | 7.14 % | Class Change: | 4 | 5.71 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 8 | 11.43 % | Class Time: | 3 | 4.29 % | Cafeteria: | 2 | 2.86 % |
| Dental Injury: | 1 | 1.43 % | Lunch Period: | 2 | 2.86 % | Classroom: | 3 | 4.29 % |
| Dislocation (Possible): | 1 | 1.43 % | P.E. Class: | 7 | 10.00 % | Corridor/Hall: | 4 | 5.71 % |
| Eye Injury: | 1 | 1.43 % | Recess: | 8 | 11.43 % | Gymnasium/Pool: | 10 | 14.29 % |
| Fracture (Possible): | 6 | 8.57 % | Sci Lab/Fam & Consumer | | | Playground: | 1 | 1.43 % |
| Sprain/Strain/Tear (Possible): | 3 | 4.29 % | Sci & Tech ED Class: | 7 | 10.00 % | Restroom: | 2 | 2.86 % |
| Other: | 3 | 4.29 % | Other: | 2 | 2.86 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 35 | | Grand Total Occurrences: | 35 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 7 | 10.00 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 2 | 2.86 % |
| | | | | | | Other: | 1 | 1.43 % |
| | | | | | | Grand Total Occurrences: | 35 | |

Total Average Daily Enrollment: 886
Injury Occurrence Rate*: 7.90 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

PURCHASE LINE SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 2 | 4.55 % |
| Concussion (Possible): | 5 | 11.36 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 3 | 6.82 % | Class Change: | 1 | 2.27 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 2 | 4.55 % | Class Time: | 3 | 6.82 % | Cafeteria: | 2 | 4.55 % |
| Dental Injury: | 0 | - % | Lunch Period: | 1 | 2.27 % | Classroom: | 3 | 6.82 % |
| Dislocation (Possible): | 1 | 2.27 % | P.E. Class: | 9 | 20.45 % | Corridor/Hall: | 1 | 2.27 % |
| Eye Injury: | 2 | 4.55 % | Recess: | 6 | 13.64 % | Gymnasium/Pool: | 8 | 18.18 % |
| Fracture (Possible): | 4 | 9.09 % | Sci Lab/Fam & Consumer | | | Playground: | 5 | 11.36 % |
| Sprain/Strain/Tear (Possible): | 5 | 11.36 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 2 | 4.55 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 22 | | Grand Total Occurrences: | 22 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 2.27 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 22 | |

Total Average Daily Enrollment: 991
Injury Occurrence Rate*: 4.44 %

UNITED SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 1.61 % | Athletic Field/Play Field: | 7 | 11.29 % |
| Concussion (Possible): | 11 | 17.74 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 5 | 8.06 % | Class Change: | 1 | 1.61 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 3 | 4.84 % | Class Time: | 2 | 3.23 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 2 | 3.23 % |
| Dislocation (Possible): | 1 | 1.61 % | P.E. Class: | 10 | 16.13 % | Corridor/Hall: | 1 | 1.61 % |
| Eye Injury: | 0 | - % | Recess: | 16 | 25.81 % | Gymnasium/Pool: | 7 | 11.29 % |
| Fracture (Possible): | 4 | 6.45 % | Sci Lab/Fam & Consumer | | | Playground: | 12 | 19.35 % |
| Sprain/Strain/Tear (Possible): | 7 | 11.29 % | Sci & Tech ED Class: | 1 | 1.61 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 1 | 1.61 % |
| Grand Total Occurrences: | 31 | | Grand Total Occurrences: | 31 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 1.61 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 31 | |

Total Average Daily Enrollment: 1,027
Injury Occurrence Rate*: 6.04 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

INDIANA COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 0 | - % | After School: | 35 | 6.70 % | Athletic Field/Play Field: | 49 | 9.39 % |
| Concussion (Possible): | 52 | 9.96 % | Before School: | 8 | 1.53 % | Auditorium/Multipurpose: | 2 | 0.38 % |
| Contusion: | 28 | 5.36 % | Class Change: | 16 | 3.07 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 36 | 6.90 % | Class Time: | 24 | 4.60 % | Cafeteria: | 7 | 1.34 % |
| Dental Injury: | 4 | 0.77 % | Lunch Period: | 4 | 0.77 % | Classroom: | 19 | 3.64 % |
| Dislocation (Possible): | 4 | 0.77 % | P.E. Class: | 85 | 16.28 % | Corridor/Hall: | 10 | 1.92 % |
| Eye Injury: | 9 | 1.72 % | Recess: | 74 | 14.18 % | Gymnasium/Pool: | 78 | 14.94 % |
| Fracture (Possible): | 58 | 11.11 % | Sci Lab/Fam & Consumer | | | Playground: | 62 | 11.88 % |
| Sprain/Strain/Tear (Possible): | 60 | 11.49 % | Sci & Tech ED Class: | 9 | 1.72 % | Restroom: | 2 | 0.38 % |
| Other: | 10 | 1.92 % | Other: | 6 | 1.15 % | School Bus/Public Bus: | 2 | 0.38 % |
| Grand Total Occurrences: | 261 | | Grand Total Occurrences: | 261 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 10 | 1.92 % |
| | | | | | | Sidewalk: | 3 | 0.57 % |
| | | | | | | Stairs/Ramp/Elevator: | 5 | 0.96 % |
| | | | | | | Street/Driveway/Parking: | 4 | 0.77 % |
| | | | | | | Other: | 8 | 1.53 % |
| | | | | | | Grand Total Occurrences: | 261 | |

Total Average Daily Enrollment: 9,599
 Injury Occurrence Rate*: 5.44 %

BERLIN BROTHERSVALLEY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 2.38 % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 2 | 4.76 % | Before School: | 1 | 2.38 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 2.38 % | Class Change: | 3 | 7.14 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 2 | 4.76 % | Class Time: | 5 | 11.90 % | Cafeteria: | 1 | 2.38 % |
| Dental Injury: | 0 | - % | Lunch Period: | 2 | 4.76 % | Classroom: | 4 | 9.52 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 5 | 11.90 % | Corridor/Hall: | 2 | 4.76 % |
| Eye Injury: | 1 | 2.38 % | Recess: | 2 | 4.76 % | Gymnasium/Pool: | 5 | 11.90 % |
| Fracture (Possible): | 7 | 16.67 % | Sci Lab/Fam & Consumer | | | Playground: | 2 | 4.76 % |
| Sprain/Strain/Tear (Possible): | 4 | 9.52 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 3 | 7.14 % | Other: | 3 | 7.14 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 21 | | Grand Total Occurrences: | 21 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 4.76 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 5 | 11.90 % |
| | | | | | | Grand Total Occurrences: | 21 | |

Total Average Daily Enrollment: 845
 Injury Occurrence Rate*: 4.97 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
 Division of School Health

CONEMAUGH TOWNSHIP AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 2 | 5.00 % |
| Concussion (Possible): | 3 | 7.50 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 4 | 10.00 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 6 | 15.00 % | Class Time: | 4 | 10.00 % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 2.50 % | Lunch Period: | 0 | - % | Classroom: | 3 | 7.50 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 8 | 20.00 % | Corridor/Hall: | 5 | 12.50 % |
| Eye Injury: | 0 | - % | Recess: | 3 | 7.50 % | Gymnasium/Pool: | 5 | 12.50 % |
| Fracture (Possible): | 6 | 15.00 % | Sci Lab/Fam & Consumer | | | Playground: | 4 | 10.00 % |
| Sprain/Strain/Tear (Possible): | 3 | 7.50 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 1 | 2.50 % | Other: | 1 | 2.50 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 20 | | Grand Total Occurrences: | 20 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 2.50 % |
| | | | | | | Grand Total Occurrences: | 20 | |

Total Average Daily Enrollment: 1,146

Injury Occurrence Rate*: 3.49 %

MEYERSDALE AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 3.33 % | After School: | 1 | 3.33 % | Athletic Field/Play Field: | 1 | 3.33 % |
| Concussion (Possible): | 4 | 13.33 % | Before School: | 1 | 3.33 % | Auditorium/Multipurpose: | 1 | 3.33 % |
| Contusion: | 0 | - % | Class Change: | 5 | 16.67 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 2 | 6.67 % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 1 | 3.33 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 3 | 10.00 % | Corridor/Hall: | 5 | 16.67 % |
| Eye Injury: | 0 | - % | Recess: | 2 | 6.67 % | Gymnasium/Pool: | 3 | 10.00 % |
| Fracture (Possible): | 7 | 23.33 % | Sci Lab/Fam & Consumer | | | Playground: | 2 | 6.67 % |
| Sprain/Strain/Tear (Possible): | 1 | 3.33 % | Sci & Tech ED Class: | 1 | 3.33 % | Restroom: | 1 | 3.33 % |
| Other: | 0 | - % | Other: | 2 | 6.67 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 15 | | Grand Total Occurrences: | 15 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 3.33 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 15 | |

Total Average Daily Enrollment: 887

Injury Occurrence Rate*: 3.38 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

NORTH STAR SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 2.27 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 4 | 9.09 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 1 | 2.27 % |
| Cut/Laceration/Puncture: | 2 | 4.55 % | Class Time: | 3 | 6.82 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 1 | 2.27 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 9 | 20.45 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 8 | 18.18 % | Gymnasium/Pool: | 10 | 22.73 % |
| Fracture (Possible): | 8 | 18.18 % | Sci Lab/Fam & Consumer | | | Playground: | 8 | 18.18 % |
| Sprain/Strain/Tear (Possible): | 8 | 18.18 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 1 | 2.27 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 22 | | Grand Total Occurrences: | 22 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 1 | 2.27 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 2.27 % |
| | | | | | | Grand Total Occurrences: | 22 | |

Total Average Daily Enrollment: 1,150

Injury Occurrence Rate*: 3.83 %

ROCKWOOD AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 2 | 3.23 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 11 | 17.74 % | Before School: | 2 | 3.23 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 2 | 3.23 % | Class Change: | 1 | 1.61 % | Bus Loading Area: | 1 | 1.61 % |
| Cut/Laceration/Puncture: | 2 | 3.23 % | Class Time: | 3 | 4.84 % | Cafeteria: | 0 | - % |
| Dental Injury: | 2 | 3.23 % | Lunch Period: | 0 | - % | Classroom: | 3 | 4.84 % |
| Dislocation (Possible): | 1 | 1.61 % | P.E. Class: | 14 | 22.58 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 2 | 3.23 % | Recess: | 6 | 9.68 % | Gymnasium/Pool: | 16 | 25.81 % |
| Fracture (Possible): | 5 | 8.06 % | Sci Lab/Fam & Consumer | | | Playground: | 5 | 8.06 % |
| Sprain/Strain/Tear (Possible): | 4 | 6.45 % | Sci & Tech ED Class: | 1 | 1.61 % | Restroom: | 0 | - % |
| Other: | 2 | 3.23 % | Other: | 2 | 3.23 % | School Bus/Public Bus: | 1 | 1.61 % |
| Grand Total Occurrences: | 31 | | Grand Total Occurrences: | 31 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 1.61 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 1.61 % |
| | | | | | | Street/Driveway/Parking: | 1 | 1.61 % |
| | | | | | | Other: | 2 | 3.23 % |
| | | | | | | Grand Total Occurrences: | 31 | |

Total Average Daily Enrollment: 749

Injury Occurrence Rate*: 8.28 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

SALISBURY-ELK LICK SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 3 | 21.43 % | Athletic Field/Play Field: | 2 | 14.29 % |
| Concussion (Possible): | 4 | 28.57 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 2 | 14.29 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 2 | 14.29 % | Gymnasium/Pool: | 2 | 14.29 % |
| Fracture (Possible): | 3 | 21.43 % | Sci Lab/Fam & Consumer | | | Playground: | 2 | 14.29 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 7 | | Grand Total Occurrences: | 7 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 7.14 % |
| | | | | | | Grand Total Occurrences: | 7 | |

Total Average Daily Enrollment: 305
Injury Occurrence Rate*: 4.59 %

SHADE-CENTRAL CITY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 2 | 5.88 % | Athletic Field/Play Field: | 3 | 8.82 % |
| Concussion (Possible): | 6 | 17.65 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 2 | 5.88 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 2 | 5.88 % | Class Time: | 1 | 2.94 % | Cafeteria: | 0 | - % |
| Dental Injury: | 3 | 8.82 % | Lunch Period: | 0 | - % | Classroom: | 1 | 2.94 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 8 | 23.53 % | Corridor/Hall: | 4 | 11.76 % |
| Eye Injury: | 1 | 2.94 % | Recess: | 3 | 8.82 % | Gymnasium/Pool: | 5 | 14.71 % |
| Fracture (Possible): | 5 | 14.71 % | Sci Lab/Fam & Consumer | | | Playground: | 3 | 8.82 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 1 | 2.94 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 17 | | Grand Total Occurrences: | 17 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 2.94 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 17 | |

Total Average Daily Enrollment: 496
Injury Occurrence Rate*: 6.86 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

SHANKSVILLE-STONYCREEK SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 2 | 25.00 % | Class Time: | 1 | 12.50 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 1 | 12.50 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 1 | 12.50 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 1 | 12.50 % | Gymnasium/Pool: | 1 | 12.50 % |
| Fracture (Possible): | 2 | 25.00 % | Sci Lab/Fam & Consumer | | | Playground: | 1 | 12.50 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 1 | 12.50 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 4 | | Grand Total Occurrences: | 4 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 12.50 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 4 | |

Total Average Daily Enrollment: 355
Injury Occurrence Rate*: 2.25 %

SOMERSET AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 5 | 6.41 % |
| Concussion (Possible): | 13 | 16.67 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 3 | 3.85 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 7 | 8.97 % | Class Time: | 5 | 6.41 % | Cafeteria: | 1 | 1.28 % |
| Dental Injury: | 0 | - % | Lunch Period: | 4 | 5.13 % | Classroom: | 2 | 2.56 % |
| Dislocation (Possible): | 1 | 1.28 % | P.E. Class: | 15 | 19.23 % | Corridor/Hall: | 2 | 2.56 % |
| Eye Injury: | 4 | 5.13 % | Recess: | 11 | 14.10 % | Gymnasium/Pool: | 14 | 17.95 % |
| Fracture (Possible): | 7 | 8.97 % | Sci Lab/Fam & Consumer | | | Playground: | 10 | 12.82 % |
| Sprain/Strain/Tear (Possible): | 3 | 3.85 % | Sci & Tech ED Class: | 1 | 1.28 % | Restroom: | 2 | 2.56 % |
| Other: | 4 | 5.13 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 39 | | Grand Total Occurrences: | 39 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 1.28 % |
| | | | | | | Sidewalk: | 1 | 1.28 % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 1.28 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 39 | |

Total Average Daily Enrollment: 2,395
Injury Occurrence Rate*: 3.26 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

TURKEYFOOT VALLEY AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|---------|--|----------|---------|
| Burn: | 0 | - % | After School: | 2 | 11.11 % | Athletic Field/Play Field: | 1 | 5.56 % |
| Concussion (Possible): | 1 | 5.56 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 1 | 5.56 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 1 | 5.56 % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 4 | 22.22 % | Corridor/Hall: | 1 | 5.56 % |
| Eye Injury: | 0 | - % | Recess: | 2 | 11.11 % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 3 | 16.67 % | Sci Lab/Fam & Consumer | | | Playground: | 5 | 27.78 % |
| Sprain/Strain/Tear (Possible): | 4 | 22.22 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 2 | 11.11 % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 9 | | Grand Total Occurrences: | 9 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 9 | |

Total Average Daily Enrollment: 386
Injury Occurrence Rate*: 4.67 %

WINDBER AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 3 | 8.82 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 1 | 2.94 % | Before School: | 6 | 17.65 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 2 | 5.88 % | Class Change: | 1 | 2.94 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 3 | 8.82 % | Class Time: | 1 | 2.94 % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 2.94 % | Lunch Period: | 0 | - % | Classroom: | 1 | 2.94 % |
| Dislocation (Possible): | 1 | 2.94 % | P.E. Class: | 5 | 14.71 % | Corridor/Hall: | 1 | 2.94 % |
| Eye Injury: | 1 | 2.94 % | Recess: | 1 | 2.94 % | Gymnasium/Pool: | 5 | 14.71 % |
| Fracture (Possible): | 3 | 8.82 % | Sci Lab/Fam & Consumer | | | Playground: | 1 | 2.94 % |
| Sprain/Strain/Tear (Possible): | 5 | 14.71 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 3 | 8.82 % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 17 | | Grand Total Occurrences: | 17 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 6 | 17.65 % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 17 | |

Total Average Daily Enrollment: 1,288
Injury Occurrence Rate*: 2.64 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

SOMERSET COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 2 | 0.50 % | After School: | 14 | 3.47 % | Athletic Field/Play Field: | 14 | 3.47 % |
| Concussion (Possible): | 49 | 12.13 % | Before School: | 10 | 2.48 % | Auditorium/Multipurpose: | 1 | 0.25 % |
| Contusion: | 5 | 1.24 % | Class Change: | 20 | 4.95 % | Bus Loading Area: | 2 | 0.50 % |
| Cut/Laceration/Puncture: | 29 | 7.18 % | Class Time: | 25 | 6.19 % | Cafeteria: | 2 | 0.50 % |
| Dental Injury: | 7 | 1.73 % | Lunch Period: | 6 | 1.49 % | Classroom: | 17 | 4.21 % |
| Dislocation (Possible): | 3 | 0.74 % | P.E. Class: | 72 | 17.82 % | Corridor/Hall: | 20 | 4.95 % |
| Eye Injury: | 9 | 2.23 % | Recess: | 41 | 10.15 % | Gymnasium/Pool: | 66 | 16.34 % |
| Fracture (Possible): | 56 | 13.86 % | Sci Lab/Fam & Consumer | | | Playground: | 43 | 10.64 % |
| Sprain/Strain/Tear (Possible): | 32 | 7.92 % | Sci & Tech ED Class: | 4 | 0.99 % | Restroom: | 8 | 1.98 % |
| Other: | 10 | 2.48 % | Other: | 10 | 2.48 % | School Bus/Public Bus: | 1 | 0.25 % |
| Grand Total Occurrences: | 202 | | Grand Total Occurrences: | 202 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 4 | 0.99 % |
| | | | | | | Sidewalk: | 8 | 1.98 % |
| | | | | | | Stairs/Ramp/Elevator: | 5 | 1.24 % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.25 % |
| | | | | | | Other: | 10 | 2.48 % |
| | | | | | | Grand Total Occurrences: | 202 | |

Total Average Daily Enrollment: 10,001
 Injury Occurrence Rate*: 4.04 %

AVELLA AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 4 | 13.33 % | Before School: | 4 | 13.33 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 2 | 6.67 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 1 | 3.33 % | Class Time: | 2 | 6.67 % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 3.33 % | Lunch Period: | 0 | - % | Classroom: | 1 | 3.33 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 3 | 10.00 % | Corridor/Hall: | 1 | 3.33 % |
| Eye Injury: | 2 | 6.67 % | Recess: | 4 | 13.33 % | Gymnasium/Pool: | 4 | 13.33 % |
| Fracture (Possible): | 6 | 20.00 % | Sci Lab/Fam & Consumer | | | Playground: | 4 | 13.33 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 1 | 3.33 % | Other: | 0 | - % | School Bus/Public Bus: | 4 | 13.33 % |
| Grand Total Occurrences: | 15 | | Grand Total Occurrences: | 15 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 3.33 % |
| | | | | | | Grand Total Occurrences: | 15 | |

Total Average Daily Enrollment: 541
 Injury Occurrence Rate*: 5.55 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
 Division of School Health

BENTWORTH SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 0.83 % | After School: | 0 | - % | Athletic Field/Play Field: | 17 | 14.17 % |
| Concussion (Possible): | 8 | 6.67 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 13 | 10.83 % |
| Contusion: | 6 | 5.00 % | Class Change: | 7 | 5.83 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 9 | 7.50 % | Class Time: | 2 | 1.67 % | Cafeteria: | 3 | 2.50 % |
| Dental Injury: | 1 | 0.83 % | Lunch Period: | 3 | 2.50 % | Classroom: | 2 | 1.67 % |
| Dislocation (Possible): | 1 | 0.83 % | P.E. Class: | 16 | 13.33 % | Corridor/Hall: | 7 | 5.83 % |
| Eye Injury: | 1 | 0.83 % | Recess: | 29 | 24.17 % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 13 | 10.83 % | Sci Lab/Fam & Consumer | | | Playground: | 15 | 12.50 % |
| Sprain/Strain/Tear (Possible): | 20 | 16.67 % | Sci & Tech ED Class: | 3 | 2.50 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 60 | | Grand Total Occurrences: | 60 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 3 | 2.50 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 60 | |

Total Average Daily Enrollment: 1,158
Injury Occurrence Rate*: 10.36 %

BETHLEHEM-CENTER SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 9 | 15.52 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 1 | 1.72 % |
| Contusion: | 4 | 6.90 % | Class Change: | 1 | 1.72 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 6 | 10.34 % | Class Time: | 9 | 15.52 % | Cafeteria: | 2 | 3.45 % |
| Dental Injury: | 0 | - % | Lunch Period: | 2 | 3.45 % | Classroom: | 6 | 10.34 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 10 | 17.24 % | Corridor/Hall: | 1 | 1.72 % |
| Eye Injury: | 2 | 3.45 % | Recess: | 5 | 8.62 % | Gymnasium/Pool: | 9 | 15.52 % |
| Fracture (Possible): | 3 | 5.17 % | Sci Lab/Fam & Consumer | | | Playground: | 5 | 8.62 % |
| Sprain/Strain/Tear (Possible): | 2 | 3.45 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 1.72 % |
| Other: | 3 | 5.17 % | Other: | 2 | 3.45 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 29 | | Grand Total Occurrences: | 29 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 1 | 1.72 % |
| | | | | | | Other: | 3 | 5.17 % |
| | | | | | | Grand Total Occurrences: | 29 | |

Total Average Daily Enrollment: 1,215
Injury Occurrence Rate*: 4.77 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

BURGETTSTOWN AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 4 | 3.33 % | After School: | 22 | 18.33 % | Athletic Field/Play Field: | 6 | 5.00 % |
| Concussion (Possible): | 25 | 20.83 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 2 | 1.67 % | Class Change: | 3 | 2.50 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 10 | 8.33 % | Class Time: | 9 | 7.50 % | Cafeteria: | 0 | - % |
| Dental Injury: | 1 | 0.83 % | Lunch Period: | 0 | - % | Classroom: | 7 | 5.83 % |
| Dislocation (Possible): | 3 | 2.50 % | P.E. Class: | 5 | 4.17 % | Corridor/Hall: | 4 | 3.33 % |
| Eye Injury: | 3 | 2.50 % | Recess: | 4 | 3.33 % | Gymnasium/Pool: | 5 | 4.17 % |
| Fracture (Possible): | 7 | 5.83 % | Sci Lab/Fam & Consumer | | | Playground: | 4 | 3.33 % |
| Sprain/Strain/Tear (Possible): | 5 | 4.17 % | Sci & Tech ED Class: | 4 | 3.33 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 13 | 10.83 % | School Bus/Public Bus: | 16 | 13.33 % |
| Grand Total Occurrences: | 60 | | Grand Total Occurrences: | 60 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 6 | 3.33 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 12 | 10.00 % |
| | | | | | | Grand Total Occurrences: | 60 | |

Total Average Daily Enrollment: 1,273
 Injury Occurrence Rate*: 9.42 %

CALIFORNIA AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 4.17 % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 5 | 20.83 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 3 | 12.50 % | Class Time: | 1 | 4.17 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 2 | 8.33 % | Classroom: | 2 | 8.33 % |
| Dislocation (Possible): | 1 | 4.17 % | P.E. Class: | 1 | 4.17 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 6 | 25.00 % | Gymnasium/Pool: | 2 | 8.33 % |
| Fracture (Possible): | 2 | 8.33 % | Sci Lab/Fam & Consumer | | | Playground: | 6 | 25.00 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 1 | 4.17 % | Restroom: | 1 | 4.17 % |
| Other: | 0 | - % | Other: | 1 | 4.17 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 12 | | Grand Total Occurrences: | 12 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 4.17 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 12 | |

Total Average Daily Enrollment: 940
 Injury Occurrence Rate*: 2.55 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
 Division of School Health

CANON-MCMILLAN SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 3 | 1.46 % | After School: | 6 | 2.91 % | Athletic Field/Play Field: | 4 | 1.94 % |
| Concussion (Possible): | 30 | 14.56 % | Before School: | 6 | 2.91 % | Auditorium/Multipurpose: | 8 | 3.88 % |
| Cotusion: | 5 | 2.43 % | Class Change: | 3 | 1.46 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 15 | 7.28 % | Class Time: | 9 | 4.37 % | Cafeteria: | 5 | 2.43 % |
| Dental Injury: | 6 | 2.91 % | Lunch Period: | 3 | 1.46 % | Classroom: | 8 | 3.88 % |
| Dislocation (Possible): | 1 | 0.49 % | P.E. Class: | 47 | 22.82 % | Corridor/Hall: | 4 | 1.94 % |
| Eye Injury: | 9 | 4.37 % | Recess: | 14 | 6.80 % | Gymnasium/Pool: | 34 | 16.50 % |
| Fracture (Possible): | 20 | 9.71 % | Sci Lab/Fam & Consumer | | | Playground: | 13 | 6.31 % |
| Sprain/Strain/Tear (Possible): | 10 | 4.85 % | Sci & Tech ED Class: | 4 | 1.94 % | Restroom: | 0 | - % |
| Other: | 4 | 1.94 % | Other: | 11 | 5.34 % | School Bus/Public Bus: | 2 | 0.97 % |
| Grand Total Occurrences: | 103 | | Grand Total Occurrences: | 103 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 4 | 1.94 % |
| | | | | | | Sidewalk: | 2 | 0.97 % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 1.46 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 16 | 7.77 % |
| | | | | | | Grand Total Occurrences: | 103 | |

Total Average Daily Enrollment: 5,144
Injury Occurrence Rate*: 4.00 %

CHARLEROI SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 7 | 14.58 % |
| Concussion (Possible): | 7 | 14.58 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 0 | - % | Class Change: | 2 | 4.17 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 4 | 8.33 % | Class Time: | 3 | 6.25 % | Cafeteria: | 2 | 4.17 % |
| Dental Injury: | 0 | - % | Lunch Period: | 2 | 4.17 % | Classroom: | 1 | 2.08 % |
| Dislocation (Possible): | 2 | 4.17 % | P.E. Class: | 10 | 20.83 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 6 | 12.50 % | Gymnasium/Pool: | 7 | 14.58 % |
| Fracture (Possible): | 5 | 10.42 % | Sci Lab/Fam & Consumer | | | Playground: | 6 | 12.50 % |
| Sprain/Strain/Tear (Possible): | 6 | 12.50 % | Sci & Tech ED Class: | 1 | 2.08 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 24 | | Grand Total Occurrences: | 24 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 2.08 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 24 | |

Total Average Daily Enrollment: 1,658
Injury Occurrence Rate*: 2.90 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

CHARTIERS-HOUSTON SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 1.04 % | After School: | 1 | 1.04 % | Athletic Field/Play Field: | 2 | 2.08 % |
| Concussion (Possible): | 6 | 6.25 % | Before School: | 1 | 1.04 % | Auditorium/Multipurpose: | 1 | 1.04 % |
| Cotusion: | 0 | - % | Class Change: | 9 | 9.38 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 7 | 7.29 % | Class Time: | 6 | 6.25 % | Cafeteria: | 0 | - % |
| Dental Injury: | 2 | 2.08 % | Lunch Period: | 1 | 1.04 % | Classroom: | 4 | 4.17 % |
| Dislocation (Possible): | 1 | 1.04 % | P.E. Class: | 7 | 7.29 % | Corridor/Hall: | 9 | 9.38 % |
| Eye Injury: | 1 | 1.04 % | Recess: | 17 | 17.71 % | Gymnasium/Pool: | 7 | 7.29 % |
| Fracture (Possible): | 6 | 6.25 % | Sci Lab/Fam & Consumer | | | Playground: | 19 | 19.79 % |
| Sprain/Strain/Tear (Possible): | 21 | 21.88 % | Sci & Tech ED Class: | 5 | 5.21 % | Restroom: | 1 | 1.04 % |
| Other: | 3 | 3.13 % | Other: | 1 | 1.04 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 48 | | Grand Total Occurrences: | 48 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 3 | 5.21 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 1.04 % |
| | | | | | | Street/Driveway/Parking: | 1 | 1.04 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 48 | |

Total Average Daily Enrollment: 1,341
Injury Occurrence Rate*: 7.16 %

FORT CHERRY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 6 | 18.75 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 6 | 18.75 % | Class Time: | 2 | 6.25 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 1 | 3.13 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 8 | 25.00 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 1 | 3.13 % | Recess: | 6 | 18.75 % | Gymnasium/Pool: | 9 | 28.13 % |
| Fracture (Possible): | 1 | 3.13 % | Sci Lab/Fam & Consumer | | | Playground: | 6 | 18.75 % |
| Sprain/Strain/Tear (Possible): | 2 | 6.25 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 16 | | Grand Total Occurrences: | 16 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 16 | |

Total Average Daily Enrollment: 1,078
Injury Occurrence Rate*: 2.97 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

MCGUFFEY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 2.94 % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 8 | 23.53 % | Before School: | 2 | 5.88 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 1 | 2.94 % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 4 | 11.76 % | Class Time: | 4 | 11.76 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 3 | 8.82 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 11 | 32.35 % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 3 | 8.82 % | Sci Lab/Fam & Consumer | | | Playground: | 11 | 32.35 % |
| Sprain/Strain/Tear (Possible): | 0 | - % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 2.94 % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 2 | 5.88 % |
| Grand Total Occurrences: | 17 | | Grand Total Occurrences: | 17 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 17 | |

Total Average Daily Enrollment: 1,788
Injury Occurrence Rate*: 1.90 %

PETERS TOWNSHIP SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 3 | 2.46 % | Athletic Field/Play Field: | 5 | 4.10 % |
| Concussion (Possible): | 12 | 9.84 % | Before School: | 1 | 0.82 % | Auditorium/Multipurpose: | 3 | 2.46 % |
| Contusion: | 1 | 0.82 % | Class Change: | 3 | 2.46 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 5 | 4.10 % | Class Time: | 6 | 4.92 % | Cafeteria: | 2 | 1.64 % |
| Dental Injury: | 5 | 4.10 % | Lunch Period: | 3 | 2.46 % | Classroom: | 3 | 2.46 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 22 | 18.03 % | Corridor/Hall: | 3 | 2.46 % |
| Eye Injury: | 2 | 1.64 % | Recess: | 21 | 17.21 % | Gymnasium/Pool: | 18 | 14.75 % |
| Fracture (Possible): | 25 | 20.49 % | Sci Lab/Fam & Consumer | | | Playground: | 19 | 15.57 % |
| Sprain/Strain/Tear (Possible): | 6 | 4.92 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 5 | 4.10 % | Other: | 2 | 1.64 % | School Bus/Public Bus: | 1 | 0.82 % |
| Grand Total Occurrences: | 61 | | Grand Total Occurrences: | 61 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 1 | 0.82 % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 2.46 % |
| | | | | | | Street/Driveway/Parking: | 2 | 1.64 % |
| | | | | | | Other: | 1 | 0.82 % |
| | | | | | | Grand Total Occurrences: | 61 | |

Total Average Daily Enrollment: 4,672
Injury Occurrence Rate*: 2.61 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

RINGGOLD SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 3 | 5.56 % |
| Concussion (Possible): | 7 | 12.96 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 5 | 9.26 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 4 | 7.41 % | Class Time: | 1 | 1.85 % | Cafeteria: | 1 | 1.85 % |
| Dental Injury: | 1 | 1.85 % | Lunch Period: | 2 | 3.70 % | Classroom: | 1 | 1.85 % |
| Dislocation (Possible): | 1 | 1.85 % | P.E. Class: | 9 | 16.67 % | Corridor/Hall: | 2 | 3.70 % |
| Eye Injury: | 0 | - % | Recess: | 4 | 7.41 % | Gymnasium/Pool: | 6 | 11.11 % |
| Fracture (Possible): | 4 | 7.41 % | Sci Lab/Fam & Consumer | | | Playground: | 4 | 7.41 % |
| Sprain/Strain/Tear (Possible): | 6 | 11.11 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 1.85 % |
| Other: | 4 | 7.41 % | Other: | 6 | 11.11 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 27 | | Grand Total Occurrences: | 27 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 5.56 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 6 | 11.11 % |
| | | | | | | Grand Total Occurrences: | 27 | |

Total Average Daily Enrollment: 3,028
Injury Occurrence Rate*: 1.78 %

TRINITY AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 7 | 5.15 % |
| Concussion (Possible): | 11 | 8.09 % | Before School: | 4 | 2.94 % | Auditorium/Multipurpose: | 1 | 0.74 % |
| Contusion: | 4 | 2.94 % | Class Change: | 7 | 5.15 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 11 | 8.09 % | Class Time: | 18 | 13.24 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 14 | 10.29 % |
| Dislocation (Possible): | 2 | 1.47 % | P.E. Class: | 23 | 16.91 % | Corridor/Hall: | 7 | 5.15 % |
| Eye Injury: | 1 | 0.74 % | Recess: | 14 | 10.29 % | Gymnasium/Pool: | 23 | 16.91 % |
| Fracture (Possible): | 9 | 6.62 % | Sci Lab/Fam & Consumer | | | Playground: | 11 | 8.09 % |
| Sprain/Strain/Tear (Possible): | 17 | 12.50 % | Sci & Tech ED Class: | 1 | 0.74 % | Restroom: | 0 | - % |
| Other: | 13 | 9.56 % | Other: | 1 | 0.74 % | School Bus/Public Bus: | 4 | 2.94 % |
| Grand Total Occurrences: | 68 | | Grand Total Occurrences: | 68 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 0.74 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 68 | |

Total Average Daily Enrollment: 3,308
Injury Occurrence Rate*: 4.11 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

WASHINGTON SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 1 | 2.63 % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 7 | 18.42 % | Before School: | 1 | 2.63 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 4 | 10.53 % | Bus Loading Area: | 1 | 2.63 % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 4 | 10.53 % | Cafeteria: | 1 | 2.63 % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 4 | 10.53 % |
| Dislocation (Possible): | 1 | 2.63 % | P.E. Class: | 8 | 21.05 % | Corridor/Hall: | 4 | 10.53 % |
| Eye Injury: | 0 | - % | Recess: | 1 | 2.63 % | Gymnasium/Pool: | 8 | 21.05 % |
| Fracture (Possible): | 4 | 10.53 % | Sci Lab/Fam & Consumer | | | Playground: | 1 | 2.63 % |
| Sprain/Strain/Tear (Possible): | 7 | 18.42 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 19 | | Grand Total Occurrences: | 19 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 19 | |

Total Average Daily Enrollment: 1,849
Injury Occurrence Rate*: 2.06 %

WASHINGTON COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 11 | 0.98 % | After School: | 33 | 2.95 % | Athletic Field/Play Field: | 51 | 4.56 % |
| Concussion (Possible): | 145 | 12.97 % | Before School: | 19 | 1.70 % | Auditorium/Multipurpose: | 27 | 2.42 % |
| Contusion: | 23 | 2.06 % | Class Change: | 46 | 4.11 % | Bus Loading Area: | 1 | 0.09 % |
| Cut/Laceration/Puncture: | 85 | 7.60 % | Class Time: | 76 | 6.80 % | Cafeteria: | 16 | 1.43 % |
| Dental Injury: | 17 | 1.52 % | Lunch Period: | 18 | 1.61 % | Classroom: | 57 | 5.10 % |
| Dislocation (Possible): | 13 | 1.16 % | P.E. Class: | 169 | 15.12 % | Corridor/Hall: | 42 | 3.76 % |
| Eye Injury: | 22 | 1.97 % | Recess: | 142 | 12.70 % | Gymnasium/Pool: | 132 | 11.81 % |
| Fracture (Possible): | 108 | 9.66 % | Sci Lab/Fam & Consumer | | | Playground: | 124 | 11.09 % |
| Sprain/Strain/Tear (Possible): | 102 | 9.12 % | Sci & Tech ED Class: | 19 | 1.70 % | Restroom: | 5 | 0.45 % |
| Other: | 33 | 2.95 % | Other: | 37 | 3.31 % | School Bus/Public Bus: | 29 | 2.59 % |
| Grand Total Occurrences: | 559 | | Grand Total Occurrences: | 559 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 19 | 1.70 % |
| | | | | | | Sidewalk: | 3 | 0.27 % |
| | | | | | | Stairs/Ramp/Elevator: | 10 | 0.89 % |
| | | | | | | Street/Driveway/Parking: | 4 | 0.36 % |
| | | | | | | Other: | 39 | 3.49 % |
| | | | | | | Grand Total Occurrences: | 559 | |

Total Average Daily Enrollment: 28,994
Injury Occurrence Rate*: 3.86 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

BELLE VERNON AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 0.79 % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 10 | 7.94 % | Before School: | 5 | 3.97 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 10 | 7.94 % | Class Change: | 4 | 3.17 % | Bus Loading Area: | 1 | 0.79 % |
| Cut/Laceration/Puncture: | 11 | 8.73 % | Class Time: | 12 | 9.52 % | Cafeteria: | 8 | 6.35 % |
| Dental Injury: | 1 | 0.79 % | Lunch Period: | 5 | 3.97 % | Classroom: | 8 | 6.35 % |
| Dislocation (Possible): | 1 | 0.79 % | P.E. Class: | 23 | 18.25 % | Corridor/Hall: | 1 | 0.79 % |
| Eye Injury: | 2 | 1.59 % | Recess: | 9 | 7.14 % | Gymnasium/Pool: | 20 | 15.87 % |
| Fracture (Possible): | 12 | 9.52 % | Sci Lab/Fam & Consumer | | | Playground: | 12 | 9.52 % |
| Sprain/Strain/Tear (Possible): | 13 | 10.32 % | Sci & Tech ED Class: | 2 | 1.59 % | Restroom: | 3 | 2.38 % |
| Other: | 2 | 1.59 % | Other: | 3 | 2.38 % | School Bus/Public Bus: | 4 | 3.17 % |
| Grand Total Occurrences: | 63 | | Grand Total Occurrences: | 63 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | 1.59 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 4 | 3.17 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 63 | |

Total Average Daily Enrollment: 2,820
Injury Occurrence Rate*: 4.47 %

BURRELL SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 2 | 0.96 % |
| Concussion (Possible): | 38 | 18.27 % | Before School: | 5 | 2.40 % | Auditorium/Multipurpose: | 1 | 0.48 % |
| Cotusion: | 5 | 2.40 % | Class Change: | 8 | 3.85 % | Bus Loading Area: | 1 | 0.48 % |
| Cut/Laceration/Puncture: | 6 | 2.88 % | Class Time: | 11 | 5.29 % | Cafeteria: | 4 | 1.92 % |
| Dental Injury: | 3 | 1.44 % | Lunch Period: | 5 | 2.40 % | Classroom: | 11 | 5.29 % |
| Dislocation (Possible): | 2 | 0.96 % | P.E. Class: | 36 | 17.31 % | Corridor/Hall: | 6 | 2.88 % |
| Eye Injury: | 4 | 1.92 % | Recess: | 39 | 18.75 % | Gymnasium/Pool: | 40 | 19.23 % |
| Fracture (Possible): | 23 | 11.06 % | Sci Lab/Fam & Consumer | | | Playground: | 32 | 15.38 % |
| Sprain/Strain/Tear (Possible): | 22 | 10.58 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 1 | 0.48 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 104 | | Grand Total Occurrences: | 104 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | - % |
| | | | | | | Sidewalk: | 1 | 0.48 % |
| | | | | | | Stairs/Ramp/Elevator: | 4 | 1.92 % |
| | | | | | | Street/Driveway/Parking: | 1 | 0.48 % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 104 | |

Total Average Daily Enrollment: 1,796
Injury Occurrence Rate*: 11.58 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

DERRY AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 2 | 2.27 % | Athletic Field/Play Field: | 2 | 2.27 % |
| Concussion (Possible): | 5 | 5.68 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 1 | 1.14 % |
| Cotusion: | 10 | 11.36 % | Class Change: | 6 | 6.82 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 7 | 7.95 % | Class Time: | 5 | 5.68 % | Cafeteria: | 1 | 1.14 % |
| Dental Injury: | 1 | 1.14 % | Lunch Period: | 0 | - % | Classroom: | 5 | 5.68 % |
| Dislocation (Possible): | 2 | 2.27 % | P.E. Class: | 14 | 15.91 % | Corridor/Hall: | 4 | 4.55 % |
| Eye Injury: | 2 | 2.27 % | Recess: | 10 | 11.36 % | Gymnasium/Pool: | 12 | 13.64 % |
| Fracture (Possible): | 10 | 11.36 % | Sci Lab/Fam & Consumer | | | Playground: | 11 | 12.50 % |
| Sprain/Strain/Tear (Possible): | 6 | 6.82 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 1.14 % |
| Other: | 1 | 1.14 % | Other: | 7 | 7.95 % | School Bus/Public Bus: | 1 | 1.14 % |
| Grand Total Occurrences: | 44 | | Grand Total Occurrences: | 44 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 1 | 1.14 % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 2.27 % |
| | | | | | | Street/Driveway/Parking: | 2 | 2.27 % |
| | | | | | | Other: | 1 | 1.14 % |
| | | | | | | Grand Total Occurrences: | 44 | |

Total Average Daily Enrollment: 2,234
Injury Occurrence Rate*: 3.94 %

DR ROBERT KETTERER CS

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|----------|---------|--|----------|----------|--|----------|----------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 0 | - % |
| Concussion (Possible): | 0 | - % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 0 | - % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 0 | - % | Class Time: | 0 | - % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 0 | - % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 2 | 100.00 % | Gymnasium/Pool: | 0 | - % |
| Fracture (Possible): | 1 | 50.00 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 1 | 50.00 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 2 | | Grand Total Occurrences: | 2 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 100.00 % |
| | | | | | | Grand Total Occurrences: | 2 | |

Total Average Daily Enrollment: 422
Injury Occurrence Rate*: 0.47 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

FRANKLIN REGIONAL SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 1 | 0.70 % |
| Concussion (Possible): | 16 | 11.27 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 2 | 1.41 % | Class Change: | 8 | 5.63 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 18 | 12.68 % | Class Time: | 20 | 14.08 % | Cafeteria: | 2 | 1.41 % |
| Dental Injury: | 2 | 1.41 % | Lunch Period: | 1 | 0.70 % | Classroom: | 15 | 10.56 % |
| Dislocation (Possible): | 1 | 0.70 % | P.E. Class: | 19 | 13.38 % | Corridor/Hall: | 8 | 5.63 % |
| Eye Injury: | 7 | 4.93 % | Recess: | 5 | 3.52 % | Gymnasium/Pool: | 20 | 14.08 % |
| Fracture (Possible): | 22 | 15.49 % | Sci Lab/Fam & Consumer | | | Playground: | 18 | 12.68 % |
| Sprain/Strain/Tear (Possible): | 2 | 1.41 % | Sci & Tech ED Class: | 13 | 9.15 % | Restroom: | 0 | - % |
| Other: | 1 | 0.70 % | Other: | 5 | 3.52 % | School Bus/Public Bus: | 1 | 0.70 % |
| Grand Total Occurrences: | 71 | | Grand Total Occurrences: | 71 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | 9.15 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 6 | 4.23 % |
| | | | | | | Grand Total Occurrences: | 71 | |

Total Average Daily Enrollment: 3,850
Injury Occurrence Rate*: 3.69 %

GREATER LATROBE SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 0 | - % | After School: | 4 | 1.12 % | Athletic Field/Play Field: | 23 | 6.46 % |
| Concussion (Possible): | 39 | 10.96 % | Before School: | 12 | 3.37 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 15 | 4.21 % | Class Change: | 12 | 3.37 % | Bus Loading Area: | 1 | 0.28 % |
| Cut/Laceration/Puncture: | 24 | 6.74 % | Class Time: | 28 | 7.87 % | Cafeteria: | 8 | 2.25 % |
| Dental Injury: | 7 | 1.97 % | Lunch Period: | 7 | 1.97 % | Classroom: | 28 | 7.87 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 65 | 18.26 % | Corridor/Hall: | 15 | 4.21 % |
| Eye Injury: | 14 | 3.93 % | Recess: | 40 | 11.24 % | Gymnasium/Pool: | 47 | 13.20 % |
| Fracture (Possible): | 42 | 11.80 % | Sci Lab/Fam & Consumer | | | Playground: | 29 | 8.15 % |
| Sprain/Strain/Tear (Possible): | 25 | 7.02 % | Sci & Tech ED Class: | 3 | 0.84 % | Restroom: | 6 | 1.69 % |
| Other: | 12 | 3.37 % | Other: | 7 | 1.97 % | School Bus/Public Bus: | 6 | 1.69 % |
| Grand Total Occurrences: | 178 | | Grand Total Occurrences: | 178 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 2 | 0.84 % |
| | | | | | | Sidewalk: | 3 | 0.84 % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 0.28 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 9 | 2.53 % |
| | | | | | | Grand Total Occurrences: | 178 | |

Total Average Daily Enrollment: 4,038
Injury Occurrence Rate*: 8.82 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

GREENSBURG SALEM SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 2 | 0.74 % | After School: | 10 | 3.68 % | Athletic Field/Play Field: | 3 | 1.10 % |
| Concussion (Possible): | 14 | 5.15 % | Before School: | 6 | 2.21 % | Auditorium/Multipurpose: | 1 | 0.37 % |
| Cotusion: | 21 | 7.72 % | Class Change: | 35 | 12.87 % | Bus Loading Area: | 2 | 0.74 % |
| Cut/Laceration/Puncture: | 26 | 9.56 % | Class Time: | 39 | 14.34 % | Cafeteria: | 3 | 1.10 % |
| Dental Injury: | 4 | 1.47 % | Lunch Period: | 4 | 1.47 % | Classroom: | 34 | 12.50 % |
| Dislocation (Possible): | 1 | 0.37 % | P.E. Class: | 27 | 9.93 % | Corridor/Hall: | 15 | 5.51 % |
| Eye Injury: | 5 | 1.84 % | Recess: | 14 | 5.15 % | Gymnasium/Pool: | 30 | 11.03 % |
| Fracture (Possible): | 19 | 6.99 % | Sci Lab/Fam & Consumer | | | Playground: | 12 | 4.41 % |
| Sprain/Strain/Tear (Possible): | 25 | 9.19 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 1 | 0.37 % |
| Other: | 19 | 6.99 % | Other: | 1 | 0.37 % | School Bus/Public Bus: | 8 | 2.94 % |
| Grand Total Occurrences: | 136 | | Grand Total Occurrences: | 136 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 19 | 6.99 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 8 | 2.94 % |
| | | | | | | Grand Total Occurrences: | 136 | |

Total Average Daily Enrollment: 3,042
Injury Occurrence Rate*: 8.94 %

HEMPFIELD AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 1 | 0.22 % | After School: | 4 | 0.88 % | Athletic Field/Play Field: | 1 | 0.22 % |
| Concussion (Possible): | 41 | 8.99 % | Before School: | 9 | 1.97 % | Auditorium/Multipurpose: | 5 | 1.10 % |
| Cotusion: | 28 | 6.14 % | Class Change: | 14 | 3.07 % | Bus Loading Area: | 3 | 0.66 % |
| Cut/Laceration/Puncture: | 25 | 5.48 % | Class Time: | 51 | 11.18 % | Cafeteria: | 6 | 1.32 % |
| Dental Injury: | 4 | 0.88 % | Lunch Period: | 8 | 1.75 % | Classroom: | 41 | 8.99 % |
| Dislocation (Possible): | 14 | 3.07 % | P.E. Class: | 44 | 9.65 % | Corridor/Hall: | 13 | 2.85 % |
| Eye Injury: | 3 | 0.66 % | Recess: | 81 | 17.76 % | Gymnasium/Pool: | 53 | 11.62 % |
| Fracture (Possible): | 28 | 6.14 % | Sci Lab/Fam & Consumer | | | Playground: | 81 | 17.76 % |
| Sprain/Strain/Tear (Possible): | 57 | 12.50 % | Sci & Tech ED Class: | 1 | 0.22 % | Restroom: | 1 | 0.22 % |
| Other: | 27 | 5.92 % | Other: | 16 | 3.51 % | School Bus/Public Bus: | 3 | 0.66 % |
| Grand Total Occurrences: | 228 | | Grand Total Occurrences: | 228 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 3 | 0.22 % |
| | | | | | | Sidewalk: | 7 | 1.54 % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 0.44 % |
| | | | | | | Street/Driveway/Parking: | 3 | 0.66 % |
| | | | | | | Other: | 6 | 1.32 % |
| | | | | | | Grand Total Occurrences: | 228 | |

Total Average Daily Enrollment: 6,891
Injury Occurrence Rate*: 6.62 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

JEANNETTE CITY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 1.00 % | After School: | 10 | 10.00 % | Athletic Field/Play Field: | 12 | 12.00 % |
| Concussion (Possible): | 16 | 16.00 % | Before School: | 14 | 14.00 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 7 | 7.00 % | Class Change: | 0 | - % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 7 | 7.00 % | Class Time: | 5 | 5.00 % | Cafeteria: | 2 | 2.00 % |
| Dental Injury: | 0 | - % | Lunch Period: | 2 | 2.00 % | Classroom: | 3 | 3.00 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 12 | 12.00 % | Corridor/Hall: | 3 | 3.00 % |
| Eye Injury: | 0 | - % | Recess: | 3 | 3.00 % | Gymnasium/Pool: | 14 | 14.00 % |
| Fracture (Possible): | 1 | 1.00 % | Sci Lab/Fam & Consumer | | | Playground: | 2 | 2.00 % |
| Sprain/Strain/Tear (Possible): | 5 | 5.00 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 13 | 13.00 % | Other: | 4 | 4.00 % | School Bus/Public Bus: | 12 | 12.00 % |
| Grand Total Occurrences: | 50 | | Grand Total Occurrences: | 50 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 2 | 2.00 % |
| | | | | | | Grand Total Occurrences: | 50 | |

Total Average Daily Enrollment: 1,085
Injury Occurrence Rate*: 9.22 %

KISKI AREA SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 4 | 0.81 % | After School: | 7 | 1.42 % | Athletic Field/Play Field: | 17 | 3.44 % |
| Concussion (Possible): | 44 | 8.91 % | Before School: | 8 | 1.62 % | Auditorium/Multipurpose: | 1 | 0.20 % |
| Contusion: | 36 | 7.29 % | Class Change: | 15 | 3.04 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 33 | 6.68 % | Class Time: | 34 | 6.88 % | Cafeteria: | 11 | 2.23 % |
| Dental Injury: | 1 | 0.20 % | Lunch Period: | 8 | 1.62 % | Classroom: | 29 | 5.87 % |
| Dislocation (Possible): | 2 | 0.40 % | P.E. Class: | 73 | 14.78 % | Corridor/Hall: | 17 | 3.44 % |
| Eye Injury: | 34 | 6.88 % | Recess: | 73 | 14.78 % | Gymnasium/Pool: | 77 | 15.59 % |
| Fracture (Possible): | 23 | 4.66 % | Sci Lab/Fam & Consumer | | | Playground: | 56 | 11.34 % |
| Sprain/Strain/Tear (Possible): | 29 | 5.87 % | Sci & Tech ED Class: | 4 | 0.81 % | Restroom: | 3 | 0.61 % |
| Other: | 41 | 8.30 % | Other: | 25 | 5.06 % | School Bus/Public Bus: | 16 | 3.24 % |
| Grand Total Occurrences: | 247 | | Grand Total Occurrences: | 247 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 3 | 0.81 % |
| | | | | | | Sidewalk: | 3 | 0.61 % |
| | | | | | | Stairs/Ramp/Elevator: | 4 | 0.81 % |
| | | | | | | Street/Driveway/Parking: | 2 | 0.40 % |
| | | | | | | Other: | 8 | 1.62 % |
| | | | | | | Grand Total Occurrences: | 247 | |

Total Average Daily Enrollment: 3,950
Injury Occurrence Rate*: 12.51 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

LIGONIER VALLEY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 1 | 1.09 % | After School: | 1 | 1.09 % | Athletic Field/Play Field: | 1 | 1.09 % |
| Concussion (Possible): | 11 | 11.96 % | Before School: | 1 | 1.09 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 2 | 2.17 % | Class Change: | 3 | 3.26 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 4 | 4.35 % | Class Time: | 1 | 1.09 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 2 | 2.17 % | Classroom: | 2 | 2.17 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 0 | - % | Corridor/Hall: | 1 | 1.09 % |
| Eye Injury: | 1 | 1.09 % | Recess: | 29 | 31.52 % | Gymnasium/Pool: | 29 | 31.52 % |
| Fracture (Possible): | 11 | 11.96 % | Sci Lab/Fam & Consumer | | | Playground: | 3 | 3.26 % |
| Sprain/Strain/Tear (Possible): | 16 | 17.39 % | Sci & Tech ED Class: | 8 | 8.70 % | Restroom: | 1 | 1.09 % |
| Other: | 0 | - % | Other: | 1 | 1.09 % | School Bus/Public Bus: | 4 | 4.35 % |
| Grand Total Occurrences: | 46 | | Grand Total Occurrences: | 46 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | 8.70 % |
| | | | | | | Sidewalk: | 1 | 1.09 % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 1.09 % |
| | | | | | | Street/Driveway/Parking: | 1 | 1.09 % |
| | | | | | | Other: | 2 | 2.17 % |
| | | | | | | Grand Total Occurrences: | 46 | |

Total Average Daily Enrollment: 1,920
Injury Occurrence Rate*: 4.79 %

MONESSEN CITY SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 2 | 4.55 % | After School: | 1 | 2.27 % | Athletic Field/Play Field: | 3 | 6.82 % |
| Concussion (Possible): | 2 | 4.55 % | Before School: | 1 | 2.27 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 3 | 6.82 % | Class Change: | 5 | 11.36 % | Bus Loading Area: | 2 | 4.55 % |
| Cut/Laceration/Puncture: | 1 | 2.27 % | Class Time: | 2 | 4.55 % | Cafeteria: | 4 | 9.09 % |
| Dental Injury: | 1 | 2.27 % | Lunch Period: | 6 | 13.64 % | Classroom: | 4 | 9.09 % |
| Dislocation (Possible): | 2 | 4.55 % | P.E. Class: | 4 | 9.09 % | Corridor/Hall: | 2 | 4.55 % |
| Eye Injury: | 3 | 6.82 % | Recess: | 2 | 4.55 % | Gymnasium/Pool: | 3 | 6.82 % |
| Fracture (Possible): | 1 | 2.27 % | Sci Lab/Fam & Consumer | | | Playground: | 0 | - % |
| Sprain/Strain/Tear (Possible): | 7 | 15.91 % | Sci & Tech ED Class: | 1 | 2.27 % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 22 | | Grand Total Occurrences: | 22 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 2.27 % |
| | | | | | | Sidewalk: | 1 | 2.27 % |
| | | | | | | Stairs/Ramp/Elevator: | 2 | 4.55 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 22 | |

Total Average Daily Enrollment: 803
Injury Occurrence Rate*: 5.48 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

MOUNT PLEASANT AREA SCHOOL DISTRICT

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 7 | 6.48 % |
| Concussion (Possible): | 12 | 11.11 % | Before School: | 2 | 1.85 % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 5 | 4.63 % | Class Change: | 3 | 2.78 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 7 | 6.48 % | Class Time: | 6 | 5.56 % | Cafeteria: | 0 | - % |
| Dental Injury: | 3 | 2.78 % | Lunch Period: | 1 | 0.93 % | Classroom: | 6 | 5.56 % |
| Dislocation (Possible): | 1 | 0.93 % | P.E. Class: | 24 | 22.22 % | Corridor/Hall: | 5 | 4.63 % |
| Eye Injury: | 1 | 0.93 % | Recess: | 18 | 16.67 % | Gymnasium/Pool: | 19 | 17.59 % |
| Fracture (Possible): | 14 | 12.96 % | Sci Lab/Fam & Consumer | | | Playground: | 17 | 15.74 % |
| Sprain/Strain/Tear (Possible): | 10 | 9.26 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 1 | 0.93 % | Other: | 0 | - % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 54 | | Grand Total Occurrences: | 54 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 54 | |

Total Average Daily Enrollment: 2,010
Injury Occurrence Rate*: 5.37 %

NEW KENSINGTON-ARNOLD SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 1 | 3.33 % |
| Concussion (Possible): | 2 | 6.67 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Contusion: | 0 | - % | Class Change: | 1 | 3.33 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 6 | 20.00 % | Class Time: | 2 | 6.67 % | Cafeteria: | 0 | - % |
| Dental Injury: | 0 | - % | Lunch Period: | 0 | - % | Classroom: | 2 | 6.67 % |
| Dislocation (Possible): | 0 | - % | P.E. Class: | 8 | 26.67 % | Corridor/Hall: | 0 | - % |
| Eye Injury: | 0 | - % | Recess: | 3 | 10.00 % | Gymnasium/Pool: | 9 | 30.00 % |
| Fracture (Possible): | 4 | 13.33 % | Sci Lab/Fam & Consumer | | | Playground: | 2 | 6.67 % |
| Sprain/Strain/Tear (Possible): | 3 | 10.00 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 0 | - % | Other: | 1 | 3.33 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 15 | | Grand Total Occurrences: | 15 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 1 | 3.33 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 15 | |

Total Average Daily Enrollment: 2,256
Injury Occurrence Rate*: 1.33 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

NORWIN SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 3 | 2.11 % | Athletic Field/Play Field: | 4 | 2.82 % |
| Concussion (Possible): | 14 | 9.86 % | Before School: | 4 | 2.82 % | Auditorium/Multipurpose: | 1 | 0.70 % |
| Cotusion: | 2 | 1.41 % | Class Change: | 6 | 4.23 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 18 | 12.68 % | Class Time: | 10 | 7.04 % | Cafeteria: | 2 | 1.41 % |
| Dental Injury: | 3 | 2.11 % | Lunch Period: | 2 | 1.41 % | Classroom: | 6 | 4.23 % |
| Dislocation (Possible): | 3 | 2.11 % | P.E. Class: | 23 | 16.20 % | Corridor/Hall: | 6 | 4.23 % |
| Eye Injury: | 2 | 1.41 % | Recess: | 21 | 14.79 % | Gymnasium/Pool: | 22 | 15.49 % |
| Fracture (Possible): | 18 | 12.68 % | Sci Lab/Fam & Consumer | | | Playground: | 23 | 16.20 % |
| Sprain/Strain/Tear (Possible): | 9 | 6.34 % | Sci & Tech ED Class: | 0 | - % | Restroom: | 0 | - % |
| Other: | 2 | 1.41 % | Other: | 2 | 1.41 % | School Bus/Public Bus: | 2 | 1.41 % |
| Grand Total Occurrences: | 71 | | Grand Total Occurrences: | 71 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 0 | - % |
| | | | | | | Sidewalk: | 1 | 0.70 % |
| | | | | | | Stairs/Ramp/Elevator: | 3 | 2.11 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 1 | 0.70 % |
| | | | | | | Grand Total Occurrences: | 71 | |

Total Average Daily Enrollment: 5,414
Injury Occurrence Rate*: 2.62 %

PENN-TRAFFORD SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 8 | 5.63 % | After School: | 3 | 2.11 % | Athletic Field/Play Field: | 11 | 7.75 % |
| Concussion (Possible): | 17 | 11.97 % | Before School: | 0 | - % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 2 | 1.41 % | Class Change: | 4 | 2.82 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 8 | 5.63 % | Class Time: | 9 | 6.34 % | Cafeteria: | 3 | 2.11 % |
| Dental Injury: | 2 | 1.41 % | Lunch Period: | 2 | 1.41 % | Classroom: | 8 | 5.63 % |
| Dislocation (Possible): | 6 | 4.23 % | P.E. Class: | 23 | 16.20 % | Corridor/Hall: | 3 | 2.11 % |
| Eye Injury: | 1 | 0.70 % | Recess: | 28 | 19.72 % | Gymnasium/Pool: | 17 | 11.97 % |
| Fracture (Possible): | 18 | 12.68 % | Sci Lab/Fam & Consumer | | | Playground: | 26 | 18.31 % |
| Sprain/Strain/Tear (Possible): | 7 | 4.93 % | Sci & Tech ED Class: | 1 | 0.70 % | Restroom: | 0 | - % |
| Other: | 2 | 1.41 % | Other: | 1 | 0.70 % | School Bus/Public Bus: | 2 | 1.41 % |
| Grand Total Occurrences: | 71 | | Grand Total Occurrences: | 71 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1 | 0.70 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 0 | - % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 0 | - % |
| | | | | | | Grand Total Occurrences: | 71 | |

Total Average Daily Enrollment: 4,088
Injury Occurrence Rate*: 3.47 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

SOUTHMORELAND SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|-----------|---------|--|-----------|---------|--|-----------|---------|
| Burn: | 0 | - % | After School: | 0 | - % | Athletic Field/Play Field: | 7 | 3.61 % |
| Concussion (Possible): | 35 | 18.04 % | Before School: | 5 | 2.58 % | Auditorium/Multipurpose: | 0 | - % |
| Cotusion: | 4 | 2.06 % | Class Change: | 13 | 6.70 % | Bus Loading Area: | 0 | - % |
| Cut/Laceration/Puncture: | 8 | 4.12 % | Class Time: | 9 | 4.64 % | Cafeteria: | 9 | 4.64 % |
| Dental Injury: | 2 | 1.03 % | Lunch Period: | 7 | 3.61 % | Classroom: | 14 | 7.22 % |
| Dislocation (Possible): | 6 | 3.09 % | P.E. Class: | 40 | 20.62 % | Corridor/Hall: | 12 | 6.19 % |
| Eye Injury: | 4 | 2.06 % | Recess: | 12 | 6.19 % | Gymnasium/Pool: | 20 | 10.31 % |
| Fracture (Possible): | 24 | 12.37 % | Sci Lab/Fam & Consumer | | | Playground: | 20 | 10.31 % |
| Sprain/Strain/Tear (Possible): | 14 | 7.22 % | Sci & Tech ED Class: | 6 | 3.09 % | Restroom: | 2 | 1.03 % |
| Other: | 0 | - % | Other: | 5 | 2.58 % | School Bus/Public Bus: | 2 | 1.03 % |
| Grand Total Occurrences: | 97 | | Grand Total Occurrences: | 97 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 3 | 3.09 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 5 | 2.58 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 3 | 1.55 % |
| | | | | | | Grand Total Occurrences: | 97 | |

Total Average Daily Enrollment: 2,021
Injury Occurrence Rate*: 9.60 %

YOUGH SD

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|------------|---------|--|------------|---------|--|------------|---------|
| Burn: | 1 | 0.48 % | After School: | 1 | 0.48 % | Athletic Field/Play Field: | 6 | 2.86 % |
| Concussion (Possible): | 31 | 14.76 % | Before School: | 8 | 3.81 % | Auditorium/Multipurpose: | 1 | 0.48 % |
| Cotusion: | 8 | 3.81 % | Class Change: | 12 | 5.71 % | Bus Loading Area: | 2 | 0.95 % |
| Cut/Laceration/Puncture: | 11 | 5.24 % | Class Time: | 19 | 9.05 % | Cafeteria: | 5 | 2.38 % |
| Dental Injury: | 4 | 1.90 % | Lunch Period: | 5 | 2.38 % | Classroom: | 13 | 6.19 % |
| Dislocation (Possible): | 1 | 0.48 % | P.E. Class: | 27 | 12.86 % | Corridor/Hall: | 5 | 2.38 % |
| Eye Injury: | 5 | 2.38 % | Recess: | 26 | 12.38 % | Gymnasium/Pool: | 27 | 12.86 % |
| Fracture (Possible): | 21 | 10.00 % | Sci Lab/Fam & Consumer | | | Playground: | 23 | 10.95 % |
| Sprain/Strain/Tear (Possible): | 19 | 9.05 % | Sci & Tech ED Class: | 6 | 2.86 % | Restroom: | 1 | 0.48 % |
| Other: | 4 | 1.90 % | Other: | 1 | 0.48 % | School Bus/Public Bus: | 0 | - % |
| Grand Total Occurrences: | 105 | | Grand Total Occurrences: | 105 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 8 | 2.86 % |
| | | | | | | Sidewalk: | 0 | - % |
| | | | | | | Stairs/Ramp/Elevator: | 8 | 3.81 % |
| | | | | | | Street/Driveway/Parking: | 0 | - % |
| | | | | | | Other: | 6 | 2.86 % |
| | | | | | | Grand Total Occurrences: | 105 | |

Total Average Daily Enrollment: 2,226
Injury Occurrence Rate*: 9.44 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

WESTMORELAND COUNTY

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|--------------|---------|--|--------------|---------|--|--------------|---------|
| Burn: | 21 | 0.66 % | After School: | 46 | 1.43 % | Athletic Field/Play Field: | 101 | 3.15 % |
| Concussion (Possible): | 347 | 10.82 % | Before School: | 80 | 2.50 % | Auditorium/Multipurpose: | 11 | 0.34 % |
| Contusion: | 160 | 4.99 % | Class Change: | 149 | 4.65 % | Bus Loading Area: | 12 | 0.37 % |
| Cut/Laceration/Puncture: | 220 | 6.86 % | Class Time: | 263 | 8.20 % | Cafeteria: | 68 | 2.12 % |
| Dental Injury: | 38 | 1.19 % | Lunch Period: | 65 | 2.03 % | Classroom: | 229 | 7.14 % |
| Dislocation (Possible): | 42 | 1.31 % | P.E. Class: | 462 | 14.41 % | Corridor/Hall: | 116 | 3.62 % |
| Eye Injury: | 88 | 2.74 % | Recess: | 415 | 12.94 % | Gymnasium/Pool: | 459 | 14.32 % |
| Fracture (Possible): | 292 | 9.11 % | Sci Lab/Fam & Consumer | | | Playground: | 367 | 11.45 % |
| Sprain/Strain/Tear (Possible): | 270 | 8.42 % | Sci & Tech ED Class: | 45 | 1.40 % | Restroom: | 19 | 0.59 % |
| Other: | 126 | 3.93 % | Other: | 79 | 2.46 % | School Bus/Public Bus: | 61 | 1.90 % |
| Grand Total Occurrences: | 1,604 | | Grand Total Occurrences: | 1,604 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 24 | 0.75 % |
| | | | | | | Sidewalk: | 18 | 0.56 % |
| | | | | | | Stairs/Ramp/Elevator: | 56 | 1.75 % |
| | | | | | | Street/Driveway/Parking: | 9 | 0.28 % |
| | | | | | | Other: | 54 | 1.68 % |
| | | | | | | Grand Total Occurrences: | 1,604 | |

Total Average Daily Enrollment: 50,866

Injury Occurrence Rate*: 6.30 %

Southwestern District

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|--------------|---------|--|--------------|---------|--|--------------|---------|
| Burn: | 180 | 0.97 % | After School: | 325 | 1.75 % | Athletic Field/Play Field: | 681 | 3.68 % |
| Concussion (Possible): | 1,730 | 9.34 % | Before School: | 402 | 2.17 % | Auditorium/Multipurpose: | 116 | 0.63 % |
| Contusion: | 878 | 4.74 % | Class Change: | 824 | 4.45 % | Bus Loading Area: | 73 | 0.39 % |
| Cut/Laceration/Puncture: | 1,464 | 7.90 % | Class Time: | 1,410 | 7.61 % | Cafeteria: | 405 | 2.19 % |
| Dental Injury: | 274 | 1.48 % | Lunch Period: | 458 | 2.47 % | Classroom: | 1,150 | 6.21 % |
| Dislocation (Possible): | 219 | 1.18 % | P.E. Class: | 2,703 | 14.59 % | Corridor/Hall: | 757 | 4.09 % |
| Eye Injury: | 372 | 2.01 % | Recess: | 2,120 | 11.44 % | Gymnasium/Pool: | 2,518 | 13.59 % |
| Fracture (Possible): | 1,563 | 8.44 % | Sci Lab/Fam & Consumer | | | Playground: | 1,922 | 10.37 % |
| Sprain/Strain/Tear (Possible): | 2,106 | 11.37 % | Sci & Tech ED Class: | 294 | 1.59 % | Restroom: | 212 | 1.14 % |
| Other: | 552 | 2.98 % | Other: | 802 | 4.33 % | School Bus/Public Bus: | 214 | 1.15 % |
| Grand Total Occurrences: | 9,338 | | Grand Total Occurrences: | 9,338 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 289 | 1.56 % |
| | | | | | | Sidewalk: | 124 | 0.67 % |
| | | | | | | Stairs/Ramp/Elevator: | 325 | 1.75 % |
| | | | | | | Street/Driveway/Parking: | 109 | 0.59 % |
| | | | | | | Other: | 443 | 2.39 % |
| | | | | | | Grand Total Occurrences: | 9,338 | |

Total Average Daily Enrollment: 382,619

Injury Occurrence Rate*: 4.84 %

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health

Statewide Totals for this Report: **

| Injury Occurrences by "Nature of Injury" | Total | Percent | Injury Occurrences by "Time of Injury" | Total | Percent | Injury Occurrences by "Location of Injury" | Total | Percent |
|--|---------------|---------|--|---------------|---------|--|---------------|---------|
| Burn: | 723 | 0.92 % | After School: | 1,630 | 2.07 % | Athletic Field/Play Field: | 3,145 | 3.99 % |
| Concussion (Possible): | 7,343 | 9.32 % | Before School: | 1,994 | 2.53 % | Auditorium/Multipurpose: | 506 | 0.64 % |
| Contusion: | 4,294 | 5.45 % | Class Change: | 3,364 | 4.27 % | Bus Loading Area: | 425 | 0.54 % |
| Cut/Laceration/Puncture: | 7,347 | 9.32 % | Class Time: | 6,965 | 8.84 % | Cafeteria: | 2,014 | 2.56 % |
| Dental Injury: | 1,441 | 1.83 % | Lunch Period: | 2,232 | 2.83 % | Classroom: | 5,539 | 7.03 % |
| Dislocation (Possible): | 856 | 1.09 % | P.E. Class: | 11,492 | 14.58 % | Corridor/Hall: | 3,080 | 3.91 % |
| Eye Injury: | 1,656 | 2.10 % | Recess: | 9,864 | 12.52 % | Gymnasium/Pool: | 10,516 | 13.35 % |
| Fracture (Possible): | 6,826 | 8.66 % | Sci Lab/Fam & Consumer | | | Playground: | 9,067 | 11.51 % |
| Sprain/Strain/Tear (Possible): | 7,314 | 9.28 % | Sci & Tech ED Class: | 1,324 | 1.68 % | Restroom: | 886 | 1.12 % |
| Other: | 3,663 | 4.65 % | Other: | 2,598 | 3.30 % | School Bus/Public Bus: | 677 | 0.86 % |
| Grand Total Occurrences: | 41,463 | | Grand Total Occurrences: | 41,463 | | Sci Lab/ Fam & Consumer | | |
| | | | | | | Sci & Tech Ed Class: | 1,269 | 1.61 % |
| | | | | | | Sidewalk: | 501 | 0.64 % |
| | | | | | | Stairs/Ramp/Elevator: | 1,181 | 1.50 % |
| | | | | | | Street/Driveway/Parking: | 545 | 0.69 % |
| | | | | | | Other: | 2,112 | 2.68 % |
| | | | | | | Grand Total Occurrences: | 41,463 | |

Number of Counties Reported: 67

Total Average Daily Enrollment: 1,900,013

Injury Occurrence Rate*: 4.15 %

** Includes school districts, comprehensive area vocational-technical schools and charter schools.

* Injury Occurrence Rate - The number of serious injuries occurring per student population.

Disclaimer: Data is reported annually by Educational Institutions to the Pennsylvania Department of Health. Responsibility for data accuracy lies with individual Educational Institutions. The Department specifically disclaims responsibility for any analysis, interpretations or conclusions made by the user.

Bureau of Community Health Systems
Division of School Health