

**PENNSYLVANIA WEEKLY INFLUENZA REPORT
INFORMATION FROM 02OCT16 THROUGH 30SEP17**

SEASON-TO-DATE INFLUENZA CASE COUNTS BY COUNTY AND INFLUENZA TYPE

	Influenza Type			TOTAL
	A	B	U	
County				
	390	60	.	450
ADAMS	997	701	.	1698
ALLEGHENY	3254	1763	9	5026
ARMSTRONG	226	86	.	312
BEAVER	766	468	4	1238
BEDFORD	118	114	2	234
BERKS	2363	676	.	3039
BLAIR	624	386	29	1039
BRADFORD	535	281	.	816
BUCKS	1790	452	2	2244
BUTLER	520	380	20	920
CAMBRIA	583	346	3	932
CAMERON	23	8	.	31
CARBON	318	101	.	419
CENTRE	768	220	.	988
CHESTER	1680	543	7	2230
CLARION	220	118	.	338
CLEARFIELD	357	280	13	650
CLINTON	147	55	.	202
COLUMBIA	44	50	.	94
CRAWFORD	623	267	.	890
CUMBERLAND	1704	666	51	2421
DAUPHIN	1707	392	.	2099
DELAWARE	2817	831	1	3649
ELK	141	72	.	213
ERIE	1721	377	1	2099
FAYETTE	655	444	1	1100
FOREST	11	10	.	21
FRANKLIN	709	285	.	994
FULTON	227	190	.	417
GREENE	144	59	.	203
HUNTINGDON	675	198	2	875
INDIANA	700	307	.	1007
JEFFERSON	384	167	.	551
JUNIATA	40	5	.	45

(Continued)


**PENNSYLVANIA WEEKLY INFLUENZA REPORT
INFORMATION FROM 02OCT16 THROUGH 30SEP17**

SEASON-TO-DATE INFLUENZA CASE COUNTS BY COUNTY AND INFLUENZA TYPE

	Influenza Type			TOTAL
	A	B	U	
County				
LACKAWANNA	373	235	1	609
LANCASTER	1264	416	.	1680
LAWRENCE	75	43	.	118
LEBANON	463	173	.	636
LEHIGH	2371	517	1	2889
LUZERNE	805	508	2	1315
LYCOMING	661	238	.	899
MCKEAN	137	82	.	219
MERCER	213	84	1	298
MIFFLIN	97	18	16	131
MONROE	654	168	.	822
MONTGOMERY	2375	751	42	3168
MONTOUR	1955	763	.	2718
NORTHAMPTON	2633	673	1	3307
NORTHUMBERLAND	144	46	.	190
PERRY	109	19	.	128
PHILADELPHIA	1913	434	1	2348
PIKE	133	73	1	207
POTTER	192	80	.	272
SCHUYLKILL	416	132	.	548
SNYDER	268	74	.	342
SOMERSET	236	126	56	418
SULLIVAN	16	3	.	19
SUSQUEHANNA	86	42	.	128
TIOGA	135	20	.	155
UNION	228	75	.	303
VENANGO	115	146	.	261
WARREN	117	18	.	135
WASHINGTON	1214	646	1	1861
WAYNE	375	293	.	668
WESTMORELAND	1122	513	11	1646
WYOMING	39	45	1	85
YORK	1959	1298	8	3265
All	50874	20110	288	71272


PENNSYLVANIA WEEKLY INFLUENZA REPORT INFORMATION FROM 02OCT16 THROUGH 30SEP17

NUMBER OF PA INFLUENZA CASES (ANTIGEN, CULTURE, OR PCR POSITIVE), BY WEEK OF FIRST REPORT



PENNSYLVANIA WEEKLY INFLUENZA REPORT INFORMATION FROM 02OCT16 THROUGH 30SEP17

SEASON-TO-DATE INFLUENZA SUB-TYPING RESULTS FROM STATE PUBLIC HEALTH LAB




**PENNSYLVANIA WEEKLY INFLUENZA REPORT
INFORMATION FROM 02OCT16 THROUGH 30SEP17****SEASON-TO-DATE INFLUENZA-ASSOCIATED DEATHS BY AGE**

	Influenza-associated deaths
AGE	
0-4	1
05-9	2
10-18	1
19-24	1
25-49	7
50-64	17
65+	120
All	149

**PENNSYLVANIA WEEKLY INFLUENZA REPORT
 INFORMATION FROM 02OCT16 THROUGH 30SEP17**

**PERCENT OF EMERGENCY DEPARTMENT VISITS WITH INFLUENZA-LIKE ILLNESS (ILI*) AS
 REASON FOR VISIT
 Statewide, By Week of Emergency Department Visit**

Percent of ED Visits for ILI




Influenza Season — 2016-2017

**ILI defined as presence of fever and (cough or sore throat) syndromes, or specific reference to flu ED data obtained daily from 146 Emergency Departments across Pennsylvania*

**PENNSYLVANIA WEEKLY INFLUENZA REPORT
 INFORMATION FROM 02OCT16 THROUGH 30SEP17**

**PERCENT OF EMERGENCY DEPARTMENT VISITS WITH INFLUENZA-LIKE ILLNESS (ILI*) AS
 REASON FOR VISIT
 By Region and Week of Emergency Department Visit**

Percent of ED Visits for ILI




**ILI defined as presence of fever and (cough or sore throat) syndromes, or specific reference to flu ED data obtained daily from 146 Emergency Departments across Pennsylvania*

**PENNSYLVANIA WEEKLY INFLUENZA REPORT
 INFORMATION FROM 02OCT16 THROUGH 30SEP17**

**PERCENT OF EMERGENCY DEPARTMENT VISITS WITH INFLUENZA-LIKE ILLNESS (ILI*) AS
 REASON FOR VISIT
 By Age Group and Week of Emergency Department Visit**


Percent of ED Visits for ILI



**ILI defined as presence of fever and (cough or sore throat) syndromes, or specific reference to flu ED data obtained daily from 146 Emergency Departments across Pennsylvania*

PENNSYLVANIA WEEKLY INFLUENZA REPORT INFORMATION FROM 02OCT16 THROUGH 30SEP17

Influenza Test Results Reported to the National Respiratory and Enteric Virus Surveillance System (NREVSS) Select Pennsylvania Laboratories, Season to date



**ILI defined as presence of fever and (cough or sore throat) syndromes, or specific reference to flu ED data obtained daily from 146 Emergency Departments across Pennsylvania*