

SELECTED CAUSES OF DEATH BY AGE, RACE, SEX AND HISPANIC ORIGIN
PENNSYLVANIA RESIDENTS, 2000

	TOTAL DEATHS	UNDER 5	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+*
STATE TOTAL												
DISEASES OF HEART												
WHITE MALES**	17,332	9	4	4	12	6	59	366	968	1,790	3,643	10,471
WM/HISPANIC	156	1	0	0	3	0	1	10	23	22	42	54
WM/NON-HISPANIC	17,176	8	4	4	9	6	58	356	945	1,768	3,601	10,417
WHITE FEMALES**	19,884	9	2	0	7	6	34	125	332	846	2,285	16,238
WF/HISPANIC	106	1	0	0	0	0	2	6	6	15	15	61
WF/NON-HISPANIC	19,778	8	2	0	7	6	32	119	326	831	2,270	16,177
BLACK MALES	1,462	3	1	2	2	4	14	76	179	263	361	557
BM/HISPANIC	8	0	0	0	0	0	0	2	0	3	2	1
BM/NON-HISPANIC	1,454	3	1	2	2	4	14	74	179	260	359	556
BLACK FEMALES	1,651	1	0	1	2	1	15	44	77	186	355	969
BF/HISPANIC	10	0	0	0	0	0	0	1	0	2	1	6
BF/NON-HISPANIC	1,641	1	0	1	2	1	15	43	77	184	354	963
TOTAL MALES	18,858	12	5	6	14	10	74	445	1,153	2,073	4,014	11,052
M/HISPANIC	165	1	0	0	3	0	1	12	24	25	44	55
M/NON-HISPANIC	18,693	11	5	6	11	10	73	433	1,129	2,048	3,970	10,997
TOTAL FEMALES	21,588	11	2	1	9	7	49	169	410	1,038	2,647	17,245
F/HISPANIC	118	1	0	0	0	0	2	7	6	17	18	67
F/NON-HISPANIC	21,470	10	2	1	9	7	47	162	404	1,021	2,629	17,178
TOTAL	40,446	23	7	7	23	17	123	614	1,563	3,111	6,661	28,297
MALIGNANT NEOPLASMS												
WHITE MALES**	13,720	11	15	9	14	21	63	280	999	2,003	3,953	6,352
WM/HISPANIC	116	0	1	0	0	1	1	6	16	16	36	39
WM/NON-HISPANIC	13,604	11	14	9	14	20	62	274	983	1,987	3,917	6,313
WHITE FEMALES**	13,481	9	14	8	9	10	70	298	955	1,752	3,297	7,059
WF/HISPANIC	105	1	1	2	0	0	8	4	11	22	32	24
WF/NON-HISPANIC	13,376	8	13	6	9	10	62	294	944	1,730	3,265	7,035
BLACK MALES	1,381	1	1	1	1	1	8	49	139	263	432	485
BM/HISPANIC	4	0	0	0	0	0	0	0	1	1	1	1
BM/NON-HISPANIC	1,377	1	1	1	1	1	8	49	138	262	431	484
BLACK FEMALES	1,263	0	2	2	0	1	11	55	153	238	317	484
BF/HISPANIC	4	0	0	0	0	0	1	0	0	0	1	2
BF/NON-HISPANIC	1,259	0	2	2	0	1	10	55	153	238	316	482
TOTAL MALES	15,177	12	17	10	15	22	76	336	1,149	2,280	4,411	6,849
M/HISPANIC	121	0	1	0	0	1	1	6	18	17	37	40
M/NON-HISPANIC	15,056	12	16	10	15	21	75	330	1,131	2,263	4,374	6,809
TOTAL FEMALES	14,812	9	16	10	9	11	83	357	1,117	2,010	3,627	7,563
F/HISPANIC	110	1	1	2	0	0	9	4	11	22	33	27
F/NON-HISPANIC	14,702	8	15	8	9	11	74	353	1,106	1,988	3,594	7,536
TOTAL	29,989	21	33	20	24	33	159	693	2,266	4,290	8,038	14,412

SELECTED CAUSES OF DEATH BY AGE, RACE, SEX AND HISPANIC ORIGIN
PENNSYLVANIA RESIDENTS, 2000

	TOTAL DEATHS	UNDER 5	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+*
CEREBROVASCULAR DISEASE												
WHITE MALES**	2,956	2	0	1	1	2	15	47	95	210	491	2,092
WM/HISPANIC	35	0	0	0	0	0	1	5	2	4	9	14
WM/NON-HISPANIC	2,921	2	0	1	1	2	14	42	93	206	482	2,078
WHITE FEMALES**	5,099	3	0	0	1	3	9	36	70	151	473	4,353
WF/HISPANIC	33	1	0	0	0	0	0	1	1	3	9	18
WF/NON-HISPANIC	5,066	2	0	0	1	3	9	35	69	148	464	4,335
BLACK MALES	315	1	0	0	1	0	2	10	41	40	80	140
BM/HISPANIC	3	0	0	0	0	0	1	0	0	0	1	1
BM/NON-HISPANIC	312	1	0	0	1	0	1	10	41	40	79	139
BLACK FEMALES	476	1	0	0	1	0	4	18	29	40	77	306
BF/HISPANIC	6	0	0	0	0	0	0	0	0	1	1	4
BF/NON-HISPANIC	470	1	0	0	1	0	4	18	29	39	76	302
TOTAL MALES	3,288	3	0	1	2	2	17	57	137	250	578	2,241
M/HISPANIC	39	0	0	0	0	0	2	5	2	4	10	16
M/NON-HISPANIC	3,249	3	0	1	2	2	15	52	135	246	568	2,225
TOTAL FEMALES	5,597	4	0	0	2	3	14	54	103	191	553	4,673
F/HISPANIC	39	1	0	0	0	0	0	1	1	4	10	22
F/NON-HISPANIC	5,558	3	0	0	2	3	14	53	102	187	543	4,651
TOTAL	8,885	7	0	1	4	5	31	111	240	441	1,131	6,914
CHRONIC LOWER RESPIRATORY DISEASE												
WHITE MALES**	2,707	0	0	3	1	2	5	9	61	220	651	1,755
WM/HISPANIC	19	0	0	2	0	0	1	0	2	2	4	8
WM/NON-HISPANIC	2,688	0	0	1	1	2	4	9	59	218	647	1,747
WHITE FEMALES**	2,958	1	1	1	1	0	4	11	54	188	615	2,082
WF/HISPANIC	17	0	0	0	0	0	0	1	2	0	7	7
WF/NON-HISPANIC	2,941	1	1	1	1	0	4	10	52	188	608	2,075
BLACK MALES	183	1	0	0	0	1	4	3	13	20	54	87
BM/HISPANIC	1	0	0	0	0	0	0	0	0	0	0	1
BM/NON-HISPANIC	182	1	0	0	0	1	4	3	13	20	54	86
BLACK FEMALES	180	1	2	1	1	0	0	8	19	16	31	101
BF/HISPANIC	0	0	0	0	0	0	0	0	0	0	0	0
BF/NON-HISPANIC	180	1	2	1	1	0	0	8	19	16	31	101
TOTAL MALES	2,901	1	0	3	1	3	9	13	74	241	708	1,848
M/HISPANIC	20	0	0	2	0	0	1	0	2	2	4	9
M/NON-HISPANIC	2,881	1	0	1	1	3	8	13	72	239	704	1,839
TOTAL FEMALES	3,144	2	3	2	2	0	4	19	73	205	648	2,186
F/HISPANIC	17	0	0	0	0	0	0	1	2	0	7	7
F/NON-HISPANIC	3,127	2	3	2	2	0	4	18	71	205	641	2,179
TOTAL	6,045	3	3	5	3	3	13	32	147	446	1,356	4,034

SELECTED CAUSES OF DEATH BY AGE, RACE, SEX AND HISPANIC ORIGIN
PENNSYLVANIA RESIDENTS, 2000

TOTAL DEATHS	UNDER 5	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+*	
NONTRANSPORT ACCIDENTS												
WHITE MALES**	1,468	29	10	12	39	89	183	278	203	87	132	406
WM/HISPANIC	52	1	0	0	0	7	17	18	7	1	1	0
WM/NON-HISPANIC	1,416	28	10	12	39	82	166	260	196	86	131	406
WHITE FEMALES**	1,013	12	8	3	11	16	47	116	65	37	103	595
WF/HISPANIC	18	0	1	0	1	1	1	9	1	1	3	0
WF/NON-HISPANIC	995	12	7	3	10	15	46	107	64	36	100	595
BLACK MALES	240	6	3	5	2	7	38	55	65	17	20	22
BM/HISPANIC	2	0	0	0	0	0	1	1	0	0	0	0
BM/NON-HISPANIC	238	6	3	5	2	7	37	54	65	17	20	22
BLACK FEMALES	100	4	0	0	2	4	9	32	10	7	11	21
BF/HISPANIC	0	0	0	0	0	0	0	0	0	0	0	0
BF/NON-HISPANIC	100	4	0	0	2	4	9	32	10	7	11	21
TOTAL MALES	1,719	35	14	17	42	96	224	335	268	105	153	430
M/HISPANIC	57	1	1	0	0	7	19	19	7	1	2	0
M/NON-HISPANIC	1,662	34	13	17	42	89	205	316	261	104	151	430
TOTAL FEMALES	1,119	18	8	3	13	20	56	149	76	44	115	617
F/HISPANIC	18	0	1	0	1	1	1	9	1	1	3	0
F/NON-HISPANIC	1,101	18	7	3	12	19	55	140	75	43	112	617
TOTAL	2,838	53	22	20	55	116	280	484	344	149	268	1,047
MOTOR VEHICLE ACCIDENTS												
WHITE MALES**	922	11	9	8	112	121	159	170	107	65	52	108
WM/HISPANIC	32	0	0	1	5	5	9	5	4	2	0	1
WM/NON-HISPANIC	890	11	9	7	107	116	150	165	103	63	52	107
WHITE FEMALES**	407	2	9	8	51	41	41	51	40	37	42	85
WF/HISPANIC	10	0	1	0	1	2	1	3	1	0	1	0
WF/NON-HISPANIC	397	2	8	8	50	39	40	48	39	37	41	85
BLACK MALES	94	4	1	2	14	13	19	16	11	5	7	2
BM/HISPANIC	2	0	0	0	1	0	1	0	0	0	0	0
BM/NON-HISPANIC	92	4	1	2	13	13	18	16	11	5	7	2
BLACK FEMALES	28	2	1	2	4	1	2	6	2	3	1	4
BF/HISPANIC	0	0	0	0	0	0	0	0	0	0	0	0
BF/NON-HISPANIC	28	2	1	2	4	1	2	6	2	3	1	4
TOTAL MALES	1,030	15	10	10	129	134	181	190	119	73	59	110
M/HISPANIC	37	0	0	1	7	5	10	6	4	3	0	1
M/NON-HISPANIC	993	15	10	9	122	129	171	184	115	70	59	109
TOTAL FEMALES	443	4	11	10	55	43	43	58	42	42	43	92
F/HISPANIC	10	0	1	0	1	2	1	3	1	0	1	0
F/NON-HISPANIC	433	4	10	10	54	41	42	55	41	42	42	92
TOTAL	1,473	19	21	20	184	177	224	248	161	115	102	202

SELECTED CAUSES OF DEATH BY AGE, RACE, SEX AND HISPANIC ORIGIN
PENNSYLVANIA RESIDENTS, 2000

TOTAL DEATHS	UNDER 5	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+*	
OTHER TRANSPORT ACCIDENTS												
WHITE MALES**	102	1	1	3	13	14	12	17	7	16	8	10
WM/HISPANIC	3	0	0	0	2	0	1	0	0	0	0	0
WM/NON-HISPANIC	99	1	1	3	11	14	11	17	7	16	8	10
WHITE FEMALES**	58	0	3	2	4	5	2	4	7	15	6	10
WF/HISPANIC	2	0	0	1	0	0	0	0	0	0	0	1
WF/NON-HISPANIC	56	0	3	1	4	5	2	4	7	15	6	9
BLACK MALES	18	0	0	2	1	0	3	5	4	1	1	1
BM/HISPANIC	0	0	0	0	0	0	0	0	0	0	0	0
BM/NON-HISPANIC	18	0	0	2	1	0	3	5	4	1	1	1
BLACK FEMALES	8	0	0	0	1	1	1	3	0	0	1	1
BF/HISPANIC	0	0	0	0	0	0	0	0	0	0	0	0
BF/NON-HISPANIC	8	0	0	0	1	1	1	3	0	0	1	1
TOTAL MALES	122	1	1	6	14	14	16	22	11	17	9	11
M/HISPANIC	3	0	0	0	2	0	1	0	0	0	0	0
M/NON-HISPANIC	119	1	1	6	12	14	15	22	11	17	9	11
TOTAL FEMALES	67	0	4	2	5	6	3	7	7	15	7	11
F/HISPANIC	2	0	0	1	0	0	0	0	0	0	0	1
F/NON-HISPANIC	65	0	4	1	5	6	3	7	7	15	7	10
TOTAL	189	1	5	8	19	20	19	29	18	32	16	22
DIABETES MELLITUS												
WHITE MALES**	1,474	0	0	0	0	3	14	55	89	193	391	729
WM/HISPANIC	20	0	0	0	0	0	1	3	1	7	5	3
WM/NON-HISPANIC	1,454	0	0	0	0	3	13	52	88	186	386	726
WHITE FEMALES**	1,873	1	0	0	0	1	5	31	79	173	380	1,203
WF/HISPANIC	19	0	0	0	0	0	0	0	3	5	6	5
WF/NON-HISPANIC	1,854	1	0	0	0	1	5	31	76	168	374	1,198
BLACK MALES	166	0	1	0	0	0	6	9	24	28	44	54
BM/HISPANIC	1	0	0	0	0	0	0	0	0	0	1	0
BM/NON-HISPANIC	165	0	1	0	0	0	6	9	24	28	43	54
BLACK FEMALES	256	0	0	0	0	2	1	7	21	32	62	131
BF/HISPANIC	1	0	0	0	0	0	0	0	0	0	1	0
BF/NON-HISPANIC	255	0	0	0	0	2	1	7	21	32	61	131
TOTAL MALES	1,644	0	1	0	0	3	20	64	113	223	436	784
M/HISPANIC	21	0	0	0	0	0	1	3	1	7	6	3
M/NON-HISPANIC	1,623	0	1	0	0	3	19	61	112	216	430	781
TOTAL FEMALES	2,137	1	0	0	0	3	6	38	101	206	446	1,336
F/HISPANIC	20	0	0	0	0	0	0	0	3	5	7	5
F/NON-HISPANIC	2,117	1	0	0	0	3	6	38	98	201	439	1,331
TOTAL	3,781	1	1	0	0	6	26	102	214	429	882	2,120

SELECTED CAUSES OF DEATH BY AGE, RACE, SEX AND HISPANIC ORIGIN
PENNSYLVANIA RESIDENTS, 2000

	TOTAL DEATHS	UNDER 5	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+*
INFLUENZA & PNEUMONIA												
WHITE MALES**	1,237	6	0	0	1	0	5	23	39	55	149	959
WM/HISPANIC	16	1	0	0	0	0	0	2	0	3	5	5
WM/NON-HISPANIC	1,221	5	0	0	1	0	5	21	39	52	144	954
WHITE FEMALES**	1,570	7	2	0	1	3	2	6	18	41	110	1,380
WF/HISPANIC	6	1	0	0	0	0	0	0	1	0	0	4
WF/NON-HISPANIC	1,564	6	2	0	1	3	2	6	17	41	110	1,376
BLACK MALES	115	5	0	0	0	0	3	7	13	13	22	52
BM/HISPANIC	1	1	0	0	0	0	0	0	0	0	0	0
BM/NON-HISPANIC	114	4	0	0	0	0	3	7	13	13	22	52
BLACK FEMALES	115	1	0	0	0	0	1	6	10	6	17	74
BF/HISPANIC	1	0	0	0	0	0	0	1	0	0	0	0
BF/NON-HISPANIC	114	1	0	0	0	0	1	5	10	6	17	74
TOTAL MALES	1,353	11	0	0	1	0	8	30	53	68	171	1,011
M/HISPANIC	17	2	0	0	0	0	0	2	0	3	5	5
M/NON-HISPANIC	1,336	9	0	0	1	0	8	28	53	65	166	1,006
TOTAL FEMALES	1,694	8	2	0	1	3	3	12	28	48	127	1,462
F/HISPANIC	7	1	0	0	0	0	0	1	1	0	0	4
F/NON-HISPANIC	1,687	7	2	0	1	3	3	11	27	48	127	1,458
TOTAL	3,047	19	2	0	2	3	11	42	81	116	298	2,473
NEPHRITIS, NEPHROTIC SYNDROME & NEPHROSIS												
WHITE MALES**	1,099	1	0	0	0	0	1	16	26	83	210	762
WM/HISPANIC	18	1	0	0	0	0	0	1	1	3	4	8
WM/NON-HISPANIC	1,081	0	0	0	0	0	1	15	25	80	206	754
WHITE FEMALES**	1,185	1	0	0	0	1	3	12	18	45	190	915
WF/HISPANIC	12	0	0	0	0	0	0	0	0	3	2	7
WF/NON-HISPANIC	1,173	1	0	0	0	1	3	12	18	42	188	908
BLACK MALES	180	1	0	0	0	0	1	6	31	22	49	70
BM/HISPANIC	0	0	0	0	0	0	0	0	0	0	0	0
BM/NON-HISPANIC	180	1	0	0	0	0	1	6	31	22	49	70
BLACK FEMALES	194	2	0	0	0	0	1	5	16	13	53	104
BF/HISPANIC	1	0	0	0	0	0	0	0	0	0	0	1
BF/NON-HISPANIC	193	2	0	0	0	0	1	5	16	13	53	103
TOTAL MALES	1,288	2	0	0	0	0	2	22	60	106	261	835
M/HISPANIC	18	1	0	0	0	0	0	1	1	3	4	8
M/NON-HISPANIC	1,270	1	0	0	0	0	2	21	59	103	257	827
TOTAL FEMALES	1,387	3	0	0	0	1	4	18	34	58	245	1,024
F/HISPANIC	13	0	0	0	0	0	0	0	0	3	2	8
F/NON-HISPANIC	1,374	3	0	0	0	1	4	18	34	55	243	1,016
TOTAL	2,675	5	0	0	0	1	6	40	94	164	506	1,859

SELECTED CAUSES OF DEATH BY AGE, RACE, SEX AND HISPANIC ORIGIN
PENNSYLVANIA RESIDENTS, 2000

TOTAL DEATHS	UNDER 5	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+*	
SEPTICEMIA												
WHITE MALES**	912	3	0	1	1	3	5	23	52	82	190	552
WM/HISPANIC	11	0	0	0	1	0	0	0	3	1	3	3
WM/NON-HISPANIC	901	3	0	1	0	3	5	23	49	81	187	549
WHITE FEMALES**	1,269	3	0	0	1	0	3	15	35	80	191	941
WF/HISPANIC	14	2	0	0	0	0	0	2	1	2	0	7
WF/NON-HISPANIC	1,255	1	0	0	1	0	3	13	34	78	191	934
BLACK MALES	176	3	0	0	0	0	0	11	29	26	27	80
BM/HISPANIC	1	0	0	0	0	0	0	0	0	0	0	1
BM/NON-HISPANIC	175	3	0	0	0	0	0	11	29	26	27	79
BLACK FEMALES	205	1	0	0	0	0	0	6	13	18	63	104
BF/HISPANIC	1	0	0	0	0	0	0	1	0	0	0	0
BF/NON-HISPANIC	204	1	0	0	0	0	0	5	13	18	63	104
TOTAL MALES	1,095	6	0	1	1	3	5	34	81	108	220	636
M/HISPANIC	13	0	0	0	1	0	0	0	3	1	3	5
M/NON-HISPANIC	1,082	6	0	1	0	3	5	34	78	107	217	631
TOTAL FEMALES	1,478	4	0	0	1	0	4	21	48	99	255	1,046
F/HISPANIC	15	2	0	0	0	0	0	3	1	2	0	7
F/NON-HISPANIC	1,463	2	0	0	1	0	4	18	47	97	255	1,039
TOTAL	2,573	10	0	1	2	3	9	55	129	207	475	1,682
ALZHEIMER'S DISEASE												
WHITE MALES**	702	0	0	0	0	0	0	2	8	57	635	
WM/HISPANIC	5	0	0	0	0	0	0	0	0	0	1	4
WM/NON-HISPANIC	697	0	0	0	0	0	0	2	8	56	631	
WHITE FEMALES**	1,756	0	0	0	0	0	0	1	14	74	1,667	
WF/HISPANIC	7	0	0	0	0	0	0	0	0	0	0	7
WF/NON-HISPANIC	1,749	0	0	0	0	0	0	1	14	74	1,660	
BLACK MALES	20	0	0	0	0	0	0	0	0	0	2	18
BM/HISPANIC	0	0	0	0	0	0	0	0	0	0	0	0
BM/NON-HISPANIC	20	0	0	0	0	0	0	0	0	0	2	18
BLACK FEMALES	50	0	0	0	0	0	0	0	0	2	5	43
BF/HISPANIC	1	0	0	0	0	0	0	0	0	0	0	1
BF/NON-HISPANIC	49	0	0	0	0	0	0	0	0	2	5	42
TOTAL MALES	723	0	0	0	0	0	0	2	8	59	654	
M/HISPANIC	5	0	0	0	0	0	0	0	0	0	1	4
M/NON-HISPANIC	718	0	0	0	0	0	0	2	8	58	650	
TOTAL FEMALES	1,810	0	0	0	0	0	0	1	17	79	1,713	
F/HISPANIC	10	0	0	0	0	0	0	0	0	0	0	10
F/NON-HISPANIC	1,800	0	0	0	0	0	0	1	17	79	1,703	
TOTAL	2,533	0	0	0	0	0	0	3	25	138	2,367	

SELECTED CAUSES OF DEATH BY AGE, RACE, SEX AND HISPANIC ORIGIN
PENNSYLVANIA RESIDENTS, 2000

	TOTAL DEATHS	UNDER 5	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+*
INTENTIONAL SELF-HARM (SUICIDE)												
WHITE MALES**	1,024	0	1	9	41	76	148	222	202	116	88	121
WM/HISPANIC	22	0	0	0	1	2	7	6	5	1	0	0
WM/NON-HISPANIC	1,002	0	1	9	40	74	141	216	197	115	88	121
WHITE FEMALES**	226	0	0	5	7	10	28	70	49	24	20	13
WF/HISPANIC	3	0	0	0	0	0	2	1	0	0	0	0
WF/NON-HISPANIC	223	0	0	5	7	10	26	69	49	24	20	13
BLACK MALES	70	0	0	0	9	8	21	18	9	1	2	2
BM/HISPANIC	0	0	0	0	0	0	0	0	0	0	0	0
BM/NON-HISPANIC	70	0	0	0	9	8	21	18	9	1	2	2
BLACK FEMALES	14	0	0	0	1	2	3	3	1	1	0	3
BF/HISPANIC	0	0	0	0	0	0	0	0	0	0	0	0
BF/NON-HISPANIC	14	0	0	0	1	2	3	3	1	1	0	3
TOTAL MALES	1,105	0	1	9	51	85	172	243	212	117	91	124
M/HISPANIC	22	0	0	0	1	2	7	6	5	1	0	0
M/NON-HISPANIC	1,083	0	1	9	50	83	165	237	207	116	91	124
TOTAL FEMALES	243	0	0	5	9	12	31	73	51	25	20	17
F/HISPANIC	3	0	0	0	0	0	2	1	0	0	0	0
F/NON-HISPANIC	240	0	0	5	9	12	29	72	51	25	20	17
TOTAL	1,348	0	1	14	60	97	203	316	263	142	111	141
CHRONIC LIVER DISEASE & CIRRHOSIS												
WHITE MALES**	566	0	0	0	0	0	5	65	142	113	124	117
WM/HISPANIC	19	0	0	0	0	0	1	3	2	4	6	3
WM/NON-HISPANIC	547	0	0	0	0	0	4	62	140	109	118	114
WHITE FEMALES**	396	0	0	0	0	0	6	26	49	46	95	174
WF/HISPANIC	10	0	0	0	0	0	0	1	1	2	2	4
WF/NON-HISPANIC	386	0	0	0	0	0	6	25	48	44	93	170
BLACK MALES	72	0	0	1	0	0	0	4	27	21	13	6
BM/HISPANIC	0	0	0	0	0	0	0	0	0	0	0	0
BM/NON-HISPANIC	72	0	0	1	0	0	0	4	27	21	13	6
BLACK FEMALES	40	0	0	0	0	0	1	2	13	11	10	3
BF/HISPANIC	0	0	0	0	0	0	0	0	0	0	0	0
BF/NON-HISPANIC	40	0	0	0	0	0	1	2	13	11	10	3
TOTAL MALES	641	0	0	1	0	0	5	70	169	135	138	123
M/HISPANIC	19	0	0	0	0	0	1	3	2	4	6	3
M/NON-HISPANIC	622	0	0	1	0	0	4	67	167	131	132	120
TOTAL FEMALES	438	0	0	0	0	0	7	28	62	58	105	178
F/HISPANIC	10	0	0	0	0	0	0	1	1	2	2	4
F/NON-HISPANIC	428	0	0	0	0	0	7	27	61	56	103	174
TOTAL	1,079	0	0	1	0	0	12	98	231	193	243	301

SELECTED CAUSES OF DEATH BY AGE, RACE, SEX AND HISPANIC ORIGIN
PENNSYLVANIA RESIDENTS, 2000

	TOTAL DEATHS	UNDER 5	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+*
IN SITU, BENIGN & UNCERTAIN NEOPLASMS												
WHITE MALES**	346	2	1	1	0	2	2	6	14	27	65	226
WM/HISPANIC	2	0	0	0	0	0	0	0	0	0	0	2
WM/NON-HISPANIC	344	2	1	1	0	2	2	6	14	27	65	224
WHITE FEMALES**	394	1	0	0	1	0	4	5	16	22	60	285
WF/HISPANIC	3	0	0	0	0	0	0	0	2	0	0	1
WF/NON-HISPANIC	391	1	0	0	1	0	4	5	14	22	60	284
BLACK MALES	13	0	0	0	0	0	0	0	0	2	3	8
BM/HISPANIC	0	0	0	0	0	0	0	0	0	0	0	0
BM/NON-HISPANIC	13	0	0	0	0	0	0	0	0	2	3	8
BLACK FEMALES	17	0	0	1	0	0	0	1	2	1	3	9
BF/HISPANIC	0	0	0	0	0	0	0	0	0	0	0	0
BF/NON-HISPANIC	17	0	0	1	0	0	0	1	2	1	3	9
TOTAL MALES	360	2	1	1	0	2	2	6	14	30	68	234
M/HISPANIC	2	0	0	0	0	0	0	0	0	0	0	2
M/NON-HISPANIC	358	2	1	1	0	2	2	6	14	30	68	232
TOTAL FEMALES	412	1	0	1	1	0	4	6	18	23	63	295
F/HISPANIC	3	0	0	0	0	0	0	0	2	0	0	1
F/NON-HISPANIC	409	1	0	1	1	0	4	6	16	23	63	294
TOTAL	772	3	1	2	1	2	6	12	32	53	131	529
PARKINSON'S DISEASE												
WHITE MALES**	490	0	0	0	0	0	0	0	2	9	71	408
WM/HISPANIC	1	0	0	0	0	0	0	0	0	0	1	0
WM/NON-HISPANIC	489	0	0	0	0	0	0	0	2	9	70	408
WHITE FEMALES**	413	0	0	0	0	0	0	0	0	5	38	370
WF/HISPANIC	0	0	0	0	0	0	0	0	0	0	0	0
WF/NON-HISPANIC	413	0	0	0	0	0	0	0	0	5	38	370
BLACK MALES	16	0	0	0	0	0	0	0	1	0	5	10
BM/HISPANIC	0	0	0	0	0	0	0	0	0	0	0	0
BM/NON-HISPANIC	16	0	0	0	0	0	0	0	1	0	5	10
BLACK FEMALES	10	0	0	0	0	0	0	0	0	0	2	8
BF/HISPANIC	0	0	0	0	0	0	0	0	0	0	0	0
BF/NON-HISPANIC	10	0	0	0	0	0	0	0	0	0	2	8
TOTAL MALES	507	0	0	0	0	0	0	0	3	9	76	419
M/HISPANIC	1	0	0	0	0	0	0	0	0	0	1	0
M/NON-HISPANIC	506	0	0	0	0	0	0	0	3	9	75	419
TOTAL FEMALES	423	0	0	0	0	0	0	0	0	5	40	378
F/HISPANIC	0	0	0	0	0	0	0	0	0	0	0	0
F/NON-HISPANIC	423	0	0	0	0	0	0	0	0	5	40	378
TOTAL	930	0	0	0	0	0	0	0	3	14	116	797

SELECTED CAUSES OF DEATH BY AGE, RACE, SEX AND HISPANIC ORIGIN
PENNSYLVANIA RESIDENTS, 2000

TOTAL DEATHS	UNDER 5	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+*
ESSENTIAL HYPERTENSION & HYPERTENSIVE RENAL DISEASE											
WHITE MALES**	252	0	0	0	0	1	6	21	21	44	159
WM/HISPANIC	4	0	0	0	0	0	0	0	0	0	4
WM/NON-HISPANIC	248	0	0	0	0	1	6	21	21	44	155
WHITE FEMALES**	436	0	0	0	0	0	3	7	17	53	356
WF/HISPANIC	1	0	0	0	0	0	0	0	1	0	0
WF/NON-HISPANIC	435	0	0	0	0	0	3	7	16	53	356
BLACK MALES	54	0	0	0	0	0	0	7	11	14	22
BM/HISPANIC	0	0	0	0	0	0	0	0	0	0	0
BM/NON-HISPANIC	54	0	0	0	0	0	0	7	11	14	22
BLACK FEMALES	88	0	0	0	0	0	0	5	7	16	60
BF/HISPANIC	0	0	0	0	0	0	0	0	0	0	0
BF/NON-HISPANIC	88	0	0	0	0	0	0	5	7	16	60
TOTAL MALES	309	0	0	0	0	1	7	29	32	58	182
M/HISPANIC	4	0	0	0	0	0	0	0	0	0	4
M/NON-HISPANIC	305	0	0	0	0	1	7	29	32	58	178
TOTAL FEMALES	524	0	0	0	0	0	3	12	24	69	416
F/HISPANIC	1	0	0	0	0	0	0	0	1	0	0
F/NON-HISPANIC	523	0	0	0	0	0	3	12	23	69	416
TOTAL	833	0	0	0	0	1	10	41	56	127	598
ATHEROSCLEROSIS											
WHITE MALES**	200	0	0	0	0	1	0	3	6	30	160
WM/HISPANIC	1	0	0	0	0	0	0	0	0	0	1
WM/NON-HISPANIC	199	0	0	0	0	1	0	3	6	30	159
WHITE FEMALES**	416	0	0	0	0	0	0	2	6	15	393
WF/HISPANIC	0	0	0	0	0	0	0	0	0	0	0
WF/NON-HISPANIC	416	0	0	0	0	0	0	2	6	15	393
BLACK MALES	8	0	0	0	0	0	0	0	0	4	4
BM/HISPANIC	1	0	0	0	0	0	0	0	0	1	0
BM/NON-HISPANIC	7	0	0	0	0	0	0	0	0	3	4
BLACK FEMALES	20	0	0	0	0	0	0	0	4	2	14
BF/HISPANIC	0	0	0	0	0	0	0	0	0	0	0
BF/NON-HISPANIC	20	0	0	0	0	0	0	0	4	2	14
TOTAL MALES	208	0	0	0	0	1	0	3	6	34	164
M/HISPANIC	2	0	0	0	0	0	0	0	0	1	1
M/NON-HISPANIC	206	0	0	0	0	1	0	3	6	33	163
TOTAL FEMALES	436	0	0	0	0	0	0	2	10	17	407
F/HISPANIC	0	0	0	0	0	0	0	0	0	0	0
F/NON-HISPANIC	436	0	0	0	0	0	0	2	10	17	407
TOTAL	644	0	0	0	0	1	0	5	16	51	571

SELECTED CAUSES OF DEATH BY AGE, RACE, SEX AND HISPANIC ORIGIN
PENNSYLVANIA RESIDENTS, 2000

TOTAL DEATHS	UNDER 5	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+*	
HIV DISEASE												
WHITE MALES**	160	1	0	1	1	0	15	69	57	14	1	1
WM/HISPANIC	29	0	0	1	0	0	4	13	8	2	0	1
WM/NON-HISPANIC	131	1	0	0	1	0	11	56	49	12	1	0
WHITE FEMALES**	46	0	0	0	1	0	9	22	12	2	0	0
WF/HISPANIC	17	0	0	0	1	0	4	3	8	1	0	0
WF/NON-HISPANIC	29	0	0	0	0	0	5	19	4	1	0	0
BLACK MALES	206	0	1	1	0	1	39	69	68	15	10	2
BM/HISPANIC	0	0	0	0	0	0	0	0	0	0	0	0
BM/NON-HISPANIC	206	0	1	1	0	1	39	69	68	15	10	2
BLACK FEMALES	82	0	0	0	0	1	20	37	15	7	2	0
BF/HISPANIC	0	0	0	0	0	0	0	0	0	0	0	0
BF/NON-HISPANIC	82	0	0	0	0	1	20	37	15	7	2	0
TOTAL MALES	370	1	1	2	1	1	54	139	125	32	11	3
M/HISPANIC	29	0	0	1	0	0	4	13	8	2	0	1
M/NON-HISPANIC	341	1	1	1	1	1	50	126	117	30	11	2
TOTAL FEMALES	128	0	0	0	1	1	29	59	27	9	2	0
F/HISPANIC	17	0	0	0	1	0	4	3	8	1	0	0
F/NON-HISPANIC	111	0	0	0	0	1	25	56	19	8	2	0
TOTAL	498	1	1	2	2	2	83	198	152	41	13	3
CONGENITAL MALFORMATIONS, DEFORMATIONS & CHROMOSOMAL ABNORMALITIES												
WHITE MALES**	182	99	4	4	3	6	12	14	11	11	7	11
WM/HISPANIC	7	6	0	0	0	0	1	0	0	0	0	0
WM/NON-HISPANIC	175	93	4	4	3	6	11	14	11	11	7	11
WHITE FEMALES**	165	76	2	5	3	3	10	7	12	11	13	23
WF/HISPANIC	8	7	0	0	0	0	0	0	1	0	0	0
WF/NON-HISPANIC	157	69	2	5	3	3	10	7	11	11	13	23
BLACK MALES	28	17	1	1	2	2	2	0	1	1	0	1
BM/HISPANIC	1	1	0	0	0	0	0	0	0	0	0	0
BM/NON-HISPANIC	27	16	1	1	2	2	2	0	1	1	0	1
BLACK FEMALES	31	18	1	2	0	1	1	3	0	2	2	1
BF/HISPANIC	0	0	0	0	0	0	0	0	0	0	0	0
BF/NON-HISPANIC	31	18	1	2	0	1	1	3	0	2	2	1
TOTAL MALES	214	119	5	5	5	8	14	14	12	12	8	12
M/HISPANIC	8	7	0	0	0	0	1	0	0	0	0	0
M/NON-HISPANIC	206	112	5	5	5	8	13	14	12	12	8	12
TOTAL FEMALES	200	96	4	8	3	4	11	10	12	13	15	24
F/HISPANIC	8	7	0	0	0	0	0	0	1	0	0	0
F/NON-HISPANIC	192	89	4	8	3	4	11	10	11	13	15	24
TOTAL	414	215	9	13	8	12	25	24	24	25	23	36

SELECTED CAUSES OF DEATH BY AGE, RACE, SEX AND HISPANIC ORIGIN
PENNSYLVANIA RESIDENTS, 2000

TOTAL DEATHS	UNDER 5	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+*	
ANEMIAS												
WHITE MALES**	79	0	1	0	1	0	1	0	2	4	12	58
WM/HISPANIC	1	0	0	0	0	0	0	0	0	0	0	1
WM/NON-HISPANIC	78	0	1	0	1	0	1	0	2	4	12	57
WHITE FEMALES**	159	0	0	0	1	0	0	0	2	4	16	136
WF/HISPANIC	0	0	0	0	0	0	0	0	0	0	0	0
WF/NON-HISPANIC	159	0	0	0	1	0	0	0	2	4	16	136
BLACK MALES	21	0	0	0	0	1	4	1	4	2	1	8
BM/HISPANIC	0	0	0	0	0	0	0	0	0	0	0	0
BM/NON-HISPANIC	21	0	0	0	0	1	4	1	4	2	1	8
BLACK FEMALES	24	0	1	0	1	2	2	4	0	0	2	12
BF/HISPANIC	1	0	1	0	0	0	0	0	0	0	0	0
BF/NON-HISPANIC	23	0	0	0	1	2	2	4	0	0	2	12
TOTAL MALES	100	0	1	0	1	1	5	1	6	6	13	66
M/HISPANIC	1	0	0	0	0	0	0	0	0	0	0	1
M/NON-HISPANIC	99	0	1	0	1	1	5	1	6	6	13	65
TOTAL FEMALES	184	0	1	0	2	2	2	4	3	4	18	148
F/HISPANIC	1	0	1	0	0	0	0	0	0	0	0	0
F/NON-HISPANIC	183	0	0	0	2	2	2	4	3	4	18	148
TOTAL	284	0	2	0	3	3	7	5	9	10	31	214
PNEUMOCOCCIOSIS												
WHITE MALES**	214	0	0	0	0	0	0	0	0	4	44	166
WM/HISPANIC	3	0	0	0	0	0	0	0	0	0	2	1
WM/NON-HISPANIC	211	0	0	0	0	0	0	0	0	4	42	165
WHITE FEMALES**	5	0	0	0	0	0	0	0	0	0	0	5
WF/HISPANIC	0	0	0	0	0	0	0	0	0	0	0	0
WF/NON-HISPANIC	5	0	0	0	0	0	0	0	0	0	0	5
BLACK MALES	8	0	0	0	0	0	0	0	0	0	4	4
BM/HISPANIC	0	0	0	0	0	0	0	0	0	0	0	0
BM/NON-HISPANIC	8	0	0	0	0	0	0	0	0	0	4	4
BLACK FEMALES	0	0	0	0	0	0	0	0	0	0	0	0
BF/HISPANIC	0	0	0	0	0	0	0	0	0	0	0	0
BF/NON-HISPANIC	0	0	0	0	0	0	0	0	0	0	0	0
TOTAL MALES	222	0	0	0	0	0	0	0	0	4	48	170
M/HISPANIC	3	0	0	0	0	0	0	0	0	0	2	1
M/NON-HISPANIC	219	0	0	0	0	0	0	0	0	4	46	169
TOTAL FEMALES	5	0	0	0	0	0	0	0	0	0	0	5
F/HISPANIC	0	0	0	0	0	0	0	0	0	0	0	0
F/NON-HISPANIC	5	0	0	0	0	0	0	0	0	0	0	5
TOTAL	227	0	0	0	0	0	0	0	0	4	48	175

SELECTED CAUSES OF DEATH BY AGE, RACE, SEX AND HISPANIC ORIGIN
PENNSYLVANIA RESIDENTS, 2000

	TOTAL DEATHS	UNDER 5	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+*
DISORDERS OF BILIARY TRACT & PANCREAS												
WHITE MALES**	105	0	0	0	0	0	1	15	16	12	14	47
WM/HISPANIC	1	0	0	0	0	0	0	1	0	0	0	0
WM/NON-HISPANIC	104	0	0	0	0	0	1	14	16	12	14	47
WHITE FEMALES**	89	0	0	0	0	0	1	3	4	10	12	59
WF/HISPANIC	0	0	0	0	0	0	0	0	0	0	0	0
WF/NON-HISPANIC	89	0	0	0	0	0	1	3	4	10	12	59
BLACK MALES	16	0	0	0	0	0	2	0	3	3	4	4
BM/HISPANIC	0	0	0	0	0	0	0	0	0	0	0	0
BM/NON-HISPANIC	16	0	0	0	0	0	2	0	3	3	4	4
BLACK FEMALES	12	0	0	0	0	1	1	0	2	2	3	3
BF/HISPANIC	0	0	0	0	0	0	0	0	0	0	0	0
BF/NON-HISPANIC	12	0	0	0	0	1	1	0	2	2	3	3
TOTAL MALES	122	0	0	0	0	0	3	15	20	15	18	51
M/HISPANIC	1	0	0	0	0	0	0	1	0	0	0	0
M/NON-HISPANIC	121	0	0	0	0	0	3	14	20	15	18	51
TOTAL FEMALES	104	0	0	0	0	1	2	4	6	13	15	63
F/HISPANIC	0	0	0	0	0	0	0	0	0	0	0	0
F/NON-HISPANIC	104	0	0	0	0	1	2	4	6	13	15	63
TOTAL	226	0	0	0	0	1	5	19	26	28	33	114
NUTRITIONAL DEFICIENCIES												
WHITE MALES**	49	1	0	0	0	0	1	1	0	0	12	34
WM/HISPANIC	0	0	0	0	0	0	0	0	0	0	0	0
WM/NON-HISPANIC	49	1	0	0	0	0	1	1	0	0	12	34
WHITE FEMALES**	124	0	0	0	0	0	0	2	2	1	14	105
WF/HISPANIC	0	0	0	0	0	0	0	0	0	0	0	0
WF/NON-HISPANIC	124	0	0	0	0	0	0	2	2	1	14	105
BLACK MALES	7	0	0	0	0	0	1	0	1	0	1	4
BM/HISPANIC	0	0	0	0	0	0	0	0	0	0	0	0
BM/NON-HISPANIC	7	0	0	0	0	0	1	0	1	0	1	4
BLACK FEMALES	13	1	0	0	0	0	0	1	0	0	3	8
BF/HISPANIC	0	0	0	0	0	0	0	0	0	0	0	0
BF/NON-HISPANIC	13	1	0	0	0	0	0	1	0	0	3	8
TOTAL MALES	58	1	0	0	0	0	2	1	1	1	14	38
M/HISPANIC	0	0	0	0	0	0	0	0	0	0	0	0
M/NON-HISPANIC	58	1	0	0	0	0	2	1	1	1	14	38
TOTAL FEMALES	140	1	0	0	0	0	0	3	2	1	18	115
F/HISPANIC	0	0	0	0	0	0	0	0	0	0	0	0
F/NON-HISPANIC	140	1	0	0	0	0	0	3	2	1	18	115
TOTAL	198	2	0	0	0	0	2	4	3	2	32	153

SELECTED CAUSES OF DEATH BY AGE, RACE, SEX AND HISPANIC ORIGIN
PENNSYLVANIA RESIDENTS, 2000

TOTAL DEATHS	UNDER 5	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+*	
PEPTIC ULCER												
WHITE MALES**	73	0	0	0	0	1	0	3	6	8	11	44
WM/HISPANIC	1	0	0	0	0	0	0	0	1	0	0	0
WM/NON-HISPANIC	72	0	0	0	0	1	0	3	5	8	11	44
WHITE FEMALES**	91	0	0	0	0	0	0	0	1	0	11	79
WF/HISPANIC	1	0	0	0	0	0	0	0	0	0	0	1
WF/NON-HISPANIC	90	0	0	0	0	0	0	0	1	0	11	78
BLACK MALES	10	0	0	0	0	0	0	2	2	0	1	5
BM/HISPANIC	0	0	0	0	0	0	0	0	0	0	0	0
BM/NON-HISPANIC	10	0	0	0	0	0	0	2	2	0	1	5
BLACK FEMALES	3	0	0	0	0	0	0	0	0	1	1	1
BF/HISPANIC	0	0	0	0	0	0	0	0	0	0	0	0
BF/NON-HISPANIC	3	0	0	0	0	0	0	0	0	1	1	1
TOTAL MALES	83	0	0	0	0	1	0	5	8	8	12	49
M/HISPANIC	1	0	0	0	0	0	0	0	1	0	0	0
M/NON-HISPANIC	82	0	0	0	0	1	0	5	7	8	12	49
TOTAL FEMALES	94	0	0	0	0	0	0	0	1	1	12	80
F/HISPANIC	1	0	0	0	0	0	0	0	0	0	0	1
F/NON-HISPANIC	93	0	0	0	0	0	0	0	1	1	12	79
TOTAL	177	0	0	0	0	1	0	5	9	9	24	129
PHLEBITIS, THROMBOPHLEBITIS, VENOUS EMBOLISM & THROMBOSIS												
WHITE MALES**	46	0	0	0	0	1	1	6	1	10	6	21
WM/HISPANIC	1	0	0	0	0	0	0	0	0	0	1	0
WM/NON-HISPANIC	45	0	0	0	0	1	1	6	1	10	5	21
WHITE FEMALES**	81	0	0	0	0	1	2	1	5	4	13	55
WF/HISPANIC	1	0	0	0	0	0	0	0	0	0	0	1
WF/NON-HISPANIC	80	0	0	0	0	1	2	1	5	4	13	54
BLACK MALES	12	0	0	0	0	0	1	4	3	1	3	0
BM/HISPANIC	0	0	0	0	0	0	0	0	0	0	0	0
BM/NON-HISPANIC	12	0	0	0	0	0	1	4	3	1	3	0
BLACK FEMALES	14	0	0	0	0	0	0	2	4	2	2	4
BF/HISPANIC	0	0	0	0	0	0	0	0	0	0	0	0
BF/NON-HISPANIC	14	0	0	0	0	0	0	2	4	2	2	4
TOTAL MALES	58	0	0	0	0	1	2	10	4	11	9	21
M/HISPANIC	1	0	0	0	0	0	0	0	0	0	1	0
M/NON-HISPANIC	57	0	0	0	0	1	2	10	4	11	8	21
TOTAL FEMALES	95	0	0	0	0	1	2	3	9	6	15	59
F/HISPANIC	1	0	0	0	0	0	0	0	0	0	0	1
F/NON-HISPANIC	94	0	0	0	0	1	2	3	9	6	15	58
TOTAL	153	0	0	0	0	2	4	13	13	17	24	80

SELECTED CAUSES OF DEATH BY AGE, RACE, SEX AND HISPANIC ORIGIN
PENNSYLVANIA RESIDENTS, 2000

TOTAL DEATHS	UNDER 5	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+*
MULTIPLE SCLEROSIS											
WHITE MALES**	47	0	0	0	0	1	5	16	10	8	7
WM/HISPANIC	0	0	0	0	0	0	0	0	0	0	0
WM/NON-HISPANIC	47	0	0	0	0	1	5	16	10	8	7
WHITE FEMALES**	85	0	0	0	0	2	8	18	17	26	14
WF/HISPANIC	0	0	0	0	0	0	0	0	0	0	0
WF/NON-HISPANIC	85	0	0	0	0	2	8	18	17	26	14
BLACK MALES	3	0	0	0	0	0	2	0	1	0	0
BM/HISPANIC	0	0	0	0	0	0	0	0	0	0	0
BM/NON-HISPANIC	3	0	0	0	0	0	2	0	1	0	0
BLACK FEMALES	12	0	0	0	0	0	3	4	4	1	0
BF/HISPANIC	0	0	0	0	0	0	0	0	0	0	0
BF/NON-HISPANIC	12	0	0	0	0	0	3	4	4	1	0
TOTAL MALES	50	0	0	0	0	1	7	16	11	8	7
M/HISPANIC	0	0	0	0	0	0	0	0	0	0	0
M/NON-HISPANIC	50	0	0	0	0	1	7	16	11	8	7
TOTAL FEMALES	97	0	0	0	0	2	11	22	21	27	14
F/HISPANIC	0	0	0	0	0	0	0	0	0	0	0
F/NON-HISPANIC	97	0	0	0	0	2	11	22	21	27	14
TOTAL	147	0	0	0	0	3	18	38	32	35	21
CHOLELITHIASIS & OTHER DISORDERS OF GALLBLADDER											
WHITE MALES**	47	0	0	0	1	0	0	2	6	6	32
WM/HISPANIC	1	0	0	0	0	0	0	0	1	0	0
WM/NON-HISPANIC	46	0	0	0	1	0	0	2	5	6	32
WHITE FEMALES**	75	0	0	0	0	0	1	1	6	3	64
WF/HISPANIC	1	0	0	0	0	0	0	0	1	0	0
WF/NON-HISPANIC	74	0	0	0	0	0	1	1	5	3	64
BLACK MALES	0	0	0	0	0	0	0	0	0	0	0
BM/HISPANIC	0	0	0	0	0	0	0	0	0	0	0
BM/NON-HISPANIC	0	0	0	0	0	0	0	0	0	0	0
BLACK FEMALES	4	0	0	0	0	0	0	0	1	1	2
BF/HISPANIC	0	0	0	0	0	0	0	0	0	0	0
BF/NON-HISPANIC	4	0	0	0	0	0	0	0	1	1	2
TOTAL MALES	47	0	0	0	1	0	0	2	6	6	32
M/HISPANIC	1	0	0	0	0	0	0	0	1	0	0
M/NON-HISPANIC	46	0	0	0	1	0	0	2	5	6	32
TOTAL FEMALES	79	0	0	0	0	0	1	1	7	4	66
F/HISPANIC	1	0	0	0	0	0	0	0	1	0	0
F/NON-HISPANIC	78	0	0	0	0	0	1	1	6	4	66
TOTAL	126	0	0	0	1	0	1	3	13	10	98

SELECTED CAUSES OF DEATH BY AGE, RACE, SEX AND HISPANIC ORIGIN
PENNSYLVANIA RESIDENTS, 2000

TOTAL DEATHS	UNDER 5	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+*
HERNIA											
WHITE MALES**	26	2	0	0	0	0	0	2	1	2	19
WM/HISPANIC	0	0	0	0	0	0	0	0	0	0	0
WM/NON-HISPANIC	26	2	0	0	0	0	0	2	1	2	19
WHITE FEMALES**	48	0	0	0	0	0	0	3	3	8	34
WF/HISPANIC	0	0	0	0	0	0	0	0	0	0	0
WF/NON-HISPANIC	48	0	0	0	0	0	0	3	3	8	34
BLACK MALES	0	0	0	0	0	0	0	0	0	0	0
BM/HISPANIC	0	0	0	0	0	0	0	0	0	0	0
BM/NON-HISPANIC	0	0	0	0	0	0	0	0	0	0	0
BLACK FEMALES	2	0	0	0	0	0	0	1	0	0	1
BF/HISPANIC	0	0	0	0	0	0	0	0	0	0	0
BF/NON-HISPANIC	2	0	0	0	0	0	0	1	0	0	1
TOTAL MALES	26	2	0	0	0	0	0	2	1	2	19
M/HISPANIC	0	0	0	0	0	0	0	0	0	0	0
M/NON-HISPANIC	26	2	0	0	0	0	0	2	1	2	19
TOTAL FEMALES	50	0	0	0	0	0	0	4	3	8	35
F/HISPANIC	0	0	0	0	0	0	0	0	0	0	0
F/NON-HISPANIC	50	0	0	0	0	0	0	4	3	8	35
TOTAL	76	2	0	0	0	0	0	6	4	10	54
EPILEPSY											
WHITE MALES**	19	0	0	0	2	2	5	3	6	0	1
WM/HISPANIC	0	0	0	0	0	0	0	0	0	0	0
WM/NON-HISPANIC	19	0	0	0	2	2	5	3	6	0	1
WHITE FEMALES**	27	0	0	0	1	2	4	3	4	4	9
WF/HISPANIC	1	0	0	0	0	1	0	0	0	0	0
WF/NON-HISPANIC	26	0	0	0	1	1	4	3	4	4	9
BLACK MALES	7	0	0	0	0	0	1	0	1	2	3
BM/HISPANIC	0	0	0	0	0	0	0	0	0	0	0
BM/NON-HISPANIC	7	0	0	0	0	0	1	0	1	2	3
BLACK FEMALES	3	0	0	0	0	0	0	0	0	1	2
BF/HISPANIC	0	0	0	0	0	0	0	0	0	0	0
BF/NON-HISPANIC	3	0	0	0	0	0	0	0	0	1	2
TOTAL MALES	26	0	0	0	2	2	6	3	7	2	4
M/HISPANIC	0	0	0	0	0	0	0	0	0	0	0
M/NON-HISPANIC	26	0	0	0	2	2	6	3	7	2	4
TOTAL FEMALES	30	0	0	0	1	2	4	3	4	5	11
F/HISPANIC	1	0	0	0	0	1	0	0	0	0	0
F/NON-HISPANIC	29	0	0	0	1	1	4	3	4	5	11
TOTAL	56	0	0	0	1	2	4	10	6	11	15

SELECTED CAUSES OF DEATH BY AGE, RACE, SEX AND HISPANIC ORIGIN
PENNSYLVANIA RESIDENTS, 2000

	TOTAL DEATHS	UNDER 5	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+*
ALL OTHER CAUSES												
WHITE MALES**	6,271	86	7	10	27	37	94	261	461	595	1,196	3,497
WM/HISPANIC	106	5	2	0	1	6	6	12	16	17	18	23
WM/NON-HISPANIC	6,165	81	5	10	26	31	88	249	445	578	1,178	3,474
WHITE FEMALES**	8,244	48	11	9	13	18	66	162	294	365	962	6,296
WF/HISPANIC	69	5	0	0	1	1	6	6	9	5	7	29
WF/NON-HISPANIC	8,175	43	11	9	12	17	60	156	285	360	955	6,267
BLACK MALES	765	48	0	3	3	4	18	68	104	138	135	244
BM/HISPANIC	4	0	0	0	0	0	0	1	0	1	1	1
BM/NON-HISPANIC	761	48	0	3	3	4	18	67	104	137	134	243
BLACK FEMALES	886	38	0	5	4	5	21	48	88	100	134	443
BF/HISPANIC	1	0	0	0	0	0	0	0	0	1	0	0
BF/NON-HISPANIC	885	38	0	5	4	5	21	48	88	99	134	443
TOTAL MALES	7,065	135	7	13	30	42	112	331	569	740	1,336	3,750
M/HISPANIC	111	5	2	0	1	6	6	13	16	18	20	24
M/NON-HISPANIC	6,954	130	5	13	29	36	106	318	553	722	1,316	3,726
TOTAL FEMALES	9,164	87	11	14	17	23	89	212	384	469	1,104	6,754
F/HISPANIC	70	5	0	0	1	1	6	6	9	6	7	29
F/NON-HISPANIC	9,094	82	11	14	16	22	83	206	375	463	1,097	6,725
TOTAL	16,229	222	18	27	47	65	201	543	953	1,209	2,440	10,504
TOTAL DEATHS												
WHITE MALES**	55,190	476	57	68	278	416	843	1,990	3,626	5,796	11,673	29,967
WM/HISPANIC	736	33	3	4	16	37	61	89	92	87	139	175
WM/NON-HISPANIC	54,454	443	54	64	262	379	782	1,901	3,534	5,709	11,534	29,792
WHITE FEMALES**	62,318	332	57	42	120	126	365	1,040	2,164	3,929	9,135	45,008
WF/HISPANIC	486	33	5	3	4	5	27	38	48	61	84	178
WF/NON-HISPANIC	61,832	299	52	39	116	121	338	1,002	2,116	3,868	9,051	44,830
BLACK MALES	6,100	207	10	19	78	133	291	462	798	901	1,305	1,896
BM/HISPANIC	40	5	0	0	1	2	7	5	2	5	7	6
BM/NON-HISPANIC	6,060	202	10	19	77	131	284	457	796	896	1,298	1,890
BLACK FEMALES	5,939	152	8	16	20	28	112	305	493	707	1,181	2,917
BF/HISPANIC	28	0	1	0	0	0	1	4	0	4	4	14
BF/NON-HISPANIC	5,911	152	7	16	20	28	111	301	493	703	1,177	2,903
TOTAL MALES	61,583	693	69	88	364	552	1,153	2,479	4,455	6,753	13,040	31,937
M/HISPANIC	789	38	4	4	18	39	70	96	96	93	148	183
M/NON-HISPANIC	60,794	655	65	84	346	513	1,083	2,383	4,359	6,660	12,892	31,754
TOTAL FEMALES	68,509	492	68	59	141	155	484	1,356	2,677	4,675	10,358	48,044
F/HISPANIC	519	33	6	3	4	5	28	42	48	65	90	195
F/NON-HISPANIC	67,990	459	62	56	137	150	456	1,314	2,629	4,610	10,268	47,849
TOTAL	130,092	1,185	137	147	505	707	1,637	3,835	7,132	11,428	23,398	79,981

*INCLUDES UNKNOWN AGE

**INCLUDES UNKNOWN RACE

NOTE: TOTAL INCLUDES UNKNOWNNS AND ALL OTHER RACES.
UNKNOWN SEX IS INCLUDED IN THE MALES.