2017 Abortion Statistics

December 2018



HD0344P

2017 ABORTION STATISTICS Executive Summary

Pennsylvania has been monitoring and reporting on abortion data since 1975.

In 2017, there were 30,011 abortions performed in Pennsylvania. Nearly half, (14,726) of all abortions performed in Pennsylvania were to white women, and 12,865 were to black or African-American women. Abortions to women of Hispanic origin accounted for 3,038, or 10.1 percent, of all abortions in 2017. More than 87 percent (26,310) of the abortions performed in Pennsylvania in 2017 were to unmarried women.

As in previous years, the largest age group having abortions was 20-24, accounting for 9,047 (30.1 percent) of all 2017 abortions. Patients under age 20 accounted for 8.8 percent, and patients under age 18 accounted for 2.7 percent. Comparatively, in 2016, females under age 20 accounted for 9.1 percent, and females under age 18 accounted for 2.9 percent.

Similar to 2016, 94.1 percent of the abortions performed in 2017 were on Pennsylvania residents. Residents of other states, territories and other countries accounted for just 1,777 abortions in 2017.

Of the abortions performed in 2017 in Pennsylvania, 83.6 percent were performed in five counties: Allegheny, Dauphin, Delaware, Northampton and Philadelphia.

More than 39 percent of Pennsylvania residents receiving abortions were residents of Philadelphia County. Other counties with a large number of resident abortions included: Allegheny (3,120), Delaware (1,865), Montgomery (1,565), and Bucks (950). Of all 67 counties, 32 (47.8 percent) showed a decrease in the number of resident abortions performed in 2017 compared to 2016.

In 2017, there were 143 reports of complications from abortions that were submitted by physicians, representing 7.7 percent less than the 155 reported in 2016. More than 71 percent of the complications were related to retained products of conception, 15 percent to bleeding and 7 percent to infection.

Unknowns are excluded from all calculations.

Notes: The source for the number of abortions reported in Pennsylvania in 2017 is the "Report of Induced Termination of Pregnancy," which is an individual report filed for each procedure. The source for the complications data is "Abortions: Report of Complications," a separate reporting form completed by physicians who have provided medical care to a woman because of a complication resulting from an abortion or attempted abortion.

Pennsylvania Induced Abortion Report January - December 2017

| <u>Tabl</u> Induced Abortion Pennsylvania by | ns Performed In | <u>Table 2</u> Induced Abortions Performed In Pennsylvania by Weeks of Gestat | | | |
|--|-----------------|---|----------|--|--|
| Age (Years) | Number | Weeks of Gestation | Number | | |
| 12 or Under | 10 | 8 or Less | 18,507 | | |
| 13 | 14 | 9 - 10 | 5,119 | | |
| 14 | 52 | 11 - 12 | 2,418 | | |
| 15 | 138 | 13 - 14 | 1,548 | | |
| 16 | 231 | 15 - 17 | 1,307 | | |
| 17 | 365 | 18 - 20 | 676 | | |
| 18 | 779 | 21 - 23 | 436 | | |
| 19 | 1,045 | 24 or More | 0 | | |
| 20 - 24 | 9,047 | Total | 30,011 | | |
| 25 - 29 | 9,001 | | | | |
| 30 - 34 | 5,459 | Note: Weeks of gestation are | hased on | | |
| 35 - 39 | 2,932 | clinical estimate. | based on | | |
| 40 - 44 | 851 | | | | |
| 45 or Older | 87 | | | | |
| Unknown | 0 | | | | |
| Total | 30,011 | | | | |

<u>Table 3</u> Induced Abortions Performed In Pennsylvania by Race of Woman January - December 2017

| Race of Woman | <u>Number</u> |
|---------------------------|---------------|
| White | 14,726 |
| Black or African-American | 12,865 |
| Asian / Pacific Islander | 1,201 |
| Multi-Race | 753 |
| All Other Races | 331 |
| Unknown | 135 |
| Total | 30,011 |

<u>Table 4</u> Induced Abortions Performed In Pennsylvania by Hispanic Origin of Woman January - December 2017

| <u>Hispanic Origin</u> | <u>Number</u> |
|------------------------|---------------|
| Hispanic | 3,038 |
| Non-Hispanic | 26,931 |
| Unknown | 42 |
| Total | 30,011 |

Note: Hispanic origin can be of any race.

<u>Table 5</u> Induced Abortions Performed In Pennsylvania by Primary Type of Procedure January - December 2017

| Primary Abortion Procedure | <u>Number</u> |
|--|---------------|
| Suction Curettage | 16,879 |
| Sharp Curettage | 1 |
| Dilation and Evacuation | 1,627 |
| Intra-Uterine Instillation (Saline or Prostaglandin) | 0 |
| Hysterotomy/Hysterectomy | 3 |
| Medical (Nonsurgical) | 11,496 |
| Other | 5 |

Total

<u>Table 6</u> Induced Abortions Performed In Pennsylvania by Marital Status of Woman January - December 2017

| Marital Status | <u>Number</u> |
|----------------|---------------|
| Married | 3,682 |
| Unmarried | 26,310 |
| Unknown | 19 |
| Total | 30,011 |

30,011

<u>Table 7</u> Induced Abortions Performed In Pennsylvania by Residence and Age of Woman January - December 2017

| | | | <u>Ag</u> | le of Woman | <u>(In Years)</u> | | | | | |
|--------------------|----------|----------|--------------|--------------|-------------------|--------------|--------------|--------------|------------|----------------|
| Residence | All Ages | Under 15 | <u>15-17</u> | <u>18-19</u> | <u>20-24</u> | <u>25-29</u> | <u>30-34</u> | <u>35-39</u> | <u>40+</u> | <u>Unknown</u> |
| Total Pennsylvania | 28,234 | 75 | 695 | 1,712 | 8,465 | 8,512 | 5,139 | 2,749 | 887 | 0 |
| Adams | 62 | 0 | 1 | 6 | 23 | 16 | 11 | 3 | 2 | 0 |
| Allegheny | 3,120 | 10 | 100 | 173 | 920 | 954 | 562 | 301 | 100 | 0 |
| Armstrong | 51 | 0 | 1 | 3 | 19 | 13 | 9 | 4 | 2 | 0 |
| Beaver | 232 | 1 | 3 | 12 | 78 | 66 | 40 | 30 | 2 | 0 |
| Bedford | 20 | 0 | 1 | 1 | 7 | 4 | 7 | 0 | 0 | 0 |
| Berks | 796 | 0 | 26 | 57 | 247 | 232 | 128 | 81 | 25 | 0 |
| Blair | 105 | 0 | 2 | 10 | 29 | 25 | 30 | 9 | 0 | 0 |
| Bradford | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 |
| Bucks | 950 | 2 | 22 | 60 | 268 | 238 | 198 | 121 | 41 | 0 |
| Butler | 158 | 0 | 5 | 8 | 49 | 54 | 13 | 18 | 11 | 0 |
| Cambria | 134 | 0 | 5 | 16 | 47 | 33 | 15 | 10 | 8 | 0 |
| Cameron | 5 | 0 | 0 | 0 | 1 | 0 | 2 | 2 | 0 | 0 |
| Carbon | 82 | 0 | 2 | 7 | 21 | 17 | 23 | 5 | 7 | 0 |
| Centre | 149 | 0 | 1 | 9 | 73 | 29 | 24 | 10 | 3 | 0 |
| Chester | 820 | 0 | 17 | 54 | 223 | 249 | 151 | 87 | 39 | 0 |
| Clarion | 29 | 0 | 1 | 5 | 10 | 8 | 3 | 1 | 1 | 0 |
| Clearfield | 54 | 1 | 3 | 2 | 13 | 14 | 13 | 6 | 2 | 0 |
| Clinton | 28 | 0 | 1 | 1 | 11 | 4 | 5 | 4 | 2 | 0 |
| Columbia | 64 | 0 | 0 | 7 | 30 | 18 | 8 | 1 | 0 | 0 |
| Crawford | 47 | 0 | 1 | 4 | 17 | 11 | 9 | 3 | 2 | 0 |
| Cumberland | 287 | 0 | 1 | 19 | 81 | 79 | 62 | 32 | 13 | 0 |
| Dauphin | 585 | 1 | 13 | 33 | 177 | 175 | 99 | 68 | 19 | 0 |
| Delaware | 1,865 | 4 | 40 | 101 | 549 | 508 | 401 | 194 | 68 | 0 |
| Elk | 24 | 0 | 0 | 0 | 10 | 10 | 2 | 1 | 1 | 0 |
| Erie | 184 | 0 | 7 | 14 | 47 | 62 | 27 | 21 | 6 | 0 |
| Fayette | 178 | 0 | 9 | 13 | 61 | 41 | 26 | 22 | 6 | 0 |
| Forest | 5 | 0 | 0 | 0 | 0 | 5 | 0 | 0 | 0 | 0 |
| Franklin | 24 | 0 | 1 | 3 | 5 | 6 | 5 | 3 | 1 | 0 |
| Fulton | 4 | 0 | 0 | 0 | 0 | 3 | 0 | 0 | 1 | 0 |
| Greene | 41 | 1 | 1 | 3 | 11 | 10 | 8 | 6 | 1 | 0 |
| Huntingdon | 21 | 0 | 0 | 4 | 5 | 7 | 2 | 1 | 2 | 0 |
| Indiana | 83 | 0 | 1 | 14 | 39 | 11 | 11 | 6 | 1 | 0 |
| Jefferson | 32 | 0 | 1 | 1 | 12 | 9 | 4 | 3 | 2 | 0 |
| Juniata | 15 | 0 | 0 | 1 | 6 | 4 | 3 | 1 | 0 | 0 |
| Lackawanna | 334 | 0 | 7 | 18 | 109 | 89 | 65 | 32 | 14 | 0 |
| Lancaster | 541 | 1 | 16 | 31 | 157 | 163 | 96 | 53 | 24 | 0 |
| Lawrence | 101 | 1 | 3 | 4 | 33 | 27 | 19 | 10 | 4 | 0 |
| Lebanon | 138 | 0 | 1 | 13 | 44 | 36 | 24 | 16 | 4 | 0 |
| Lehigh | 827 | 0 | 17 | 53 | 255 | 240 | 157 | 79 | 26 | 0 |
| Luzerne | 483 | 4 | 11 | 27 | 135 | 133 | 99 | 60 | 14 | 0 |

(Continued)

<u>Table 7</u> Induced Abortions Performed In Pennsylvania by Residence and Age of Woman January - December 2017

| Age of Woman (In Years) | | | | | | | | | | |
|--------------------------|----------|----------|--------------|--------------|--------------|--------------|--------------|--------------|------------|----------------|
| Residence | All Ages | Under 15 | <u>15-17</u> | <u>18-19</u> | <u>20-24</u> | <u>25-29</u> | <u>30-34</u> | <u>35-39</u> | <u>40+</u> | <u>Unknown</u> |
| Lycoming | 102 | 0 | 1 | 6 | 19 | 36 | 26 | 8 | 6 | 0 |
| McKean | 6 | 1 | 0 | 0 | 2 | 1 | 1 | 0 | 1 | 0 |
| Mercer | 75 | 1 | 1 | 4 | 25 | 24 | 13 | 5 | 2 | 0 |
| Mifflin | 24 | 0 | 0 | 1 | 8 | 10 | 2 | 1 | 2 | 0 |
| Monroe | 302 | 0 | 10 | 19 | 104 | 88 | 45 | 23 | 13 | 0 |
| Montgomery | 1,565 | 2 | 25 | 94 | 413 | 465 | 312 | 185 | 69 | 0 |
| Montour | 15 | 0 | 0 | 0 | 6 | 5 | 3 | 0 | 1 | 0 |
| Northampton | 534 | 0 | 14 | 44 | 151 | 152 | 92 | 58 | 23 | 0 |
| Northumberland | 69 | 0 | 5 | 6 | 21 | 15 | 9 | 12 | 1 | 0 |
| Perry | 79 | 0 | 1 | 4 | 23 | 27 | 11 | 9 | 4 | 0 |
| Philadelphia | 11,140 | 41 | 277 | 625 | 3,355 | 3,619 | 1,985 | 978 | 260 | 0 |
| Pike | 46 | 0 | 0 | 2 | 14 | 15 | 10 | 5 | 0 | 0 |
| Potter | 23 | 0 | 0 | 1 | 9 | 9 | 4 | 0 | 0 | 0 |
| Schuylkill | 177 | 0 | 2 | 16 | 53 | 53 | 29 | 20 | 4 | 0 |
| Snyder | 19 | 0 | 0 | 2 | 6 | 5 | 1 | 3 | 2 | 0 |
| Somerset | 54 | 0 | 1 | 4 | 9 | 20 | 14 | 5 | 1 | 0 |
| Sullivan | 2 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| Susquehanna | 5 | 0 | 0 | 0 | 2 | 2 | 1 | 0 | 0 | 0 |
| Tioga | 5 | 0 | 0 | 0 | 1 | 4 | 0 | 0 | 0 | 0 |
| Union | 23 | 0 | 1 | 2 | 4 | 7 | 6 | 1 | 2 | 0 |
| Venango | 41 | 0 | 1 | 3 | 11 | 15 | 7 | 3 | 1 | 0 |
| Warren | 11 | 0 | 0 | 1 | 5 | 3 | 2 | 0 | 0 | 0 |
| Washington | 255 | 1 | 11 | 24 | 73 | 67 | 43 | 30 | 6 | 0 |
| Wayne | 32 | 0 | 1 | 1 | 9 | 10 | 3 | 7 | 1 | 0 |
| Westmoreland | 404 | 1 | 9 | 25 | 134 | 107 | 68 | 44 | 16 | 0 |
| Wyoming | 18 | 1 | 0 | 0 | 8 | 4 | 2 | 2 | 1 | 0 |
| York | 528 | 1 | 13 | 41 | 178 | 145 | 89 | 45 | 16 | 0 |
| Unknown | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other States/Countries | | | | | | | | | | |
| Delaware | 612 | 1 | 13 | 40 | 183 | 196 | 107 | 56 | 16 | 0 |
| Maryland | 31 | 0 | 0 | 3 | 12 | 4 | 8 | 1 | 3 | 0 |
| New Jersey | 345 | 0 | 6 | 15 | 110 | 79 | 69 | 51 | 15 | 0 |
| New York | 16 | 0 | 0 | 1 | 5 | 4 | 4 | 1 | 1 | 0 |
| Ohio | 343 | 0 | 11 | 18 | 111 | 100 | 58 | 37 | 8 | 0 |
| West Virginia | 343 | 0 | 9 | 28 | 126 | 83 | 61 | 29 | 7 | 0 |
| Other States/Territories | 86 | 0 | 0 | 7 | 35 | 23 | 13 | 7 | 1 | 0 |
| Other Countries | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| Unknown | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total Other States/ | | | | | | | | | | |
| Countries | 1,777 | 1 | 39 | 112 | 582 | 489 | 320 | 183 | 51 | 0 |
| Total All Abortions | 30,011 | 76 | 734 | 1,824 | 9,047 | 9,001 | 5,459 | 2,932 | 938 | 0 |

<u>Table 8</u> Induced Abortions Performed In Pennsylvania by County of Procedure January - December 2017

| <u>County</u> | Number | County | Number |
|---------------|--------|----------------|--------|
| Adams | - | Lackawanna | - |
| Allegheny | 6,140 | Lancaster | - |
| Armstrong | - | Lawrence | - |
| Beaver | - | Lebanon | - |
| Bedford | - | Lehigh | 925 |
| Berks | 823 | Luzerne | - |
| Blair | - | Lycoming | - |
| Bradford | - | McKean | - |
| Bucks | 720 | Mercer | - |
| Butler | - | Mifflin | - |
| Cambria | - | Monroe | - |
| Cameron | - | Montgomery | 802 |
| Carbon | - | Montour | 2 |
| Centre | 1 | Northampton | 2,772 |
| Chester | 880 | Northumberland | - |
| Clarion | - | Perry | - |
| Clearfield | - | Philadelphia | 13,999 |
| Clinton | - | Pike | - |
| Columbia | - | Potter | - |
| Crawford | - | Schuylkill | - |
| Cumberland | - | Snyder | - |
| Dauphin | 1,152 | Somerset | - |
| Delaware | 1,016 | Sullivan | - |
| Elk | - | Susquehanna | - |
| Erie | - | Tioga | - |
| Fayette | - | Union | - |
| Forest | - | Venango | - |
| Franklin | - | Warren | - |
| Fulton | - | Washington | - |
| Greene | - | Wayne | - |
| Huntingdon | - | Westmoreland | - |
| Indiana | - | Wyoming | - |
| Jefferson | - | York | 779 |
| Juniata | - | | |
| | | Total | 30,011 |

Induced Abortions: Report of Complications January - December 2017

Table 9A

Type of Complication by Age of Woman

| Age Group | Total | Infection | Retained Products of Conception | Bleeding | Other | |
|-----------|-------|-----------|------------------------------------|----------|-------|--|
| Under 15 | 0 | 0 | 0 | 0 | 0 | |
| 15 - 19 | 5 | 0 | 2 | 1 | 2 | |
| 20 - 24 | 43 | 4 | 30 | 7 | 2 | |
| 25 - 29 | 43 | 4 | 32 | 6 | 1 | |
| 30 - 34 | 34 | 0 | 23 | 7 | 4 | |
| 35 - 39 | 12 | 1 | 11 | 0 | 0 | |
| 40+ | 5 | 1 | 3 | 1 | 0 | |
| Unknown | 1 | 0 | 1 | 0 | 0 | |
| Total | 143 | 10 | 102 | 22 | 9 | |

Table 9B Type of Complication by Weeks of Gestation

| Weeks of Gestation | Total | Infection | Retained Products of Conception | Bleeding | Other | |
|-----------------------|-------|-----------|------------------------------------|----------|-------|--|
| 8 or Less | 84 | 5 | 66 | 8 | 5 | |
| 9 - 10 | 25 | 2 | 19 | 4 | 0 | |
| 11 - 12 | 13 | 1 | 8 | 2 | 2 | |
| 13 - 14 | 3 | 0 | 3 | 0 | 0 | |
| 15 - 17 | 8 | 0 | 3 | 5 | 0 | |
| 18 - 20 | 3 | 0 | 0 | 2 | 1 | |
| 21 - 23 | 5 | 2 | 1 | 1 | 1 | |
| 24+ | 0 | 0 | 0 | 0 | 0 | |
| Unknown | 2 | 0 | 2 | 0 | 0 | |
| Total | 143 | 10 | 102 | 22 | 9 | |

Table 9C Type of Complication by Termination Procedure Used

| Procedure | Total | Infection | Retained Products of Conception | Bleeding | Other | |
|---------------------|-------|-----------|------------------------------------|----------|-------|--|
| Suction Curettage | 41 | 2 | 33 | 4 | 2 | |
| Sharp Curettage | 17 | 1 | 9 | 5 | 2 | |
| Dilation/Evacuation | 23 | 3 | 10 | 6 | 4 | |
| Medical | 60 | 4 | 48 | 7 | 1 | |
| Other | 0 | 0 | 0 | 0 | 0 | |
| Unknown | 2 | 0 | 2 | 0 | 0 | |
| Total | 143 | 10 | 102 | 22 | 9 | |

Notes: These data are based on Reports of Complications submitted by physicians who have provided care to a woman in need of medical care because of a complication resulting from an abortion or attempted abortion.

Weeks of gestation are based on clinical estimate.

<u>Table 10</u> Induced Abortions Performed in Pennsylvania by Age of Woman and Weeks of Gestation January - December 2017

| | Weeks of Gestation | | | | | | | | |
|--------------------|--------------------|------------------|-------------|--------------|--------------|--------------|--------------|--------------|------------|
| <u>Age (Years)</u> | <u>Total</u> | <u>8 or Less</u> | <u>9-10</u> | <u>11-12</u> | <u>13-14</u> | <u>15-17</u> | <u>18-20</u> | <u>21-23</u> | 24 or More |
| Under 15 | 76 | 18 | 21 | 18 | 6 | 7 | 4 | 2 | 0 |
| 15 - 17 | 734 | 320 | 153 | 95 | 64 | 46 | 42 | 14 | 0 |
| 18 - 19 | 1,824 | 985 | 374 | 179 | 109 | 102 | 47 | 28 | 0 |
| 20 - 24 | 9,047 | 5,502 | 1,619 | 749 | 477 | 432 | 180 | 88 | 0 |
| 25 - 29 | 9,001 | 5,675 | 1,520 | 708 | 467 | 321 | 186 | 124 | 0 |
| 30 - 34 | 5,459 | 3,444 | 884 | 399 | 252 | 233 | 131 | 116 | 0 |
| 35 - 39 | 2,932 | 1,932 | 416 | 211 | 127 | 125 | 71 | 50 | 0 |
| 40+ | 938 | 631 | 132 | 59 | 46 | 41 | 15 | 14 | 0 |
| Unknown | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Total | 30,011 | 18,507 | 5,119 | 2,418 | 1,548 | 1,307 | 676 | 436 | 0 |

<u>Table 11</u> Induced Abortions Performed In Pennsylvania by Primary Type of Procedure and Weeks of Gestation January - December 2017

| | Weeks of Gestation | | | | | | | | |
|--|--------------------|-----------|-------------|--------------|--------------|--------------|--------------|--------------|------------|
| Primary Procedure | <u>Total</u> | 8 or Less | <u>9-10</u> | <u>11-12</u> | <u>13-14</u> | <u>15-17</u> | <u>18-20</u> | <u>21-23</u> | 24 or More |
| Suction Curettage | 16,879 | 8,616 | 3,505 | 2,291 | 1,085 | 895 | 385 | 102 | 0 |
| Sharp Curettage | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| Dilation and Evacuation | 1,627 | 76 | 47 | 103 | 443 | 392 | 266 | 300 | 0 |
| Intra-Uterine Instillation- Saline or Prostaglandin | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Hysterotomy/ Hysterectomy | 3 | 2 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| Medical (Nonsurgical) | 11,496 | 9,812 | 1,567 | 22 | 18 | 20 | 24 | 33 | 0 |
| Other | 5 | 1 | 0 | 1 | 1 | 0 | 1 | 1 | 0 |
| Total | 30,011 | 18,507 | 5,119 | 2,418 | 1,548 | 1,307 | 676 | 436 | 0 |

Note: Weeks of gestation are based on clinical estimate.

<u>Table 12</u> Induced Abortions Performed In Pennsylvania by Residence and Weeks of Gestation January - December 2017

| | | Weeks of Gestation | | | | | | | |
|--------------------|--------|--------------------|-------------|--------------|--------------|--------------|--------------|--------------|------------|
| Residence | Total | 8 or Less | <u>9-10</u> | <u>11-12</u> | <u>13-14</u> | <u>15-17</u> | <u>18-20</u> | <u>21-23</u> | 24 or More |
| Total Pennsylvania | 28,234 | 17,529 | 4,845 | 2,290 | 1,438 | 1,198 | 591 | 343 | 0 |
| Adams | 62 | 34 | 14 | 6 | 4 | 4 | 0 | 0 | 0 |
| Allegheny | 3,120 | 1,784 | 624 | 310 | 149 | 115 | 81 | 57 | 0 |
| Armstrong | 51 | 28 | 8 | 9 | 3 | 2 | 0 | 1 | 0 |
| Beaver | 232 | 118 | 57 | 26 | 12 | 10 | 6 | 3 | 0 |
| Bedford | 20 | 10 | 4 | 1 | 0 | 4 | 0 | 1 | 0 |
| Berks | 796 | 502 | 132 | 78 | 41 | 18 | 13 | 12 | 0 |
| Blair | 105 | 58 | 21 | 8 | 6 | 3 | 5 | 4 | 0 |
| Bradford | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Bucks | 950 | 665 | 128 | 53 | 42 | 33 | 15 | 14 | 0 |
| Butler | 158 | 91 | 25 | 16 | 11 | 7 | 3 | 5 | 0 |
| Cambria | 134 | 59 | 36 | 17 | 7 | 6 | 2 | 7 | 0 |
| Cameron | 5 | 4 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| Carbon | 82 | 44 | 22 | 4 | 9 | 1 | 0 | 2 | 0 |
| Centre | 149 | 98 | 29 | 11 | 6 | 1 | 3 | 1 | 0 |
| Chester | 820 | 549 | 133 | 55 | 38 | 23 | 15 | 7 | 0 |
| Clarion | 29 | 22 | 2 | 3 | 1 | 0 | 1 | 0 | 0 |
| Clearfield | 54 | 29 | 8 | 11 | 2 | 3 | 1 | 0 | 0 |
| Clinton | 28 | 17 | 6 | 4 | 0 | 1 | 0 | 0 | 0 |
| Columbia | 64 | 44 | 11 | 3 | 1 | 5 | 0 | 0 | 0 |
| Crawford | 47 | 22 | 12 | 7 | 2 | 2 | 2 | 0 | 0 |
| Cumberland | 287 | 212 | 37 | 16 | 12 | 3 | 4 | 3 | 0 |
| Dauphin | 585 | 398 | 91 | 45 | 27 | 14 | 6 | 4 | 0 |
| Delaware | 1,865 | 1,228 | 270 | 135 | 93 | 79 | 45 | 15 | 0 |
| Elk | 24 | 12 | 4 | 3 | 0 | 3 | 0 | 2 | 0 |
| Erie | 184 | 83 | 36 | 31 | 13 | 8 | 6 | 7 | 0 |
| Fayette | 178 | 94 | 29 | 17 | 13 | 14 | 5 | 6 | 0 |
| Forest | 5 | 3 | 0 | 1 | 0 | 0 | 1 | 0 | 0 |
| Franklin | 24 | 14 | 4 | 3 | 1 | 2 | 0 | 0 | 0 |
| Fulton | 4 | 3 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| Greene | 41 | 15 | 10 | 9 | 3 | 3 | 1 | 0 | 0 |
| Huntingdon | 21 | 11 | 4 | 2 | 3 | 1 | 0 | 0 | 0 |
| Indiana | 83 | 52 | 13 | 8 | 5 | 4 | 0 | 1 | 0 |
| Jefferson | 32 | 14 | 3 | 6 | 3 | 2 | 2 | 2 | 0 |
| Juniata | 15 | 13 | 1 | 0 | 1 | 0 | 0 | 0 | 0 |
| Lackawanna | 334 | 221 | 43 | 29 | 21 | 14 | 6 | 0 | 0 |
| Lancaster | 541 | 356 | 89 | 58 | 19 | 14 | 4 | 1 | 0 |
| Lawrence | 101 | 53 | 14 | 6 | 14 | 5 | 6 | 3 | 0 |
| Lebanon | 138 | 89 | 24 | 14 | 6 | 3 | 0 | 2 | 0 |
| Lehigh | 827 | 508 | 146 | 73 | 41 | 33 | 18 | 8 | 0 |
| Luzerne | 483 | 297 | 84 | 40 | 23 | 27 | 6 | 6 | 0 |

(Continued)

<u>Table 12</u> Induced Abortions Performed In Pennsylvania by Residence and Weeks of Gestation January - December 2017

| | Weeks of Gestation | | | | | | | | |
|--------------------------|--------------------|-----------|-------------|--------------|--------------|--------------|--------------|--------------|------------|
| Residence | Total | 8 or Less | <u>9-10</u> | <u>11-12</u> | <u>13-14</u> | <u>15-17</u> | <u>18-20</u> | <u>21-23</u> | 24 or More |
| Lycoming | 102 | 62 | 20 | 7 | 5 | 4 | 3 | 1 | 0 |
| McKean | 6 | 3 | 1 | 1 | 0 | 1 | 0 | 0 | 0 |
| Mercer | 75 | 38 | 16 | 9 | 2 | 3 | 3 | 4 | 0 |
| Mifflin | 24 | 15 | 6 | 2 | 1 | 0 | 0 | 0 | 0 |
| Monroe | 302 | 188 | 49 | 22 | 16 | 17 | 6 | 4 | 0 |
| Montgomery | 1,565 | 1,092 | 221 | 84 | 66 | 60 | 24 | 18 | 0 |
| Montour | 15 | 14 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| Northampton | 534 | 343 | 75 | 41 | 29 | 30 | 10 | 6 | 0 |
| Northumberland | 69 | 47 | 10 | 7 | 2 | 2 | 0 | 1 | 0 |
| Perry | 79 | 54 | 12 | 6 | 3 | 3 | 1 | 0 | 0 |
| Philadelphia | 11,140 | 6,850 | 1,944 | 835 | 604 | 543 | 255 | 109 | 0 |
| Pike | 46 | 20 | 7 | 8 | 5 | 2 | 3 | 1 | 0 |
| Potter | 23 | 15 | 6 | 1 | 0 | 1 | 0 | 0 | 0 |
| Schuylkill | 177 | 109 | 22 | 17 | 12 | 8 | 6 | 3 | 0 |
| Snyder | 19 | 13 | 4 | 0 | 0 | 2 | 0 | 0 | 0 |
| Somerset | 54 | 27 | 12 | 7 | 3 | 3 | 2 | 0 | 0 |
| Sullivan | 2 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| Susquehanna | 5 | 4 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| Tioga | 5 | 1 | 2 | 2 | 0 | 0 | 0 | 0 | 0 |
| Union | 23 | 13 | 3 | 0 | 2 | 4 | 1 | 0 | 0 |
| Venango | 41 | 22 | 9 | 4 | 0 | 2 | 1 | 3 | 0 |
| Warren | 11 | 4 | 1 | 1 | 2 | 1 | 0 | 2 | 0 |
| Washington | 255 | 150 | 44 | 24 | 13 | 10 | 7 | 7 | 0 |
| Wayne | 32 | 21 | 4 | 3 | 2 | 0 | 2 | 0 | 0 |
| Westmoreland | 404 | 228 | 87 | 37 | 16 | 20 | 9 | 7 | 0 |
| Wyoming | 18 | 11 | 3 | 2 | 0 | 1 | 1 | 0 | 0 |
| York | 528 | 328 | 113 | 51 | 22 | 11 | 0 | 3 | 0 |
| Unknown | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Other States/Countries | | | | | | | | | |
| Delaware | 612 | 328 | 83 | 53 | 47 | 55 | 39 | 7 | 0 |
| Maryland | 31 | 16 | 7 | 1 | 2 | 1 | 4 | 0 | 0 |
| New Jersey | 345 | 216 | 40 | 15 | 24 | 18 | 13 | 19 | 0 |
| New York | 16 | 12 | 0 | 0 | 0 | 1 | 2 | 1 | 0 |
| Ohio | 343 | 159 | 68 | 36 | 24 | 13 | 11 | 32 | 0 |
| West Virginia | 343 | 197 | 62 | 19 | 12 | 16 | 13 | 24 | 0 |
| Other States/Territories | 86 | 49 | 14 | 4 | 1 | 5 | 3 | 10 | 0 |
| Other Countries | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Unknown | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | | | | | | | | |
| Total Other States/ | | | | | | | | | |
| Countries | 1,777 | 978 | 274 | 128 | 110 | 109 | 85 | 93 | 0 |
| Total All Abortions | 30,011 | 18,507 | 5,119 | 2,418 | 1,548 | 1,307 | 676 | 436 | 0 |

Note: Weeks of gestation are based on clinical estimate.

<u>Table 13</u> Induced Abortions Performed In Pennsylvania by Number of Previous Live Births and Percentage Distribution January - December 2017

| Live Births | Number | Percent |
|--------------|--------|---------|
| Zero | 11,608 | 38.7 |
| One | 7,844 | 26.1 |
| Тwo | 6,140 | 20.5 |
| Three | 2,772 | 9.2 |
| Four or More | 1,647 | 5.5 |
| Unknown | 0 | 0.0 |
| Total | 30,011 | 100.0 |

Table 14Induced Abortions Performed In Pennsylvaniaby Number of Previous Induced Abortions and Percentage DistributionJanuary - December 2017

| Induced Abortions | Number | Percent |
|-------------------|--------|---------|
| Zero | 15,839 | 52.8 |
| One | 7,786 | 25.9 |
| Two | 3,776 | 12.6 |
| Three | 1,528 | 5.1 |
| Four or More | 1,082 | 3.6 |
| Unknown | 0 | 0.0 |
| Total | 30,011 | 100.0 |

Note: Percents may not sum to 100 due to rounding.

<u>Table 15</u> Induced Abortions Performed in Pennsylvania by Number of Medical Complications of Pregnancy January - December 2017

| Medical Complication | Number |
|---|--------|
| Pre-existing Medical Conditions Which Would Complicate Pregnancy | 255 |
| Complication Resulting From Termination | 7 |