2021 MATERNAL AND CHILD HEALTH STATUS INDICATORS

April 2024



MATERNAL AND CHILD HEALTH STATUS INDICATORS ALLENTOWN

			NO PRENATAL CARE		BIRTI	
RACE or ETHNICITY	LOW BIRT	H WEIGHT	IN FIRST T	RIMESTER	MOTHERS	UNDER 18
of MOTHER	<u>Number</u>	Percent	<u>Number</u>	<u>Percent</u>	<u>Number</u>	<u>Percent</u>
ALL RACES	578	10.4	1,523	27.8	140	2.5
WHITE	238	9.5	640	25.8	61	2.4
BLACK	100	12.5	253	32.2	14	1.8
ASIAN/PI*	11	8.9	31	25.4	3	ND
MULTI-RACE	40	13.9	91	32.3	9	ND
HISPANIC	385	10.2	1,070	28.8	119	3.2
RACE or ETHNICITY	SMOKED IN FIRST TRIMESTER		PRETERN	PRETERM BIRTHS		OTHERS WHO REASTFEED
of MOTHER	Number	<u>Percent</u>	<u>Number</u>	<u>Percent</u>	Number	Percent
ALL RACES	418	7.7	656	11.8	672	18.5
WHITE	252	10.2	288	11.5	351	21.1
BLACK	68	8.7	102	12.8	135	25.3
ASIAN/PI*	3	ND	14	11.4	4	ND
MULTI-RACE	38	13.6	35	12.2	35	17.7
HISPANIC	190	5.2	434	11.5	419	17.2

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2017-2021

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	19	2	0
WHITE	6	2	0
BLACK	4	0	0
ASIAN/PI*	0	0	0
MULTI-RACE	0	0	0
HISPANIC	13	2	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2021 AND 2017-2021

RACE or	2021		2017-2021	
ETHNICITY	<u>Number</u>	<u>Rate</u>	Number Ra	<u>ate</u>
ALL RACES	8	ND	76 7	7.9
WHITE	3	ND	41 9	9.6
BLACK	0	ND	14 10).1
ASIAN/PI*	0	ND	0 1	ND
MULTI-RACE	3	ND	7 N	ND
HISPANIC	2	ND	51 8	3.0

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

^{*}Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS ALTOONA

RACE or	LOW BIRTH WEIGHT		NO PRENA' IN FIRST T			
ETHNICITY of MOTHER	Number	Percent	Number	Percent	Number	Percent
ALL RACES	110	7.5	277	19.1	33	2.3
WHITE	93	7.0	239	18.2	30	2.3
BLACK	14	18.4	23	30.7	0	ND
ASIAN/PI*	0	ND	2	ND	0	ND
MULTI-RACE	3	ND	11	21.6	3	ND
HISPANIC	1	ND	10	34.5	1	ND
RACE or ETHNICITY	1112012.11		PRETERN	PRETERM BIRTHS		OTHERS WHO
of MOTHER	Number	Percent	Number	Percent	Number	<u>Percent</u>
ALL RACES	274	18.8	122	8.3	228	23.1
WHITE	255	19.3	103	7.8	206	23.1
BLACK	8	ND	15	19.7	17	31.5
ASIAN/PI*	0	ND	0	ND	2	ND
MULTI-RACE	10	19.6	4	ND	3	ND
HISPANIC	4	ND	2	ND	3	ND

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2017-2021

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	8	0	1
WHITE	6	0	0
BLACK	2	0	1
ASIAN/PI*	0	0	0
MULTI-RACE	0	0	0
HISPANIC	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2021 AND 2017-2021

RACE or	202	1	2017-20	021
ETHNICITY	<u>Number</u>	<u>Rate</u>	<u>Number</u>	<u>Rate</u>
ALL RACES	3	ND	20	8.1
WHITE	3	ND	17	7.6
BLACK	0	ND	2	ND
ASIAN/PI*	0	ND	0	ND
MULTI-RACE	0	ND	0	ND
HISPANIC	0	ND	0	ND

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

^{*}Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS BETHEL PARK

RACE or ETHNICITY	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTH MOTHERS	IS TO UNDER 18
of MOTHER	<u>Number</u>	<u>Percent</u>	Number	Percent	<u>Number</u>	Percent
ALL RACES	55	6.0	122	13.9	0	ND
WHITE	46	5.7	104	13.4	0	ND
BLACK	3	ND	2	ND	0	ND
ASIAN/PI*	6	ND	9	ND	0	ND
MULTI-RACE	0	ND	3	ND	0	ND
HISPANIC	0	ND	3	ND	0	ND
SMOKED IN FIRST RACE or TRIMESTER		PRETERN	PRETERM BIRTHS		OTHERS WHO REASTFEED	
ETHNICITY of MOTHER	<u>Number</u>	Percent	Number	Percent	Number	Percent
ALL RACES	21	2.3	60	6.5	81	14.0
WHITE	21	2.6	51	6.3	78	15.2
BLACK	0	ND	4	ND	1	ND
ASIAN/PI*	0	ND	5	ND	2	ND
MULTI-RACE	0	ND	0	ND	0	ND
HISPANIC	0	ND	0	ND	0	ND

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2017-2021

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	1	1	0
WHITE	1	1	0
BLACK	0	0	0
ASIAN/PI*	0	0	0
MULTI-RACE	0	0	0
HISPANIC	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2021 AND 2017-2021

RACE or	202	1	2017-2	021
ETHNICITY	<u>Number</u>	<u>Rate</u>	<u>Number</u>	<u>Rate</u>
ALL RACES		ND	3	ND
WHITE	0	ND	3	ND
BLACK	0	ND	0	ND
ASIAN/PI*	0	ND	0	ND
MULTI-RACE	0	ND	0	ND
HISPANIC	0	ND	0	ND

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

^{*}Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS BETHLEHEM

DACE	I OW DIDT	II WEIGHT	NO PRENA			HS TO
RACE or ETHNICITY	LOW BIRT	H WEIGH I	IN FIRST TI	RIMESTER	MOTHERS	UNDER 18
of MOTHER	<u>Number</u>	Percent	<u>Number</u>	Percent	<u>Number</u>	<u>Percent</u>
ALL RACES	211	9.0	435	18.6	32	1.4
WHITE	95	7.2	194	14.9	10	0.8
BLACK	39	13.0	75	25.2	7	ND
ASIAN/PI*	6	ND	18	22.0	0	ND
MULTI-RACE	18	11.8	32	21.2	8	ND
HISPANIC	102	9.9	222	21.6	25	2.4
SMOKED IN FIRST RACE or TRIMESTER			PRETERN	I BIDTHS		OTHERS WHO
ETHNICITY	IKIME		IKLILK	i Biittiio	ם ויסוו טוט	
of MOTHER	<u>Number</u>	Percent	<u>Number</u>	<u>Percent</u>	<u>Number</u>	<u>Percent</u>
ALL RACES	151	6.5	236	10.1	207	13.9
WHITE	90	6.9	111	8.5	109	13.3
BLACK	27	9.1	45	15.1	27	15.2
ASIAN/PI*	0	ND	6	ND	8	ND
MULTI-RACE	18	11.8	19	12.5	21	19.3
HISPANIC	44	4.3	109	10.6	107	15.8

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2017-2021

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	8	3	1
WHITE	6	3	1
BLACK	2	0	0
ASIAN/PI*	0	0	0
MULTI-RACE	0	0	0
HISPANIC	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2021 AND 2017-2021

RACE or	2021		2017-2	021
ETHNICITY	<u>Number</u>	<u>Rate</u>	<u>Number</u>	<u>Rate</u>
ALL RACES	2	ND	14	3.5
WHITE	1	ND	5	ND
BLACK	1	ND	4	ND
ASIAN/PI*	0	ND	0	ND
MULTI-RACE	0	ND	2	ND
HISPANIC	1	ND	6	ND

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

^{*}Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS CHAMBERSBURG

			NO PRENA	TAL CADE	DIDTI	HS TO
RACE or	LOW BIRT	H WEIGHT	IN FIRST T			UNDER 18
ETHNICITY of MOTHER	Number	<u>Percent</u>	Number	<u>Percent</u>	<u>Number</u>	Percent
ALL RACES	70	8.0	204	23.7	26	3.0
WHITE	38	8.0	83	18.0	8	ND
BLACK	12	11.9	29	28.7	3	ND
ASIAN/PI*	0	ND	2	ND	1	ND
MULTI-RACE	3	ND	10	20.8	2	ND
HISPANIC	20	5.9	95	28.7	16	4.7
RACE or	SMOKED TRIME		PRETERM	I BIRTHS		OTHERS WHO REASTFEED
ETHNICITY of MOTHER	<u>Number</u>	<u>Percent</u>	<u>Number</u>	<u>Percent</u>	Number	<u>Percent</u>
ALL RACES	73	8.5	89	10.1	46	7.9
WHITE	59	12.9	49	10.4	26	8.3
BLACK	7	ND	15	14.9	7	ND
ASIAN/PI*	0	ND	0	ND	0	ND
MULTI-RACE	5	ND	3	ND	4	ND
HISPANIC	5	ND	31	9.2	14	6.2

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2017-2021

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	4	1	1
WHITE	3	1	1
BLACK	0	0	0
ASIAN/PI*	0	0	0
MULTI-RACE	0	0	0
HISPANIC	1	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2021 AND 2017-2021

RACE or	202	1	2017-2	021
ETHNICITY	Number	<u>Rate</u>	<u>Number</u>	<u>Rate</u>
ALL RACES	1	ND	8	ND
WHITE	0	ND	5	ND
BLACK	0	ND	0	ND
ASIAN/PI*	0	ND	0	ND
MULTI-RACE	0	ND	0	ND
HISPANIC	1	ND	3	ND

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

^{*}Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS CHESTER

			NO PRENA	TAL CARE	RIRTI	HS TO
RACE or	LOW BIRT	H WEIGHT	IN FIRST T			UNDER 18
ETHNICITY of MOTHER	Number	Percent	Number	Percent	Number	<u>Percent</u>
ALL RACES	216	15.0	562	40.0	46	3.2
WHITE	17	11.3	53	36.1	2	ND
BLACK	157	15.2	405	40.1	32	3.1
ASIAN/PI*	4	ND	7	ND	1	ND
MULTI-RACE	16	18.8	31	37.3	5	ND
HISPANIC	22	9.5	91	40.4	7	ND
RACE or	SMOKED TRIME		PRETERM	I BIRTHS		OTHERS WHO
ETHNICITY of MOTHER	Number	Percent	<u>Number</u>	<u>Percent</u>	Number	Percent
ALL RACES	154	11.8	190	13.2	397	40.3
WHITE	42	28.8	17	11.3	50	48.5
BLACK	95	10.1	135	13.1	289	40.6
ASIAN/PI*	0	ND	2	ND	0	ND
MULTI-RACE	10	12.7	15	17.6	20	33.9
HISPANIC	20	9.7	25	10.8	52	35.4

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2017-2021

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	16	0	1
WHITE	2	0	1
BLACK	14	0	0
ASIAN/PI*	0	0	0
MULTI-RACE	0	0	0
HISPANIC	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2021 AND 2017-2021

RACE or	202	1	2017-2	021
ETHNICITY	<u>Number</u>	<u>Rate</u>	<u>Number</u>	<u>Rate</u>
ALL RACES	10	22.7	43	17.1
WHITE	0	ND	3	ND
BLACK	9	ND	35	19.1
ASIAN/PI*	0	ND	0	ND
MULTI-RACE	0	ND	1	ND
HISPANIC	1	ND	6	ND

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

^{*}Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS EASTON

			NO PRENA	TAL CARE	BIRTI	HS TO
RACE or	LOW BIRT	H WEIGHT	IN FIRST TI			UNDER 18
ETHNICITY of MOTHER	Number	<u>Percent</u>	<u>Number</u>	Percent	Number	Percent
ALL RACES	101	10.8	267	28.7	13	1.4
WHITE	41	9.0	112	24.7	3	ND
BLACK	39	19.9	61	31.6	5	ND
ASIAN/PI*	4	ND	10	55.6	0	ND
MULTI-RACE	5	ND	20	38.5	1	ND
HISPANIC	29	8.3	94	27.3	9	ND
RACE or	SMOKED TRIME		PRETERN	I BIRTHS		OTHERS WHO
ETHNICITY of MOTHER	Number	Percent	<u>Number</u>	Percent	<u>Number</u>	Percent
ALL RACES	97	10.5	120	12.8	142	24.1
WHITE	60	13.2	47	10.3	66	23.6
BLACK	14	7.3	44	22.4	38	30.2
ASIAN/PI*	2	ND	4	ND	1	ND
MULTI-RACE	11	22.0	11	21.2	13	37.1
HISPANIC	19	5.5	40	11.5	44	20.3

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2017-2021

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	5	0	1
WHITE	3	0	1
BLACK	2	0	0
ASIAN/PI*	0	0	0
MULTI-RACE	0	0	0
HISPANIC	1	0	1

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2021 AND 2017-2021

RACE or	202	1	2017-2	021
ETHNICITY	<u>Number</u>	<u>Rate</u>	<u>Number</u>	<u>Rate</u>
ALL RACES	1	ND	13	8.1
WHITE	0	ND	6	ND
BLACK	1	ND	4	ND
ASIAN/PI*	0	ND	1	ND
MULTI-RACE	0	ND	1	ND
HISPANIC	0	ND	2	ND

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

^{*}Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS ERIE

			NO 555114		DIDT	10.70
RACE or ETHNICITY	LOW BIRT	H WEIGHT	NO PRENA IN FIRST TI			HS TO UNDER 18
of MOTHER	Number	Percent	<u>Number</u>	<u>Percent</u>	<u>Number</u>	Percent
ALL RACES	427	11.5	795	21.7	82	2.2
WHITE	165	8.7	316	16.9	23	1.2
BLACK	162	16.2	286	29.1	27	2.7
ASIAN/PI*	18	10.8	44	26.3	2	ND
MULTI-RACE	52	13.9	84	22.9	18	4.8
HISPANIC	55	10.9	107	21.5	15	3.0
RACE or ETHNICITY	SMOKED TRIME		PRETERN	I BIRTHS		OTHERS WHO
of MOTHER	<u>Number</u>	<u>Percent</u>	<u>Number</u>	Percent	Number	Percent
ALL RACES	626	16.9	434	11.7	953	39.0
WHITE	389	20.6	188	9.9	424	33.7
BLACK	137	13.8	147	14.7	325	50.0
ASIAN/PI*	1	ND	20	12.0	32	33.3
MULTI-RACE	80	21.4	48	12.8	114	43.7
HISPANIC	60	12.0	58	11.5	151	45.8

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2017-2021

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	15	1	4
WHITE	7	1	2
BLACK	5	0	1
ASIAN/PI*	1	0	0
MULTI-RACE	0	0	0
HISPANIC	3	0	1

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2021 AND 2017-2021

RACE or	202	1	2017-2021	
ETHNICITY	<u>Number</u>	<u>Rate</u>	Number Rate	
ALL RACES	10	8.0	59 9.3	
WHITE	5	ND	21 6.3	
BLACK	4	ND	30 18.6	
ASIAN/PI*	0	ND	2 ND	
MULTI-RACE	0	ND	2 ND	
HISPANIC	1	ND	6 ND	

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

^{*}Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS HARRISBURG

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2019-2021							
RACE or ETHNICITY	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTH MOTHERS	IS TO UNDER 18	
of MOTHER	<u>Number</u>	<u>Percent</u>	<u>Number</u>	<u>Percent</u>	<u>Number</u>	<u>Percent</u>	
ALL RACES	322	12.8	870	36.1	77	3.1	
WHITE	56	8.9	210	35.2	10	1.6	
BLACK	175	16.0	385	36.4	30	2.7	
ASIAN/PI*	12	18.2	27	40.9	1	ND	
MULTI-RACE	28	11.6	73	31.5	15	6.2	
HISPANIC	80	9.6	294	36.6	38	4.6	
RACE or	TRIMESTER		PRETERM	PRETERM BIRTHS		OTHERS WHO REASTFEED	
ETHNICITY of MOTHER	<u>Number</u>	<u>Percent</u>	Number	Percent	Number	Percent	
ALL RACES	269	10.9	327	13.0	428	25.5	
WHITE	77	12.5	72	11.5	119	27.7	
BLACK	127	11.8	156	14.3	219	29.9	
ASIAN/PI*	1	ND	8	ND	4	ND	
MULTI-RACE	45	18.8	26	10.8	38	23.2	
HISPANIC	48	5.8	114	13.7	87	16.3	

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2017-2021

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	22	4	3
WHITE	3	1	1
BLACK	17	3	1
ASIAN/PI*	0	0	0
MULTI-RACE	1	0	0
HISPANIC	1	1	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2021 AND 2017-2021

RACE or	202	1	2017-20	021
ETHNICITY	<u>Number</u>	<u>Rate</u>	<u>Number</u>	<u>Rate</u>
ALL RACES	9	ND	53	12.4
WHITE	0	ND	7	ND
BLACK	7	ND	30	16.0
ASIAN/PI*	0	ND	0	ND
MULTI-RACE	0	ND	0	ND
HISPANIC	4	ND	15	11.1

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

^{*}Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS HAZLETON

RACE or ETHNICITY	LOW BIRTH WEIGHT		NO PRENATIN FIRST T			BIRTHS TO MOTHERS UNDER 18	
of MOTHER	<u>Number</u>	<u>Percent</u>	Number	<u>Percent</u>	<u>Number</u>	Percent	
ALL RACES	101	7.1	560	39.9	39	2.7	
WHITE	35	8.8	148	38.1	6	ND	
BLACK	8	ND	29	35.4	0	ND	
ASIAN/PI*	1	ND	10	47.6	1	ND	
MULTI-RACE	0	ND	7	ND	1	ND	
HISPANIC	81	6.9	476	41.2	34	2.9	
RACE or ETHNICITY	TI T		PRETERM	PRETERM BIRTHS		OTHERS WHO REASTFEED	
of MOTHER	<u>Number</u>	<u>Percent</u>	<u>Number</u>	<u>Percent</u>	Number	Percent	
ALL RACES	70	5.1	118	8.3	188	21.4	
WHITE	49	12.8	40	10.2	72	28.2	
BLACK	7	ND	10	12.2	13	28.3	
ASIAN/PI*	0	ND	2	ND	3	ND	
MULTI-RACE	3	ND	0	ND	2	ND	
HISPANIC	16	1.4	99	8.5	121	17.0	

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2017-2021

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	6	0	1
WHITE	0	0	0
BLACK	0	0	0
ASIAN/PI*	0	0	0
MULTI-RACE	0	0	0
HISPANIC	6	0	1

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2021 AND 2017-2021

RACE or	202	1	2017-20	021
ETHNICITY	<u>Number</u>	<u>Rate</u>	<u>Number</u>	<u>Rate</u>
ALL RACES	3	ND	16	6.5
WHITE	3	ND	7	ND
BLACK	0	ND	2	ND
ASIAN/PI*	0	ND	0	ND
MULTI-RACE	0	ND	0	ND
HISPANIC	2	ND	11	5.6

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

^{*}Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS JOHNSTOWN

			NO PRENA	TAL CARE	BIRTI	HS TO
RACE or ETHNICITY	LOW BIRT	H WEIGHT	IN FIRST T	RIMESTER	MOTHERS	UNDER 18
of MOTHER	Number	<u>Percent</u>	<u>Number</u>	<u>Percent</u>	Number	Percent
ALL RACES	101	13.3	241	31.9	25	3.3
WHITE	41	10.3	107	26.8	11	2.8
BLACK	45	16.3	104	38.7	7	ND
ASIAN/PI*	0	ND	0	ND	0	ND
MULTI-RACE	13	20.0	22	33.8	6	ND
HISPANIC	6	ND	16	40.0	0	ND
SMOKED IN FIRST RACE or TRIMESTER		PRETERM	PRETERM BIRTHS		OTHERS WHO	
ETHNICITY						
of MOTHER	<u>Number</u>	Percent	<u>Number</u>	<u>Percent</u>	<u>Number</u>	Percent
ALL RACES	208	27.9	97	12.8	188	38.3
WHITE	127	32.1	40	10.1	113	41.1
BLACK	55	20.9	46	16.7	60	35.5
ASIAN/PI*	1	ND	0	ND	0	ND
MULTI-RACE	22	33.8	10	15.4	10	31.3
HISPANIC	8	ND	5	ND	7	ND

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2017-2021

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	4	0	0
WHITE	1	0	0
BLACK	3	0	0
ASIAN/PI*	0	0	0
MULTI-RACE	0	0	0
HISPANIC	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2021 AND 2017-2021

RACE or	202	1	2017-2	021
ETHNICITY	<u>Number</u>	<u>Rate</u>	<u>Number</u>	<u>Rate</u>
ALL RACES	1	ND	17	13.1
WHITE	0	ND	6	ND
BLACK	1	ND	9	ND
ASIAN/PI*	0	ND	0	ND
MULTI-RACE	0	ND	0	ND
HISPANIC	0	ND	0	ND

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

^{*}Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS LANCASTER

RACE or ETHNICITY	LOW BIRTH WEIGHT		NO PRENA IN FIRST TI			HS TO UNDER 18
of MOTHER	<u>Number</u>	<u>Percent</u>	Number	<u>Percent</u>	<u>Number</u>	Percent
ALL RACES	234	9.4	686	28.8	58	2.3
WHITE	86	7.3	313	28.1	15	1.3
BLACK	54	13.2	126	32.1	11	2.7
ASIAN/PI*	5	ND	34	35.4	0	ND
MULTI-RACE	22	10.5	53	26.8	13	6.2
HISPANIC	124	10.8	302	27.5	45	3.9
RACE or ETHNICITY	1111111201211		PRETERM	PRETERM BIRTHS		OTHERS WHO REASTFEED
of MOTHER	<u>Number</u>	<u>Percent</u>	<u>Number</u>	Percent	Number	Percent
ALL RACES	192	7.9	256	10.2	356	21.0
WHITE	114	9.8	99	8.4	128	16.4
BLACK	22	5.7	51	12.6	78	28.2
ASIAN/PI*	0	ND	7	ND	16	22.9
MULTI-RACE	21	10.3	28	13.3	36	21.8
HISPANIC	72	6.6	130	11.4	184	23.6

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2017-2021

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	7	2	1
WHITE	5	1	1
BLACK	0	0	0
ASIAN/PI*	0	0	0
MULTI-RACE	0	0	0
HISPANIC	4	2	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2021 AND 2017-2021

RACE or	202	1	2017-20	021
ETHNICITY	<u>Number</u>	<u>Rate</u>	<u>Number</u>	<u>Rate</u>
ALL RACES	3	ND	27	6.3
WHITE	1	ND	6	ND
BLACK	1	ND	7	ND
ASIAN/PI*	0	ND	1	ND
MULTI-RACE	0	ND	0	ND
HISPANIC	1	ND	18	9.2

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

^{*}Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS LEBANON

RACE or ETHNICITY	LOW BIRT	H WEIGHT	NO PRENA IN FIRST TI			HS TO UNDER 18	
of MOTHER	<u>Number</u>	<u>Percent</u>	<u>Number</u>	<u>Percent</u>	<u>Number</u>	Percent	
ALL RACES	125	10.7	424	36.9	26	2.2	
WHITE	74	8.7	280	33.4	19	2.2	
BLACK	17	23.9	34	49.3	2	ND	
ASIAN/PI*	2	ND	4	ND	1	ND	
MULTI-RACE	8	ND	18	52.9	1	ND	
HISPANIC	60	8.9	269	40.8	19	2.8	
RACE or ETHNICITY	SMOKED IN FIRST TRIMESTER		PRETERN	PRETERM BIRTHS		BIRTHS TO MOTHERS WHO DID NOT BREASTFEED	
of MOTHER	<u>Number</u>	<u>Percent</u>	<u>Number</u>	<u>Percent</u>	Number	Percent	
ALL RACES	125	10.8	137	11.7	135	17.4	
WHITE	107	12.6	85	10.0	98	17.6	
BLACK	7	ND	15	21.1	11	19.6	
ASIAN/PI*	0	ND	1	ND	4	ND	
MULTI-RACE	6	ND	7	ND	4	ND	
HISPANIC	26	3.9	70	10.4	64	14.6	

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2017-2021

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	6	2	0
WHITE	3	2	0
BLACK	0	0	0
ASIAN/PI*	0	0	0
MULTI-RACE	0	0	0
HISPANIC	6	2	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2021 AND 2017-2021

DAGE	202	1	2017-2	021
RACE or ETHNICITY	Number	Rate	Number	Rate
ALL RACES	7	ND	16	8.0
WHITE	4	ND	10	6.9
BLACK	0	ND	2	ND
ASIAN/PI*	0	ND	0	ND
MULTI-RACE	0	ND	1	ND
HISPANIC	5	ND	9	ND

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

^{*}Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS MONROEVILLE

D.4.0.F			NO PRENA		BIRTI	
RACE or ETHNICITY	LOW BIRT	H WEIGHT	IN FIRST T	RIMESTER	MOTHERS	UNDER 18
of MOTHER	<u>Number</u>	Percent	<u>Number</u>	<u>Percent</u>	<u>Number</u>	<u>Percent</u>
ALL RACES	97	11.2	102	12.1	7	ND
WHITE	50	10.1	41	8.5	1	ND
BLACK	29	16.4	29	16.9	4	ND
ASIAN/PI*	10	8.0	17	14.3	1	ND
MULTI-RACE	5	ND	9	ND	1	ND
HISPANIC	1	ND	3	ND	2	ND
RACE or	SMOKED TRIME		PRETERM	I BIRTHS	BIRTHS TO M	OTHERS WHO
ETHNICITY						
of MOTHER	<u>Number</u>	Percent	<u>Number</u>	<u>Percent</u>	<u>Number</u>	Percent
ALL RACES	20	2.3	99	11.4	96	16.9
WHITE	16	3.2	61	12.2	58	18.1
BLACK	3	ND	27	15.3	27	23.3
ASIAN/PI*	0	ND	4	ND	3	ND
MULTI-RACE	0	ND	4	ND	6	ND
HISPANIC	0	ND	1	ND	2	ND

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2017-2021

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	2	0	0
WHITE	1	0	0
BLACK	1	0	0
ASIAN/PI*	0	0	0
MULTI-RACE	0	0	0
HISPANIC	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2021 AND 2017-2021

RACE or	202	1	2017-2	021
ETHNICITY	<u>Number</u>	<u>Rate</u>	<u>Number</u>	<u>Rate</u>
ALL RACES	5	ND	9	ND
WHITE	2	ND	3	ND
BLACK	2	ND	5	ND
ASIAN/PI*	0	ND	0	ND
MULTI-RACE	1	ND	1	ND
HISPANIC	0	ND	0	ND

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

^{*}Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS MURRYSVILLE

RACE or ETHNICITY	LOW BIRT	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18	
of MOTHER	<u>Number</u>	<u>Percent</u>	Number	<u>Percent</u>	<u>Number</u>	Percent	
ALL RACES	27	6.0	44	9.9	0	ND	
WHITE	24	5.8	40	9.9	0	ND	
BLACK	1	ND	2	ND	0	ND	
ASIAN/PI*	2	ND	2	ND	0	ND	
MULTI-RACE	0	ND	0	ND	0	ND	
HISPANIC	0	ND	1	ND	0	ND	
RACE or ETHNICITY	SMOKED IN FIRST TRIMESTER		PRETERM	PRETERM BIRTHS		OTHERS WHO	
of MOTHER	Number	<u>Percent</u>	Number	<u>Percent</u>	<u>Number</u>	<u>Percent</u>	
ALL RACES	14	3.1	32	7.0	34	11.4	
WHITE	14	3.4	29	7.0	32	11.6	
BLACK	0	ND	1	ND	1	ND	
ASIAN/PI*	0	ND	2	ND	1	ND	
MULTI-RACE	0	ND	0	ND	0	ND	
HISPANIC	0	ND	0	ND	0	ND	

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2017-2021

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	1	1	0
WHITE	1	1	0
BLACK	0	0	0
ASIAN/PI*	0	0	0
MULTI-RACE	0	0	0
HISPANIC	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2021 AND 2017-2021

RACE or	202	1	2017-2	021
ETHNICITY	<u>Number</u>	<u>Rate</u>	<u>Number</u>	Rate
ALL RACES	0	ND	3	ND
WHITE	0	ND	2	ND
BLACK	0	ND	0	ND
ASIAN/PI*	0	ND	0	ND
MULTI-RACE	0	ND	0	ND
HISPANIC	0	ND	0	ND

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

^{*}Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS NEW CASTLE

			NO PRENA			IS TO
RACE or ETHNICITY	LOW BIRT	H WEIGHT	IN FIRST T	RIMESTER	MOTHERS	UNDER 18
of MOTHER	<u>Number</u>	Percent	<u>Number</u>	Percent	<u>Number</u>	Percent
ALL RACES	97	11.3	254	30.8	18	2.1
WHITE	67	11.1	173	29.5	8	ND
BLACK	17	12.8	40	32.3	5	ND
ASIAN/PI*	2	ND	1	ND	0	ND
MULTI-RACE	7	ND	31	35.6	4	ND
HISPANIC	4	ND	13	32.5	1	ND
SMOKED IN FIRST					OTHERS WHO	
RACE or ETHNICITY	TRIME	STER	PRETERM	I BIRTHS	DID NOT B	REASTFEED
of MOTHER	<u>Number</u>	Percent	<u>Number</u>	Percent	<u>Number</u>	Percent
ALL RACES	268	31.6	105	12.2	237	40.3
WHITE	200	33.4	76	12.6	173	41.3
BLACK	30	23.4	16	12.0	33	37.1
ASIAN/PI*	1	ND	2	ND	1	ND
MULTI-RACE	35	38.0	9	ND	28	45.2
HISPANIC	5	ND	2	ND	8	ND

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2017-2021

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	10	1	1
WHITE	6	1	0
BLACK	3	0	1
ASIAN/PI*	0	0	0
MULTI-RACE	0	0	0
HISPANIC	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2021 AND 2017-2021

RACE or	202	1	2017-2021	
ETHNICITY	<u>Number</u>	<u>Rate</u>	Number Rate	
ALL RACES	5	ND	20 13.6	
WHITE	5	ND	12 11.5	
BLACK	0	ND	6 ND	
ASIAN/PI*	0	ND	0 ND	
MULTI-RACE	0	ND	2 ND	
HISPANIC	0	ND	0 ND	

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

^{*}Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS NORRISTOWN

			NO PRENA	TAL CADE	DIDTI	JC TO	
RACE or	LOW BIRTH WEIGHT		IN FIRST T			BIRTHS TO MOTHERS UNDER 18	
ETHNICITY of MOTHER	Number	<u>Percent</u>	Number	<u>Percent</u>	<u>Number</u>	Percent	
ALL RACES	186	10.9	661	41.1	48	2.8	
WHITE	23	6.0	115	31.6	4	ND	
BLACK	80	15.0	158	32.1	15	2.8	
ASIAN/PI*	5	ND	10	32.3	0	ND	
MULTI-RACE	22	19.5	39	36.4	1	ND	
HISPANIC	58	7.7	388	53.4	30	40.0	
RACE or ETHNICITY	11(111120121)		PRETERM BIRTHS			BIRTHS TO MOTHERS WHO DID NOT BREASTFEED	
of MOTHER	<u>Number</u>	<u>Percent</u>	<u>Number</u>	Percent	Number	Percent	
ALL RACES	117	7.1	184	10.8	175	16.7	
WHITE	44	11.9	33	8.6	43	19.2	
BLACK	51	9.9	66	12.4	81	26.5	
ASIAN/PI*	0	ND	5	ND	0	ND	
MULTI-RACE	15	13.6	16	14.2	20	29.9	
HISPANIC	9	ND	68	9.0	41	8.3	

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2017-2021

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	4	1	0
WHITE	1	1	0
BLACK	3	0	0
ASIAN/PI*	0	0	0
MULTI-RACE	0	0	0
HISPANIC	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2021 AND 2017-2021

RACE or	202	1	2017-2021	
ETHNICITY	<u>Number</u>	<u>Rate</u>	Number Rate	
ALL RACES	9	ND	20 7.1	
WHITE	1	ND	3 ND	
BLACK	5	ND	10 11.3	
ASIAN/PI*	0	ND	0 ND	
MULTI-RACE	0	ND	0 ND	
HISPANIC	4	ND	8 ND	

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

^{*}Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS PHILADELPHIA

RACE or ETHNICITY	LOW BIRTH WEIGH		NO PRENATAL CARE IRTH WEIGHT IN FIRST TRIMESTER			
of MOTHER	<u>Number</u>	<u>Percent</u>	Number	<u>Percent</u>	<u>Number</u>	<u>Percent</u>
ALL RACES	6,685	11.2	21,108	37.3	939	1.6
WHITE	1,390	7.5	4,768	26.7	95	0.5
BLACK	3,642	15.0	9,255	40.9	523	2.2
ASIAN/PI*	362	8.1	1,590	36.7	8	ND
MULTI-RACE	262	11.0	911	42.3	70	3.0
HISPANIC	1,163	9.4	5,232	45.0	333	2.7
RACE or ETHNICITY	SMOKED TRIME		PRETERN	I BIRTHS	BIRTHS TO M DID NOT B	OTHERS WHO
of MOTHER	Number	<u>Percent</u>	<u>Number</u>	Percent	Number	Percent
ALL RACES	2,408	4.2	6,762	11.4	7,297	18.8
WHITE	950	5.3	1,516	8.2	1,813	15.2
BLACK	996	4.4	3,503	14.5	3,317	20.9
ASIAN/PI*	27	0.6	357	8.0	491	16.6
MULTI-RACE	149	6.7	282	12.2	308	19.8
HISPANIC	418	3.5	1.276	10.3	1,700	21.6

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2017-2021

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	395	37	18
WHITE	56	9	4
BLACK	274	15	7
ASIAN/PI*	7	2	2
MULTI-RACE	5	3	0
HISPANIC	54	9	2

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2021 AND 2017-2021

RACE or	202	1	2017-2021	
ETHNICITY	<u>Number</u>	<u>Rate</u>	Number Rate	
ALL RACES	129	6.7	739 7.3	
WHITE	15	2.4	117 3.8	
BLACK	84	10.8	483 11.6	
ASIAN/PI*	4	ND	17 2.2	
MULTI-RACE	8	ND	22 5.7	
HISPANIC	13	3.2	98 4.8	

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

^{*}Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS PITTSBURGH

RACE or			NO PRENA			HS TO
ETHNICITY	LOW BIRT	HWEIGHT	IN FIRST TI	RIMESTER	MOTHERS	UNDER 18
of MOTHER	<u>Number</u>	Percent	<u>Number</u>	Percent	<u>Number</u>	<u>Percent</u>
ALL RACES	926	10.7	1,355	16.8	113	1.3
WHITE	358	7.9	568	13.2	15	0.3
BLACK	450	15.6	569	21.2	92	3.1
ASIAN/PI*	66	10.0	73	11.9	0	ND
MULTI-RACE	23	10.3	72	34.6	4	ND
HISPANIC	23	7.3	61	21.3	5	ND
RACE or	SMOKED IN FIRST ACE or TRIMESTER		PRETERM BIRTHS			OTHERS WHO
ETHNICITY of MOTHER	<u>Number</u>	Percent	Number	Percent	Number	<u>Percent</u>
ALL RACES	729	8.5	961	11.0	1,202	20.6
WHITE	367	8.0	438	9.5	484	15.5
BLACK	327	11.6	412	14.2	657	34.1
ASIAN/PI*	4	ND	60	8.9	13	2.9
MULTI-RACE	25	11.7	20	9.0	21	15.7
HISPANIC	12	3.8	23	7.3	23	11.8

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2017-2021

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	48	1	5
WHITE	11	0	1
BLACK	35	1	3
ASIAN/PI*	1	0	1
MULTI-RACE	1	0	0
HISPANIC	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2021 AND 2017-2021

RACE or	202	1	2017-202	21
ETHNICITY	<u>Number</u>	<u>Rate</u>	Number I	Rate
ALL RACES	21	7.4	126	8.3
WHITE	6	ND	35	4.4
BLACK	8	ND	69	13.6
ASIAN/PI*	0	ND	1	ND
MULTI-RACE	0	ND	5	ND
HISPANIC	0	ND	3	ND

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

^{*}Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS PLUM

RACE or ETHNICITY	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTI MOTHERS	IS TO UNDER 18
of MOTHER	<u>Number</u>	<u>Percent</u>	Number	<u>Percent</u>	<u>Number</u>	Percent
ALL RACES	56	7.9	74	10.8	0	ND
WHITE	43	7.0	61	10.3	0	ND
BLACK	8	ND	8	ND	0	ND
ASIAN/PI*	3	ND	4	ND	0	ND
MULTI-RACE	1	ND	0	ND	0	ND
HISPANIC	2	ND	2	ND	0	ND
RACE or ETHNICITY	11(111120121)		PRETERM	PRETERM BIRTHS		OTHERS WHO
of MOTHER	<u>Number</u>	Percent	Number	Percent	Number	Percent
ALL RACES	27	3.8	65	9.0	99	20.7
WHITE	22	3.5	49	7.9	91	21.6
BLACK	4	ND	10	18.2	6	ND
ASIAN/PI*	0	ND	2	ND	2	ND
MULTI-RACE	1	ND	3	ND	0	ND
HISPANIC	0	ND	2	ND	0	ND

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2017-2021

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	3	1	1
WHITE	3	1	1
BLACK	0	0	0
ASIAN/PI*	0	0	0
MULTI-RACE	0	0	0
HISPANIC	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2021 AND 2017-2021

RACE or	202	1	2017-2	021
ETHNICITY	<u>Number</u>	<u>Rate</u>	<u>Number</u>	<u>Rate</u>
ALL RACES	2	ND	4	ND
WHITE	2	ND	3	ND
BLACK	0	ND	1	ND
ASIAN/PI*	0	ND	0	ND
MULTI-RACE	0	ND	0	ND
HISPANIC	0	ND	0	ND

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

^{*}Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS POTTSTOWN

RACE or ETHNICITY			NO PRENATAL CARE IN FIRST TRIMESTER			BIRTHS TO MOTHERS UNDER 18	
of MOTHER	Number	<u>Percent</u>	Number	<u>Percent</u>	<u>Number</u>	Percent	
ALL RACES	101	9.2	307	28.7	13	1.2	
WHITE	51	8.0	139	22.3	3	ND	
BLACK	30	12.0	89	36.5	6	ND	
ASIAN/PI*	2	ND	7	ND	0	ND	
MULTI-RACE	7	ND	39	38.2	4	ND	
HISPANIC	20	14.3	50	36.8	3	ND	
RACE or ETHNICITY	TRIMESTER		PRETERM BIRTHS			OTHERS WHO	
of MOTHER	Number	<u>Percent</u>	<u>Number</u>	Percent	Number	<u>Percent</u>	
ALL RACES	145	13.5	123	11.3	127	17.3	
WHITE	97	15.4	71	11.2	62	14.9	
BLACK	28	11.5	34	13.6	34	19.4	
ASIAN/PI*	0	ND	2	ND	2	ND	
MULTI-RACE	15	14.9	9	ND	19	25.0	
HISPANIC	12	8.6	19	13.6	15	16.3	

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2017-2021

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	5	0	0
WHITE	1	0	0
BLACK	3	0	0
ASIAN/PI*	0	0	0
MULTI-RACE	0	0	0
HISPANIC	1	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2021 AND 2017-2021

RACE or	202	1	2017-2	021
ETHNICITY	<u>Number</u>	<u>Rate</u>	<u>Number</u>	<u>Rate</u>
ALL RACES	1	ND	13	6.9
WHITE	1	ND	7	ND
BLACK	0	ND	5	ND
ASIAN/PI*	0	ND	0	ND
MULTI-RACE	0	ND	1	ND
HISPANIC	1	ND	3	ND

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

^{*}Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS READING

RACE or LOW BIRTH WEIGHT		H WEIGHT	NO PRENATAL CARE IN FIRST TRIMESTER			HS TO UNDER 18
ETHNICITY of MOTHER	Number	Percent	Number	<u>Percent</u>	Number	Percent
ALL RACES	473	10.2	1,244	27.3	177	3.8
WHITE	133	9.7	348	25.7	44	3.2
BLACK	60	12.6	127	27.2	17	3.6
ASIAN/PI*	6	ND	10	20.8	1	ND
MULTI-RACE	34	13.1	64	25.3	15	5.8
HISPANIC	363	9.9	970	26.8	154	4.2
RACE or ETHNICITY	T. C.		PRETERM BIRTHS			OTHERS WHO
of MOTHER	Number	<u>Percent</u>	<u>Number</u>	<u>Percent</u>	Number	Percent
ALL RACES	283	6.2	573	12.4	976	31.7
WHITE	141	10.4	177	12.9	315	34.1
BLACK	31	6.8	63	13.3	90	29.4
ASIAN/PI*	3	ND	11	22.9	9	ND
MULTI-RACE	29	11.3	34	13.1	68	34.9
HISPANIC	144	4.0	444	12.1	748	30.9

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2017-2021

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	26	4	4
WHITE	18	3	2
BLACK	2	0	1
ASIAN/PI*	0	0	0
MULTI-RACE	1	0	0
HISPANIC	21	4	4

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2021 AND 2017-2021

RACE or	202	1	2017-2	2017-2021		
ETHNICITY	<u>Number</u>	<u>Rate</u>	<u>Number</u>	Rate		
ALL RACES	13	8.5	75	9.5		
WHITE	6	ND	45	18.9		
BLACK	3	ND	15	19.3		
ASIAN/PI*	0	ND	0	ND		
MULTI-RACE	2	ND	4	ND		
HISPANIC	10	8.1	53	8.5		

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

^{*}Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS SCRANTON

RACE or LOW BIRTH WEIGHT		H WEIGHT	NO PRENA IN FIRST T			HS TO UNDER 18
ETHNICITY of MOTHER	Number	Percent	<u>Number</u>	<u>Percent</u>	Number	Percent
ALL RACES	232	9.1	770	31.5	48	1.9
WHITE	124	8.3	378	26.1	21	1.4
BLACK	41	12.0	128	39.5	8	ND
ASIAN/PI*	11	8.1	52	40.0	1	ND
MULTI-RACE	16	11.6	46	34.1	8	ND
HISPANIC	58	7.8	260	36.5	22	2.9
SMOKED IN FIRST RACE or TRIMESTER			PRETERM BIRTHS			OTHERS WHO
ETHNICITY of MOTHER	Number	<u>Percent</u>	<u>Number</u>	Percent	Number	<u>Percent</u>
ALL RACES	395	15.8	295	11.7	370	21.8
WHITE	310	20.9	158	10.7	231	22.8
BLACK	35	10.5	49	14.5	45	20.8
ASIAN/PI*	0	ND	14	10.4	19	18.8
MULTI-RACE	28	20.6	18	13.1	23	24.2
HISPANIC	57	7.8	77	10.4	87	18.2

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2017-2021

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	9	0	0
WHITE	5	0	0
BLACK	1	0	0
ASIAN/PI*	0	0	0
MULTI-RACE	0	0	0
HISPANIC	1	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2021 AND 2017-2021

RACE or	202	1	2017-2	021
ETHNICITY	<u>Number</u>	<u>Rate</u>	<u>Number</u>	<u>Rate</u>
ALL RACES	2	ND	31	7.3
WHITE	0	ND	18	6.9
BLACK	1	ND	6	ND
ASIAN/PI*	0	ND	0	ND
MULTI-RACE	1	ND	2	ND
HISPANIC	1	ND	9	ND

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

^{*}Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS STATE COLLEGE

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2019-2021							
RACE or ETHNICITY			NO PRENATAL CARE IN FIRST TRIMESTER		BIRTH MOTHERS	IS TO UNDER 18	
of MOTHER	<u>Number</u>	<u>Percent</u>	<u>Number</u>	<u>Percent</u>	<u>Number</u>	Percent	
ALL RACES	20	5.4	82	22.3	2	ND	
WHITE	14	6.0	42	18.1	2	ND	
BLACK	2	ND	9	ND	0	ND	
ASIAN/PI*	2	ND	16	25.4	0	ND	
MULTI-RACE	1	ND	6	ND	0	ND	
HISPANIC	0	ND	7	ND	0	ND	
RACE or ETHNICITY	TRIMEGIEN		PRETERM BIRTHS		BIRTHS TO M DID NOT BI	OTHERS WHO	
of MOTHER	<u>Number</u>	<u>Percent</u>	<u>Number</u>	<u>Percent</u>	<u>Number</u>	Percent	
ALL RACES	11	3.0	31	8.3	12	5.1	
WHITE	8	ND	19	8.1	10	6.6	
BLACK	2	ND	1	ND	1	ND	
ASIAN/PI*	0	ND	7	ND	0	ND	
MULTI-RACE	0	ND	3	ND	0	ND	
HISPANIC	1	ND	1	ND	0	ND	

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2017-2021

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	0	0	0
WHITE	0	0	0
BLACK	0	0	0
ASIAN/PI*	0	0	0
MULTI-RACE	0	0	0
HISPANIC	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2021 AND 2017-2021

RACE or	202	1	2017-2	021
ETHNICITY	<u>Number</u>	<u>Rate</u>	<u>Number</u>	Rate
ALL RACES	0	ND	6	ND
WHITE	0	ND	6	ND
BLACK	0	ND	0	ND
ASIAN/PI*	0	ND	0	ND
MULTI-RACE	0	ND	0	ND
HISPANIC	0	ND	0	ND

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

^{*}Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS WEST MIFFLIN

	SELECTED	RESIDENT BIRTH	STATISTICS BY R	ACE AND ETHN	IICH Y, 2019-2021	
RACE or ETHNICITY	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTH MOTHERS	IS TO UNDER 18
of MOTHER	<u>Number</u>	Percent	<u>Number</u>	<u>Percent</u>	<u>Number</u>	<u>Percent</u>
ALL RACES	58	9.2	101	16.4	8	ND
WHITE	31	7.6	52	13.1	5	ND
BLACK	22	13.1	33	20.1	3	ND
ASIAN/PI*	2	ND	1	ND	0	ND
MULTI-RACE	1	ND	11	39.3	0	ND
HISPANIC	0	ND	7	ND	1	ND
RACE or ETHNICITY	SMOKED TRIME		PRETERM	I BIRTHS		OTHERS WHO REASTFEED
of MOTHER	Number	<u>Percent</u>	Number	Percent	Number	Percent
ALL RACES	68	10.9	71	11.3	110	26.4
WHITE	43	10.6	48	11.7	55	20.4
BLACK	20	12.1	19	11.2	46	41.4
ASIAN/PI*	1	ND	1	ND	1	ND
MULTI-RACE	4	ND	1	ND	7	ND
HISPANIC	1	ND	1	ND	2	ND

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2017-2021

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	1	0	0
WHITE	0	0	0
BLACK	1	0	0
ASIAN/PI*	0	0	0
MULTI-RACE	0	0	0
HISPANIC	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2021 AND 2017-2021

RACE or	202	1	2017-20	21
ETHNICITY	<u>Number</u>	<u>Rate</u>	<u>Number</u>	Rate
ALL RACES	1	ND	9	ND
WHITE	0	ND	4	ND
BLACK	1	ND	4	ND
ASIAN/PI*	0	ND	0	ND
MULTI-RACE	0	ND	0	ND
HISPANIC	0	ND	1	ND

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

^{*}Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS WILKES-BARRE

RACE or ETHNICITY	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTH MOTHERS	IS TO UNDER 18
of MOTHER	<u>Number</u>	Percent	<u>Number</u>	<u>Percent</u>	<u>Number</u>	<u>Percent</u>
ALL RACES	167	10.3	676	42.5	31	1.9
WHITE	65	9.9	214	33.2	11	1.7
BLACK	45	11.8	177	47.6	9	ND
ASIAN/PI*	1	ND	12	54.5	0	ND
MULTI-RACE	15	12.8	55	49.1	2	ND
HISPANIC	51	7.7	301	46.3	17	2.6
RACE or	TI TIME OF LIKE		PRETERM BIRTHS			OTHERS WHO REASTFEED
ETHNICITY of MOTHER	Number	<u>Percent</u>	Number	Percent	Number	Percent
ALL RACES	217	14.3	165	10.2	293	27.5
WHITE	152	23.9	64	9.8	143	32.8
BLACK	34	9.6	42	11.1	81	32.0
ASIAN/PI*	0	ND	1	ND	1	ND
MULTI-RACE	20	17.9	17	14.7	23	26.4
HISPANIC	26	4.3	60	9.0	65	15.7

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2017-2021

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	10	2	1
WHITE	5	2	0
BLACK	5	0	1
ASIAN/PI*	0	0	0
MULTI-RACE	0	0	0
HISPANIC	2	1	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2021 AND 2017-2021

RACE or	202	1	2017-2021	
ETHNICITY	<u>Number</u>	<u>Rate</u>	Number Ra	<u>ite</u>
ALL RACES	0	ND	13 4	.9
WHITE	0	ND	6 N	1D
BLACK	0	ND	4 N	1D
ASIAN/PI*	0	ND	0 1	1D
MULTI-RACE	0	ND	1 N	1D
HISPANIC	0	ND	7 N	1D

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

^{*}Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS WILLIAMSPORT

RACE or ETHNICITY	LOW BIRT	H WEIGHT	NO PRENA IN FIRST TI			HS TO UNDER 18
of MOTHER	<u>Number</u>	<u>Percent</u>	Number	<u>Percent</u>	<u>Number</u>	Percent
ALL RACES	102	9.7	274	26.7	15	1.4
WHITE	52	7.3	156	22.4	6	ND
BLACK	36	16.7	76	36.4	5	ND
ASIAN/PI*	2	ND	4	ND	0	ND
MULTI-RACE	9	ND	28	32.9	4	ND
HISPANIC	4	ND	15	31.9	1	ND
RACE or ETHNICITY	SMOKED TRIME		PRETERN	I BIRTHS		OTHERS WHO REASTFEED
of MOTHER	<u>Number</u>	<u>Percent</u>	<u>Number</u>	<u>Percent</u>	Number	Percent
ALL RACES	234	22.7	118	11.3	152	24.2
WHITE	175	25.1	71	10.0	94	22.2
BLACK	35	16.7	31	14.4	38	29.5
ASIAN/PI*	1	ND	2	ND	1	ND
MULTI-RACE	19	22.4	11	12.9	11	22.9
HISPANIC	3	ND	4	ND	7	ND

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2017-2021

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	9	1	2
WHITE	5	1	1
BLACK	3	0	1
ASIAN/PI*	0	0	0
MULTI-RACE	0	0	0
HISPANIC	0	0	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2021 AND 2017-2021

RACE or	202	1	2017-2021	
ETHNICITY	<u>Number</u>	<u>Rate</u>	Number Rate	
ALL RACES	4	ND	20 11.3	
WHITE	1	ND	9 ND	
BLACK	3	ND	6 ND	
ASIAN/PI*	0	ND	0 ND	
MULTI-RACE	0	ND	3 ND	
HISPANIC	0	ND	0 ND	

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

^{*}Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS YORK

			NO PRENA	TAL CARE	BIRTI	IS TO
RACE or ETHNICITY	LOW BIRT	H WEIGHT	IN FIRST T	RIMESTER	MOTHERS	UNDER 18
of MOTHER	Number	<u>Percent</u>	<u>Number</u>	<u>Percent</u>	Number	Percent
ALL RACES	287	12.7	751	33.7	68	3.0
WHITE	83	10.8	243	32.4	8	ND
BLACK	84	14.8	196	34.8	29	5.1
ASIAN/PI*	0	ND	4	ND	0	ND
MULTI-RACE	43	16.4	97	37.5	14	5.3
HISPANIC	120	11.8	328	32.8	28	2.7
SMOKED IN FIRST RACE or TRIMESTER		IN FIRST	PRETERM	I BIDTHS		OTHERS WHO
ETHNICITY	IKIIVIE	SIEK	TICLICIO	DIKTTIO	ם ויטא טוט	REASTFEED
of MOTHER	<u>Number</u>	<u>Percent</u>	<u>Number</u>	<u>Percent</u>	<u>Number</u>	<u>Percent</u>
ALL RACES	210	9.3	282	12.5	404	26.8
WHITE	115	15.1	95	12.4	128	25.6
BLACK	40	7.1	69	12.2	115	29.9
ASIAN/PI*	2	ND	1	ND	1	ND
MULTI-RACE	37	14.2	38	14.5	58	31.9
HISPANIC	41	4.0	118	11.6	156	23.7

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2017-2021

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	21	1	0
WHITE	3	1	0
BLACK	12	0	0
ASIAN/PI*	0	0	0
MULTI-RACE	0	0	0
HISPANIC	7	1	0

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2021 AND 2017-2021

RACE or	202	1	2017-2	021
ETHNICITY	<u>Number</u>	<u>Rate</u>	<u>Number</u>	<u>Rate</u>
ALL RACES	9	ND	31	8.1
WHITE	0	ND	5	ND
BLACK	4	ND	15	16.2
ASIAN/PI*	0	ND	0	ND
MULTI-RACE	1	ND	3	ND
HISPANIC	4	ND	11	6.7

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

^{*}Asian/Pacific Islander

MATERNAL AND CHILD HEALTH STATUS INDICATORS PENNSYLVANIA

SELECTED RESIDENT BIRTH STATISTICS BY RACE AND ETHNICITY, 2019-2021								
RACE or ETHNICITY	LOW BIRTH WEIGHT		NO PRENATAL CARE IN FIRST TRIMESTER		BIRTHS TO MOTHERS UNDER 18			
of MOTHER	<u>Number</u>	Percent	<u>Number</u>	<u>Percent</u>	<u>Number</u>	<u>Percent</u>		
ALL RACES	33,165	8.4	100,820	26.3	3,911	1.0		
WHITE	19,040	6.9	60,929	22.7	1,613	1.0		
BLACK	8,017	14.4	18,581	35.3	1,117	2.0		
ASIAN/PI*	1,647	9.0	4,570	25.9	29	0.2		
MULTI-RACE	1,368	10.3	4,202	33.0	398	3.0		
HISPANIC	4,407	8.7	16,871	34.7	1,264	3.0		
SMOKED IN FIRST RACE or TRIMESTER		PRETERM BIRTHS		BIRTHS TO MOTHERS WHO DID NOT BREASTFEED				
ETHNICITY of MOTHER	<u>Number</u>	<u>Percent</u>	<u>Number</u>	Percent	Number	<u>Percent</u>		
ALL RACES	31,995	8.3	38,690	9.8	46,171	18.0		
WHITE	25,758	9.5	24,350	8.8	30,765	17.2		
BLACK	3,468	6.5	7,767	14.0	8,614	23.9		
ASIAN/PI*	102	0.6	1,558	8.5	1,084	9.0		
MULTI-RACE	1,713	13.3	1,477	11.2	1,937	21.9		
HISPANIC	2,125	4.4	5,212	10.4	5,985	18.7		

DEATHS AMONG RESIDENTS 15 TO 19 YEARS OF AGE BY RACE AND ETHNICITY, SELECTED CAUSES, 2017-2021

RACE or ETHNICITY	ALL CAUSES	MOTOR VEHICLE ACCIDENTS	INTENTIONAL SELF-HARM (SUICIDE)
ALL RACES	1,931	320	359
WHITE	1,153	254	285
BLACK	566	36	33
ASIAN/PI*	36	7	13
MULTI-RACE	33	6	8
HISPANIC	197	35	24

RESIDENT INFANT DEATHS, NUMBER AND RATE BY RACE AND ETHNICITY, 2021 AND 2017-2021

RACE or	202	1	2017-20	2017-2021		
ETHNICITY	<u>Number</u>	<u>Rate</u>	<u>Number</u>	<u>Rate</u>		
ALL RACES	727	5.5	3,883	5.8		
WHITE	378	4.1	2,119	4.5		
BLACK	201	11.0	1,151	12.3		
ASIAN/PI*	15	2.5	87	2.8		
MULTI-RACE	40	9.8	150	6.8		
HISPANIC	98	5.7	505	6.2		

NOTES: Rates based on less than 10 events are considered statistically unreliable and are not displayed (ND).

Infant mortality rates are per 1,000 live births for specified year/s and race or ethnicity.

ICD-10 Codes: Motor Vehicle Accidents (V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2), Intentional Self-harm (Suicide) (U03, X60-X84, Y87.0).

Low birth weight is less than 2,500 grams or 5 pounds and 9 ounces.

Preterm births are less than 37 weeks gestation.

Starting in 2013, breastfeeding calculation changed to exclude infants not living at time of birth certificate reporting.

Any unknown data are excluded from calculations.

Starting in 2013, race was derived from multiple race selections. Prior to 2013, race was derived from a single race designation. For example, starting in 2013, "White" means that it was the only race selected from a list of multiple race selections. Prior to 2013, "White" means that the single race designation was "White".

Hispanics can be of any race.

^{*}Asian/Pacific Islander