PENNSYLVANIA

STATE REPORT | 08.23.2020

SUMMARY

- Pennsylvania is in the yellow zone for cases, indicating between 10 and 100 new cases per 100,000 population last week, and the green zone
 for test positivity, indicating a rate below 5%.
- Nationally, Pennsylvania was 44th for most new cases per 100,000 population and 35th for highest test positivity last week.
- Pennsylvania has seen a decrease in new cases and stability in test positivity over the last week.
- The following three counties had the highest number of new cases over the past 3 weeks: 1. Philadelphia County, 2. Allegheny County, and 3. Delaware County. These counties represent 34.2 percent of new cases in Pennsylvania.
- 25% of all counties in Pennsylvania have ongoing community transmission (yellow or red alert), with 0% having high levels of community transmission (red alert).
- 1.5% of nursing homes are reporting 3 or more residents with COVID-19 per week over the last 3 weeks.
- Pennsylvania had 37 new cases per 100,000 population in the past week, compared to a national average of 93 per 100,000.
- Current staff deployed from the federal government as assets to support the state response are: 66 to support operations activities from FEMA; 12 to support operations activities from ASPR; 1 to support operations activities from USCG; and 8 to support medical activities from VA.
- Between Aug 15 Aug 21, on average, 55 patients with confirmed COVID-19 and 332 patients with suspected COVID-19 were reported as newly
 admitted each day to hospitals in Pennsylvania. An average of 77 percent of hospitals reported either new confirmed or new suspected COVID
 patients each day during this period; therefore, this may be an underestimate of the actual total number of COVID-related hospitalizations.
 Underreporting may lead to a lower allocation of critical supplies.*
- Please review the <u>West Virginia School K-12 metrics</u> that combine classroom education with sports activities for incentives to communities to
 ensure community transmission stays low.

RECOMMENDATIONS

- Maintain statewide mask requirement. Continue and expand approaches with private stakeholders, university and local community
 organizations to monitor compliance, and work with local health authorities to enforce mandate.
- Continue to follow below guidance for yellow and red zone counties until cases and test positivity persistently decrease while testing volumes are maintained or increased.
- Intensify public health messaging and education targeting younger individuals, communities with low mask use, or those who are not
 practicing social distancing. Utilize media platforms specific to targeted groups. Remind residents about asymptomatic transmission. For
 those who have visited or received visitors from areas with high COVID-19 prevalence, emphasize the need to: avoid all vulnerable individuals
 and indoor gatherings; be particularly vigilant about strict social distancing and mask use for a minimum of 14 days; and get tested if family
 members or close friends develop symptoms.
- All university and colleges should have a plan for screening and testing returning students. Communities where students are returning in large
 numbers should work with colleges and universities to ensure sufficiently enhanced testing capacity with quick turn-around times and
 immediate isolation of cases with expanded contact tracing.
- Continue ongoing efforts to build contact tracing capabilities through increasing staff, training, and funding. Focus on hiring from universities and colleges and within the communities where efforts are focused.
- To expand testing capacity, conduct pooled testing of households, staff and run public health labs at full machine capacity, develop community-level public-private partnerships, require all universities with RNA detection platforms, including veterinary platforms, to use equipment to expand surveillance testing for schools (K-12, community colleges) and university students, and ensure all testing platforms in clinical settings are being utilized to their full capacity. Distinctions between surveillance and diagnostic testing should be maintained.
- Develop a plan for safe covered or indoor mass testing so that inclement weather doesn't prevent testing campaigns; expand communitybased testing with evening and weekend hours.
- Any nursing homes with 3 or more cases of COVID per week over the last 3 weeks should have mandatory inspection surveys conducted and immediate support for corrective action.
- In yellow and red zone metro areas and counties, protect residents of assisted living and long-term care facilities through use of
 recommended testing protocols among staff and mandated mask use. In facilities where anyone has tested positive, ensure all residents and
 staff have been promptly tested and appropriate cohorting measures are in place.
- Specific, detailed guidance on community mitigation measures can be found on the CDC website.

The purpose of this report is to develop a shared understanding of the current status of the pandemic at the national, regional, state and local levels. We recognize that data at the state level may differ from that available at the federal level. Our objective is to use consistent data sources and methods that allow for comparisons to be made across localities. We appreciate your continued support in identifying data discrepancies and improving data completeness and sharing across systems. We look forward to your feedback.





PENNSYLVANIA STATE REPORT | 08.23.2020

	STATE REPORT 08.25.2020					
	STATE, LAST WEEK	STATE, % CHANGE FROM PREVIOUS WEEK	FEMA/HHS REGION, LAST WEEK	UNITED STATES, LAST WEEK		
NEW CASES (RATE PER 100,000)	4,682 (37)	-17.4%	16,289 (53)	306,444 (93)		
VIRAL (RT-PCR) LAB TEST POSITIVITY RATE	3.8%	-0.5%*	4.6%	5.8%		
TOTAL VIRAL (RT-PCR) LAB TESTS (TESTS PER 100,000)	156,928** (1,226)	-15.2%**	492,016** (1,595)	5,541,796** (1,688)		
COVID DEATHS (RATE PER 100,000)	113 (1)	-23.1%	263 (1)	6,953 (2)		
SNFs WITH AT LEAST ONE RESIDENT COVID-19 CASE	7.1%	-1.3%*	9.4%	11.8%		
E	100%					

* Indicates absolute change in percentage points.

MOBILITY RELAT **TO BASELINE**

MOBILIT

80%

60% 40% 20% 0% 2/23

** Due to delayed reporting, this figure may underestimate total diagnostic tests and week-on-week changes in diagnostic tests. DATA SOURCES

3/29

4/5

3/15

3/22

3/8

3/1

Note: Some dates may have incomplete data due to delays in reporting. Data may be backfilled over time, resulting in week-to-week changes. It is critical that states provide as up-to-date data as possible.

4/12 4/19 4/26 5/10

5/17 5/24 5/31 6/7 6/14 6/21 6/28

7/5 7/12 7/19 7/26 8/2 8/9

3/16

5/3

Cases and Deaths: State values are calculated by aggregating county-level data from USAFacts; therefore, the values may not match those reported directly by the state. Data is through 8/21/2020; last week is 8/15 - 8/21, previous week is 8/8 - 8/14.

Testing: The data presented above represent viral COVID-19 laboratory diagnostic and screening test (reverse transcription polymerase chain reaction, RT-PCR) results—not individual people—and exclude antibody and antigen tests. CELR (COVID-19 Electronic Lab Reporting) state health department-reported data are used to describe state-level viral COVID-19 laboratory test (RT-PCR) result totals when able to be disaggregated from serology test results and to describe county-level totals when information is available on patients' county of residence or healthcare providers' practice location. HHS Protect laboratory data (provided directly to Federal Government from public health labs, hospital labs, and commercial labs) are used otherwise. Some states did not report on certain days, which may affect the total number of tests resulted and positivity rate values. Total viral (RT-PCR) laboratory tests are the number of tests performed, not the number of individuals tested. Viral (RT-PCR) laboratory test positivity rate is the number of positive tests divided by the number of tests performed and resulted. Last week data are from 8/13 - 8/19; previous week data are from 8/6 - 8/12. HHS Protect data is recent as of 08:00 EDT on 08/23/2020. Testing data are inclusive of everything received and processed by the CELR system as of 19:00 EDT on 08/22/2020. Testing data may be backfilled over time, resulting in changes week-to-week in testing data. It is critical that states provide as up-to-date testing data as possible.

Mobility: Descartes Labs. This data depicts the median distance moved across a collection of mobile devices to estimate the level of human mobility within a county. The 100% represents the baseline mobility level; lower percent mobility indicates less population movement. Data is anonymized and provided at the county level. Data through 8/21/2020.

SNFs: Skilled nursing facilities. National Healthcare Safety Network. Data report resident cases. Last week is 8/10-8/16, previous week is 8/3-8/9.




PENNSYLVANIA

STATE REPORT | 08.23.2020

COVID-19 COUNTY AND METRO ALERTS*

Top 12 shown in table (full lists below)



All Yellow Counties: York, Berks, Dauphin, Erie, Beaver, Union, Northumberland, Blair, Lycoming, Indiana, Armstrong, Clearfield, Huntingdon, Crawford, Carbon, Perry, Susquehanna

* Localities with fewer than 10 cases last week have been excluded from these alerts.

Red Zone: Those core-based statistical areas (CBSAs) and counties that during the last week reported both new cases above 100 per 100,000 population, and a viral (RT-PCR) lab test positivity result above 10%.

Note: Top 12 locations are selected and sorted based on the highest number of new cases in the last 3 weeks. Lists of red and yellow localities are sorted by the number of new cases in the last 3 weeks, from highest to lowest.

DATA SOURCES

Cases and Deaths: State values are calculated by aggregating county-level data from USAFacts; therefore, the values may not match those reported directly by the state. Data is through 8/21/2020; last week is 8/15 - 8/21, three weeks is 8/1 - 8/21.

Testing: CELR (COVID-19 Electronic Lab Reporting) state health department-reported data through 8/19/2020. Last week is 8/13 - 8/19. Testing data may be backfilled over time, resulting in changes week-to-week in testing data. It is critical that states provide as up-to-date testing data as possible.

Yellow Zone: Those core-based statistical areas (CBSAs) and counties that during the last week reported both new cases between 10-100 per 100,000 population, and a viral (RT-PCR) lab test positivity result between 5-10%, or one of those two conditions and one condition qualifying as being in the "Red Zone."

POLICY RECOMMENDATIONS FOR COUNTIES IN THE RED ZONE

Public Messaging

- Wear a mask at all times outside the home and maintain physical distance
- Limit social gatherings to 10 people or fewer
- Do not go to bars, nightclubs, or gyms
- Use take out or eat outdoors socially distanced
- Protect anyone with serious medical conditions at home by social distancing at home and using high levels of personal hygiene, including handwashing and cleaning surfaces
- Reduce your public interactions and activities to 25% of your normal activity

Public Officials

- · Close bars and gyms, and create outdoor dining opportunities with pedestrian areas
- Limit social gatherings to 10 people or fewer
- Institute routine weekly testing of all workers in assisted living and long-term care facilities. Require masks for all staff and prohibit visitors
- Ensure that all business retailers and personal services require masks and can safely social distance
- Increase messaging on the risk of serious disease for individuals in all age groups with preexisting obesity, hypertension, and diabetes mellitus, and recommend to shelter in place
- Work with local community groups to provide targeted, tailored messaging to communities with high case rates, and increase community level testing
- Recruit more contact tracers as community outreach workers to ensure all cases are contacted and all positive households are individually tested within 24 hours
- · Provide isolation facilities outside of households if COVID-positive individuals can't quarantine successfully

Testing

- · Move to community-led neighborhood testing and work with local community groups to increase access to testing
- · Surge testing and contact tracing resources to neighborhoods and zip codes with highest case rates
- **Diagnostic pooling**: Laboratories should use pooling of samples to increase testing access and reduce turnaround times to under 12 hours. Consider pools of 2-3 individuals in high incidence settings and 5:1 pools in setting where test positivity is under 10%
- Surveillance pooling: For family and cohabitating households, screen entire households in a single test by pooling specimens of all members into single collection device

POLICY RECOMMENDATIONS FOR COUNTIES IN THE YELLOW ZONE IN ORDER TO PREEMPT EXPONENTIAL COMMUNITY SPREAD

Public Messaging

- · Wear a mask at all times outside the home and maintain physical distance
- Limit social gatherings to 25 people or fewer
- Do not go to bars or nightclubs
- Use take out, outdoor dining or indoor dining when strict social distancing can be maintained
- Protect anyone with serious medical conditions at home by social distancing at home and using high levels of personal hygiene
- Reduce your public interactions and activities to 50% of your normal activity


Public Officials

- Limit gyms to 25% occupancy and close bars until percent positive rates are under 3%; create outdoor dining opportunities with pedestrian areas
- Limit social gatherings to 25 people or fewer
- Institute routine weekly testing of all workers in assisted living and long-term care facilities. Require masks for all staff and prohibit visitors
- Ensure that all business retailers and personal services require masks and can safely social distance
- Increase messaging on the risk of serious disease for individuals in all age groups with preexisting obesity, hypertension, and diabetes mellitus, and recommend to shelter in place
- Work with local community groups to provide targeted, tailored messaging to communities with high case rates, and increase community level testing
- Recruit more contact tracers as community outreach workers to ensure all cases are contacted and all positive households are individually tested within 24 hours
- Provide isolation facilities outside of households if COVID-positive individuals can't quarantine successfully

Testing

- Move to community-led neighborhood testing and work with local community groups to increase access to testing
- Surge testing and contact tracing resources to neighborhoods and zip codes with highest case rates
- **Diagnostic pooling**: Laboratories should use pooling of samples to increase testing access and reduce turnaround times to under 12 hours. Consider pools of 3-5 individuals
- Surveillance pooling: For family and cohabitating households, screen entire households in a single test by pooling specimens of all members into single collection device






DATA SOURCES

0

Cases: County-level data from USAFacts. State values are calculated by aggregating county-level data from USAFacts; therefore, the values may not match those reported directly by the state. Data is through 8/21/2020. **Testing:** CELR (COVID-19 Electronic Lab Reporting) state health department-reported data through 8/19/2020.

3/8 3/15 3/29 3/29 3/29 4/5 5/31 5/17 5/17 5/17 6/7 6/7 6/7 7/19 7/12 8/28 8/2 8/28 8/23

Top 12 counties based on number of new cases in the last 3 weeks




DATA SOURCES Cases: County-level data from USAFacts through 8/21/2020. Last 3 weeks is 8/1 - 8/21.



PENNSYLVANIA

STATE REPORT | 08.23.2020

CASE RATES AND DIAGNOSTIC VIRAL LAB TEST POSITIVITY DURING THE LAST WEEK




DATA SOURCES

Cases: County-level data from USAFacts through 8/21/2020. Last week is 8/15 - 8/21, previous week is 8/8 - 8/14. **Testing:** CELR (COVID-19 Electronic Lab Reporting) state health department-reported data through 8/19/2020. Last week is 8/13 - 8/19, previous week is 8/6 - 8/12. Testing data may be backfilled over time, resulting in changes week-to-week in testing data. It is critical that states provide as up-to-date testing data as possible.




National Picture

NEW CASES PER 100,000 LAST WEEK



VIRAL (RT-PCR) LAB TEST POSITIVITY LAST WEEK



DATA SOURCES

Cases: County-level data from USAFacts through 8/21/2020. Last week is 8/15 - 8/21.

Testing: Combination of CELR (COVID-19 Electronic Lab Reporting) state health department-reported data and HHS Protect laboratory data (provided directly to Federal Government from public health labs, hospital labs, and commercial labs) through 8/19/2020. Last week is 8/13 - 8/19. Testing data may be backfilled over time, resulting in changes week-to-week in testing data. It is critical that states provide as up-to-date testing data as possible.

STATE REPORT | 08.23.2020

COLOR THRESHOLDS: Results for each indicator should be taken in context of the findings for related indicators (e.g., changes in case incidence and testing volume)

Metric	Green	Yellow	Red
New cases per 100,000 population per week	<10	10-100	>100
Percent change in new cases per 100,000 population	<-10%	-10% - 10%	>10%
Diagnostic test result positivity rate	<5%	5%-10%	>10%
Change in test positivity	<-0.5%	-0.5%-0.5%	>0.5%
Total diagnostic tests resulted per 100,000 population per week	>1000	500-1000	<500
Percent change in tests per 100,000 population	>10%	-10% - 10%	<-10%
COVID-19 deaths per 100,000 population per week	<1	1-2	>2
Percent change in deaths per 100,000 population	<-10%	-10% - 10%	>10%
Skilled Nursing Facilities with at least one resident COVID-19 case	0%	0.1%-5%	>5%
Change in SNFs with at least one resident COVID-19 case	<-0.5%	-0.5%-0.5%	>0.5%

DATA NOTES

COVID-19

- Some dates may have incomplete data due to delays in reporting. Data may be backfilled over time, resulting in week-to-week changes. It is critical that states provide as up-to-date data as possible.
- **Cases and deaths:** County-level data from USAFacts as of 13:00 EDT on 08/23/2020. State values are calculated by aggregating county-level data from USAFacts; therefore, values may not match those reported directly by the state. Data are reviewed on a daily basis against internal and verified external sources and, if needed, adjusted. Last week data are from 8/15 to 8/21; previous week data are from 8/8 to 8/14.
- **Testing:** The data presented represent viral COVID-19 laboratory diagnostic and screening test (reverse transcription polymerase chain reaction, RT-PCR) results—not individual people—and exclude antibody and antigen tests. CELR (COVID-19 Electronic Lab Reporting) state health department-reported data are used to describe state-level viral COVID-19 laboratory test (RT-PCR) result totals when able to be disaggregated from serology test results and to describe county-level totals when information is available on patients' county of residence or healthcare providers' practice location. HHS Protect laboratory data (provided directly to Federal Government from public health labs, hospital labs, and commercial labs) are used otherwise. Some states did not report on certain days, which may affect the total number of tests resulted and positivity rate values. Total viral (RT-PCR) laboratory tests are the number of tests performed, not the number of individuals tested. Viral (RT-PCR) laboratory test positivity rate is the number of positive tests divided by the number of tests performed and resulted. Last week data are from 8/13 to 8/19; previous week data are from 8/6 to 8/12. HHS Protect data is recent as of 08:00 EDT on 08/23/2020. Testing data are inclusive of everything received and processed by the CELR system as of 19:00 EDT on 08/22/2020. Testing data may be backfilled over time, resulting in changes week-to-week in testing data. It is critical that states provide as up-to-date testing data as possible.
- **Mobility:** Descartes Labs. These data depict the median distance moved across a collection of mobile devices to estimate the level of human mobility within a locality; 100% represents the baseline mobility level. Data is recent as of 13:00 EDT on 08/23/2020 and through 8/21/2020.
- **Hospitalizations:** Unified hospitalization dataset in HHS Protect. This figure may differ from state data due to differences in hospital lists and reporting between federal and state systems. These data exclude psychiatric, rehabilitation, and religious non-medical hospitals. In addition, hospitals explicitly identified by states/regions as those from which we should not expect reports were excluded from the percent reporting figure. The data presented represents raw data provided; we are working diligently with state liaisons to improve reporting consistency. Data is recent as of 14:30 EDT on 08/23/2020.
- **Skilled Nursing Facilities:** National Healthcare Safety Network (NHSN). Data report resident cases. Quality checks are performed on data submitted to the NHSN. Data that fail these quality checks or appear inconsistent with surveillance protocols may be excluded from analysis. Also note that data presented by NHSN is more recent than the data publicly posted by CMS. Therefore, data presented may differ slightly from those publicly posted by CMS.